

BYTE

A MCGRAW-HILL PUBLICATION

Zenith's
Z-486/25E:
5 Times
Faster
than VGA

Page 54



**HP 95LX: A complete PC,
plus Lotus 1-2-3, for under \$700**

Best Palmtop Ever?

Future Documents:
Combining text, graphics, voice, and more

Drowning in Data? See page 150

Lab Tests:

Nineteen 486/33 EISA Machines

Borland's ObjectVision

Low-Cost Apple Laser Printer

PLUS

5 X Terminals

3 LAN UPSes

QEMM vs. 386Max


Mac Image Compression

MultiScope Debuggers

PC Image-Editing Software

Printer Sharing Devices

Color Printers



9 770360 528001

£1.95 U.K./Lit. 8,000 ITALY
\$3.50 U.S.A./0360-5280



You'll be impressed with what's behind the CompuAdd name.

Here's your direct line into one of America's leading computer manufacturers.

Simply send us a fax, and we'll fax back to you the inside story on CompuAdd computer systems.

You'll see why our customers are so pleased with the quality and reliability of both CompuAdd the Computer and CompuAdd the Company.

Buying direct from CompuAdd is easy. Our locations in Europe give you the rapid delivery and support you want. CompuAdd's 30-day money-back guarantee, telephone technical support and on-site service are prime reasons why our customers are so satisfied. In fact, a recent independent customer service survey found that CompuAdd led the U.S. PC industry in its commitment to customers and in value/price performance.

CompuAdd's success grows from its 1,500 employees' dedication to quality. And with more than 30,000 square metres of manufacturing space, CompuAdd is well equipped to deliver that quality when you need it and where you need it.

When you look into CompuAdd, it's not hard to see why our international sales have doubled over the past year. And it's not hard to see why CompuAdd's total sales topped \$515,000,000 in 1990 — up from \$400,000,000 the previous year.

All this proves how popular CompuAdd's way of doing business is. Because buying direct from the manufacturer is quite simply the best way to buy. It's easy. It's fast. It gives you our support and expertise.

Best of all, it gives you the Company, not just the Computer.

CompuAdd[®]
C O R P O R A T I O N

Yes!

Please fax me the facts
about CompuAdd computers.

Simply check the products that interest you and fax this form to the number for your area. CompuAdd will send you spec sheets by return fax. It's the most direct way to get information about any computer. Direct from the manufacturer!

I would like to receive information about:

Systems		Hardfiles	
<input type="checkbox"/> CompuAdd 212 (80286/12MHz)	<input type="checkbox"/> CompuAdd 333T (80386/33MHz - Tower)	<input type="checkbox"/> 40MB	<input type="checkbox"/> 150MB
<input type="checkbox"/> CompuAdd 316s (80386SX/16MHz)	<input type="checkbox"/> CompuAdd 333D (80386/33MHz - Desktop)	<input type="checkbox"/> 80MB	<input type="checkbox"/> 330MB
<input type="checkbox"/> CompuAdd 320s (80386SX/20MHz)	<input type="checkbox"/> CompuAdd 433T (80486/33MHz - Tower)	<input type="checkbox"/> 110MB	<input type="checkbox"/> 630MB
<input type="checkbox"/> CompuAdd 325 (80386/25MHz)	<input type="checkbox"/> CompuAdd 433D (80486/33MHz - Desktop)	Controller	
<input type="checkbox"/> CompuAdd 425 (80486/25MHz)	<input type="checkbox"/> CompuAdd SS-1 (Workstation)	<input type="checkbox"/> IDE Interface/Hardfiles	
		<input type="checkbox"/> ESDI HardCache/Hardfiles	
		<input type="checkbox"/> SCSI HardCache/Hardfiles	

Name: _____

Title: _____

Company: _____

Address: _____

Telephone: _____

Fax: _____



France

Fax #: 33-1-4036-4676

Free #: 05-222-333

Long Distance #: 33-1-40364949



Germany

Fax #: 49-6181-910111

Free #: 0130-6009

Long Distance #: 49-6181-91010



United Kingdom

Fax #: 44-272-254-881

Free #: 0-800-525-295

Long Distance #: 44-272-254-789

CompuAdd
CORPORATION

12303 Technology Blvd. Austin, Texas USA 78727



800-387-3266



95-800-010-0401



0800-373535




0130-6009



1-40364949



Get the fax
behind
CompuAdd...




...and the facts
will speak
for themselves.




There's An Double Your

Introducing The ALR POWERPRO



With the POWERPRO's advanced modular system architecture, the choices you make today won't limit your options tomorrow.



Just Upgrade the CPU!™

Additionally, all models will be able to accommodate future, faster, processors.

With 49-MBs of possible RAM, twelve expansion slots, and accommodations for up to 2.5-GB of internal storage

(up to 10-GB of total storage utilizing an external ALR expansion chassis), the POWERPRO has the expandability needed to keep pace with your future needs. The POWERPRO also incorporates a 32-bit EISA bus, so you'll have maximum compatibility

with cutting-edge enhancement products while enjoying the affordability of today's



low-cost "AT" compatible hardware.

SUPERIOR CACHE

The POWERPRO uses ALR's proprietary

Strapping two traditional PCs together won't give you the dual processing power you need to keep pace with today's growing networks and multi-user environments, but the new ALR®POWERPRO will. It's the affordable, high-performance alternative to the COMPAQ® SYSTEMPRO™.

Whether you need a system for single or multiple users, CAD/CAM, office automation, manufacturing management systems, shared databases or a host of other applications, there's a POWERPRO that delivers. Choose between one or two 33-MHZ i486 processors and up to 1-MB of cache for performance ranging from 14.7 to 40 VAX™ MIPS. Single CPU models can be quickly and easily upgraded to dual processing.



Easier Way To Processing Power.

Single or Dual Processing **SMP Certified**

PROCACHE scalable cache memory architecture. This mainframe-like read-and-write-back design is more efficient than the standard write-through architecture found on

the SYSTEMPRO. More importantly, this scalable architecture allows you to equip the POWERPRO with up to 1-MB of cache.

ADVANCED DISK PERFORMANCE AND SECURITY

Yet the POWERPRO's performance edge doesn't stop there. Selected models use

POWERPRO runs off the shelf dual-processing versions of SCO® UNIX™ with SCO MPX as well as Banyan® Vines™ SMP. And it's positioned for use with future dual processing versions of Novell® NetWare™, OS/ 2™ and LAN Manager 2.0™.

For more information call ALR now;

ALR®
Advanced Logic Research, Inc.

1-800-465-5979 in Canada

ALR (Canada) Ltd.
22 Riviera Drive
Markham, Ontario Canada L3R 5M1
(416) 940-6668 FAX: (416) 940-9855

1-800-444-4ALR in USA

Advanced Logic Research, Inc.
9401 Jeronimo
Irvine, California, 92718
(714) 581-6770 FAX: (714) 581-9240

Model Name	ALR POWERPRO 486/33 VM 64 Single 33-MHz i486	ALR POWERPRO 486/33 SMP 512 Single 33-MHz i486
CPU	1	1
# of Processors	2	2
Max. # of Processors	32-bit EISA	32-bit EISA
Bus Architecture	64-KB	512-KB
Memory Cache	5-MB	17-MB
RAM Std.	none	330-MB <18ms
Hard Drive	12	12
Expansion Slots		

ALR's SCSI SDA (Software Disk Array) to provide the capabilities of hardware disk arrays — including disk striping, spanning and mirroring — with greater flexibility and higher

performance. ALR's SDA protects your data while helping to eliminate hard disk bottlenecks.

OFF THE SHELF COMPATIBILITY

The SYSTEMPRO-compatible ALR

Circle 16 on Inquiry Card
(RESELLERS: 17).

**Crowntek
Business
Centres**

Mississauga Tel: (416) 507-5000 Head Office

Victoria Tel: (604) 386-3383

Vancouver Tel: (604) 279-4600

Edmonton Tel: (403) 465-1222

Calgary Tel: (403) 244-1910

Winnipeg Tel: (204) 949-0976

Toronto East Tel: (416) 940-8222

Toronto Central Tel: (416) 598-5321

Toronto West Tel: (416) 238-0863

London Tel: (519) 649-7535

Kitchener Tel: (519) 895-0130

Barrie Tel: (705) 722-6192

Ottawa Tel: (613) 230-1996

Montreal Tel: (514) 684-0020

Quebec Tel: (418) 871-9621

Fredericton Tel: (506) 458-8877

Moncton Tel: (506) 857-0808

Saint John Tel: (506) 634-1132

Halifax Tel: (902) 468-8373

Featuring CUSTOMER TECHNOLOGY SERVICES

Prices and configurations subject to change without notice. System shown with optional monitor. ALR is a registered trademark of Advanced Logic Research, Inc. All other brand and product names are trademarks or registered trademarks of their respective owners. © 1991 by Advanced Logic Research, Inc.

COVER STORY

FIRST IMPRESSIONS

A PC and 1-2-3 in the Palm of Your Hand

PAGE 44

NEWS

29 MICROBYTES

Adobe's new font technology will give users more control over text.

48 FIRST IMPRESSIONS Apple Introduces Low-Cost Laser Quality with Style



A new dual low end for Apple printers.


Z-486/25E, the i486 and TIGA video make a powerful personal workstation

ObjectVision, an object-oriented approach makes forms cook

MT735 and LT-20, the highs and lows of printing on the road


Infini-D, a three-dimensional world for the Mac

Aldus FreeHand 3.0, a new-generation Mac drawing tool



68 WHAT'S NEW

DOS and Unix together, a transputer in a kit, finite element analysis for engineers, and more.



FEATURES

126 Future Documents

Combine Windows text, graphics, voice, and more.

137 Desktop Prototyping

New technologies make CAD drawings into solid models—from PCs!

145 Data Acquisition: PCs on the Bench

Data acquisition on powerful personal computers and workstations.

STATE OF THE ART

150 MANAGING GIGABYTES

Introduction

153 The Data Swamp

Together, hardware and software developments are making it easier to handle massive amounts of data.

157 Browsing Through Terabytes

Wide-area information servers can distill vast archives of data.

169 Prioritizing Information

Grace Hopper speaks out on the value of data and various criteria you can use to help determine that value.

177 Through a Lens Smartly

Information Lens can simplify electronic communications.

191 From Pyramids to Peers

Data management applications strengthen the integrity of network data.

201 Giga-Storage

A variety of storage technologies exist, and conflicting considerations are involved in choosing among them.

213 Resource Guide: Massive Mass Storage

Jukebox manufacturers serve up gigabytes of storage.



BYTE Topic Index and Author Guide

This index helps you find articles that contain information on each of the listed topics. (The topic list changes each month.) Combined with the table of contents (page 4) and the Editorial Index by Company (page 374), you can identify articles by type, subject, title, author, or product discussed.

286

68, 111, 201, 249

386

68, 93, 111, 137, 201, 249, 257, 271, 318, 324, 328

386SX

10, 68, 93, 257

486

54, 68, 216, 238, 271, 318

BUSES

54, 68, 145, 153, 216, 257

COMMUNICATIONS/MODEMS/FAX

68, 93, 121, 153, 157, 177, 249, 292, 318

DATABASES

56, 68, 93, 111, 126, 157, 201, 318

DOS

18, 68, 93, 111, 126, 216, 257, 324, 328

DRAWING/CAD/GRAPHICS

62, 68, 126, 137, 191, 216, 277, 292, 318

LAPTOPS/PORTABLES/NOTEBOOKS

10, 44, 56, 68, 93, 121, 157, 216

MAC

48, 62, 68, 93, 111, 238, 263

MEMORY MANAGEMENT

68, 257, 328

NETWORKS/NETWORKING

54, 68, 93, 111, 121, 126, 153, 157, 177, 191, 216, 238, 249, 309, 324, 334, 388

OBJECT-ORIENTED PROGRAMMING

56, 58, 126

OS/2

68, 324, 328

PRINTERS/PRINTING

48, 56, 68, 93, 121, 126, 277, 287, 328

SPARC

18, 216, 292

SPREADSHEETS

56, 68, 126, 153, 318

SYSTEMS

54, 93, 216, 238

TIGA

54, 266

UNIX

68, 111, 137, 216, 238, 292, 318, 324

WINDOWS

18, 68, 126, 177, 238, 257, 318, 328

WORD PROCESSING

126, 153, 328

X/11 WINDOWS

238, 292

AUTHORS

Alford, Roger C. 277
 Andrews, David 44, 54, 68
 Apiki, Steve 216
 Baran, Nicholas 145
 Barker, D. 29
 Barron, Janet J. 169
 Cook, Rick 29
 Crabb, Don 121, 334
 Diehl, Stanford 216
 Fiedler, David 318
 Fisher, Sharon 297
 Glass, Brett 257
 Grehan, Rick 249
 Heller, Martin 126
 Hopper, Grace 169
 Joch, Alan 287
 Kearns, Steven 271
 Kenner, Hugh 386
 Langa, Fred 10, 121
 Lent, Anne Fischer 54
 Linderholm, Owen 29, 48, 121
 Loeb, Larry 29, 121
 Loveria, Greg 266
 Mallett, Mark 309
 Malloy, Rich 54
 Miastkowski, Stan 54, 121
 Minasi, Mark J. 328
 Nance, Barry 324
 Peters, Richard A. 201
 Pournelle, Jerry 93, 121
 Rash, Wayne Jr. 111, 121
 Reinhardt, Andrew 29, 44
 Robinson, Mike 177
 Romkey, John 297
 Ryan, Bob 153, 213
 Sheldon, Ken 121, 388
 Smith, Ben 121
 Stein, Richard Marlon 157
 Swartz, Carol 68
 Tazelaar, Jane Morrill 150
 Thompson, Tom 54, 121
 Toperczer, Tom 191
 Ullman, Ellen 29
 Udell, Jon 121
 Vaughan-Nichols, Steven J. 263
 Wayner, Peter 121
 Wilcox, Grant 205
 Wood, Lamont 137
 Yager, Tom 238, 292

PC WEEK \ REVIEWS

PAGE 92

**UNWEEK
LABS**
PRODUCT REVIEW

Tri-Star Leads 33MHz 486 PC Pack

Eight Low-Cost Systems Perform Well; Video and Hard-Disk Components Van

By David Claiborne

In 1981, \$5,000 could buy the state-of-the-art PC. IBM's original 4.77MHz-based PC equipped

EPS Technologies Inc., First Computer Systems Inc., Insight Computers, Micro Express, PC Brand Inc., SAI Systems Labo-

chasing through the channel, the end of the chase, other reviewed systems.

ries Inc., Tangent Computer Inc., and

FLASH CACHE 486 COMPUTERS

FEATURES INCLUDE:

- Intel 80486 Processor
- 8MB RAM (Expandable to 64MB On Board)
- 64K High Speed Static RAM Cache
- 210MB 15ms Hard Disk Drive
- 1.2MB 5.25-inch Floppy Drive
- 1.44MB 3.5-inch Floppy Drive
- 1024 x 768 SVGA Adapter w/1MB RAM
- 14" Non-interlaced SVGA Color Display
- Microsoft DOS 4.01 & Windows 3.0
- High Res 400 DPI Three Button Mouse
- Quality 101-Key Tactile Keyboard
- Two Serial Ports and 1 Parallel Port
- Fully DOS, UNIX & Novell Compatible

Circle 321 on Inquiry Card.

FC425i
\$3895

FC433i
\$4295

UPGRADES:

- 16" COLOR DISPLAY \$695
- 20" COLOR DISPLAY \$1695

Flash Cache 33MHz 386 as above with
4MB RAM & 125MB Hard Drive
—Only \$2695

Tri-Star Computer continues to outdistance the pack as America's preferred supplier of high-end 486 Workstations. Read the reviews and you will understand why Tri-Star is the undisputed 486 champ.

"Tri-Star is king of the 33MHz 486 Mountain." PC WEEK Analyst's Choice, February 18, 1991

"Tri-Star's 486/25 rates honorable mention for its thoughtful design touches, two year warranty and excellent service program." PC Magazine Editor's Choice Honorable Mention, September 11, 1990

"Tri-Star's edge is its good documentation and excellent service policy." PC Sources 486/33 Lead Review, February 1991

ALL FLASH CACHE COMPUTER SYSTEMS INCLUDE:

- ♦ 2 Year Parts & Labor Warranty
- ♦ 60 Day Money Back Guarantee ♦ 12 Month On-Site Service ♦ Overnight Parts Replacement
- ♦ Lifetime Toll-Free Technical Support

All prices and specifications subject to change without notice. We accept MasterCard & Visa (No Surcharge), AMEX (3% Surcharge), or COD. Uninstall & Corporate PCs are welcome. (1 Year, No 25). Money Back guarantee does not include shipping charges. On-Site service available in most U.S. locations. 2 Year Warranty includes system and keyboard; non-Tri-Star assembled peripheral items such as printers and monitors are covered for 1 Year. All systems have been verified or certified to comply with part 15 of the FCC rules for a Class A or Class B computing device. FCC Class A systems not intended for home use. TriStar is a registered trademark of Evolution Computing. 386 & 486 are trademarks of the Intel Corporation. Product names mentioned herein may be trademarks and/or registered trademarks of their respective companies.

TRI-STAR
COMPUTER CORPORATION

1.800.678-2799

707 West Geneva, Tempe, Arizona 85282

Tech Support 1.800.688-TECH


Telephone 602.829-0584

Fax 602.345-0110


Monday - Friday 7:00am-7:00pm MST

Saturday 9:00am-4:00pm MST

The perfect end the lazy and p



Environment for power-hungry.



The Microsoft® Windows™ graphical environment version 3.0 makes it easy for you to do a lot more with your PC. That's

because the Windows environment has friendly icons, menus and dialog boxes that make its powerful features very accessible.

Windows lets you work with a variety of applications on-screen at the same time. Including your character-based programs.

But it's when you start using Windows applications that you get the most out of your PC. Windows applications are easy. In addition they all work essentially the same way. So once you learn how to use one, you generally know how to use them all.

And they're so intuitive that experimenting with them is fun.

Windows applications let you

cut and paste text and graphics. And let you combine them right on your screen. They also let you print out exactly what you see.


You can even establish links between Windows applications. Which means, if you change any numbers in Microsoft Excel for Windows, the chart you cut and pasted into your Microsoft Word for Windows document will be automatically updated.

So call us at (800) 541-1261, Department P31, to find out more about Windows, Windows applications or the big Windows World Convention and Exposition coming up May 20th and 23rd in Atlanta.

Because with Windows, you can start taking the work you do every day a little easier.

And have more to show for it.

Microsoft®
Making it all make sense™



FRED LANGA

EDITORIAL

CeBIT '91

**The world's largest
computer trade show
causes "the agony
of the feet"**

CeBIT at Germany's Hannover Fair is huge, easily the world's largest computer trade show. When CeBIT opened in mid-March, the organizers expected 580,000 attendees. However, war jitters reduced the count to a "mere" 400,000, about four times the size of Fall Comdex, North America's largest computer exhibition. The Fair is virtually a city unto itself: large enough to have its own rail stops, heliport, post office, pharmacy, florist, restaurants, police station. . . .

The Fair's logo is the head of Mercury (god of communication), with his mouth wide open. I assume the designers meant him to look as if he was heralding news, but after days of pounding CeBIT's endless aisles, BYTE staffers decided he was screaming because his feet hurt.

Here's a quick summary of some of the most interesting items we saw.

Kyocera's Refalo

Kyocera has been a behind-the-scenes player in portable computing ever since it built the Model 100 for Tandy. Now, Kyocera is rolling out a complete line of PCs under its own nameplate, including a fascinating pen-based notebook computer.

Refalo is an ultraminiaturized PC compatible running DOS 3.2 at 9.5 MHz: The circuitry is built into the covers of a very compact loose-leaf six-ring binder. You can use Refalo as either an electronic notebook or as a traditional paper-based notebook.

When you open Refalo, the inside left cover contains a 240- by 320-pixel screen, which is both an input and output device. You can write on the screen, storing your notes either as bit maps or as standard ASCII characters processed via built-in character-recognition software.

The character-recognition software works best on numeric data—phone numbers and the like. Text entry is possible, but it's faster and more reliable to tap it in via a membrane keypad on an electronic "leaf": a rigid touchpad tablet. The leaf is six-hole punched, and it's about as thick as 15 sheets of paper; it clips into the loose-leaf binder rings. The leaf communicates with the CPU using electromagnetic inductance through the metal binder rings—there are no wires.

The notebook can operate for up to 4 hours on either a built-in rechargeable battery or three ordinary, re-

placeable AAA dry cells.

Refalo comes with the standard megabyte of PC RAM, although the suite of always-available, built-in programs (e.g., schedule, memo, phone list, and telecommunications) eats up some user memory. The off-the-shelf configuration leaves you about 256K bytes to run standard DOS programs, which can be loaded through the serial port or, more conveniently, through two JEIDA-standard IC cards. You can also use the IC card slots to boost memory up to an amazing 16 MB. (EMS 4.0 support is built in.)

Refalo has been selling for several months in Japan. It will be sold this summer in Europe, and although plans for sales in the U.S. are not yet firm, Kyocera is working on it. Stay tuned.

Siemens-Nixdorf

At the other end of the spectrum, Siemens-Nixdorf International (SNI is Germany's largest computer company) announced a 105-million-instruction-per-second, 36-gigabyte multiprocessor Unix box that uses up to seven i486 CPUs: It's as big as a full-size refrigerator.

SNI also showed us a new version of ComfoWare, a complete suite of network-based Windows 3.0 applications that offers an attractive and easy way to get an office up and running on Windows. SNI has opened offices in North America and plans to reach out beyond its home turf. It's a company worth watching.

And More

Amstrad broke its low-end mold with a 20-MHz SX color laptop that will sell for about \$8000 and is due out later this summer. NEC and Canon broke their "printers are us" molds, the former with a new line of PCs, the latter with a palmtop multilingual dictionary/thesaurus that can simultaneously translate 600,000 words among three languages. East Coast Software, a tiny Irish company, tried to break out of its start-up mold with powerful file transfer software, including a new version of Trax, which is like PC-Anywhere on steroids. CSA Interprint, an Israeli company, broke the antiviral mold with new V-Care software that claims to be the "world's first generic all-virus protection."

Well, you get the idea. We'll be featuring the best of CeBIT products in future issues of BYTE. It was a great show—despite my sore feet.

—Fred Langa
Editor in Chief
(BIX name "flanga")



Make Powerful Connections with Borland's New Paradox

By any standard, Paradox® is the most powerful database. That's why it's been rated #1 by every leading computer publication, and why hundreds of thousands of users worldwide have switched to Paradox.

Now there's another reason to switch to Paradox—it **connects**.

Now Ready to Connect with SQL

With Paradox® SQL Link (sold separately),* Paradox makes it easy to connect PCs to the networks and SQL servers of your choice.** No programming is required. Users don't need to learn SQL. And since LAN traffic is kept to a minimum, answers to queries are delivered FAST!

All the power and ease-of-use of Paradox now transparently connect with your SQL data, including: Query By Example, multi-table forms and reports, presentation-quality graphics and much more.

Connects with Programmers

Paradox includes a full development language (PAL™) for building complete database applications. And now, with Paradox SQL Link, programmers can integrate SQL statements into PAL programs, use SQL table cursors, trap server error codes, and tap the unique capabilities of different database servers.

Connects with the Full Power of Your PC

Paradox 3.5 incorporates VROOMM™ and Turbo Drive.™ These proprietary Borland technologies let Paradox

automatically optimize your computer's use of available memory, and access up to 16Mb of RAM on 286/386™/486™ PCs. The result is lightning-fast database performance on *any* PC.

dBASE Owners!

Step Up for Only \$175⁰⁰

At \$795, Paradox is the best database value around. And to introduce its power and speed to dBASE® users, we're making an outrageous offer: If you own any version of dBASE, we'll sell you Paradox 3.5 for only \$175⁰⁰. (Does not include Paradox SQL Link, sold separately.)† Paradox will read and write dBASE files for easy integration into your existing environment.

Upgrade to Paradox 3.5 Now.

See your dealer or call
1-800-331-0877

B O R L A N D

Makers of Paradox®, Quattro® Pro, Turbo C++, Turbo Pascal® and Sidekick®

CODE: ME64

*Paradox SQL Link (\$495 suggested retail) is an add-on product for Paradox 3.5 and is required to make the connection with SQL servers. **Microsoft, IBM, Oracle and DEC RDB/VMS servers supported now. †Offer also good for owners of any version of RBASE or dBase. Proof of ownership (a page from the manual) is required. Satisfaction guaranteed or your money back. Upgrade offer expires May 31, 1991. Upgrade pricing good in U.S. and Canada only. Mail orders to: Borland International, Inc., P.O. Box 660001, Scotts Valley, CA 95067-0001. Add \$9.00 for shipping and handling. Residents in CA, CT, GA, IL, IN, MI, MN, NJ, NY, OH, PA, TX, VA and WA, please add appropriate sales tax. For orders outside the U.S., call (408) 438-5300. 386 and 486 are trademarks of Intel Corporation. Copyright ©1991 Borland. All rights reserved. BI 1395A

Circle 48 on Inquiry Card (RESELLERS: 491).

The IEF™ can help you develop unprecedented quality, productivity



"The IEF is a superior tool for implementing Information Engineering because it integrates the entire process from planning through code generation. We're deploying the IEF throughout the corporation."

David V. Evans
Vice President
Director, Information Systems
J.C. Penney



"Our On-line Banking system has been in production for more than 12 months—500,000 transactions a day—without a single code failure. And we had very few enhancements to do. Our users got what they needed the first time out."

Mark Quinlan
Senior Programmer/Analyst
Huntington National Bank



"To meet the dramatically reduced time-to-market requirements for our products, we need high-quality systems that can be changed fast. That's why we've chosen the IEF as the CASE solution for our entire organization."

John Pajak
Executive Vice President
Mass Mutual Life Insurance



"The strengths of the IEF are clear-cut. One obvious quality advantage is that application changes are made to diagrams, not code. This ensures ongoing integrity—the specification always matches the executing system."

Paul R. Hessinger
Chief Technology Officer
Computer Task Group




"I've seen other CASE tools fail, so I raised the bar high when we evaluated the IEF. It passed with flying colors. I could not be happier with my decision to adopt the IEF company-wide."

John F. Mott
President
AMR Travel Services



"Our users were extremely pleased when we finished our first project—a 60-transaction system—in one-half the budgeted time. We had tried interfaced CASE tools without success. IEF integration makes the difference."

Giorgio Sorani
Division Head – MIS
Lubrizol



"We are using the IEF to develop a new generation of manufacturing systems replacing over 300 existing systems. We estimate that IEF will increase our productivity by between 2-to-1 and 3-to-1 for new systems development."

Wal Budzynski
Head of Operations, Systems/Computing
Rolls-Royce



"We used the IEF to rebuild our aging Frequent Flight Bonus system. With DB2 tables of up to 52 million rows, we needed high performance. And we got it...98% of our transactions complete in less than 3 seconds."

Cloene Goldsborough
Director of Data Resource Management
TWA



"Our first IEF system was completed faster, and with fewer errors, than any system I've ever seen. If I had to go back to the old ways, I'd find another job...outside the DP world. It means that much to me."

Mogens Sorensen
Chief Consultant
Nykredit (Denmark)

Open information systems with activity and maintainability.

The success of Texas Instruments CASE product is proven—in the field.

Major companies have used TI's CASE product, the Information Engineering Facility™ (IEF™), for everything from rebuilding aging high-maintenance-cost systems to development of new enterprise-wide strategic systems.

Study shows zero code defects.


The quality of IEF-developed systems is remarkable. In recent CASE research by The Gartner Group, application developers were asked to report the number of abends they had experienced. (An "abend" is a system failure or "lock-up" caused by code defects.) IEF developers reported zero defects—not one abend had occurred in IEF-generated code.

Maintenance productivity gains of up to 10-to-1.

In this same study, developers were asked to compare IEF maintenance productivity with their former methods. Of those responding, more than 80 percent had experienced gains of from 2-to-1 to 10-to-1. (See chart.)

Specifications always match the executing application.

With the IEF, application changes are made to diagrams, not code. So, for the life of your system, specifications will always match the executing application. The Gartner Group research showed that all IEF users who reported making application changes made all changes at the diagram level.



Developers were asked to compare IEF maintenance to former methods. Of those responding, more than 80% reported productivity gains of from 2-to-1 to 10-to-1.

Mainframe applications can be developed and tested on a PC.

With our new OS/2 toolset, you can develop mainframe applications, from analysis through automatic code generation, on your PC. Then, using the IEF's TP monitor simulator and the diagram-level testing feature, you can also test these mainframe applications without ever leaving the PC.

More environmental independence coming soon—develop on PC, generate for DEC/VMS, TANDEM, UNIX.

The IEF has generated applications for IBM mainframe environments (MVS/DB2 under TSO, IMS/DC, and CICS) since early 1988. Soon you'll be able to develop systems in OS/2 and then automatically generate for other platforms. DEC/VMS, TANDEM and UNIX are scheduled for availability in 1991. More will

follow. We are committed to increased environmental independence in support of the Open Systems concept.

We are committed to standards.

IEF tools and IEF-generated code will comply with standards as they emerge. We will adhere to CUA standards and to the principles of IBM's AD/Cycle and DEC's COHESION—and we will support Open Systems environments centering around UNIX. In any environment, the COBOL, C and SQL we generate adhere closely to ANSI standards. Our presence on standards committees helps us keep abreast of ANSI and ISO developments affecting the CASE world.

Full-service support.

Of course, our technical support, consultancy, training courses, satellite seminars, and other informational assistance will continue apace. We also offer re-engineering and template services. This full-service support will remain an integral part of the IEF product.

For more information, including a VHS video demo, call 800-527-3500 or 214-575-4404.

Or write Texas Instruments, 6550 Chase Oaks Blvd., Plano, Texas 75023.

TEXAS 
INSTRUMENTS

BYTE

EDITOR IN CHIEF
Frederic S. Langa

MANAGING EDITOR
Anne Fischer Lent

NEWS
New York: Managing Editor: Rich Malloy
News Editor: Andrew Reinhardt
Peterborough: Senior Editor, Microbytes:
D. Barker, Senior Editor, New Products:
Stan Miastkowski
Associate News Editors, What's New: David
Andrews, Martha Hicks, Carol Swartz
Editorial Assistant: Amanda Waterfield
San Francisco: Senior News Editor: Owen
Linderholm
Associate News Editor: Ellen Ullman
Editorial Assistant: David Silverman

BYTE LAB
Managing Editor: Michael Nadeau
Technical Director: Rick Grehan
Senior Editor: Dennis Allen
Technical Editors: Alan Joch, Robert
Mitchell, Tom Yager
Testing Editors/Engineers: Stephen Apiki,
Stanford Diehl, Howard Eglowstein,
Stanley Wszola

STATE OF THE ART
Senior Editor: Jane Morrill Tazelaar
Technical Editor: Robert M. Ryan

FEATURES
Senior Editor: Kenneth M. Sheldon
Technical Editors: Janet J. Barron,
Ben Smith

SENIOR EDITORS, AT LARGE
Tom Thompson, Jon Uddell

SPECIAL PROJECTS
Senior Editor: Gene Smarte

SENIOR CONTRIBUTING EDITOR
Jerry Pournelle

CONTRIBUTING EDITORS
Don Crabb, David Fiedler, Martin Heller,
Hugh Kenner, Wayne Rash Jr.

CONSULTING EDITORS
Jonathan Amsterdam, Nick Baran,
Laurence H. Loeb, Trevor Marshall,
Mark J. Minasi, Barry Nance, Dick
Pountain, Phillip Robinson, Peter Wayner

COPY EDITING
Chief Copy Editor: Lauren A. Stickler
Copy Administrator: Cathy Kingery
Copy Editors: Ellen Bingham, Susan
Colwell, Jeff Edmonds, Tom Kevan,
Margaret A. Richard, Warren Williamson

EDITORIAL ASSISTANTS
Office Manager: Peggy Dunham
Assistants: Linda C. Ryan, June Sheldon

DESIGN CONSULTANT
Ken Silvia

ART
Director: Nancy Rice
Assistant Director: Joseph A. Gallagher
Art Assistant: Jan Muller
Technical Artist: Alan Easton

BIX BYTE INFORMATION EXCHANGE

DIRECTOR
Stephen M. Laliberte

MANAGING EDITOR
Tony Lockwood

MICROBYTES DAILY
Coordinator: D. Barker Peterborough,
Rich Malloy New York, Nicholas Baran
Sandpoint, ID, Jeffrey Bertolucci
San Francisco, Laurence H. Loeb
Wallingford, CT, Stan Miastkowski
Peterborough, Wayne Rash Jr.
Washington, DC, David Reed Lexington,
KY, Andrew Reinhardt New York,
Jan Ziff Washington, DC

PRODUCTION
Director: David R. Anderson
Senior Editorial Production Coordinator:
Virginia Reardon
Editorial Production Coordinators:
Barbara Busenbark, Denise Chartrand

TYPOGRAPHY
Systems Manager: Sherry Fiske
Applications Manager: Donna Sweeney
Typesetter: Christa Patterson

ADVERTISING SERVICES (603) 924-6448
Assistant: Christine W. Tourgee
Customer Service Supervisor: Linda Fluhr
Senior Account Coordinator: Lyda Clark
Account Coordinator: Dale J. Christensen
Materials Coordinator: Karen Cilley
Advertising Assistant: Roxanne Hollenbeck
Creative Services Manager:
Susan Kingsbury
Production Artist: Lillian J. Wise
Quality Control Manager: Wai Chiu Li
Production Coordinator: Rod Holden

ADMINISTRATION
Publisher's Assistant: Donna Nordlund

MARKETING AND PLANNING
Director: L. Bradley Browne
Marketing Communications Manager:
Pamela Petrakos-Wilson
Public Relations Manager: Dawn Matthews
Assistant Promotion Manager: Lisa
Jo Steiner
Marketing Art Director: Stephanie
Warnesky
Associate Art Director: Sharon Price
Senior Market Research Analyst: Julie
Perron
Copyrights Coordinator: Faith Kluntz
Reader Service Coordinator: Cynthia
Damato Sands
Marketing Assistant: Carol Pitman

FINANCIAL SERVICES
Director of Finance: Claudia Flowers
Business Manager: Kenneth A. King
Assistants: Marilyn Parker, Diane Henry,
JoAnn Walter, Jeanne Gatcombe, Jaime
Huber, Agnes Perry

CIRCULATION
Director: Glyn Standen
Subscriptions Manager: Paul Ruess
Assistant Manager, Subscriptions:
Margaret Liszka
Subscriptions Assistant: Holly Zilling
Newsstand Manager: Vicki Zilling
Distribution Coordinator: Karen Desroches
Back Issues: Louise Menegus
Direct Accounts Coordinator: Ellen Dunbar
Direct Accounts Telephone Sales
Representative: Karen Carpenter

BUILDING SERVICES
George Clarke, Cliff Monkton,
Gary Graham, Ed Codman

PERSONNEL
Human Resources Administrator: Patricia
Burke, Human Resources Assistant: Fran
Wozniak, Receptionist: Beverly Goss

EXCHANGE EDITORS
Macintosh Exchange: Laurence H. Loeb,
IBM Exchange: Barry Nance, User Group
Exchange: David Reed, Interactive Game
Exchange: Richard Taylor, Amiga
Exchange: Joanne Dow, Writers Exchange:
Wayne Rash Jr., Tojerry Exchange: Jerry
Pournelle, Telecommunications Exchange:
Stephen Satchell

PUBLISHER
Ronald W. Evans

ADVERTISING SALES
Associate Publisher, Vice President
of Marketing: Steven M. Vito
Administrative Assistant: Carol Cochran

Eastern Advertising Director:
Arthur H. Kossack (312) 616-3341
Western Advertising Director:
Jennifer L. Bartel (214) 701-8496
Sales Assistant: Mary Lynn Heinritz

NEW ENGLAND
ME, NH, VT, MA, RI, CT, ONTARIO,
CANADA, & EASTERN CANADA
Daniel D. Savage (617) 860-6344

EAST COAST
NY, NJ, NY, DE, PA
Kim Norris (212) 512-2645
Ariane Casey (212) 512-2368

SOUTHEAST
NC, SC, GA, FL, AL, TN, VA, MS, AR, LA,
DC, MD, WV, KY
John Schillin (404) 843-4782

MIDWEST
IL, MO, KS, IA, ND, SD, MN, WI, NE,
IN, MI, OH
Kurt Kelley (312) 616-3328

SOUTHWEST, ROCKY MOUNTAIN
CO, OK, TX
Alison Keenan (214) 701-8496

SOUTH PACIFIC
SOUTHERN CA, AZ, NM,
LAS VEGAS, UT
Ron Cordek (714) 753-8140
Alan El Faye (213) 480-5243

NORTH PACIFIC
HI, WA, OR, ID, MT, NORTHERN CA, WY,
NORTHERN NV, WESTERN CANADA
Bill McAfee (408) 879-0381
Roy J. Kops (415) 954-9728
Leslie Hupp (408) 879-0381

INSIDE ADVERTISING SALES
Director: Liz Coyman
Administrative Assistant: Susan Boyd
Sales Secretary: Vivian Bernier

NATIONAL ADVERTISING SALES
Mary Ann Goulding (603) 924-2664
Patricia Payne (603) 924-2654
Jon Sawyer (603) 924-2665
Barry Echavarria (603) 924-2574

BYTE BITS (2x3)
Mark Stone (603) 924-2695

THE BUYER'S MART (1x2)
Joseph Mabe (603) 924-2656

CATALOG SHOWCASE/INT'L CARDS
Ellen Perham (603) 924-2598

REGIONAL ADVERTISING SECTIONS
Brian Higgins (603) 924-2651
Barry Echavarria (603) 924-2574
Larry Levine (603) 924-2637

BYTE DECK
Ed Ware (603) 924-2596

EURO-DECK
James Bail (603) 924-2533

INTERNATIONAL ADVERTISING SALES STAFF
See listing on page 377.

EDITORIAL AND BUSINESS OFFICE:
One Phoenix Mill Lane, Peterborough, NH
03458, (603) 924-9281.

West Coast Branch Offices: 425 Battery St.,
San Francisco, CA 94111, (415) 954-9718;
15635 Alton Pkwy., Suite 290, Irvine, CA
92718, (714) 753-8140.

New York Branch Editorial Office: 1221 Avenue
of the Americas, New York, NY 10020, (212)
512-3175.

Demolink: (617) 861-9767 (set modem at 8-1-
N, 2400 or 1200 bps).

Editorial Fax: (603) 924-2550. **Advertising Fax:**
(603) 924-7507.

SUBSCRIPTION CUSTOMER SERVICE: Outside
U.S. (609) 426-7676; inside U.S. (800) 232-
BYTE. For a new subscription—(800) 257-
9402 U.S. only, or write to BYTE Subscrip-
tion Dept., P.O. Box 555, Hightstown, NJ
08520. Subscriptions are \$29.95 for one
year, \$54.95 for two years, and \$74.95 for
three years in the U.S. and its possessions.
In Canada and Mexico, \$34.95 for one year,
\$64.95 for two years, \$87.95 for three years.
In Europe, £29 (U.S. \$50) for fast surface
delivery, £41 (U.S. \$70) for air delivery. All
other countries, U.S. \$150 for air mail
delivery. Single copy price is \$3.50 in the
U.S. and its possessions, \$4.50 in Canada.
Foreign subscriptions and sales should be
remitted in U.S. funds drawn on a U.S. bank.
Please allow six to eight weeks for delivery
of first issue.


EDITORIAL CORRESPONDENCE:
Address editorial correspondence to:
Editor, BYTE, One Phoenix Mill Lane,
Peterborough, NH 03458. Unacceptable
manuscripts will be returned if accom-
panied by sufficient postage. Not re-
sponsible for lost manuscripts or photos.
Opinions expressed by the authors are not
necessarily those of BYTE.

PHOTOCOPY PERMISSION:
Where necessary, permission is granted by
the copyright owner for those registered with
the Copyright Clearance Center (CCC),
27 Congress St., Salem, MA 01970, to
photocopy any article herein for personal or
internal reference use only for the flat fee of
\$1.50 per copy of the article or any part
thereof. Correspondence and payment
should be sent directly to the CCC, 27
Congress St., Salem, MA 01970. Specify
ISSN 0360-5280/91, \$1.50. Copying done
for other than personal or internal reference
use without the permission of McGraw-Hill,
Inc., is prohibited. Requests for special
permission or bulk orders should be
addressed to the publisher. BYTE is avail-
able in microform from University Microfilms
International, 300 North Zeeb Rd., Dept.
PR, Ann Arbor, MI 48106 or 18 Bedford
Row, Dept. PR, London WC1R 4EJ,
England.

OFFICERS OF MCGRAW-HILL, INC.:
Joseph L. Dionne, Chairman, President and
Chief Executive Officer; Robert N. Landes,
Executive Vice President, General Counsel
and Secretary; Walter D. Serwatka,
Executive Vice President; Frank D.
Penglase, Senior Vice President, Treasury
Operations; Robert J. Bahash, Executive
Vice President and Chief Financial Officer;
Thomas J. Sullivan, Executive Vice
President, Administration; Mary A. Cooper,
Senior Vice President, Corporate Affairs,
and Executive Assistant to the Chairman;
Ralph R. Schulz, Senior Vice President,
Editorial.


Founder: James H. McGraw (1860-1948).

Copyright © 1991 by McGraw-Hill,
Inc. All rights reserved. BYTE and
BIX are registered trademarks of
McGraw-Hill, Inc. Trademark registered in
the United States Patent and Trademark
Office.

 Member
Audit Bureau of Circulation

Introducing the PanaSync™ C1381 Monitor.

8514/A resolution. VGA® price.



If you want the ultimate VGA graphics standard, and you've resigned yourself to paying a premium of hundreds of dollars to get it, you'll find our newest monitor pleasant viewing indeed.

The PanaSync C1381 gives you a sharp 1024 x 768 pixels, with 0.28 dot pitch. And virtually infinite color resolution. It's compatible with the most popular VGA boards, as well as analog RGB, MCGA, SuperVGA, and — of course — 8514/A standards.*

It's comfortable in virtually any IBM-compatible or Mac II environment.**

And it's a masterpiece of ergonomics. With front-mounted controls, tilt/swivel stand, plus a non-glare tinted black-matrix screen.

All this at a suggested retail price comparable to many of the ordinary VGA monitors on the market right now. For more information, simply call toll-free 1-800-742-8086.

*Peripherals, Computers, Printers,
Copiers, Typewriters and Facsimiles*

Panasonic
Office Automation *OA*

PanaPro™ Monochrome Desktop Publishing Monitors with Video Adapters.



(Mac SE)

(Mac II)

(IBM XT/AT & PS/2 Model 30)


PanaSync™ Multiscanning Color Monitors.



* VGA, MCGA and 8514/A are trademarks of International Business Machines Corp.

** IBM XT, AT and PS/2 are registered trademarks of International Business Machines Corp. Macintosh is a registered trademark of Apple Computer Inc. An optional cable is required for Macintosh.

The IBM RISC System/ The power you've been seeking



It's a never-ending quest for power seekers. You're always looking for ways to run your favorite applications faster. Well, search no more. The RISC System/6000™ family of POWERstations and POWERservers gives you power that soars as high as 23 MFLOPS.

	MFLOPS	MIPS	SPECmark™
POWERstation 320	8.5	29.5	24.6
DECstation 5000-200	3.7	24.2	18.5

When it comes to porting, your ship has come in. Of course, all the speed in the world wouldn't mean much without the applications you need. So the RISC System/6000 family

already has more than 2,500 of the most popular technical and commercial applications up, running and running fast. And if you think you know a good thing when you see it, so do software vendors. That's why you'll also be seeing more and more applications coming on board the RISC System/6000 platform all the time. And if you like to build your own solutions, there's a full arsenal of enablers and relational data bases from leading vendors, as well as CASE tools and a host of popular programming languages.

A smorgasbord of solutions. Applications already announced include the IBM engineering design packages CADAM™, CAEDS™, CBDS™,

MFLOPS are the results of the double-precision, all FORTRAN Linpack test 100x100 array suite. The Dhrystone Version 11 test results are used to compute RISC System/6000 Integer MIPS value where 1757 Dhrystones/second is 1 MIPS (Vax 11/780). SPECmark is a geometric mean of ten benchmark tests. All performance data are based on published benchmark information.
IBM is a registered trademark, and RISC System/6000 and CAEDS are trademarks of International Business Machines Corporation. SPECmark is a trademark of Standard Performance Evaluation Corporation. UNIX is a registered trademark of UNIX System Laboratories, Inc. CADAM is a trademark of CADAM INC. CATIA is a trademark of Dassault Systemes. CBDS is a trademark of Bell Northern Research Corporation. DECstation is a trademark of Digital Equipment Corporation. HAGAR THE HORRIBLE Character(s) © 1990 King Features Syndicate, Inc. © IBM Corp. 1991, all rights reserved.

6000 family. for all your applications.



CATIA™ and AES. Also available are a broad spectrum of solutions from vendors like Valid Logic, MacNeal Schwendler, Swanson Analysis, SAS Institute, SPSS, Wavefront, Alias, Polygen, Cadence, Fluid Dynamics International, Western Atlas, ECL Petro and create.X. Scientific and technical applications are available in areas like physics, structural analysis, chemistry, securities trading, mathematics, earth resources, operations research, visualization, graphics, technical publishing and more. There's also accounting software like FourGen and support for leading UNIX®-based office automation packages. And there are key industry applications for businesses in medical groups, retail stores, newspapers, pharmacies and many more.

Command enormous processing clout.

The RISC System/6000 family is built to boost the performance of the software power seekers use most. It's got the best floating point processor in the business for numerically intensive applications, plus a new superscalar processor and incredible 3D graphics capabilities. To find out more, call your IBM marketing representative or IBM Business Partner. For literature, call 1 800 IBM-6676, ext. 990.



For the Power Seeker.

Circle 153 on Inquiry Card.

LETTERS

Power Insurance

Wayne Rash Jr.'s column in January ("The Power Man Cometh") failed to mention the most compelling reason for using an uninterruptible power supply (UPS).

Using high-quality surge suppressors to protect computer equipment is an accepted standard. However, transients, wave-shape disturbances, dips, sags, and brown-outs can pass through even the best surge suppressors. In fact, the incidence of these types of disturbances is increasing as more and more utilities tie into ever-larger networks or grids.

In our experience, the use of a high-quality UPS reduces hardware failures by about 50 percent. To us, the ability to ride out power interruptions is merely a side benefit. During a complete outage, power is interrupted (and restored) in the middle of a cycle, again jolting power supplies and potentially weakening the power supply or other components. Some computer and UPS manufacturers design their systems to switch on or off when the alternating current is between states. In this way, no stress is felt by the equipment.

Although we can expect computer equipment to become more reliable and better able to tolerate power disturbances, we can also anticipate that the quality of utility power will continue to degrade. To operate efficiently, utilities will probably become even more interconnected. Furthermore, increasing economic pressures could lead to reductions in the maintenance of existing lines, causing more interruptions and disturbances.


The point is that a UPS not only enables a computer to make the "soft landing" described by Wayne Rash, it also protects equipment from any small disturbances that can, over time, weaken components and cause actual failures.

Charles Smith III
Mid-Illinois Data Services, Inc.
Mattoon, IL

386 Comparisons

I thoroughly enjoyed Fred Langa's January editorial, "The End of Intel's Monopoly?" However, I think that some unfair comparisons were made regarding Intel's new i386SL chip.

Langa points out that AMD's Am386 draws only 1 milliamp of current in sleep mode versus 60 mA for Intel's i386SL. What he fails to mention is that the i386SL



is far more than just another 386. Intel's new chip contains a clock, a cache, and bus and memory controllers all built around a 386 core. Intel calls it a "microprocessor superset." With the i386SL (and some related support chips), it is possible to implement a complete AT using just 10 components plus memory. AMD's Am386 will certainly require more support chips than the i386SL—quickly nullifying any power consumption advantages it may seem to have. Langa makes another statement I must take issue with. He says that "some 486 instructions execute in fewer clock cycles, but most common instructions run about the same as on a 386." On the contrary, the common instructions have been sped up significantly on the i486 over its 386 counterpart. Overall, in a "typical" instruction mix, the i486 is twice as fast as a 386 when they're operating at identical clock speeds.

Chris A. Kantack
Bellingham, WA

We focused on different elements of each chip and, not surprisingly, came to different conclusions. You say to-may-to, I say to-mah-to. My comment about the i386SL's power consumption was intended to create a frame of reference in which to understand the Am386's power consumption. I make no claims about the overall power consumption of complete systems built around the chip: only that the Am386 itself is a power miser.

Regarding typical 486 instruction speeds, it depends on what you define as "typical." The statements in the January editorial about 486 execution speeds were AMD's claims, and they were identified as such. The claims are not obviously outlandish: We have seen some 33-MHz 386 machines turn in better low-level CPU benchmarks than some 33-MHz 486 machines. But your mileage may vary.

And that leads to the most important, although unstated, part of your letter: something I should have stressed in my editorial but did not. Normally, end users don't buy a chip: We buy complete systems. That's why BYTE includes not only low-level benchmark results, but also real-world application benchmarks. The safest bet, as always, is to keep abreast of the new chip technology but wait to see real-world benchmarks of shipping systems before drawing final conclusions. Only then will we see if and how these chips deliver on their early promise.

—Fred Langa

Evolving Networks

I enjoyed "NetWare Troubles" by Barry Nance in January, and I think the article will be very helpful to many NetWare users.

Nance gave the product TXD a very positive review. However, as a TXD developer, I would like to clarify one point. The article implies that TXD provides only IPX/SPX statistics. TXD will provide important adapter-specific information in what is called the "custom variables." For example, some token-ring adapters place

WE WANT TO HEAR FROM YOU. Please double-space your letter on one side of the page and include your name and address. Letters two pages in length or under have a better chance of being published in their entirety. Address correspondence to Letters Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. You can also send letters via BIXmail c/o "editors."

Your letter will be read, but because of the large volume of mail we receive, we cannot guarantee publication. We also reserve the right to edit letters. It takes about four months from the time we receive a letter until we publish it.



Your business is safe with us.
No matter how big it gets.



We're ready right now with a 4 megabyte diskette for your 4 megabyte drive—a new product for the next generation of expanding data storage. We're ready when you are—in any size, capacity or format you need.

That's why more business protects important information on 3M brand diskettes and data cartridges than any other brand in the world.

Call 1-800-888-1889 ext.6 to find out more.



Innovation working for you™

4 mb diskettes require compatible drives. ©3M 1991.

Circle 8 on Inquiry Card.

3M | 
Worldwide Sponsor 1992 Olympic Games
36USC380

Perfectly


For Great Electronics and Computer Product Performance

Jameco's careful orchestration of product selection, quality control, customer support, and competitive pricing will make your next electronics purchase seem effortless. It will be done right, saving you time and money!

Over the past 16 years, Jameco has mastered the distribution of quality electronic components, computer products, and test and measurement equipment. That's why our market intelligence group tracks the very latest technology. Our purchasing groups buy globally for the best quality and value, thoroughly prequalifying each vendor and product against our high standards. And our in-house quality assurance group constantly tests products received into stock.

We offer the widest product selection. For example, choose from a full price/performance spectrum of computer systems, from starter to mid-range, to the most advanced computing tools available. Select from our catalog of over 4000 Jameco products.


Jameco conducts a full program of customer support: beginning with your plan to purchase and continuing



Jameco 16MHz 80386SX Motherboard



Microspeed
PC Trackball



Jameco 16MHz

80386SX Computer Kit

- 2MB RAM (expandable to 8MB)
- 200 Watt power supply
- 101-key keyboard
- Multi I/O Card
- Toshiba 1.44MB, 3.5" floppy drive
- DR DOS 5.0 and QAPLUS diagnostic software

\$1199.95/JE3816

monitor extra




Jameco 33MHz 32KB Cache 80386 Computer Kit

- 4MB RAM (expandable to 16MB)
- 300 Watt power supply
- 6 half-height drive bays
- 101-key keyboard
- Multi I/O Card
- Toshiba 1.44MB, 3.5" floppy drive
- DR DOS 5.0 and QAPLUS diagnostic software

\$2599.95/JE3833

monitor extra



Jameco VGA Card

Conner IDE Hard Drive



Please
refer to
Mail Key 1
when
ordering



Terms: Prices are subject to change without notice. Items subject to availability and prior sale. Complete list of terms/warranties is available upon request.

Orchestrated

through the life of the product. We maintain telephone customer support; our technically expert staff will answer your questions and discuss your needs, before, during, or after purchase. And you can place an order 24 hours a day!

Consistent quality, wide selection, latest technology, solid customer support, and competitive prices have produced millions of satisfied Jameco customers. Most have requested an encore, joining our large family of repeat customers from big and small businesses, schools and universities, government, and individuals.

If an effortless electronic or system purchase experience sounds good to you, give us the chance to orchestrate it. Call Jameco for a complete product catalog, or visit our catalog-store/headquarters located in Belmont, CA, serving Silicon Valley and the Stanford Technology Park Area.

JAMECO
ELECTRONIC COMPONENTS
COMPUTER PRODUCTS



1355 Shoreway Rd.
Belmont, CA 94002
(415) 592-8097
FAX: (415) 592-2503

Jameco 20MHz 32KB Cache 80386SX Computer Kit

- AMI Motherboard with 32KB cache, 4MB RAM (expandable to 16MB)
- 200 Watt power supply
- 1/2 1-key keyboard • Multi I/O Card
- 1.44MB, 3.5" floppy drive
- DOS 5.0 and QAPLUS diagnostic software

\$1899.95/JE3820
monitor extra

Memory Modules



LEDs



Axial and Radial Capacitors



Jameco Breadboards and
Metex Multimeters



DB25 Connectors



EPROMs

ring-error monitor statistics in the custom variables. NetWare users can also obtain this physical-layer information through other products, such as IBM's LAN Manager. Also, NetWare shell and bridge information is provided in the TXD product.

Peter E. Chandler
Austin, TX

I took a personal interest in your December 1990 column "Kicking and Screaming into the Present" by Mark L. Van Name and Bill Catchings. I found it typical of the PC mentality that has surfaced in recent years.

I wholeheartedly agree with the authors' statement that DEC has been "slow." The company has made serious blunders over the past decade. However, I don't think that networking is an area in which it shows weakness. DECnet may be a proprietary networking protocol, but its roots started long before PCs ever existed. DEC has truly been a leader in the networking arena. Competition from the PC marketplace has so driven prices down that up-front hardware costs for networking solutions, PC or larger, are very comparable. And since these costs are only the tip of the iceberg when implementing PC networks, a DEC solution is looking better every day.

DEC (along with IBM, Hewlett-Packard, Sun, and others) is many years ahead of microcomputer networking developers when it comes to security, data integrity, and resource management. All of a sudden, these issues have become important to PC users.

PC networking vendors are reinventing the wheel to a certain extent. Sometimes it appears that PC groups reject any technology proposed by "mainframe" hardware vendors through fear of being forced into proprietary situations. Many people have learned computers from a microcomputer perspective that sometimes serves to limit, for them, the range of possible solutions.

I'm not against PCs—they're great tools when used appropriately. Every once in a while, it would be refreshing to hear comments from a broader perspective of the computing world. When this happens, everyone benefits by seeing the "big picture."

Kevin O'Malley
Park Ridge, IL

I was pleased to read "Making the Micro-to-Mainframe Connection" by Sharon Fisher and "Don't Worry, Use HLLAPI" by Mike Fichtelman in the *BYTE IBM Special Edition* (Fall 1990). Here in Australia, the Australian Gas Light Co. has been investigating these topics for two years, with the following issues in mind.

With the gradual move to distributed processing and databases, personal computers will not be accepted as serious by the custodians of the mainframe until they can exhibit comparable features in terms of security, backup, and resource monitoring.

Many companies have a large investment in System Network Architecture links back to a centralized mainframe and are reluctant to discard these hard-wired links for the sake of what appears to be a moving target (e.g., 4 megabits per second, 16 Mbps, and Fiber Distributed Data Interface).

Assuming that these companies will slowly migrate to distributed LANs centrally connected to a host system,

there are no products available that readily allow data transfer from a LAN on one side of the network to a LAN on the other without actively invoking a process on the mainframe. Seamless integration is unavailable.

These and other issues will become of major importance over the coming years as it is realized that the world revolves around neither the mainframe nor the LAN and that, accordingly, concessions must be given on both sides to ensure that users can get on with the job in a way that enhances their business function.

D. C. MacKinnon
AGL Information Systems Pty., Ltd.
North Sydney, Australia

Virus Verification

I just had another virus false alarm, and I thought Jerry Pournelle and his readers might want to know that not everything that goes wrong is due to a virus. Recently, I was downloading some files from a local BBS using Procomm Plus in a Desqview window while doing some editing in another DOS window. After terminating Procomm and Desqview, I couldn't access anything on my E drive. Because I had been getting a lot of files off a BBS, I immediately suspected a virus.

When I looked at the directory of the E drive using The Norton Utilities, the information there looked like some of the stuff that I'd been downloading from the BBS. Then I remembered using my editor to edit the PCPLUS.LOG file in the second window. The trouble was that Procomm was still using that log file. When I re-saved it, Procomm obviously lost the file handle.

I used Norton Disk Doctor to repair the destroyed directory, and Norton Change Directory to rename the directories back to their original names. (NDD didn't know what the root directory names were, so it renamed them DIR0000, etc. But NCD still knew what the names were, so I recorded the old NCD tree structure and used it as a map to the new DIR0000 names.)

To summarize, if you think you've contracted a virus, the first thing to do is sit back and try to remember what you were doing with the system and what you recently did to it. You may be surprised to find that it was you, and not a virus, that scrambled your machine.

Steve Nelson
Mansfield, TX

Thank you for the story, which makes a very important point. I, too, have odd things happen to my machines and can usually trace them back to something I have done. My virus protection is never to move anything from the "test" machine to anything else—a remedy, I fear, that is not available to everyone.—Jerry Pournelle

An Idea Dawns

The feature article "Genetic Algorithms" by Peter Wayner (January) turned on lights and set off bells for me. The subject of genetic algorithms is entirely new to me, but after I read the article, it occurred to me that this just might be the solution to one of my biggest programming headaches.

For a number of years now, I have been working in

**“THE MOST
POWERFUL
COMPUTERS
ARE THE
ONES PEOPLE
ACTUALLY
USE.”**

—Apple Computer

First off, let's get one thing straight.
We totally agree with Apple.*
A truly powerful computer is measured in how often it's used.

IF YOU LISTEN TO APPLE, THIS IS THE MOST POWERFUL COMPUTER IN THE WORLD.

But while Apple has taken great strides in making the personal computer more useful, we've gone substantially farther.

Introducing the T2000SX notebook computer.


Quite simply, the T2000 SX is a more useful personal computer because it allows you to work how you want to work. When you want to work. And where you want to work.

Painstakingly engineered with you clearly in mind, the T2000SX will help you work more efficiently than ever before.

Virtually every feature you can find on a desktop computer, you will



Our technologically superior battery can be fully recharged in a mere ninety minutes.
find on the T2000SX: An 80386™ SX processor with a math coprocessor socket, VGA compatible display, 1 MB (expandable to 9MB) of 70 nsec RAM, a 40 MB hard disk with 19 msec access time and 1.5 MB/sec data transfer rate.



The T2000SX has a 40MB hard disk with 19 msec access time.

But more important than the specs themselves, is the way the T2000SX lets you use them. Which is more often.

Our fluorescent side-lit screen provides even distribution of light. (Actual size.)

Welcome to the next generation in personal computing.

Because the T2000SX can fit easily into a briefcase (it weighs a scant 6.9 pounds), you can take it anywhere you go and use it in more ways than you can imagine.

Need to make revisions to a



Our internal AutoResume back up battery automatically saves your work if your main battery runs out.

business proposal? The T2000SX gives you the freedom to do it from a train. The client wants an estimate on costs? You can give it to him right then and there—wherever there is.

No more wasting time running

back to the office. Because the office is always with you.

But just in case there's something



Our user-installed memory card allows you to add up to 8 MB of memory yourself.

back at the office you still need, you can get back to it with our optional built-in modem. Which supports industry standard error correction (CCITT V.42, V.42bis, MNP® 5 and 10). It even supports cellular data communications via our optional smart cable adapter.

The T2000SX also has a unique feature you won't find on any other computer in the world. It is called AutoResume.

AutoResume: Think of it as a bookmark for your computer.

AutoResume automatically saves whatever you're working on whenever you turn the computer off. And it lets you go directly to the program you were using last when you're ready to start up again. So you don't have to reboot, restart your application and reload your files.

AutoResume



The T2000SX has an optional modem that allows data communications via a cellular phone.

also helps save on battery life and it allows you to change batteries without losing an ounce of information.

As for batteries, the T2000SX touts the latest in battery technology—Nickel Hydride. Nickel Hydride delivers 22% more watt-hours per pound than NiCad and it doesn't suffer from memory effect.

In keeping with the Toshiba tradition, the T2000SX also offers superior ergonomics. Like full-size, standard-spaced keys on a keyboard which has a full set of 12 dedicated function and 8 cursor control keys. And a VGA compatible, reversible black on white or white on black high resolution display.



The T2000SX comes complete with Hypertext on-line documentation.

Okay, let's wrap this thing up.

These are just a few of the reasons why we believe the T2000SX is the most useful, and therefore, most powerful computer in the world. And why PC Week* Labs said, "the T2000SX offers performance comparable to the LTE 386s/20, plus many of the design features that have made Toshiba a market leader in portable PCs."

PC WEEK

If you'd like to learn more about the T2000SX or any of our other portable computers, call us at 1-800-457-7777.

In closing, we'd like to thank you for reading our ad.

We'd also like to thank our friends at Apple for giving us such a wonderful endorsement.

TOSHIBA

In Touch with Tomorrow.

LETTERS

number theory—random-number progression, in particular. I am trying to determine if there is any way, with any reasonable degree of accuracy, to predict the suit of a group of random numbers within a defined subset of integers. I haven't had much success up to now. I have been trying to apply statistics of past outcomes to predict the future. Wild guessing gives me about the same degree of success. Genetic algorithms seem to have some promise.

I would like to add that I think yours is the best computer magazine on the market.

Fred Hirschfelder
Aubagne, France

Flex Appeal

I just read Ben Smith's informative feature article "FlexOS's Muscle" (January). I couldn't believe what I was reading. Here is an operating system for the PC that is surprisingly similar to the one I use all day long.

I live in the VAX/VMS world and make frequent trips to the PC environment. The similarities between the VMS operating system and FlexOS are heartwarming.

VMS can protect files by allowing or disallowing read, write, execute, and delete privileges to the following user classes: owner, group, world, and system. This is similar to FlexOS. VMS can spawn and create attached processes similar to FlexOS's spawned concurrent and subroutine processes. Spawned processes that retain their parents' ID is another feature that VMS and FlexOS have in common. In addition, many of FlexOS's supervisor class are very similar to VMS's Digital Command Language commands. VMS makes extensive use of logicals using the Define or Assign statements, as does FlexOS's Define supervisor call.

For an operating system on a PC to be this similar to a mainframe takes a major step toward blurring the difference between the PC and the mainframe.

Norman G. Coder
Sulphur Springs Valley Electric Cooperative, Inc.
Willcox, AZ

Award Caveat

Your award in January to Digital Research for DR DOS 5.0 is not totally justified. I bought DR DOS 5.0 with the sole purpose of relocating most of my TSR programs in the upper memory of my AT clone, fitted with 2 megabytes of expanded memory. That did not work. A series of faxes to the company resulted in an explanation: My AT is not fitted with a Neat or Leap chip set. That caveat is not mentioned in Digital Research literature and flyers.

About Quattro Pro, you should know that it does not allow the retrieval of read-only files. Lotus does it. Would you call that a bug or just an oversight? Besides that, Quattro Pro is supplied in the U.S. and Europe with Bitstream fonts that are restricted to the first 128 ASCII characters—that is, without any accented letters. That makes them almost useless in Europe.

Emmanuel de Broux
Leignon, Belgium

Mac Connectivity

As an MIS manager, I find all the current hoopla over Windows 3.0 and OS/2 Presentation Manager very puzzling. The experience of my organization has been that the Mac offers far greater connectivity to more environments than any other platform. We work in the Windows, Macintosh, and OS/2 PM environments. I spend half my time with a group of about 25 people now using Windows 3.0 on IBM PS/2 70s with 5 megabytes of RAM who were previously straight DOS users. We also have two PS/2 70s running OS/2 1.2.

The rest of the time, I work with about 35 people using 15 Mac SEs, 15 Mac IICxs, 2 Mac IICis, and 3 Mac IIs. The Mac II family machines are equipped with 4 MB of RAM and the SEs with 2.5 MB.

In the DOS-Windows-OS/2 group, we spend a lot of time poring over manuals, trying to kludge together installations and struggling with the underlying DOS. Users still wind up dealing with weird and wonderful filename restrictions and utilities with instructions like "Always exit Windows before running CHKDSK with the /F option, never run CHKDSK from within Windows, loss of data may result." Or this statement: "Run disk compaction utilities directly from MS-DOS, after exiting Windows; damage to the files on your hard disk might result." Can you appreciate how counterproductive this all is?

In the Mac group, we simply discuss the work at hand. Rarely do we talk about or worry over computer installations or support. We need our workstations to help us do our work, not to be technical toys for people to tinker with endlessly.

Robert Corley
Mississauga, Ontario, Canada


Recycling Software

Brad Cox missed the mark in "There Is a Silver Bullet" (October 1990). Most software professionals agree with Cox that reuse is the key to software productivity. But object-oriented programming probably isn't the royal road to software reuse. The oldest practice of software reuse goes back to the 1940s, when the IBM Share library was established primarily to exchange mathematical software. Although the Share collection never got much of a reputation for reliability or efficiency, other libraries have become quite reliable. The tradition in the mathematical software community has long been to reuse software. Mathematical software remains the only discipline in which reusing existing software is the rule rather than the exception.

What has led to this success? It certainly wasn't a flashy new language or programming discipline: Essentially, all mathematical software is written in FORTRAN. We conjecture that barriers to reuse are not on the producer side, but on the consumer side. If a software engineer, a potential consumer of standardized software components, perceives it to be too expensive to find a component that meets his need, he'll write one anew. Notice that I said *perceives*. It doesn't matter what the true cost of reconstruction is.

Until we have adequate notations, nomenclatures, and, possibly, tools on the consumer side, no amount of

Objects At Your Fingertips.



Now, if you want to develop applications for Windows 3.0, there's a fast and easier way to do it with the premiere object-oriented programming language. Smalltalk/V.*

With Smalltalk/V Windows, you can explore, prototype, build finished applications and ship them runtime free.

You can tap into applications using DDE so effortlessly you don't have to be a Windows expert to do it.

And with one of the world's most comprehensive class libraries, you can

choose our objects or easily build your own.

But whatever you develop, it will be portable between the Windows, OS/2 and Mac versions of Smalltalk/V.

With so much at their fingertips, more people are solving more problems with Smalltalk/V than any other object-oriented programming system.

At only \$499.95 and no runtime charges, you can solve them, too.

Just call us at (800) 922-8255.

And see why programming Windows has never been easier.

Smalltalk/V Windows

DIGITAL

9841 Airport Blvd., Los Angeles, CA 90045 (800) 922-8255 (213) 645-1082 FAX (213) 645-1306

Smalltalk/V is a registered trademark of Digital, Inc. Other product names are trademarks or registered trademarks of their respective holders.

Circle 97 on Inquiry Card.

flashy new glitz on the producer side will make software reuse commonplace.

W. Van Snyder
*Jet Propulsion Laboratory
California Institute of Technology
Pasadena, CA*

Computing Compromises

Robert L. La Fara (Letters, October 1990) wrote, in response to Ben Smith's May 1990 article "Around the World in Text Displays," that the answer to collating problems in unusual names (the examples cited were a name with an apostrophe and his own two-word-both-capitalized name, La Fara) is to ease the programmer's burden by making the name fit a more standard pattern. In the first case, he removes the offending apostrophe; in the second, he makes his name a single word—Lafara.

He misses the boat. It need be axiomatic for everyone working throughout the computer field that computers exist to serve people, and not that people exist to serve computers. Every time people must compromise their desires to better fit the capabilities of a computer system, that event must be seen as a system design flaw, one that should be reviewed for correction in the next iteration. This attitude is critical to the continued and increasing usefulness and efficiency of computers in every segment and stratum of society, and it is also critical to any hegemony the U.S. yet enjoys in computer technology.

Leland V. Lipman
Republic of Korea

AutoCAD Correction

Your mail bag has probably been full over an error in the May 1990 Computing at Chaos Manor. AutoCAD is written in C, not Lisp, and includes a Lisp interpreter. The AutoLisp interpreter, which is also written in C, is based on XLisp, developed by David Betz of Peterborough, New Hampshire.

AutoCAD release 10 for OS/2 and most versions of release 11 include the AutoCAD Development System. The ADS is a C programming environment that allows advanced users and developers to write more sophisticated programs than AutoLisp can support. The ADS is accessed through the AutoLisp interpreter. It is easy to understand your confusion over this point.

AutoCAD runs under DOS, Extended DOS 386 (Phar Lap), SCO Xenix and Unix 386, Sun Microsystems' SunOS (Motorola 68000, Intel 386, and SPARC architectures), DEC Ultrix and VMS, Apollo's Aegis, OS/2, and Mac OS. It would be quite a feat to port a program as complex as AutoCAD to so many environments if it were written in Lisp.

Christopher James DeLucchi
Solana Beach, CA

Legal Breakdown?

I read about the Gilbert Hyatt controversy with fascination and horror ("Micro, Micro: Who Made the Micro?," January). It is ridiculous that the microproces-

sor is just now being patented. Our patent system has broken down.

The idea behind the patent is that society gets full disclosure and documentation of a useful device or process in exchange for granting the inventor exclusive marketing rights for a certain time period.

An alternative to the patent is the trade secret, with which there is no disclosure. The peril of the trade secret is that knowledge can be lost forever in any number of ways. The inventor can take the knowledge to his or her grave. The documentation can be destroyed by fire or by simple indifference. And there is a lot of reinventing of the wheel.

Many processes (especially software) in the electronics industry are trade secrets primarily because it is too expensive and time-consuming to get a patent. Our patent system has broken down. It is time to fix it.

Dan Siedelmann
Idaho Falls, ID

Behavioral AI

Your series of articles on AI (State of the Art, January) discussed the cognitive psychologist's search for the "mind" and a replication of "human intelligence." This would leave readers with the idea that the issue of human intelligence is the exclusive domain of the cognitive psychologist when it is not. There is a very lively debate within the field of psychology regarding the view that we must understand the mind to understand intelligence versus the view that intelligence is a label for a certain group of behaviors.

From a behavioral perspective, machines already show some of the behaviors we attribute to human intelligence. We will increasingly consider computers intelligent as the range of machine behaviors increases. But to search for some elusive state of "intelligence" will not succeed, because intelligence is a category of behaviors—not a single, unitary attribute.

B. F. Skinner said that if a machine can be made to think, it will be the best evidence yet that thinking follows rules, and following rules is behavior. I suggest that AI's conception of intelligence is not too shallow; it is too mystical.


Will focusing on behavioral rules, then, make a machine that duplicates human behavior? Only to a limited degree. Human behavior is the behavior of an organism adapting to its environment. Computers, at least in this century, are not organisms, which means they do not respond to natural selection and operant conditioning. Until they do, those who object to creating intelligent machines have nothing to worry about.

David M. Boan
Easton, MD


FIX

• The Mac IIx from Apple Computer (1990 BYTE Award of Merit, January) uses a 68030 microprocessor. ■

You Find The Best Values In The Most Unusual Places...



e Gateway 2000 Customers 9 In One Month.



mbly
l your

company that sold you the computer goes out
of business?

We Value Integrity

d by its
ces will
ble balance
nc.
ond
America
rucial to
rantees or
rt if the

Integrity is the fundamental value without which any organization is doomed. At Gateway 2000, you'll find integrity throughout the company, most visibly in sales and customer support. Gateway salespeople honestly represent the company and its products. Each person you deal with in customer support, during and after the sale, has a personal commitment to make sure you're completely satisfied.

oll-free number for your free copy of
ive study of computer industry prices.

We Value You

Gateway customer Robert C. True, Jr., writes: "We on the East Coast have become so accustomed to surly, uninformed and disinterested...staff, that working with your group may have induced an element of 'Culture Shock.' Every person in your organization operates as if there is only one customer in the world - the one they are talking to at the moment."


"You've got a friend in the business" is more than a slogan. It's our way of life here at Gateway.

...Like South Dakota, Where Saved \$10,747,179

"We asked an independent research firm to do a study for us," said Ted Waitt, Gateway 2000 President. "I wanted to see an unbiased, direct comparison of features and prices from the manufacturers who advertise in the Computer Shopper. The results were astonishing," he exclaimed, "even to me. Ranked by best price, Gateway 2000 was the only major direct marketer at the top of the lists. The other 'big guys' in the direct market field were so far down in the rankings I couldn't even find some of them. Get a copy of the study and see for yourself."*



Ted Waitt, Gateway 2000 President



Computer buyers who purchased Gateway 2000 systems in January saved an average of \$697 per system. This figure comes from a comparison of 132 computer manufacturers' advertised prices in the January 1991 issue of Computer Shopper. That means Gateway customers shared a total savings of \$10,747,179 on 15,427 systems in one month alone.

No matter where you look, that's the best value you're going to find in this industry.

Providing The Best Value Starts With Values

"Whenever I'm asked," continued Ted, "why Gateway 2000 is so successful, my answer is: value. When you buy a Gateway 2000 computer, you're getting the best price, best

quality and features, best service, all from a very strong, healthy company. That's value. Then I'm asked how we provide value," Ted remarked, "and the answer is almost the same. It's values. The values of the people at Gateway 2000 give our product its value," said Ted. "People who grow up in the Midwest value frugality, quality, resourcefulness, hard work, strength, and most of all, integrity and honesty in all dealings with other people. Providing value in our products starts with these values."

We Value Quality

Only the highest quality components go into a Gateway 2000 computer. Midwestern pride in workmanship and quality is demonstrated by

every one of nearly 100 skilled assembly technicians. These technicians build a complete system one at a time.

We Value Strength

A company's strength is measured on its balance sheet. As independent sources confirm, Gateway 2000 has an enviable balance sheet coupled with strong growth. Inc. Magazine listed Gateway as the second fastest-growing private company in the country during 1990. Financial strength is crucial to you. What good are warranties, guarantees, promises of lifetime technical support

*Call our toll-free number for this information

Gateway 2000 Systems

12MHZ 286VGA

- 80286-12 Processor
- 1 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 40 MB 17ms IDE Drive with 32K Cache
- 16 Bit VGA with 512K
- 14" Gateway Crystal Scan 1024 Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 101 Key Keyboard
- MS DOS 3.3 or 4.01

\$1495.00



GATEWAY 386SX

- 4 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 40 MB 17ms IDE Drive with 32K Cache
- 16 Bit VGA with 512K
- 14" Gateway Crystal Scan 1024 Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 101 Key Keyboard
- MS DOS 3.3 or 4.01
- MS WINDOWS 3.0

\$1895.00



25MHZ 386™ VGA

- 4 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 80 MB 17ms IDE Drive with 32K Cache
- 16 Bit VGA with 1 MB
- 14" Gateway Crystal Scan 1024NI Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 101 Key Keyboard
- MS DOS 3.3 or 4.01
- MS WINDOWS 3.0

\$2395.00

25MHZ 386CACHE

- 64K Cache RAM
- 4 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 80 MB 17ms IDE Drive with 32K Cache
- 16 Bit VGA with 1 MB
- 14" Gateway Crystal Scan 1024NI Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 101 Key Keyboard
- MS DOS 3.3 or 4.01
- MS WINDOWS 3.0

\$2695.00



33MHZ 386VGA

- 64K Cache RAM
- 4 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 200 MB 15ms IDE Drive with 64K Multi-Segmented Cache
- 16 Bit VGA with 1 MB
- 14" Gateway Crystal Scan 1024NI Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 101 Key Keyboard
- MS DOS 3.3 or 4.01
- MS WINDOWS 3.0

\$3195.00



25MHZ 486™ VGA

- 64K Cache RAM
- 8 MB RAM
- 1.2 MB 5.25" Drive
- 1.44 MB 3.5" Drive
- 200 MB 15ms IDE Drive with 64K Multi-Segmented Cache
- 16 Bit VGA with 1 MB
- 14" Gateway Crystal Scan 1024NI Color VGA Monitor
- 1 Parallel/2 Serial Ports
- 101 Key Keyboard
- MS DOS 3.3 or 4.01
- MS WINDOWS 3.0

\$3995.00

33MHZ 486VGA

- Same configuration as the 25 MHz 486.

\$4395.00

BEST BUY

- Same features as our 33 MHz 386 VGA system except this machine has an 80 MB 17ms IDE Drive instead of the 200 MB 15ms IDE Drive.

\$2795.00

STANDARD FEATURES & SERVICES

- Microsoft® WINDOWS™ and Mouse with all 386 and 486 systems
- 30-day money-back guarantee
- One-year warranty on parts and labor
- Leasing options now available
- Toll-free technical support for the life of the machine
- Free on-site service to most locations in the nation
- Replacement parts sent via overnight shipping free of charge
- Free bulletin board technical support
- New sales hours: 7am-10pm CST M-F 9am-4pm CST Saturdays

NEW CRYSTAL SCAN 1024NI

- Our new 14" Gateway Crystal Scan 1024NI color VGA monitor comes standard with all 386 DX and 486 systems. This monitor

is non-interlaced for a flawless, flicker-free display. 1024 x 768 @ 60 Hz. 800 x 600 @ 72 Hz. 28 D.P.

We custom-build each Gateway 2000 computer to customer specifications. We'll gladly provide you with a quote on your configuration. 386 and 486 are trademarks of Intel Corporation. Due to the volatility of the DRAM market, all prices are subject to change. Prices do not include shipping.



8 0 0 - 5 2 3 - 2 0 0 0

610 Gateway Drive • N. Sioux City, SD 57049 • 605-232-2000 • Fax 605-232-2023

NEWS

MICROBYTES


Adobe's New Font Technology Will Give Users More Control Over Type

Adobe Systems (Mountain View, CA) is perfecting new font technology that will give Mac and PC users greater control over computer-generated text. The upcoming Multiple Master typefaces are specially encoded Type 1 PostScript fonts that you will be able to easily manipulate to produce a wide range of type from one core design. You will also be able to control the main design elements of the typeface, including weight (lightness or boldness), width (condensed or expanded), and visual scale (size). As Adobe chairman John Warnock said while demonstrating the technology on a Mac II at the recent Seybold seminars in Boston, Multiple Master font rendering "recaptures the flexibility calligraphers had back in 1400."

A Multiple Master typeface is basically a single spongelike font that can shrink or grow while still retaining its original shape. Working with one scalable font design, Adobe's encoding scheme and related software can generate a character of any size or weight, instead of requiring you to have a whole set of fonts for each typeface (e.g., regular, medium, condensed, expanded, bold, and semibold). With Multiple Master, the one design can generate the whole range. "We design two extremes and get the intermediates synthetically," Warnock said. Adobe intelligently interpolates the points between the extremes to generate all the gradations of weight and width.

Multiple Master fonts will have benefits for "everyone who uses type to communicate information," said analyst Jonathan Seybold. One benefit will be in fitting text in a given space (e.g., trying to squeeze two more lines onto a one-page memo). With Multiple Master typefaces, you could shrink the text so it all fits on one page, without changing the point size, shape, or perspective of the characters.

"One of the biggest advantages to businesses is in font substitution," Warnock said. Say you generate a document using a Bodoni font and then send that document to someone who doesn't have Bodoni on his or her printer. When it comes out, it will be in Courier, the line breaks will be different, and the text won't look like you intended. A system equipped with Multiple Master technology will instead construct a typeface that mimics the one the sender used; it



Think of a Multiple Master typeface as this matrix of character designs, in this case, a sans serif design. The four corner letters each represent the basic, or master, designs: top left is light condensed, and top right is light expanded; bottom left is black condensed, and bottom right is black expanded.

NANOBYTES

Apple's foray into RISC technology should yield real products soon, a company official reveals. "We do have RISC projects under way... in the future product category," said Mike Dionne, senior vice president of sales at Apple USA. "And we're talking to all the major suppliers of those microprocessors and chips. We are very much interested in the technology. I think you'll see it incorporated into Apple products relatively soon." As for other high-end machines, Dionne confirmed that the rumored 68040-based "Tower Mac" is "(a) in the plan and (b) on schedule."

As for that so-called battle between the Mac and Windows-based PCs, Apple officials are taking a communitarian approach: What's good for one graphical user interface is good for another. About Windows' effect on Mac sales, Mike Dionne said, "We have, in fact, done very well in the environment that Windows has helped to create," because there is now "more awareness around the graphical user interface. We think we have a product and an operating system that is superior to DOS with Windows layered on top, for most applications. And a lot of that is subjective... but our sales are brisk."

Lasting memories: **Ramtron International** (Colorado Springs, CO) has brought its first **nonvolatile RAM chips** to market. The company claims that its ferroelectric RAMs, or **FRAMs**, are the first dynamic memory chips that can maintain information after losing power. The CMOS chips hold data in special ferroelectric storage cells. The first FRAMs hold only 4000 bits, but the company says that 256,000-bit versions are in the works.

might not look exactly the same, but it will have identical character widths.

Another example that Adobe officials mentioned is a publication that has to include text in different languages—a user's manual, for instance. French and German versions take up more space than the English version, but Adobe demonstrated how its Multiple Master software shrinks French and German text into columns the same length as the English text. The technology will work equally well with nonroman alphabets, Warnock said.

There's an economic consideration also, Adobe officials said. "If these fonts are bundled with low-cost laser printers, you can have a wide variety of type just from these Multiple Master fonts," Warnock said.

Multiple Master typefaces will work on Macs, PCs, and PostScript printers already out there. They'll install just like any other Adobe typeface, Warnock said, and you can download them into any PostScript printer. "We have it up and running on a Mac and on a Windows PC," he said.

Adobe expects to be shipping its Multiple Master designs—initially, a serif and a sans serif typeface—this summer. (Prices haven't been set yet.) These fonts will come with a version of Adobe Type Manager and a program called Font Creator that will let you generate the type. Whether companies (e.g., Bitstream) will develop Multiple Master versions of their fonts isn't clear yet.

—D. Barker

NEC Says New Design and Process Yields 100-MHz, 200-MFLOPS Processor

Intel wasn't the only company that revealed a revved-up chip at the recent International Solid State Circuits Conference (see the April Microbytes). Researchers from rival NEC described a new design for a 64-bit vector pipelined processor that they say runs at 100 MHz.

NEC says that a processor using its pipelined design can perform five operations in parallel: addition or shift; multiply, divide, or logical; load; supply; and

transfer. Since two of these are potentially floating-point operations, the processor is theoretically capable of 200 MFLOPS. Similar to Intel's approach with its 100-MHz i486, NEC's design uses a 0.8-micron triple-level metal process. It's likely that this type of process will soon become common, resulting in more chip makers capable of producing high-speed ICs.

—Owen Linderholm

AMD's 386 Due Soon in 40-MHz Desktops; Battery-Powered Notebooks to Follow

Cloning the Intel 386 is the easy part. The bigger challenge is designing a chip that offers something that Intel's doesn't. Advanced Micro Devices has managed both by producing a pin-compatible processor that's faster and that consumes less power than any of Intel's 386s. AMD is now shipping its Am386 chips in volume, and systems using the alternative CPU should start showing up soon. Because of its low-power requirements and special "sleep" mode, the chip could be the basis of full 32-bit notebook computers that will run on batteries for as long as less-powerful systems.

AMD has a standard model called the Am386DX (in speeds of 20, 25, and 33 MHz), but the really significant device is the Am386DXL, which not only needs considerably less current than any of Intel's chips but also runs at 40 MHz. This

model will give you about 20 percent faster performance than Intel's 33-MHz 386 and twice the speed of the SX, according to AMD officials. AMD's 0.8-micron CMOS process is designed to produce high-speed, low-power chips and "gives us good yields on the higher-speed parts," said Mike Webb, director of marketing for AMD's Personal Computer Products Division. The manufacturing technique could produce CPUs that go faster in the future, he said.

According to Webb, for any given clock speed, an AMD device will need about 30 percent less power than an Intel device; for example, at 33 MHz, the DXL runs on 275 mA, while the Intel 386 needs 550 mA. But, Webb says, in its sleep mode, the Am386DXL essentially stops the clock and the current drain on the battery is 0.08 mA. The DXL also gives off less heat, so computers based on

NANOBYTES

There's 9 million business telephone listings out there, and **Dataware Technologies** (Cambridge, MA) has put them all on one CD-ROM called **Speed Dial**. To obtain all that information (the equivalent of 4800 Yellow Pages books), Dataware has developed a slick search mechanism. You can look for any business by its name or by its directory heading (computer dealer, car rental agency, and so on), either by city and state or by area code. If you've got a modem, the program will dial the number you select; you can pop into the directory from within your application program. That Chinese restaurant you're trying to remember the name of—you could probably find it in seconds. **Speed Dial** (\$399) works with IBM-compatible CD-ROM drives.

New twisted-pair cable from **Belden Wire and Cable** (Richmond, IN) can carry data at speeds of up to **100 Mbps**, the company says. The **DataTwist** cables work with all LAN topologies and come in shielded and unshielded versions.

Hewlett-Packard has licensed AutoCAD display list drivers from **Panacea** (Londonderry, NH). The drivers will speed up AutoCAD drawing when using HP's IGC-10 and IGC-20 graphics boards. Actix has also licensed drivers from Panacea, for use with its Texas Instruments Graphics Architecture-based graphics boards.

They often call me Speedo: **X Window System** users will someday have slick, scalable fonts now that **Bitstream** (Cambridge, MA) has donated its Speedo type-scaling technology to the X Consortium. X Window users will be able to generate smooth bit-map fonts on the fly, in virtually any size. Bitstream's rasterizer code will be built into the font server of X Window version 11, release 5, which is supposed to be ready later this year.

New Turbo Pascal for Windows Don't Leave DOS Without It!

Go with Borland, the leader in OOP and Windows programming, when you're heading for the Windows frontier. With Turbo Pascal® for Windows, your Windows applications will be faster and easier to create.


Turbo Pascal for Windows includes Borland's new ObjectWindows™ application framework FREE. So now you can develop Windows applications fast because they automatically inherit code for windows, menus, dialogs, controls, and more.

Create Windows Applications for Less

Turbo Pascal for Windows gives you more *and* costs you less than other Windows development systems. It's designed exclusively for Windows programming, and everything you

need is included in the one low price. You don't need to buy the Microsoft® Windows Software Development Kit (SDK).

Turbo Pascal for Windows is the easiest way to make your next program a Windows program.




▲ **Create Windows Applications in Windows.** The Windows Integrated Development Environment (IDE) lets you create, edit, compile and run your programs, all from within Windows.

◀ **Create Windows Resources Visually.** Using the Resource Toolkit, you can visually create your Windows user interfaces without programming.

**See Your Dealer Today or Call
1-800-331-0877 Now.**

**Current owners of Turbo Pascal,
call Borland
for a special offer!***




B O R L A N D

The Leader in Object-Oriented Programming for Windows and DOS

CODE: MF12

*Offer good in U.S. and Canada only. Copyright © 1991 Borland BI 1396

Circle 50 on Inquiry Card (RESELLERS: 51).



When you build a better mou

Microsoft® Mouse devotees number over 6 million, and counting.


Just what kind of mouse inspires people this way?

Well, the kind with a patented ergonomic design and high resolution, 400-points-per-inch tracking.

The kind of mouse that wins the *PC Magazine* Editor's Choice Award and Technical Excellence Award.

Not to mention the Innovation in America Design Award from *Business Week*, the Industrial





e, you build a bigger following.

Design Award from *Industrie Forum* and others.

And incidentally, no mouse works better with another innovation of ours, Microsoft Windows[®] graphical environment version 3.0.

To track down America's num-

ber one mouse, call (800) 541-1261, Department P98.

We'll be happy to point you in the right direction.

Microsoft
Making it all make sense[®]

it won't need as much cooling as current 386s, AMD says.

System designers using the DXL will be able to build 32-bit portables that are the size and weight of current SX notebooks and can run on batteries for 3 to 4 hours, Webb said. "It'll be very possible to have TravelMate-size machines with the DXL in it," he said. (Texas Instruments' TravelMate is a 5-pound SX-based machine.) Chip sets that support the DXL's clock-stopping standby mode will be available soon, Webb said.

Computers based on the high-speed AMD chip will cost "within \$50 at the system level" compared to Intel 33-MHz machines, Webb said. "A 40-MHz 386 with a 64K- or 128K-byte direct mapped cache will be very cost-effective," he said. The 40-MHz systems will require fast (at least 25-ns) static RAM chips, but their cost difference is negligible, he said. The 40-MHz DXL costs \$306 each in bunches of 100. Prices of the other chips are subject to negotiation.

The first computers to use the Am386 will be desktop models, such as Bell Computer Systems' already announced 40-MHz system, which costs \$2995. Those should reach the market soon. "Battery-operated, full 32-bit DXL systems" will follow by a quarter or two, according to Webb. At Comdex, expect to see DXL machines with enhanced power management features in their BIOS, he said. "One of the advantages we offer is that the system company can pick its own power management scheme," Webb said.

BYTE Lab test results have shown the Am386 to be completely compatible with the Intel chip. The legal wrangling between AMD and Intel continues, but AMD says that it's confident its rival won't stop it from selling its version of the popular CPU. Although no major PC manufacturers have yet committed to using the AMD chip, several say they're interested.

—D. Barker

PC Makers Sign On to Use PenWindows; Portables Due Later This Year

More than 20 companies have committed publicly to designing hardware that will work with Microsoft's PenWindows operating environment, the extended version of Windows geared to understand commands from a pen or stylus. Some of the first PCs to use PenWindows will be hybrid portable computers: part typical laptop with a keyboard and part electronic clipboard with a tablet-like screen. The systems will open up like a clamshell, but the keyboard will be detachable; the CPU and storage devices will be housed in the tablet module, so you will be able to work with just the tablet and pen, according to Microsoft.

The PenWindows roster now features some of the biggest electronics companies in the Far East, including the leading laptop makers: Toshiba, NEC, and Seiko-Epson. Other PC manufacturers on the list are Sharp, Mitsubishi, Sanyo, Kyocera, Fujitsu, and Samsung. Canon, Hitachi, and Oki also say that they're planning pen-based systems using PenWindows. NCR, Wang, and Grid had already disclosed their PenWindows support. Momenta, which started up specifically to develop pen computers, is also planning software and development tools based on PenWindows.

In the U.K., the Eden Group already has a prototype tablet-style PC running

PenWindows (it will also work with PenPoint, when that's ready). Eden's PaperTalk VPI386, designed around a 16-MHz 386SX CPU, is a 2.4-kg device built in the tablet style. Its top surface holds a backlit, black-on-white LCD that emulates a 640- by 480-pixel VGA display. You can "write" on this coated screen or, with the right overlays, use the metal area framing the screen as a function-key zone. Eden doesn't plan to sell the PaperTalk system under its own name; instead, it will offer it to OEMs.

Conspicuously missing from the PenWindows list are major U.S. computer makers, such as IBM (a PenPoint supporter), Compaq, Tandy, and Hewlett-Packard, as well as leading PC cloners such as Dell, AST Research, and ALR. Some observers say that these companies are waiting to see how the pen-computing market shapes up.

Microsoft recently issued copies of a beta PenWindows software development kit. The real product is supposed to be ready later this year, a spokesperson said. PenWindows PCs—which will probably cost about \$500 more than their conventional counterparts—will be announced before the end of the year, Microsoft officials say. But when they'll ship is anybody's guess.

—D. Barker

NANOBYTES

Intel has announced a second generation of **EISA support chips**. The new 82350DT EISA chip set is a superset of Intel's existing 82350. It allows considerably more integration, reducing total EISA-compatible motherboard space to about one-third of that required with the older 82350 chip set. It is a six-device chip set with DRAM control and peripheral I/O support. The chip set costs \$200 in 1000-unit quantities. Intel expects the chip set to be used in modular designs, where the CPU resides on a daughterboard and can be upgraded by adding a faster CPU module.

A survey of managers at sites using Hewlett-Packard computers found some of their top "strategic concerns" to be database technology, application development environments, and getting their HP systems to work with other types of computers. Personal computers were low on the Unix user's list of priorities, while they were high on the list of MPE users. The International Association of Hewlett-Packard Computer Users (Sunnyvale, CA) conducted the study.

Areal Technology (San Jose, CA) says that it has started high-volume production of its **2½-inch 60-MB hard disk drives**. Areal uses a different technique than its competitors: Instead of aluminum, it uses a glass disk substrate; this makes a smoother surface so that read/write heads can fly closer to the platter, says the company, and the drive mechanism can deal with denser data on the disk. Areal hopes to have 100-MB hard disk drives available this summer.

The Electronics Industry Association (Washington, DC) has drawn closer to finalizing CEBus, the proposed "home automation standard" for letting appliances and devices talk to each other. The EIA has approved interim standards for sending signals using infrared beams and for connecting communications devices using twisted-pair wires.

We slash interface development time. (and we can prove it!)

C-PROGRAMMERS: See for yourself how Vermont Views™ can help you create user interfaces the easy way.

If you want to start saving a *tremendous* amount of time and effort, call for your free Vermont Views demo kit and put us to the test. Vermont Views is a powerful, menu-driven screen designer that comes with a C library of over 550 functions. Which means you can create user interfaces in just a fraction of the time it takes to write the code yourself!

Why try to reinvent the wheel when Vermont Views lets you interactively create pull-down menus, window-based data-entry forms (with tickertape and memo fields), scrollable form regions, choice lists, context sensitive help, and a host of other interface objects.

Vermont Views combines the convenience of a fourth generation language with the power, flexibility, and blinding execution speed of native C code.

Turn your prototype into the application.

Let's face it. With most systems, you have to throw away your prototype when coding begins. Which means you waste precious time

and effort. With Vermont Views, things are a lot different. In fact, the prototype actually *becomes* the application. So menus and data-entry forms are usable in the final application without change. Names of functions for retrieving, processing, and storing data can all be specified as the prototype is created. And that's just for starters.

Here's a truly universal solution. When you create an interface with Vermont Views, you can port it among PC-DOS, OS/2, UNIX, XENIX, and VMS.

Vermont Views can be used with any database that has a C-language interface (most do), and will create interfaces for any roman-based language. Our form-locking version lets you develop quickly and safely on networks and multi-user operating systems, too.

If you need DOS graphics in your applications, we also have the answer. Vermont Views™ GraphEx allows all Vermont Views' windows, menus, and forms to work in CGA, EGA, VGA, and Hercules graphics modes. So you can use your favorite graphics package to create charts, graphs, and other images to enhance text displays.



**Vermont
Creative
Software**

Pinnacle Meadows,
Richford, VT 05476
Phone: (802) 848-7731
FAX: (802) 848-3502

WE GUARANTEE YOUR SATISFACTION. FOREVER.

We're so sure you'll love Vermont Views that we make this iron-clad, money-back guarantee. If you're ever dissatisfied with Vermont Views, for any reason, return it for a prompt, no-questions-asked refund. (All you have to do is certify that you haven't incorporated our code into any application.)

Call for your FREE demo kit!

800-848-1248

(Please mention "Offer 118")

Don't take *our* word for it. Put Vermont Views to the test by calling for your personal, free demonstration kit. Or fax us at (802) 848-3502.



© Copyright 1990
Vermont Creative Software

Beyond ASCII: Group Promoting "Global Code" for Information Exchange

In the increasingly interconnected global village, with computer users trying to send data from one country to another, ASCII, as its name says, is just too American. The American Standard Code for Information Interchange has always lacked the characters to express the written words of most of the world's peoples. Now a consortium of major computer companies says that it has the solution: a new "global computer code for storage and transmission of text around the world." The Unicode group says that its proposed standard (currently in final draft form) will make it easier to write multilingual software and simplify international information exchange.

Like ASCII, Unicode basically assigns a number to a character, but Unicode tries to cover every printed character in use today. Unicode's fixed 16-bit code set will allow 65,000 characters, which supporters say will accommodate "all major living languages," including ideographs used in Japan, China, Taiwan, and Korea; Cyrillic; Hebrew; Arabic; Greek; Sanskrit; and many others. The character set also has math and technical symbols, subscripts and superscripts, accent marks, control codes (carriage return and linefeed), and codes that mark the direction of the text (left to right or vice versa). The whole set now consists of 25,000 characters, which means that there is a lot of room left.

Unicode isn't the only one trying to formulate a universal language for computer code, however. The ISO has been working for years on its own multibyte universal character set. The proposed ISO Draft International Standard 10646 takes the opposite approach from Unicode's "unification," which saves space by eliminating duplicate characters; in an attempt to maintain compatibility with current sets, the ISO system instead maintains the character codes from the many existing national and international character sets. Since there is substantial duplication, the total number of characters is much larger. In the ISO method, every character in its basic form requires 32 bits, or 4 bytes, to be represented.

One important thing Unicode has that could help it become a widely accepted format is the backing of major (American) computer companies. Work on the character set began in 1989 at Xerox and Apple, and the group has since been joined by representatives from IBM, Microsoft (which says it will support Unicode in its upcoming "portable" OS/2), Sun Microsystems, Novell, Aldus, Metaphor, GO Corp., and Next. If these companies actually implement Unicode in their systems and software, users of popular personal computers and Unix workstations could soon be downloading Unicode files instead of ASCII.

—D. Barker

Swordfish Could Speed Up Imaging Operations

National Semiconductor (Santa Clara, CA) has developed a new RISC chip that could radically crank up the speed of imaging devices such as laser printers and graphics boards. The company's new "Swordfish" is a 50-MHz 64-bit RISC chip with a built-in digital signal processor (DSP). The company claims that the device can perform 100 MIPS, putting it ahead of other embedded processors.

Swordfish builds on the architecture of the company's 32CG16 and 32GX32 embedded processors (and will be delivered with translators to migrate code from the older devices). The new processor uses a superscalar design with two independent integer units, an FPU, on-chip data and instruction caches (1K byte and 4K bytes, respectively), and the DSP. The internal architecture is 64 bits wide, and

the external interface can be 8, 16, 32, or 64 bits. Like other high-performance processors, Swordfish is a 0.8-micron CMOS device. It contains about 1.1 million transistors, the designers say.

Operating at 50 MHz, the chip can perform 2 integer instructions per cycle, or 100 MIPS, National Semiconductor says. The company also says that Swordfish executes 115,000 Dhrystones per second, which is about 10 percent faster than Intel's i860.

Swordfish is aimed at processing-intensive embedded applications such as controlling printers, recognizing patterns, compressing/decompressing data, and processing video. The company says that it has already lined up significant partners, including Adobe, Microsoft, and Canon.

—Andy Reinhardt


NANOBYTES

Sales forces say that they've gained profit, time, and productivity by using **laptop computers**, according to a new study. After surveying sales managers at 3000 manufacturing companies, researchers at Texas Christian University (Fort Worth) concluded that "the benefits of the laptop appear to be very positive." Salespeople use laptops mostly for correspondence, E-mail, access to data on mainframes, and presentations. But laptop makers should note: One of the reasons cited for not using laptops was the cost of the machines.


If you're keeping R&D records and notes on your hard disk drive or on a bunch of floppy disks, you might look at a **new pamphlet** from the American Chemical Society's Committee on Patents & Related Matters. "Electronic Record-Keeping for Patent Purposes: Cautions and Pitfalls" discusses using computer equipment to **maintain records**. To obtain the free pamphlet, contact the ACS at (202) 872-4479.

X Window software developers may have to start paying license fees to AT&T if it turns out that they're using what AT&T says is patented technology. AT&T has notified some X Window implementers of its patent #4,555,775, issued in 1985, that is entitled "Dynamic Generation and Overlaying of Graphic Windows for Multiple Active Program Storage Areas." AT&T says this technique, invented by Bell Labs researcher Robert Pike, is used in the X Window System "backing store" function, which is basically a means of redrawing a window on the screen. However, the backing store function is not always implemented in X Window software. At press time, the X Consortium had not yet officially responded to AT&T. Meanwhile, "Those of us who sell X in small volume are keeping our heads down and hoping DEC or somebody big can slug this out with AT&T," said one X Window developer.

BIG IS OUT.



SMALL IS IN.



Introducing the Falco Infinity Desktop Computer. The Smallest 386SX Desktop.

If you're sizing up desktop computers, you'll immediately see the advantage of the Falco Infinity™ Desktop. It gives you 386™SX power and performance without dominating your desk space.

Half the size of a standard PC, the Infinity Desktop has everything you need on-board: Peripheral interfaces like disk controllers. Memory expansion. Communication ports. And VGA® level graphics up to 1024 x 768 resolution. Plus, two AT®-compatible, 16-bit expansion slots.

It runs DOS™ 4.0, UNIX™, OS/2™ and Microsoft®



Windows 3.0. What's more, you can choose from four configurations, including a diskless network node and a full-featured model with 1.44MB floppy and the option of 40, 100 or 200 MB hard drive.

The only thing we left out is the noise. The Infinity Desktop runs so quietly, you'll hardly know it's on.

Whether you work in close quarters or spacious surroundings, the Falco Infinity Desktop covers all your needs. Without covering your desk. And that's about the size of it. To get one for your desk, call us today.

1-800-FALCO4U



440 Potrero Avenue, Sunnyvale, CA 94086-4117

Circle 116 on Inquiry Card.

This Should Be the Month for System 7.0

The System 7.0 era should begin this month, as Apple is expected to finally release its overhauled Macintosh operating software. Apple sent "near-final" beta versions to most developers in late February, hoping they'd have "System 7.0-ready" programs available by the expected official May 13 launch date. (May 13 is the first day of the Apple WorldWide Developers Conference.) This public release date could be changed to June if unforeseen bugs show up before then.

System 7.0-compatible programs will support core AppleEvents (messages that are passed from application to application and from application to System); Balloon Help (hypertext-like help messages that can be turned on and off); and

the Publish/Subscribe mechanism for hot-linking creators and viewers of information. Apple watchers say they expect there could be as many as 200 or so System 7.0 programs at the time of the official rollout. Major Mac software houses will all update their applications to tap into System 7.0.

The company is expected to also release to developers the new QuickTime "media manager." QuickTime is an operating-system extension for dealing with multimedia input and output and with coordinating devices such as videotape machines, video cameras, scanners, CD-ROM drives, and audio gear. Users could see QuickTime by late summer, some Mac insiders say.

—Larry Loeb

Windows Selling Big, But How Many Are Running?

Microsoft says that it has sold more than 2.75 million copies of Windows 3.0, but some people involved in developing Windows applications say that only half of those copies are actually being used. Brian Conte, CEO of hDC, which makes Windows utilities, said at a recent conference that only "one-half to one-third of Windows buyers are actually using it."

Brad Silverberg, Microsoft vice president for DOS and Windows, said that over 2.25 million copies of Windows were sold through retail channels, over half a million were sold bundled with hardware, and more than 40,000 copies were sold to software developers. That makes a total of more than 2.75 million copies sold since the introduction of Windows 3.0. But if Conte is right, there are

only about 1.5 million Windows users.

Perhaps part of the reason for the suspected lag is that corporate users are sometimes slow to accept change, and many microcomputer managers say that they've had to provide hard evidence of productivity gains to justify large-scale migration to Windows.

Corporate Software (Canton, MA) and Microsoft conducted a pilot project to study the use of Windows at 14 corporate sites. Despite Microsoft's participation, the project could document only a 10 percent productivity gain during the first year of Windows use. Still, Corporate Software says, Windows 3.0 offers "intangible benefits" such as improving worker morale and encouraging users to "explore" their software environments.

—Ellen Ullman

Low-Cost Chip Holds Analog Speech

In a development that could lead to low-cost speech capabilities inside computers, Information Storage Devices (San Jose, CA) has developed a new chip that is able to hold analog samples of speech and sound. ISD's first chip, the ISD 1016, can store up to 16 seconds of recorded voice that the company says sounds better than what you hear over a telephone.

Direct Analog Storage (DAS), as the technique is called, uses a modification of EEPROM design and puts the sound

in what is essentially a 128K-byte cell EEPROM. Although it stores the sound in sampled form, the chip does not store it digitally. The samples are analog.

The heart of DAS is a floating-gate EEPROM. The floating gate turns the EEPROM cell on or off depending on whether it is strongly positive (on) or strongly negative (off). The charge on the gate modifies the conductivity of the underlying transistor. In DAS, the floating gate is charged only moderately, and the conductivity of the transistor takes an

NANOBYTES

GCC Technologies (Waltham, MA) has **dropped the price** of its Personal LaserPrinter II for the Mac from \$1399 to \$999. The PLP II is a QuickDraw-based machine that prints 4 ppm, at a resolution of 300 dpi. (GCC cut the price of the 8-ppm model, the PLP IIS, from \$1899 to \$1499.) The unit comes with 22 scalable Bitstream fonts. "We see this primarily as a laser printer for Mac Classic owners who would otherwise have to settle for an ink-jet printer," said Jonathan Hurd, vice president of marketing. GCC also lowered the price of its PostScript-based Business LaserPrinter II, from \$2399 to \$1999. This 4-ppm machine lists for less than HP's LaserJet IIP for the Mac (\$2195) and Texas Instruments' microLaser PS17 (\$2144 with AppleTalk).

IBM has shaved 5 percent to 20 percent off the prices of certain PS/2 models: 30 (286-based), 55 and 60 (386SX-based), and 80 (386-based); for example, IBM's least expensive SX machine, the Model 55 SX-031 (a 16-MHz SX with 2 MB of RAM, a floppy disk drive, and a 30-MB hard disk drive), now lists for \$2995, down from \$3495. At the higher end of the PS/2 line, the Model 80-081 (a 20-MHz 386 with 2 MB of RAM, a floppy disk drive, and a 80-MB hard disk drive) is now \$5495, down from \$6845. Prices might vary from dealer to dealer, an IBM spokesperson pointed out.

In a much bigger price cut—a veritable buzz-sawing, really—**Computer Associates** (Garden City, NY) mowed its SuperCalc5 spreadsheet program from \$495 to \$149. The company said that the "new pricing strategy reflects CA's commitment to the needs of PC users." Be that as it may, SuperCalc is in a market segment that's getting more competitive, with leaders Lotus, Microsoft, and Borland all trying to woo each other's customers. CA plans a SuperCalc5 upgrade this spring, and a Windows product is likely.

Crunch!

Nothing crunches numbers like the Advanced Math Co-Processors from Integrated Information Technology. They really speed up graphics, CAD/CAE, spreadsheets, and other calculation-intensive applications.

Three models provide a perfect match to your 286, 386, or SX PC, delivering up to twice the performance of other CoProcessors. No wonder hundreds of thousands have been sold. Five-year limited warranty. BYTE-rated. So plug in, and crunch!

Count on iit.SM



INTEGRATED
INFORMATION
TECHNOLOGY, INC.

Available at most local dealers.

intermediate value. In a DAS chip, the strength of the sound determines the value.

A DAS chip also contains amplifiers, clock filters, and just about everything else needed for a speech system. A designer building a talking device would

only have to add batteries, a microphone, a loudspeaker, and a few other parts.

ISD is selling the chips for about \$20 each (in lots of 1000), making the ISD 1016 less expensive than other solid-state sound-recording devices.

—Rick Cook

Bellcore Uses Laser Beam to Beat the Clock

Researchers at Bellcore (Livingston, NJ) have prototyped a new device that could help overcome one of high-speed computing's big bottlenecks: the clock. While CPUs can process data at lightning speeds, they still have to wait for the signal from the clock—they'll always be bound by the physics of electrical connections.

The scientists are speeding up the timing signal by using laser beams and strands of optical fiber. Inventors Peter Delfyett and Davis Hartman connected a semiconductor laser beam, which generates the master timing pulse, to a strand of optical fiber. A device called a star coupler splits the laser light into 1024 beams, which then shoot down separate strands of fiber to 1024 computer circuit boards (containing receivers). The laser

beams' pulses are more accurate than those generated by electronic components, Delfyett said. When zapping the 1024 circuit boards, the accuracy of the timing signal is "true to within 12 trillionths of a second," he said. The researchers say their technique could allow a computation rate of one command every 120 trillionths of a second (compared to a current desktop machine's execution rate of about one command per one-millionth of a second).

Semiconductor lasers have been used as timing devices, but their clock signals were slower because the laser beam had to be turned on and off, researchers said. Bellcore's "mode-locked" laser works like an oscillator, flipping constantly between on and off. The pulses are so precise that they keep the optical clock essentially free of signal variations, or jitters, Delfyett said.

The Bellcore system now sits on an optical workbench, but it could be squeezed into a case the size of a shoe box.

Bellcore's technology is geared toward large, high-speed machines, like supercomputers, where signals have to travel to hundreds of boards. One practical application of the work of Delfyett and Hartman will be in high-speed data transmission. "With the advent of optical communications, switches will look more and more like computers and will need to be able to do processing on packets of data just like a computer has to process data," commented Ken Young, district manager of Interconnection and Access Technology Research at Bellcore. "And they'll need to do it much faster." The Bellcore scientists say their technique will give data communications the kick into warp speed.

—D. Barker



That red beam of light comes from Bellcore's semiconductor laser, which researchers have used to send timing signals to computer circuit boards. The laser-based clock could someday be the master timing device inside superfast computers. The experimental technique could also crank up data transmission to warp speed. The dot of laser light is smaller than George Washington's eye on the dollar bill.

TECHNOLOGY NEWS WANTED. *The news staff at BYTE is interested in hearing about new technological and scientific developments that might have an impact on microcomputers and the people who use them. If you know of advances or projects relevant to microcomputing, please contact the Microbytes staff at (603) 924-9281, send mail on BIX to Microbytes, or write to us at One Phoenix Mill Lane, Peterborough, NH 03458. An electronic version of Microbytes, which offers a wider variety of computer-related news on a daily basis, is available on BIX.*


NANOBYTES

Modems burn less gas: The number of workers who telecommute instead of drive to the office two or more days a week will continue to increase, according to a new survey of managers in the San Francisco Bay Area. Of those surveyed, 41 percent said that they think the number of telecommuters will climb 10 percent to 15 percent in two years. Most of those surveyed currently have staffers who telecommute, and the pollsters said "a significant number of the managers supervising telecommuters cited their increased productivity as a key benefit." The survey was taken by the Northern California Telecommuting Advisory Council, sponsored by the University of San Francisco and the Pilot Group.

Micro Computer Resources (Oakland, CA) has compiled a database of more than 6500 quotes, called **Wisdom of the Ages**. The \$79 package, which works with DOS PCs, contains apt phrases from both the Western and Eastern traditions, which you can view side by side for comparison. You can search and filter quotes by author, subject, or keyword.

WordTech Systems (Orinda, CA) says that its Quicksilver/Unix dBASE compiler has been certified by the Unix System Laboratories to be compliant with Unix System V release 4. Quicksilver/Unix (\$1495) compiles DOS-based dBASE language applications to run without modification under Interactive Unix 386, SCO Unix 386, and other compatible operating systems.

IBM is now reselling **Novell NetWare** on an equal basis with its own LAN Server. James Cannavino, general manager of IBM's Personal Systems division, said that IBM and Novell are developing version 3.2 of Novell NetWare for OS/2 2.0, AIX, and the NetWare kernel. The products will be available by mid-1992, claims Novell CEO Ray Noorda.



For total portability right now, your choices are a bit limited.

ONLY ZORTECH GIVES YOU TOTAL PORTABILITY TO MS-DOS, WINDOWS, OS/2, DOS 386, UNIX 386. AND MACINTOSH. RIGHT NOW.

WHAT PLATFORM WILL YOUR APPLICATIONS BE RUNNING ON THIS TIME NEXT YEAR?

Now that C++ has made significant inroads into mainstream application development, you must choose the C++ compiler that is going to be the performance and portability leader now...and years to come. Since 1986, we've been testing, refining and perfecting our family of C++ products tirelessly. The results are what you are reading about, a fully portable family of C and C++ products available right now.

WE INTEND TO KEEP UP THIS PAGE.

In the past few years, Zortech has quietly become an industry standard earning acclaim from Byte, Computer Language, Dr. Dobbs, and many industry experts for our solid implementation, market-leading performance, and strong, relentless innovation.

WHATEVER PLATFORM YOU CHOOSE, CHOOSE ZORTECH PERFORMANCE.

With Zortech, no matter what platform you choose to develop on, a substantial performance increase will be realized due to the quality of the original Zortech C++ implementation. For instance, on MS-DOS, your program will compile up to 35% faster with the resultant code running up to 45% faster and 25% smaller than Turbo C++*. But we don't stop there. On each platform, Zortech C++ is designed to improve your productivity where it really



MICROSOFT
WINDOWS

matters... in the development cycle. For example, using the DOS/MS Windows package, you can edit, compile, link and debug the largest MS windows applications...and never once leave the Windows environment. All this plus complete plug-and-go to CNS C++/View and Commonview II! And, of course, these advantages are also available on the OS/2, DOS 386, UNIX, and Macintosh platforms.

60
MONEY-BACK
GUARANTEE

CHOICES. CHOICES. CHOICES...

If there is one constant in C++ development, it's change. The Zortech family of products keeps your options exactly how they should be. Open.

To find out more, call today.

ORDER HOTLINE:

(800) 848-8408

Zortech

Industry Standard. Industrial Strength.

ZORTECH, INC., 4-C GILL STREET, WOBURN, MA 01801 TEL: (617) 937-0596 FAX: (617) 937-0793
ZORTECH, LTD., 58-60 BEDFORD STREET, LONDON SE18 6BG TEL: +44-81-316-7777 FAX: +44-81-316-4138
SUPPORTED SYSTEMS INCLUDE COMPAQ, ISA/EISA, IBM PS/2 AND 100% COMPATIBLES

* Source: MS-DOS, C++ Compilers, A comparison by the Ladd Group, (c) 1990

Circle 349 on Inquiry Card.

Some days you have all the time in the world.



When the pressure is on, pour on the speed. With Hewlett-Packard's new LaserJet IIISi printer. A powerhouse that delivers at a throughput speed of 17 pages per minute.

With the LaserJet IIISi, you're up to speed the moment you give the "print" command. HP's RISC-based formatter and the PCL5 printer language, with vector graphics and on-the-fly typeface scaling, yield fast

results. This printer also represents a new standard for I/O performance with optional Network Printer Interface cards for either Ethernet or Token Ring.

The LaserJet IIISi is specifically designed for shared-use environments. Its high-volume paper handling features include two 500-sheet input trays and a monthly duty cycle of 50,000 pages. HP offers software-selectable language switching

between PCL5 and optional Adobe® PostScript®. For added versatility, your options include



And some days you need the new 17ppm LaserJet IIISi.



an envelope feeder and two-sided printing.

Beyond speed and efficiency, the LaserJet IIISi delivers the sharpest 300 dpi print quality yet. In fact, HP's revolutionary combination of Resolution Enhancement technology and new microfine toner challenges the print quality of many 600 dpi printers.

The price of the new LaserJet IIISi, just \$5,495*, is as impressive


as the work load it handles. If you're ready to pick up the pace, call **1-800-752-0900, Ext. 2067** for more information on the fastest LaserJet printer and the name of your nearest authorized HP dealer.



**HEWLETT
PACKARD**

A PC and 1-2-3 in the Palm of Your Hand

DAVID ANDREWS AND ANDREW REINHARDT



Hewlett-Packard and Lotus make palmtop computing more meaningful

is a complete DOS computer based on an 8088-class processor.

Like an electronic organizer (e.g., the Sharp Wizard), the 95LX includes a suite of personal productivity applications designed to replace the traditional Day-Timer Planner. It also doubles as an HP financial calculator. But what really sets the 95LX apart is that it comes standard with Lotus 1-2-3 release 2.2 built

Although notebook computers are becoming commonplace, you can still create quite a stir when you use one on an airplane. But pull out the new Hewlett-Packard 95LX, and you probably won't get any reaction at all. That's because at first glance, the 95LX looks more like an overweight checkbook than a PC. Its diminutive size belies its true nature: The 95LX

into its ROM. Including the software, 512K bytes of RAM, DOS 3.22 in ROM, an industry-standard solid-state memory-card slot, and some remarkable communications options, the whole pocket-size package sells for a suggested retail price of less than \$700.

When combined with the tiny Touch-base WorldPort modem and the Kodak Diconix printer, which HP will remarket to 95LX customers, this new palmtop may once again alter people's definition of the portable office. The 95LX could become a must-have item for mobile executives or people who crave the latest electronic gadget.

A Micro Micro

HP and Lotus jointly developed the 95LX in close consultation with Intel, Microsoft, and Phoenix Technologies. The tiny, shall we say, "toeprint" of the machine is due to a remarkable feat of miniaturization by Intel: a PC-compatible motherboard measuring only 2½ by 3⅜ inches—not much larger than a credit card—with performance about 2½ times that of an IBM XT, according to HP.

The HP palmtop not only fits in your pocket, it's also small enough to get lost in your briefcase. It weighs a mere 11 ounces and measures 6⅝ inches wide, 3⅞ inches deep, and 1 inch high. This is a little more than half the size of the 1-pound Poqet PC.

Along with the small size come some trade-offs. The 95LX has a 16-line by 40-character, nonbacklit supertwist LCD screen, so it shows only a few columns of a typical spreadsheet. However, we found the display highly readable in a variety of lighting conditions. The company says that it achieved this readability by driving the display at 12 volts, instead of the usual 5 V. The other and more serious drawback is the keyboard. Even though it uses a standard QWERTY layout and includes function keys and a numeric keypad, it is too small for serious typing.

The 95LX runs on two AA batteries or an AC adapter. HP says that a pair of batteries will power the machine for two months, but we weren't able to test this claim. To prolong battery life, the system relies on power-saving tricks that are used in HP calculators: The processor rests between keystrokes, and after 5 minutes of nonuse, the system shuts down. When reactivated, the 95LX re-



turns to the state it was in when it left off. A commonly available (CR2025) lithium backup battery on the underside of the 95LX keeps your RAM alive when you change the AA batteries.

Canned Applications

The 95LX comes with seven built-in applications: 1-2-3, an appointment book, a telephone book, a memo pad, a file manager, a communications program, and HP Calc, an advanced financial calculator. On-line help is available with the F1 key. The programs share a similar Lotus-like user interface, including the common use of "soft" function keys and the ability to share keyboard macros. They also support cutting and pasting of data from one program to another, which

One of the most convenient aspects of the 95LX is that all the built-in applications are always open.




is especially useful for transferring data between 1-2-3 and the calculator's back-solving HP Solve utility.

One of the most convenient aspects of the 95LX is that all the built-in applications are always open, so you can instantly access them by pressing one of seven buttons labeled with icons near the top of the keyboard. When you switch from one application to another, or when you turn off the 95LX, you always return to exactly where you left off.

DOS applications on solid-state cards or downloaded from another PC can be run from the DOS prompt. The 95LX includes one slot for memory cards that comply with the PC Memory Card International Association standard, and HP has lined up several third-party vendors to deliver software cards for the system.

continued

Hassle-Free Printer Sharing for the HP LaserJet II, IID, III and IIID



"The ServerJet is the smoothest and most practical way I know to share a LaserJet."

Frank J. Derfler, Editor
PC Magazine, 1/15/91

Here's how you and your co-workers can have your own HP LaserJets without breaking the corporate budget.

It's called **SimPLAN ServerJet**.

Simply plug the *ServerJet* into the 'Optional I/O' slot of your HP LaserJet. Stretch phone cable, up to hundreds of feet, to each computer. Then, 12 people can simultaneously *whooshhh* documents to the LaserJet at speeds as fast as 115,200 baud.

No more wandering down the hall with floppy in hand.

Or borrowing someone else's LaserJet.

Or wasting time waiting to print.

SimPLAN & ServerJet are trademarks of ASP Computer Products, Inc. / HP LaserJet is a registered trademark of Hewlett-Packard Co.

The *ServerJet* is available in a variety of models with up to 4MB of buffer memory. And because your office may have printers other than HP LaserJets, ASP Computer Products offers a complete line of printer sharing solutions.

To order your *ServerJet* or for more information call ASP at:

800-445-6190



ASP COMPUTER PRODUCTS, INC.

1026 W. Maude Avenue, Suite 305
Sunnyvale, California 94086
Phone: 408-746-2965 • Fax: 408-746-2803

These cards include Meca Software's Managing Your Money, Houghton-Mifflin's dictionary and thesaurus, Contact Software International's Act! contact management package, and Globalink's phrase-translation packages.

An open application programming interface will let developers customize their DOS applications for the 95LX by adding support for the desktop manager, clipboard, or soft keys. HP says that even without writing to the API, standard DOS programs won't lose any functionality running on the 95LX, except that their interfaces will shrink to 40 columns.

By putting DOS, 1-2-3, and all the applications in ROM, HP has freed up most of the 95LX's standard 512K bytes of RAM for data files. A setup utility lets you allocate available memory between the C drive RAM disk and space needed by the operating system to run programs that reside in ROM; for our evaluation, HP recommended setting aside about 126K bytes of RAM for the system.

Linking

Because it has no floppy disk drive (and since few applications now exist on memory cards), the primary means to get data in and out of the 95LX is via one of two interfaces available with the system. The most familiar is a small bidirectional serial cable that is supplied, along with software for the host PC, in an optional HP connectivity pack.

The connectivity pack is a complete copy of the organizer applications included with the 95LX. Once loaded on the host PC, the applications can be run just as they are on the palmtop, which means that you can keep the same memos or telephone log on your desktop machine as you do on your 95LX.

Updating the files is easy: you just connect the machines, select the communications application on both, and then transfer or share files—at 57,600 bps—using a split-window interface. For modem users, the 95LX includes built-in terminal emulations and a variety of transmission protocols.

The other interface option is a two-way infrared connection, a technology borrowed from earlier HP calculators. With the infrared link, two properly aligned 95LXes within 8 inches of each other can transfer files at 2400 bps without using cables. The infrared link

also works with the HP 48SX calculator. HP says that it is exploring other uses for infrared technology, such as a print link that would let you beam files to a printer for hard-copy output.

Later this year, HP expects to introduce a third interface option for the 95LX, an RF module being developed by Motorola that uses the company's alphanumeric paging technology.

Alas, the Keyboard

It seems there's always a catch, and in the case of the 95LX, it's the keyboard. When we first looked at the palmtop, we joked that nobody would use it to write the Great American novel. Unfortunately, after using the system for a while we have to revise our assessment: Even the Great American short story would be difficult to pull off.

The problem is twofold: First, the keyboard is simply too small for touch typing, and the layout is just strange enough that two-finger typing seems to involve more hunting than pecking. Second, the keys aren't really keys, but rather calculator-type buttons. For entering meetings into a calendar, the buttons are fine, but using them to write more than a few sentences is tedious.

HP readily acknowledges this problem and makes a point to characterize the 95LX not as a replacement for a PC but as an adjunct. The literature suggests that appropriate textual applications would include reading E-mail, proof-reading documents, or composing short memos. And if you need to do number crunching, the 95LX, unlike the Poqet PC, has the advantage of a numeric keypad. In a nutshell, if you use a mobile computer for writing long memos, the 95LX may not meet your needs, but if you want a souped-up organizer and calculator, you're in luck.

Impressions

The 95LX invites comparison with the Poqet PC and, to some extent, with the Atari Portfolio. The differences are worth exploring. If you're looking for a full-time laptop, the Poqet may be a more realistic option than the 95LX, because its display is 80 characters wide and its keyboard is much bigger—large enough for entering text. On the other hand, the Poqet requires not only larger pockets but also deeper ones: Even with its price reduced from the original \$2345

to the current \$1450, it costs twice as much as the 95LX, and it doesn't include Lotus 1-2-3.

The Portfolio costs only \$300 and is comparable in size to the 95LX, but it's much less capable. The display shows only eight lines of 40-column text, and the standard RAM configuration is only 128K bytes—not enough to run 1-2-3 or much of anything else these days.

HP's 95LX is an engineering triumph, incorporating amazing advances in miniaturization and connectivity. Coming from HP, the 95LX is unlikely to have the bugs that have afflicted some other palmtops, and even the prototype units felt solid and durable.

Of course, there are weak points. We were a bit disappointed by the built-in organizer applications, which didn't seem very intuitive to use, especially when compared to some of their desktop cousins. Ideally, the 95LX could be a bit flatter, and we might have been willing to accept a slightly larger footprint in exchange for a bigger screen and a less challenging keyboard. But these seem like minor points compared to our overall positive impression.

It's simply amazing to be able to put all your appointments, telephone numbers, and other necessary information into your shirt pocket, inside a machine almost one-hundredth the size of an IBM PC that can run the same software as that PC. If you've ever wanted to unobtrusively run a spreadsheet model while flying on an airplane, your moment has finally arrived. ■

David Andrews is BYTE's associate news editor for What's New and Andrew Reinhardt is a BYTE news editor in New York. You can reach them on BIX as "dave.-news" and "areinhardt," respectively.

THE FACTS

HP 95LX

\$699; connectivity pack, \$99.95;
128K-byte RAM card, \$199.95;
512K-byte RAM card, \$399.95

Hewlett-Packard Co.
1000 Northeast Circle Blvd.
Corvallis, OR 97330
(503) 757-2000
fax: (503) 750-4689
Circle 983 on Inquiry Card.


Once again, editors rave about the Tangent 486.

"...when the full 16 stations included in the test were active. The Tangent Multi-Server 433e was still the fastest..."

PC Week 1/7/91

PC WEEK

Tangent Server Maintains Performance Lead As LAN Size Increases



"A consistently strong performer across all tests, the Tangent model 433e stands out in this group."

PC Magazine April 16, 1991



April 16, 1991
Tangent 433e

PC Magazine, April 16, 1991

TANGENT COMPUTER INC.


Tangent Model 433e

by Bill O'Brien

Tangent Computer's foray into the realm of the EISA bus is represented by an investment-quality machine.

"The big winner is the Tangent..."

BYTE, October, 1990



When the editors got through writing about Tangent 80486 systems, they didn't leave us a lot to say. Except price. First, compare performance. Then compare price. What you'll see is that Tangent is the price-to-performance leader in 486 systems, with a range of models designed to fit any need.

*All pricing subject to change without notice. ©1991 Tangent Computer. Tangent is a registered trademark of Tangent Computer, Inc. 486 is a registered trademark of Intel Corporation. Other product names may be the trademarks or registered trademarks of their respective companies.



Tangent Multi-Server 433ms

Capable of replacing 5 to 10 conventional servers.

- Intel 486-33 MHz EISA
- Up to 64 MB RAM
- SCSI Drive Arrays Up to 12 GB
- Continuous 1-3ms Average Access
- Up to 4 Ethernet Ports or 96 Serial Ports
- UNIX or NOVELL Configurations

Priced from \$14,900

Tangent 433e / 425e

Our high-end, award winning engineering workstation.

- Intel 486-33 or -25 MHz EISA
- 200 MB to 2.4 GB of Disk Storage
- EISA Caching 32 Bit Disk Controller
- Non-interlaced SuperVGA Monitor

Priced from \$5,995

Tangent 433i/ 425i

A 486 at a 386 price.

- Intel 486-33 or -25 MHz ISA
- 105 MB Up to 2.4 GB of Disk Storage
- Choice of IDE, ESDI or SCSI
- Non-interlaced SuperVGA Monitor

Priced from \$3,695

486 your way. Tell us your applications and operating environment and we'll configure a system to meet your needs 100%. Then we'll build, test and ship your system. Pronto.

We're here when you need us. Our sales and support engineers are as near as your telephone...

Tangent is your first call for affordable high performance.

Call toll free: **1-800-223-6677**



TANGENT
COMPUTER

197 Airport Blvd., Burlingame, CA 94010
Phone: 415/342-9388 FAX: 415/342-9380

Circle 295 on Inquiry Card

Apple Introduces Low-Cost Laser Quality with Style

OWEN LINDERHOLM



Personal LaserWriter LS

StyleWriter

Apple's low-cost printing solutions to complement its new inexpensive systems

When Apple introduced its new systems last year, it immediately increased its sales and answered critics who had been claiming that Apple computers were too expensive. Nevertheless, Apple neglected to provide a solution in one important area: printing. Until now, the Apple printer lineup has consisted of a range of laser printers, from the Personal LaserWriter SC to the LaserWriter IINTX, as well as the ImageWriter II dot-matrix printer. Third parties have taken the opportunity to fill in the gaps with cheaper laser and ink-jet printers. However, Apple has now come out with two low-cost printing solutions to complement its new inexpensive systems.

The Personal LaserWriter LS is a carefully designed printer that's based on QuickDraw rather than PostScript. It's almost identical to the Personal LaserWriter SC in capability, but it costs considerably less.

The StyleWriter is more unusual. It's an ink-jet printer that's based on the Canon Bubble-Jet, but it's been completely redesigned by Apple. It has a resolution of 360 dots per inch and is also a QuickDraw-based printer.

Both printers work with TrueType, the new font-scaling technology being developed by Microsoft. These two printers are the first ones available that work with TrueType, and Apple is including TrueType system software with the printers, as well as the basic 13 Apple system fonts.

Personal LaserWriter LS

The Personal LaserWriter LS is based on the Canon LBP-LX engine. It has a serial connector and the usual Personal LaserWriter paper handling with a 50-sheet paper feeder. It is 8 inches tall, 15 inches wide, and 18½ inches deep; it weighs 31 pounds. The design is similar to that of the Personal LaserWriter SC, except that it's smaller and has a different paper path.

The printer is controlled by a custom application-specific integrated circuit (ASIC), which decompresses data received from the system. It also includes an additional oscillator that's used to externally clock the Mac's serial port at a higher rate to transfer data to the printer at a higher rate. The serial port usually transfers data at up to 57,000 bps. Apple says that Macs can pass data to the LS at up to 900,000 bps.

This printer uses only 512K bytes of RAM, one of the ways Apple has been able to keep the price down. Nevertheless, it is still able to print a full page of text and graphics, because the data is compressed by the printer driver in the Mac and then decompressed in strips by the custom ASIC in the printer, so that the 512K bytes can hold the compressed form and the uncompressed strip at the same time. In addition, the memory is managed so that the next page can be sent to the printer and stored while the first is still printing as enough memory space is freed. Thus, the Personal LaserWriter LS is faster than the Personal LaserWriter SC.

The Personal LaserWriter LS also comes with a printer driver that spools printing to the hard disk and then prints the document in the background. This lets Mac users get back to work more quickly than they otherwise would.


The one major failing of this printer is that it's a QuickDraw printer. This means that Encapsulated PostScript (EPS) files don't print properly; instead, a coarser bit-map version is printed. However, the addition of TrueType fonts into the system software for this printer means that it is capable of printing high-quality fonts at any point size.

The Personal LaserWriter LS is now Apple's least expensive laser printer. It essentially replaces the Personal LaserWriter SC, with which it compares favorably. It's mostly intended as a single-user laser printer, for someone who needs the

Now available on CD-ROM!

COREL DRAW!

PC Graphics for Everyone!



SUPERSALE



It's **FAST**
It's **FUN**
It's **POWERFUL**



Amazing special effects

- envelope (warp) text and graphics
- simulate 3D with perspective function
- extrude to give depth to text/graphics
- blend between shapes and/or colors

Incredible type control

- over 150 fully scalable outline fonts
- see exact fonts on-screen
- paragraph and multi-column text
- import ASCII text files
- fit text to a curve
- create your own fonts or symbols

Superb value

- over 4000 symbols and clipart images
- dotted and dashed line styles
- over 80 arrowheads
- dozens of vector and bitmap patterns
- free Pantone* license
- 24 bit color supported
- 31 import/export filters
- CorelTRACE - batch autotrace utility
- MOSAIC - visual file manager
- WFNBOSS - typeface converter



COREL



Call customer service: (613) 728-8200 for information and a free demo disk

*Pantone, Inc.'s check-standard trademark for color reproduction and reproduction materials. Requires MS-WINDOWS 3.0

Tel: (613) 728-8200

Fax: (613) 761-9176

LASERNET[™]

PRINTER SHARING

AT IT'S BEST!

BEST FEATURES,

BEST PRICES.

You don't need a LAN to network your printers! LASERNET's printer sharing family provides all the features you need for any requirement, at the price you want to pay.



FOR BASIC APPLICATIONS

WTI has low-cost, serial or parallel, non-buffered models, for low printer-sharing demand environments. Share from four to six PCs; perfect for the small office or school:

PSU-41A/AP - 4 inputs; single output .. **\$149**

QwikShare[®] - 6 inputs; single output; *pooling software, cables and connectors included* **\$195**



FOR GENERAL APPLICATIONS

WTI has buffered, multiple output, serial/parallel models for fast-access, high-volume printer sharing needs. User can select printer of choice directly from PC:

QwikShare II - 6 inputs; 2 outputs; buffered from 256KB to 2MB **start at \$295**

PSU-82C/SP - 8 inputs; 2 outputs; plotter, CAD, high-level graphics capability; buffered from 256KB to 2 MB **start at \$595**



FOR HIGH-LEVEL APPLICATIONS

For twelve or more users requiring high-speed peripheral sharing and file transfer, WTI has Multi-Link[™], the ultimate serial/parallel peripheral-sharing device. *Expandable through dedicated high-speed link, up to 384 any-to-any, user selectable ports, over 4,000 feet. Perform printer/plotter sharing, modem pooling, PC-to-PC communication and more:*

Multi-Link - 12 any-to-any ports; baud rates to 115K; buffered from 256K to 4 MB **start at \$795**

All products **made in U.S.A.**, backed by a **3-year** limited warranty with service and technical support.

To order* or for More Information,
Call Toll-Free

1-800-854-7226

FAX 714-583-9514

wbi western[™]
telematic inc.

5 sterling, irvine, ca 92718

*Visa, MC Accepted

Same Day Shipping

NEWS

FIRST IMPRESSIONS

convenience, quality, and speed of a laser printer but hasn't much money.

StyleWriter

The most immediately striking feature of the StyleWriter is the way it looks. On its own, without the accompanying sheet feeder, it looks like an elongated, inverted T. In this form, it can print manually fed single sheets. The printer also has a clean, straight-through paper path, which makes it ideal for printing envelopes. However, it does come with an automatic sheet feeder that holds 50 sheets. This clips directly to the back of the printer.

Another striking feature of this printer is that it's almost silent in operation. The print quality is incredibly good at 360 dpi. Not surprisingly, the StyleWriter produces output similar to that of the Bubble-Jet. The ink used is formulated to dry quickly. Thus, by the time a page drops into the paper holder, it's dry. The trade-off for fast drying is that the ink is water-soluble and will smear if water is spilled onto a page. Each ink cartridge prints about 500 pages.

The StyleWriter is considerably slower than a laser printer. It prints a page in approximately 2 minutes in its letter-quality mode. It has a draft-quality mode of 180 dpi, which lets it print one page per minute. It also receives compressed data from the computer. However, the StyleWriter doesn't have as much built-in intelligence as the Personal LaserWriter LS. Therefore, it receives one strip of data from the computer at a time, decompressing and printing it before receiving the next strip. The printer works faster when attached to faster Macs, because they're able to compress the data and send it faster.

The StyleWriter is also a QuickDraw printer and has trouble printing EPS images. However, the 360-dpi resolution happens to be exactly five times that of a standard 72-dpi screen-based bit map, so these images look somewhat better than on a laser printer. Also, since it prints at 360 dpi, it's able to produce high-quality gray-scale images, in some cases noticeably better than a 300-dpi laser printer.

The StyleWriter comes with TrueType and produces excellent-quality text. I tried it with a wide variety of fonts, including a full kanji TrueType font, and got legible output in sizes from 4 points to over 100 points.

The StyleWriter is a high-quality printer that does, however, operate slowly. It is intended to be a low-cost alternative to a laser printer that is still able to print with good quality. The addition of TrueType fonts makes it an excellent printer for high-quality document printing where single- or low-copy volumes are required. It isn't suitable for printing large batches of documents. Its main importance is that it lets the Apple family have a convenient laser-quality printer for a low price. In some ways, it's intended to replace the ImageWriter II, since it costs the same but has far superior quality and somewhat superior speed. However, the ImageWriter II still has some niches left, notably in printing multiple-copy forms.

With these two printers, Apple finally moves into the low-cost arena. Their design shows some of the excellent technical expertise available from Apple at its best. Apple has done a good job of taking these printer designs and pushing their performance as far as possible. The Personal LaserWriter LS is a worthy contender for the crown of best inexpensive laser printer; the StyleWriter sets new standards for ink-jet printing. The street cost of a Mac Classic with a hard disk drive and the StyleWriter will be \$1600 to \$1700, which makes the combination an extremely competitive one when stacked up against less well integrated solutions based on the IBM PC. ■

Owen Linderholm is a BYTE senior news editor. You can reach him on BIX as "owenl."

THE FACTS

Personal LaserWriter LS

\$1299

(includes driver software, TrueType fonts, and System 6.0.7 required to run it)

StyleWriter

\$599 (includes driver software, TrueType fonts, and System 6.0.7)

Apple Computer, Inc.

20525 Mariani Ave.
Cupertino, CA 95014
(408) 996-1010

Circle 1165 on Inquiry Card.

"My Dolch 486™ is awesome. . ."

"Hey, I now own the *perfect portable* that lets me get my work done anywhere. Not just a few files . . . everything I had on my desktop!"

"Powerful? You bet! After I downloaded all my desktop stuff, on it's *200 MB HD*, I still had plenty of room left and it screamed through everything at *11 MIPS*!"

"My Dolch P.A.C. is setting new 'rules'. It's portable, fast and I still can add *4 full-size internal expansion cards*. Wow!"

"You have to see the brilliant display — I mean really see it. *TFT* is the *latest color technology*, that's fully VGA compatible."

"Hey! Don't take my word for it. Experts like PC Magazine judged my Dolch P.A.C. to ' . . . *outclass all other portables*' and picked Dolch three years in a row as Editors' Choice!"



1988



1989




1990

"Get a Dolch today, choose a 286™, 386SX™, 386DX™ or a 486™ like mine. . . *clearly the best PC you can buy today, and it happens to have a handle*. Get a lot more work done — where and when you want."

Why Wait? . . . Call today.
(800)538-7506 US; (800) 233-2077 CA
In Canada call Laptech 1-800-561-4527

Dolch.

ROAD-POWER FOR THE BEST OF US



POPULAR PRAISE FOR THE PORTABLE DESKTOP

This new generation PC is remarkable for the performance and practicality it provides. Carry it from the office, to home, to multi-site locations so all your programs and files travel conveniently with you.

Customers and critics alike are praising the Brick for its portability, elegant design, whisper quiet operation and screamingly fast power. This diminutive PC with the unforgettable name is designed for the way you always wanted to do computing.

Here's a sampling from recent articles on the Brick.

"Every once in a while a PC product comes along in which the performance, design and concept are so uncommon that a little voice inside you says you really want to have one."

*Jon Pepper,
PC Sources, 11/90*

"Engineered with the way people actually work in mind. It answers the question of how to transport an entire environment to and from several work sites, something no other product handles elegantly."

PC/Computing, 12/90

"Overall the Brick represents a clever counter to conventional notebook designs. It solves the fundamental problem of two-location computing. You get to keep your home and away files in sync because they are the same."

*Tracy Licklider
BCS UPDATE, 7/90*

"Ergo's Brick maintains the functionality of a desktop PC within a small form-factor...the Brick is a real performer, consistently outperforming both Compaq's and IBM's 16 MHz SXs on PC Labs computer benchmark tests."

*Matt Ross,
PC Magazine, 9/25/90*

"The Ergo Brick—that delightfully small, full-featured 386SX™ machine. It's almost silent, it's fast... a great personal computer in every other respect too."

*Bill Machrone,
PC Magazine, 1/15/91*

"The Brick is the first real innovation in DOS based computers in a long, long time."

*Computer Shopper,
1/91*

"The philosophy behind the Brick is so obvious that I'm surprised that no one has thought of it before...you can keep a monitor and a keyboard at each work location, carrying only the computer guts (and your own data) between locations...in a world of boring and utilitarian PCs, the Brick stands out for both its elegance and its technological sophistication."

*Stan Miastkowski,
BYTE, 6/90*



1990
— FINALIST —
PC Magazine Award
for Technical Excellence



THE BRICK



3" x 8" x 11"

"The Brick is first class all the way. Its appearance and feel suggest even higher quality than that of the Toshiba and

Compaq... This system provides an amazing amount of features and support for the price."

Peter Varhol,
Personal Workstation
11/90

"The Brick is a simple idea that is beautifully executed, resulting in a machine whose time has clearly come. You get the convenience of a laptop with the uncompromising performance of a desktop."

Jon Pepper,
PC Sources,
11/90

"An ideal system for those who split their working time between home and office...The stylish "black granite" and beige cases look as if they came straight from the pages of a Sharper Image catalog."

PC Week, 9/24/90



Hi-res video drivers are included for over 25 major applications including Windows 3.0, WordPerfect, Ventura, Autocad, Cadkey, and Lotus. The Docking Terminal (\$349) permits instant hook-up of all cables and adds another 16-bit 3/4 length slot.

"...everyone who sees it falls in love with it... Recommended."

Jerry Pournelle,
BYTE, 1/91



"Using the Brick is a pleasure. In fact, several things about the Brick are terrific. By any standard it's a well equipped and competitively priced 386SX desktop; when you add the appeal of its diminutive size, it becomes adorable."

Eric Grevstad,
Portable Office, 12/90

"The beauty of this arrangement is that you never have to worry about the consistency of your data files... you just take it all with you."

Henry Fersko-Weiss,
PC Magazine, 3/91

"Only slightly larger and heavier than a college dictionary, the Brick is a faux-granite-finished portable CPU that explores the middle ground between desktop PCs and portable computers."

Fred Paul,
PC/Computing,
8/90

\$2,495

INCLUDES

- ▲ 16 MHz Intel 386SX
- ▲ 4 MB RAM (exp to 8 MB)
- ▲ 44 MB 28ms hard disk
- ▲ 2,400 bps modem
- ▲ 1024 x 768 VGA adapter with 1 MB video RAM
- ▲ 3.5" floppy/1.44 MB
- ▲ 16-bit half card exp. slot
- ▲ DOS 3.3 or 4.01
- ▲ 1 year warranty
- ▲ 30 day money back guarantee
- ▲ Freight Prepaid

Plus Your Choice of:

- ▲ Windows 3.0 with Adobe ATM, Mouse
- or:
- ▲ DESQview/386 with QEMM, Manifest, Tree86, Cache86
- ▲ All software completely set up. Ready to go

Options:

- ▲ 104 MB 24ms HD add \$395
- ▲ 212 MB 16ms HD add \$995
- ▲ 20 MHz Brick add \$250
- ▲ 8 MB total RAM add \$396
- ▲ 387SX Coprocessor
 - 16 MHz add \$395
 - 20 MHz add \$445
- ▲ 12" 640 x 480 mono VGA monitor & 101 keyboard-beige add \$218
- ▲ 14" 640 x 480 color VGA monitor & 101 keyboard-beige add \$464
- ▲ Color coordinated VGA monitor & keyboard, as shown add \$195
- ▲ Docking Terminal add \$349

For further information
or to request our FREE Catalog

CALL TOLL FREE

1-800-633-1925

Or to receive information via FAX, 24 hours,
CALL 1-800-THE-BRICK

One Intercontinental Way
Peabody MA 01960
TEL: (508) 535-7510
FAX: (508) 535-7512



Circle 109 on Inquiry Card.

Zenith 486/TIGA Combo Packs Plentiful Processing Power

With many of today's newest i486-based computer systems being built and marketed as network file servers, it's easy to feel left out if you're an individual user who needs cutting-edge processing power for heavy-duty number crunching or serious graphics work. With the **Z-486/25E** from Zenith Data Systems (ZDS) on your desk, you won't feel left out.

The high-end Model 170 that I tested can only be characterized as a serious workstation for serious work indeed. As its name implies, the Z-486/25E is based on a 25-MHz i486. The *E* stands for EISA, and three open EISA slots are ready and waiting for future expansion.

The Model 170 has a 170-megabyte Intelligent Drive Electronics (IDE) hard disk drive. Matching the speed of the system, the drive sported a fleet 19.7-millisecond access time running the BYTE disk benchmarks.

But the speed and power don't stop there; the Model 170 also has a Texas Instruments Graphics Architecture (TIGA) video board that is based on TI's potent 60-MHz 34010 graphics processor. To say that it makes a difference in graphics speed is an understatement. The 34010 takes all the graphics processing away from the system CPU, resulting in BYTE video benchmarks that were 5½ times faster than a comparable VGA-based system.

More and more common applications are supporting the TIGA standard, and TIGA-product manufacturers are also supplying drivers for other applications. ZDS supplies several drivers with the Z-486/25E, including a high-resolution driver for Microsoft Windows 3.0. Couple it with ZDS's new ZCM-1650 16-inch high-resolution monitor, and you end up with a Win-

dows 3.0 desktop with a resolution of 1024 by 768 pixels. And because it's a noninterlaced image, it's rock-steady. Windows 3.0 is an entirely new and eminently useful tool when you couple this resolution with the speed of the graphics board and the CPU power. There's virtually no waiting; things appear to happen instantaneously.

Plunking the humongous ZCM-1650 monitor on top of the system unit results in an interestingly incongruous juxtaposition. The Z-486/25E's case is surprisingly small, with a paltry 14- by 15-inch footprint, and it's just 6 inches

high. I expected to find the case packed with equipment and cables, but it wasn't. The system unit has *lots* of free space on the inside. It's a triumph of careful design and mechanical engineering. The 64-bit memory board (which uses a proprietary slot) can take up to 16 single in-line memory modules without cramping. If you use 4-MB SIMMs, you can have a desktop PC with 64 MB of RAM—a true workstation.

There's even room inside the case to slip in an extra half-height 5¼-inch floppy disk drive. The Z-486/25E comes standard with a 3½-inch 1.44-

MB floppy disk drive, and you can fill that extra space with a 5¼-inch 1.2-MB drive, an additional hard disk drive, or ZDS's pricey (\$1299) 150-MB SCSI tape backup unit. The SCSI controller is already on the controller board, along with the floppy disk drive and IDE circuitry. There's even a SCSI socket on the rear of the computer's case for hooking up external SCSI devices (e.g., a CD-ROM drive).

From all its features, it's not difficult to see that the Z-486/25E is a system that's designed to not become quickly obsolete. That's especially true of the unit's EISA expansion capabilities. Neither of the two included boards takes advantage of EISA's bus-mastering capabilities and 33-MHz bandwidth. And you'll pay a hefty premium for having the "EISAbility."

Make no mistake: This is not a low-priced clone. The top-of-the-line Model 170 the I tested, complete with the 16-inch monitor, tips the price scales. It retails for \$11,998.

For smaller budgets, the Model 80 has an 80-MB hard disk drive and a VGA (instead of TIGA) board. At a retail price of \$8599, it's still costly, and you'll still need a monitor. (The TIGA board is available by itself for \$899.)

ZDS systems are superbly engineered and ruggedly built for full-time work on critical projects. And the finely tuned combination of components in the Model 170 results in a system that delivers every last ounce of performance. Obviously, not everyone needs this type of system. It's overkill for day-to-day, mundane word processing or telecommunications applications. But it's all too easy to become accustomed to this system designed for the ultimate power user. I certainly wished that I had a real reason to keep it.

—Stan Miestkowski



THE FACTS

Z-486/25E
with 170-MB hard disk
drive and TIGA card,
\$9999; with 80-MB hard
disk drive and VGA card,
\$8599

Zenith Data Systems
2150 East Lake Cook Rd.
Buffalo Grove, IL 60089
(800) 553-0331
(708) 808-5000
Circle 1166 on Inquiry Card.

EEF

ELEX ELECTRONIC FILING

The ELEX Electronic Filing System (EEF) is a hardware/software system designed to reduce the frightening volumes of paperwork that burden businesses on a daily basis. As paper is eliminated, transactions are made in a fraction of the time required by traditional means, costly storage facilities are reduced, data security and integrity is enhanced, and work quality and quantity is increased. These factors all give companies and individuals the competitive advantage they need to excel in the business environment of the 90's.

Filing vs. Archiving

Document image processing is a new technology which has just begun to evolve. The myriad of hardware devices on the market, and the lack of an industry standard protocol for communicating between them, make the integration of an electronic filing system a formidable task. And without intelligent software to control all aspects of the storage, management, and retrieval of documents, the filing system will be nothing more than a micro-fiche machine in disguise.

With these considerations in mind, EEF was designed as a turn-key solution which relieves the clients of all the intricacies involved in integrating a truly functional electronic filing system. Yet its flexible design allows continuous and smooth upgrade as the users needs grow and change.

Open Architecture

EEF is designed as a totally open architecture system. Rather than being a closed package, EEF is composed of individual building blocks defined by their area of electronic

filing functionality. These blocks are not bound to specific hardware/software limitations. As such, they can be combined in a variety of forms on each of the following operating platforms, to achieve optimal satisfaction of an application's specific demands:

- A single user workstation under the DOS or the OS/2 operating system.
- A local area network - Novell NetWare 286 and higher or any DOS 3.1 compatible network.
- A host computer under the UNIX, VAX/VMS or IBM AS/400 system with a PC connection.

Input
Scanner, Fax, Word Processing, Host Computer, Etc.
Processing
Document Manager, Retrieval Engine, Hyper-Media, Database Application Generator, Turn-key Solution.
Output
Printer, Plotter, High Res. Display, Fax, Host Computer

EEF Applications

The EEF system opens a vast new world of opportunities for you. The possible applications are limitless, and to name a few:

Management Systems

Any application which requires original documents and forms (e.g. verification of signatures and L/C in the banking area).

Scientific and Engineering Data

Any application in these fields that requires maps, charts, logs,

sketches, etc.

Medical Uses

The kind of visual information which is so essential for medical applications is handled by EEF in a natural, straightforward manner.

Art Catalogs

Making multi/media presentations of art works, for example at auctions, can provide an exciting new display method.

Real Estate / Travel Agency

EEF can be used to take the customers on an on-site electronic tour without ever leaving the office, thus shortening the process of selection.

EEF Pilot System

For prospective clients wishing to enter the field, we have prepared a pilot system, enclosing in one package the full range of functions necessary for electronic filing. The system components are:

Hardware

386 base micro-computer at 33MHz with 64K cache, 8 MB RAM, 1.2GB with access time of 0.8MS (disk caching), proprietary scanner and printer interfaces, high resolution (1660 x 1200) CRT display, laser printer 300 dpi at 8 ppm, scanner 300 dpi with 100 page feeder.

Software

The EEF software package, including the document manager, the retrieval engine, the hypermedia interface, and 20 hours of customization services.

Total cost for the pilot system is 30,000 US\$.

For further details and literature, please contact:

EUROPE: ELEX INFORMATION SYSTEMS SA

65, Rue de Lausanne 1202 Geneva Switzerland Tel. + 41 22 738 11 88 Fax. + 41 22 738 11 90

USA: ELEX INFORMATION SYSTEMS INC.

125-127 North 4th Street Philadelphia, PA 19106 USA Tel. + 1 215 627 7202 Fax. = 1 215 627 2342.

Trademarks: DOS, OS/2, Microsoft Corp; NetWare, Novell, Inc.; UNIX, SCO Corp; AS/400, IBM Corp; VAX/VMS, Digital Equip. Corp.

Borland Hopes to Make Forms Exciting

One of the most mundane items in any office is a form. And few things are so tiresome as finding the right one, filling it out, and processing it. Software for dealing with forms is a big improvement—especially for forms processing. Now, Borland International has come out with a program that may make designing and filling out forms almost exciting.

The new **ObjectVision** is a Windows program that goes beyond most forms packages. Being a Windows program, it naturally includes some good graphics capabilities. These let you create a large variety of forms, including a good replica of an IRS 1040 tax form. ObjectVision can also function somewhat like a spreadsheet because each field in a form can contain a spreadsheet-compatible formula. And it includes a Paradox-compatible database manager, which means that you can access ObjectVision data by using Paradox or any of Borland's Paradox-compatible software.


The most exciting aspect of ObjectVision is its ability to do visual programming. For each field in a form, you can create a graphical decision tree. Such a tree is much easier to design, debug, and main-

tain than a standard spreadsheet formula.

The best way to illustrate such a decision tree is with an example. Say you are constructing an order form that will automatically determine the credit terms for an order. You can set up a credit terms field that will contain a decision tree. The first branch point will be whether it's a new customer or not (ascertained by checking a new customer check box on the form). If the customer is new, the next branch point may be the customer's credit rating (ascertained from the credit rating field). If the credit rating is poor, the end result of that branch may be to set credit terms at 100 percent down (i.e., the customer has to pay in full up front). The other branches may set up different credit terms. One branch may even require the user to fill out an additional form.

The process for creating decision trees takes some time to get used to, but, once mastered, this capability lets you create and modify trees with relative ease. Even an extremely complex tree can be deciphered fairly easily.

This new forms package is interesting, but it may have a slight problem with certain types of forms. For example,



THE FACTS

ObjectVision
\$495

Borland International, Inc.
1800 Green Hills Rd.

P.O. Box 660001
Scotts Valley, CA 95066
(408) 438-8400
fax: (408) 439-9344
Circle 1167 on Inquiry Card.

an order form, such as that used by a waiter, may have a table of blank fields that can be filled in with any of several item names, quantities, and prices. In ObjectVision, it is awkward to enter data in such a table because the program will lead the user to each of the many blank fields.

ObjectVision has a list price of \$495. But if Borland tradition holds, and you already own other Borland products, you will probably receive an offer with a greatly reduced

price. The program also includes a run-time module that lets developers distribute run-time versions of their forms for free.

Borland's forms program is a bold new variation on a mundane theme. Tests performed on an early version of the program suggest it is not only bold but successful. And if you're developing Windows applications for in-house use, ObjectVision will probably be essential as well.

—Rich Malloy

Portable Printing: From the Practical to the Elegant

With smaller and faster battery-powered systems taking to the road, busy writers and executives have the need for a variety of portable peripherals. I looked at two recently released portable printers and was not surprised to find that you get what you pay for. The laser-compatible

Mannesmann Tally MT735 300-dot-per-inch thermal page printer tops the high end, while the 24-pin dot-matrix Seikosha LT-20 is about one-third the price—but one-third the printer, as well.

Mannesmann Tally is calling the MT735 the first portable 300-dpi thermal page

printer. But whether it's first or not, what is most impressive about this little printer is its speed, print quality, and portability—all in one.

The MT735 produces laser-quality text and graphics at up to 6 pages per minute at 300 by 300 dpi. It weighs about 8 pounds and measures 11 1/2 by

8 3/4 by 2 1/8 inches. It comes with a built-in 80-page sheet feeder, a built-in 150-page-capacity rechargeable battery (and charger), and 1 megabyte of memory for full-page graphics. The printer can handle normal photocopier paper and transparencies. However, for high-quality graphics,

SPEED. GUARANTEED.



**Here's a chance to buy our \$99 Math Coprocessor
at no risk whatsoever! It's fully guaranteed
to at least double the math performance of your software.**

If you want to unlock the full power of your PC, pick up the phone and order an AMD 80C287 math coprocessor. Without it, your PC just isn't really complete. You see, our math coprocessor can *dramatically* increase the performance of 1-2-3,® dBASE,® Excel, and hundreds of our other favorite business applications! It actually runs calculations *two to ten times faster* than your PC can *without* a math coprocessor. Which means your graphs will draw incredibly fast and your spreadsheets will recalculate at truly blazing speeds. (And that's just for starters!)

High speed at a low price.

Don't think you have to pay over \$200 for a math coprocessor. Now you can get ours for just \$99 when you order direct from AMD! The AMD 80C287 is fully compatible with your 80286-based PC and the hundreds of commercially available software packages written for it. Our coprocessor is also compatible with the Intel NMOS 80287.

Installation is a snap.

The AMD 80C287 plugs easily into a socket that's already inside your 80286-based PC. In fact, you can be up and running in just five minutes. Simply plug the chip into the socket and watch the dazzling improvement in performance! The AMD 80C287 comes with easy-to-follow installation instructions, a free utilities disk (which includes diagnostics and test software), and free color computer games.

Advanced Micro Devices, Inc. 

3020-11 Capital of Texas Hwy N., Suite 400
Austin, TX 78759-9797

Volume or dealer inquiries welcome. 1-2-3 is a registered trademark of Lotus Development Corporation. dBASE is a trademark of Ashton-Tate Corporation. Intel is a registered trademark of Intel Corporation.

Circle 20 on Inquiry Card.

Our Triple Guarantee

Guarantee #1: If the AMD 80C287 doesn't do everything we promise, or if you are unsatisfied for any reason, return the product within 30 days of purchase and AMD will happily refund your money.

Guarantee #2: If your AMD 80C287 Math Coprocessor ever fails to perform for any reason, AMD will replace it free of charge, no questions asked. Limited to two lifetime replacements per person.

Guarantee #3: AMD guarantees that the AMD 80C287 is fully compatible with your 80286-based hardware and software. If you have any compatibility problems with the AMD 80C287 during the first year, return the product and we will gladly refund the purchase price.



To Order Call Now

1-800-888-5590 ext. 2600

Outside of USA call (512) 345-1728



Yes. I want to double or triple the calculation speed of software running on my 286-based PC. Send me an AMD 80C287 Math Coprocessor, risk free, for only \$99 plus tax, shipping and handling. I understand that I can return the AMD 80C287 for a full refund within the first 30 days if I am not completely satisfied.

NAME _____

ADDRESS _____

CITY/STATE/ZIP _____

Visa/MC# _____

Type of PC _____

Mannesmann Tally suggests laser-quality paper.

The four resident fonts include Courier, Helvetica, Times Roman, and Math in various sizes. The printer also accepts downloaded fonts in Hewlett-Packard Series II LaserJet format. The MT735 can print in both portrait and landscape modes, accepts up to legal-size paper, and emulates the HP Series II LaserJet, DeskJet, IBM Proprinter X24, and Epson LQ-850. A copy feature stores the last page printed in memory and lets you make multiple copies.

Seikosha's LT-20 is called a laptop printer because it has been designed to fit under your laptop. It's also a cut-sheet printer and prints 100 pages on a single nickel-cadmium battery charge. It weighs about 5 pounds and measures 14½ by 11½ by 2 inches. It comes with an AC adapter with optional 12- and 24-volt adapters, so you can run it from a cigarette lighter.

The LT-20 has one built-in font (Courier). You can add an optional font ROM with eight other fonts. In graphics resolution, the LT-20 does 360 by

180 dpi and prints at 10, 12, and 15 characters per inch. Its cut-sheet feeder handles up to letter-size paper. Unlike the MT735's four standard emulations, the LT-20 emulates just the IBM Proprinter X24.

These two printers do an admirable job printing basic text. The MT735 is far superior in printing graphics, both in speed and print quality (compare about 0.6 ppm on the LT-20 to the MT735's 6 ppm). The LT-20 is priced for a system on the go, and it is, after all, essentially a dot-matrix printer housed in a unique package. Its sleek design makes it both attractive and useful, and it prints well enough to compete with the Canon, Kodak, and Toshiba portables in the same price range.

The MT735, on the other hand, would have to earn its keep by running as a full-time office printer as well as a print machine for the road. I found it sophisticated enough to suit my everyday printing needs, and its light weight and battery power only make it that much more appealing.

—Anne Fischer Lent



THE FACTS


MT735
\$1295

Mannesmann Tally Corp.
8301 South 180th St.
Kent, WA 98032
(800) 843-1347
(206) 251-5500
fax: (206) 251-5520
Circle 1168 on Inquiry Card.

LT-20
\$499

Seikosha America, Inc.
10 Industrial Ave.
Mahwah, NJ 07430
(800) 338-2609
(201) 327-7227
fax: (201) 818-9075
Circle 1169 on Inquiry Card.

Animating Down the Line with Infini-D



A new modeling, rendering, and animation program called **Infini-D** opens the door to a three-dimensional world that, once you enter, you won't want to leave. The program provides a variety of tools for creating wireframe models. It also lets you apply surface textures, light, and reflection to the models with proprietary rendering, and you can animate the images through an intuitive and powerful sequencer.


When you launch **Infini-D**, you see four view windows—top, front, right, and camera—which together provide a scene through which you view the 3-D world. If you like, you can look at the scene through back, left, or bottom views.

But whatever one you choose, when you change an object in one view, the program provides immediate visual feedback in the others.

Unless you have already created a wireframe model in AutoCAD, the first step is to create a 3-D object. **Infini-D** provides six building blocks (e.g., cube, cone, and cylinder) called *generic primitives*. To place a primitive in the 3-D world, you click on its icon in the tool palette and then click once in any open window. Each view window shows the generic primitive from a different point of view.

The primitive tools provide a quick way to build basic models. Three other tools—lathe, extrude, and free-

This is what the
world's most powerful 486
system looks like.



Circle 111 on Inquiry Card.

Cylindrical pin and tumbler locks keep unauthorized fingers out of the hardware. (And your data is equally safe, because we've built password protection into the firmware.)

ETMS,[™] Everex Thermal Management System, makes this the first system to solve the high temperature and related reliability problems of current and future processors. A partition separates the cube into two compartments, independently cooled by SmartFans.[™] One contains the CPU, one the drives. Baffles funnel cool air where it's most needed. Even the power supply is cool, because at 400 watts, it runs at a fraction of its capacity.

Removable motherboard for instant upgrades, which we'll bring you as new technologies emerge.

All the full-length expansion slots you'll ever need—12 altogether, including 10 EISA slots.


AMMA, a 256KB write-back caching architecture, forming "two-tier" caching in combination with the 486 chip's 8KB internal cache. It improves the cache hit ratio from 90% to as much as 99%.

Space for four quick release, half-height drives. They're front accessible, behind a hydraulically dampened door—which makes sure your drive heads are reading disks and tapes, not dust, smoke and humidity.

The entire interior of the cube is accessible in seconds through side panels, using thumbscrews.

The 486/33 CPU chip, Intel's hottest. But when hotter chips come around, the cube will be cool enough to handle them. And that includes multiprocessors.

Quick release drive bays accommodate up to eight more drives that can be swapped out in less than five minutes.



And this is why.

Conventional system design can't cope anymore. The emerging technology is just too hot for it.

Enter the STEP Megacube.™ Redesigned from the ground up, the STEP Megacube is a 486™ system unlike any other. It incorporates ideas from the mainframe world, such as its caching architecture and thermal management. And it has performance and features that make it a perfect fileserver. Or a perfect multiuser system. Or a perfect graphics workstation.

A 486/33 CPU combined with Everex's proprietary Advanced Memory Management Architecture (AMMA™) gives it warp speed—21.7 MIPS. Space for twelve drives gives it storage that will remind you of the Library of Congress. And twelve expansion slots give it more expandability than you can shake a peripheral at.

And if it happens to be an Everex™ peripheral, you could get a nice performance bonus. Because Everex graphics, networking and controller boards are designed to take full advantage of our STEP™ architecture for even better performance.

Combine all this with up to 64 MB of RAM—enough for the most demanding applications—and you wind up with a computer that can be configured for anything.


Even the future.

You see, the design breakthroughs of

the STEP Megacube eliminate the upgradability problems inherent in other systems. Which means that when the next generation processors arrive—like the 50 MHz 486, just down the road—all you have to do is swap out motherboards. No space problems. No overheating problems.

No obsolescence.

Performance-wise, this is a machine that will be hot long after others are cold and buried. In fact, as of now, there's no end in sight to the STEP Megacube's upgradability path.



But really, that shouldn't be much of a surprise. After all, at Everex, our mandate is "Always innovate, never compromise." And that's exactly the approach we took when we built the STEP Megacube.

Granted it doesn't look like your typical 486 system. Fortunately, it doesn't perform like one either. To find out more about what it can do, give us a call.

For a free copy of the STEP Megacube Application Guide, call:

1-800-368-STEP*

Introducing the STEP Megacube.



RISC FREE!

Free i860™ Processor and i860/APX Software!


By now, you've probably heard about our industry-first 4860™ MotherBoard that packs the power of the Intel 80486 CPU with the Intel 80860 RISC processor (i486™ + i860 = 4860).

What you haven't heard is that, for a limited time, when you buy a 4860 MotherBoard with 8MB of RAM, Hauppauge will give you an i860 RISC processor and the i860/APX operating system at no additional cost.

Why *give* you this capability? Because you'll enjoy a level of processor performance never before seen in a PC. Our bet is that you'll be so impressed, you'll come back for more!

A PC Revolution: In the PC environment, the 4860 is a 486-based MotherBoard with the new EISA I/O bus. It runs over 2 times faster than 386 computers and delivers mainframe power for applications including CAD, LAN and desktop publishing. This board is fully compatible with DOS, IBM's OS/2, Novell Netware and SCO UNIX. What's more, Hauppauge's 4860 supports up to 64 MBytes of memory *without* a RAM expansion board.

RISC-Y Business: The i860 processor is ideal in complex applications, performing up to 25 million floating-point operations per second. It adds to the power of the 486, so you can run rings around ordinary PCs.



By adapting Intel's APX (Attached Processor Executive) software to our 4860 MotherBoard, we've created a way to exploit the power of the i860 to give you *practical* multiprocessing. In fact, i860/APX provides a base for entirely new applications made possible by the advent of the i860 RISC processor.

Technical Features: 25 or 33MHZ 486/860 • 4 Mbytes of high speed RAM expandable to 64 Mbytes shared between i486 and i860 processors • Socket for optional Intel Turbo Cache 485™ and Weitek 4167 • 7 EISA I/O slots • 64-bit expansion slot for optional high-speed graphic frame buffer • 1 parallel, 2 serial ports and a built-in PS/2-style mouse port.

Enjoy a RISC-free investment. Our 4860 MotherBoard is designed with the world's highest performing microprocessors. So you can have the world's highest performing PCs and workstations.

For more information, call **1-800-443-6284**.

Hauppauge Computer Works, Inc.
91 Cabot Court
Hauppauge, New York 11788
Telephone: 516-434-1600
Fax: 516-434-3198
In Europe (49) 2161-17063
In Australia: (7) 262-3122

Hauppauge!

Available at your local computer dealer.

paths from the edges of a high-contrast scan), a knife tool (to cut lines or curves into two separate paths), and a magnifying tool (to zoom into or out of a point of interest on the drawing).

FreeHand's enhanced interface lets you manage complex drawings easily. Three new palettes—colors, layers, and styles—provide quick access to an element's attributes. Each palette lets you modify the element's attributes on-screen without having to move around in the menu bar.

The colors palette uses small swatches of colors to show an element's actual fill and line colors. The layers palette shows what layer the element belongs to, and it lets you add and rearrange layers by simply clicking and dragging. The styles palette shows what

colors, shading, and patterns are used to fill the element, although you must open a dialog box to view the actual colors. These three palettes conveniently display the fills, colors, and layer of each element as you select it with the mouse.

I used FreeHand 3.0 on a Mac IIci with 8 megabytes of RAM and equipped with an AppleColor 13-inch monitor and a SuperMac Technology 19-inch monitor; I also used it on a Mac Plus with 2 MB of RAM and an HD-20 hard disk drive. Both computers ran System 6.0.5.

On the IIci, color blends displayed superbly at 24-bit screen depths. FreeHand capably handled multiple screens: I could place the palettes on the smaller monitor while expanding the drawing full-size on the larger moni-

tor. I was able to import a 24-bit color TIFF image created by a Sharp JX-100 scanner, add text, and print the result.

As I expected, FreeHand was much slower on the Mac Plus, especially if it had to display colors as dithered patterns. However, these same patterns appear in the colors palette, which allows limited color work on Macs that have black-and-white screens. The Mac Plus's performance was adequate on less complex artwork, but serious drawings require a Mac II-class computer.

I was able to open and edit Illustrator 1.1 and Illustrator 88 files with FreeHand 3.0. Illustrator 3.0 was able to import and display FreeHand drawings saved as encapsulated PostScript files, which augurs well for sharing infor-

mation between the two applications. FreeHand EPS files include Open Prepress Interface comments, which contain descriptive information that's used by certain high-end prepress systems.

Will FreeHand 3.0 eclipse Illustrator 3.0? Not likely, but neither will FreeHand lurk in its shadow. Illustrator can deal with larger amounts of text and can generate graphs. But FreeHand easily wins over Illustrator as the master of creating color blends, and its layers feature makes complicated artwork practical. Nor should the enhancement to FreeHand's interface be dismissed casually: It goes a long way toward making a sophisticated drawing application less intimidating and quite usable. Check it out. ■

—Tom Thompson



LUNCH BOX

PLASMA VGA

286-12MHz\$1,645
386SX-16MHz\$1,895
386-25MHz\$2,195
386-33MHz\$2,445
1MB RAM
1.2MB or 1.44MB FD
42MB hard disk
Plasma VGA 640x480 screen
Plasma VGA card
Serial and parallel
86-key detachable keyboard
200W power supply

Fortune 1000 companies,
Universities and
Governments purchase
orders welcome



VGA LAPTOP \$1,595

286-12MHz CPU
1MB RAM
1.44MB floppy drive
42MB hard disk
LCD VGA 640x480 Paper
white LCD
External monitor
connector
86-key detachable
keyboard
One 16-bit expansion slot
One 2400 Baud modem
expansion slot
Serial and parallel
Removable, rechargeable
batter Run 150 min.
3" (H) x 14" (D) x 12.5" (W)

Notebook 286-12\$1,595
Notebook 386SX\$1,895



CRT 286-12MHz\$995

386SX-16MHz\$1,295
386-25MHz\$1,595
386-33MHz\$1,845
1MB RAM
1.2MB or 1.44MB FD
42MB hard disk 28ms
9" TTL monitor
Mono display card
Serial and parallel
84-key keyboard
200W power supply
Color VGA display ...+\$1000
Carrying Bag+\$55
Larger hard drive is available

All systems come with 2
years labor + 1 year
parts warranty.
Free lifetime toll free
technical support.



PCI VGA System


286-12MHz\$1,045
386SX-16MHz\$1,345
386-25MHz\$1,645
386-33MHz\$1,895
1MB RAM
1.2MB and 1.44MB FD
42MB hard disk
16 bit VGA card
14" VGA color monitor
Serial and parallel and
game ports
101-key keyboard
200W power supply
65MB, 100MB, 150MB,
200MB and 320MB
HD option
Mono System is available



LUNCH BOX

LCD VGA

286-12MHz\$1,275
386SX-16MHz\$1,525
386-25MHz\$1,825
386-33MHz\$2,075
1MB RAM
1.2MB or 1.44MB FD
42MB hard disk
LCD 640x480 screen
LCD VGA display
Serial and parallel
86-key detachable keyboard
200W power supply
9.45" (H) x 7.9" (D) x 15.7" (W)



OFFICE HOURS: MON-SAT 8:30AM-5:30PM PST

Price Subject To Change Without Notice

PACIFIC COMPUTERS

9945 LOWER AZUSA, TEMPLE CITY, CA. 91780
TOLL FREE 800/346-7207 • FAX: 818/442-9112

Programmer's Paradise®

800-445-7899

YOUR BORLAND SOFTWARE SOURCE.

TURBO PASCAL for WINDOWS

Turbo Pascal for Windows makes programming Windows applications easy by giving you a Windows integrated development environment.

- Takes full advantage of the Windows Graphical User Interface including features like Multi-Document Interface (MDI), Dynamic Link Library (DLL) and Dynamic Document Exchange (DDE).
- Edit, compile and run programs from within Windows.
- Includes Borland's *Object Windows* and *Turbo Windows*, for debugging even the toughest Windows programs.
 - No need for the Microsoft Software Development Kit.

The easiest way to create powerful Windows applications.

List: \$250 NOW: \$169
FAXcetera # 1861-0019



BORLAND C++ for DOS & WINDOWS

Designed by professionals, for professionals. Every copy includes all the tools you need to develop Windows and DOS applications:

- Complete support for building Windows applications.
- A 100% ANSI compatible C compiler and a C++ compiler.
- Turbo Drive Compiler & Environment running in protected mode.
- Pre-compiled headers to dramatically increase re-compilation speed.
- Turbo debugger for DOS and Windows.
- Whitewater Resource Toolkit for creating icons, dialogs, bitmaps & menu bars.
- Turbo Profiler and Turbo Assembler.

List: \$495 NOW: \$325
FAXcetera # 1861-0016



Hot New Products from B O R L A N D

- In Stock
- Ready to Ship
- At the Right Price

Buy today and get a

FREE
Programmer's Paradise
Collector's Edition T-shirt!

A high quality 50%-50% original design available while supply lasts. Please specify M, L, or XL when ordering.

CALL TODAY!

OBJECTVISION for WINDOWS

Visual Application Creation. Quickly. Without any previous programming experience.

- Develop and run applications in the Windows environment.
- No programming language to learn.
- Supports all 100%-Windows-compatible networks and peripherals.
- Direct access to Paradox, Btrieve, and dBASE database files. DDE Links to other Windows applications.
- "What if" analysis: Minimal recalculation speeds up processing.
- WYSIWYG printing.

List: \$100 NOW: \$95
FAXcetera # 1861-0018



A Division of Voyager Software Corp
1163 Shrewsbury Ave., Shrewsbury, NJ 07702

1-800-445-7899

Corporate: 800-422-6507
(CORSOFT Division)

International: 908-389-9228

Customer Service: 908-389-9229

Canada: 800-445-7899

Fax: 908-389-9227

FAXcetera: 908-389-8173

POLICIES

Phone Orders

Mon-Fri 8:30 AM-7 PM EST, Sat 9:30-2:30 EST. We accept MC, Visa, AMEX. Domestic shipments, please add \$5 per item for shipping/handling by UPS ground. For domestic COD shipments, please add \$3. Rush service available.

Mail or FAX / International / POs

Phone number required with order.

FAXcetera (908) 389-8173

Call from your FAX telephone, and follow the instructions to receive more information on the products featured above!

Corporate Accounts

Call CORSOFT, our corporate sales division. Ask about volume purchase agreements.

Returns

Subject to \$25 processing charge.

* All prices subject to change without notice.

Programmers

WindowsMAKER™ PROFESSIONAL

The fastest way to create Windows applications. Generates the Windows .EXE w/ complete source & production files (no royalties). Point & Click to define the user interface. Animate your design to instantly test its look & feel. Make changes on the fly without compiling. Custom code is preserved during code regeneration. A state-of-the-art programming tool. Supports C++.

List: \$995 Ours: \$795

FAX: 2562-0089



WATCOM C8.0/386

Unleash 386 power on your Microsoft C code with WATCOM C8.0/386, a 100% ANSI C optimizing compiler and run-time library generating applications for 32-bit 386 protected mode. With C8.0/386, you can go beyond the 640K DOS limit. Library and source compatibility with Microsoft C simplifies porting 16-bit applications to the 386. Significant features include: full-screen source-level debugger; protected mode version of the compiler; execution profiler; linker; graphics library. Run-time compatible with WATCOM F77/386.

Standard List: \$895 Ours: \$719

Professional List: \$1295 Ours: \$969

FAX: 1663-0007



LAHEY F77L FORTRAN COMPILER

New version 5.0 includes Fortran 90 features: ALLOCATABLE Arrays, CASE Constructs, CYCLE and EXIT, Construct Names, and many other new features. Package includes Editor, Make Utility, Profiler, Full 77 Standard support, Microsoft and Borland C interfaces, popular main-frame extensions, fast compilation, excellent diagnostics and a powerful debugger. 386/486 users have the option of generating 32-bit instructions.

List: \$595 Ours: \$535

FAX: 1476-0001



CLEAR FOR C

Automatically creates accurate flowcharts, trecharts and source prints from any code, no matter how old, big or complex. Can save days of reading listings and taking guesses. Also provides instant presentation quality documentation which increases perceived value of your work and impresses clients or managers. Powerful features, 3 pre-processor options, function cross-references, prototype files, detail control. Full support for most C compilers.

List: \$200 Ours: \$169

FAX: 1663-0007



	LIST	OURS		LIST	OURS
DEVELOPMENT SOFTWARE					
386 Development Tools					
386 ASM/LinkLoc	1295	1159	C-Utilities/Other		
386/DOS Extender SDK	495	439	Bar Code Library	389	319
Intel 386 C Code Builder	695	489	C-DOC	189	169
Lahey F77L-EM/32 (w/ OS/386)	1290	1035	Clear for C	200	169
MetaWare High C 386	995	919	INTERWORK	189	165
OS/386 Developer's Kit	695	625	MKS LEX & YACC	249	197
WATCOM C 8.0/386 Prof.	1295	969	COBOL		
w/ 386/DOS Extender	1790	1399	COBOL/2 Compiler & Toolset	1800	1699
WATCOM C 8.0/386 Standard	895	719	Microsoft COBOL	900	629
WATCOM FORTRAN 77/386	1095	929	Realia COBOL	995	849
Zortech C++ Devel. Ed. 386	995	849	Database Development		
Assembly Language					
Advantage Disassembler	295	279	Clarion Personal Developer	79	72
MS MacroASM	150	105	Clarion Prof. Developer 2.1	845	549
Sourcer w/ Pre-Processor	170	139	dBASE IV	795	495
Spontaneous Assembly	199	169	Dr. Switch-ASE	180	149
Turbo Debugger & Tools	150	105	R&R Code Generator	150	129
C-Compilers					
Instant C	795	719	R&R Report Writer	249	219
Microsoft C 6.0	495	339	Say What?!	50	39
w/ MS Software Dev. Toolkit	749	539	SilverComm "C" Interface	99	89
w/ Objective-C	699	539	SilverComm Library 2.0	249	209
MS QuickC w/ QuickAssembler	199	139	Debuggers (DOS)		
WATCOM C 8.0 Professional	495	419	Periscope Debuggers	CALL	CALL
WATCOM C 8.0 Standard	395	335	Trapper	200	179
C++					
Borland C++ w/ a FREE T-shirt!	495	325	Editors		
C++/Views	495	419	BRIEF 3.1	249	CALL
Rogue Wave Tools.h++	200	179	MKS Vi	149	129
Turbo C++	100	69	Multi-edit Standard	99	89
Zinc for DOS	200	179	Multi-edit Professional	179	159
Zinc for DOS & Windows	300	269	Sage Professional Editor	295	249
Zortech C++	200	165	VEDIT PLUS	185	115
Zortech C++ Database	300	255	Embedded Systems		
Zortech C++ Developer's Ed.	450	399	C6toPROM	149	119
C++ Bundle					
Borland C++ and Tier 1			Link & Locate ++	395	329
w/ a FREE T-shirt!	975	499	Link & Locate ++ Extended	479	389
C-Communications					
Essential Communications	329	259	PharLap 286/DOS Ext-SDK	495	439
Greenleaf CommLib	359	279	FORTRAN Language		
SilverComm "C" Async Library	249	215	FORWARD	399	379
C-File Management					
Codebase IV	295	219	FORTAN Dev. Tools	149	139
c-tree Plus	595	475	Lahey F77L	595	535
dBCIII Plus	500	439	Lahey Personal FORTRAN 77	99	89
Essential B-Tree w/ source	198	149	MS FORTRAN	450	299
The Toolbox - Prof. Edition	1095	799	SALFORD FTN 77	CALL	CALL
The Toolbox - Special	695	509	Graphics Libraries		
C-General Libraries					
C Function Library	99	79	Baby Driver	250	199
C TOOLS PLUS/6.0	149	109	Essential Graphics	399	339
C Utility Library	249	199	Font-Tools	150	119
Greenleaf Functions	229	179	Graf/Drive Plus Developer's	299	269
Greenleaf SuperFunctions	299	239	GrafPrint Developer's	300	265
Turbo C TOOLS/2.0	149	109	GrafPrint for Graphoria	95	85
C-Screens					
C-Worthy	399	CALL	GrafPrint Personal	75	69
Greenleaf DataWindows	395	315	GrafPrint Plus	150	129
Vermont Views	495	415	graphics-MENU	179	159
Vitamin C	395	289	graphics-MENU Data Entry	99	89
VC Screen	149	125	GX Graphics	149	135
			HALD	395	279
			HALO Professional	595	419
			HALO Window Toolkit	595	419
			Icon-Tools/Plus	150	119
			Menuet	325	279
			PCX Effects	99	89
			PCX Programmer's Toolkit	195	175
			PCX Text	149	135
			Super Pro-Pak	899	809
			Turbo Geometry Library	200	179
			Z-PHIGS Lite	199	179
			Z-PHIGS Professional	799	699

	LIST	OURS		LIST	OURS
Linkers/Librarians					
Blinker	189	175	APPLICATION SOFTWARE		
Plink86+	395	335	Communications		
.RTLink/Plus	495	359	BLAST II	250	225
OS/2 Tools			Crosstalk Communicator	99	CALL
CASE:PM for C or C++	1995	1799	Crosstalk for Windows	195	145
MS OS/2 Pres. Manager Tlkt.	500	349	Crosstalk MK.4	245	145
Smalltalk/V PM	495	369	Crosstalk XVI	195	115
PASCAL Language			Mathematics		
Object Professional	189	149	Derive	250	219
Topaz	99	89	Mathematica 386	695	625
Topaz Multi-user	149	135	Op. Sys./Environments		
TurboMAGIC	199	179	DR DOS 5.0	199	129
Turbo Pascal 6.0	150	105	MS DOS 5.0	CALL	CALL
Turbo Pascal 6.0 Professional	300	205	OS/286 Developer's Kit	695	629
Turbo Pascal for Windows			OS/286 DPMI Developer's Kit	995	895
w/ a FREE T-shirt	250	169	OS/386 Developer's Kit	695	629
			OS/386 DPMI Developer's Kit	995	895
			VM/386	245	209
Prototyping			Spreadsheets		
Dan Bricklin's Demo II	249	CALL	Lotus 1-2-3 3.1	595	399
Windows (MS) Tools			Microsoft Excel	495	349
3-In-1 C	99	89	Quattro Pro	495	329
3-In-1 C++	159	139	Utilities		
Actor 3.0	249	199	386MAX5.0	130	114
Actor Professional	495	399	BlueMAX	155	135
Asymetrix ToolBook	395	349	Central Point Backup	99	69
Batchworks	99	89	DIS DOC Professional	249	225
Btrieve for Windows	595	449	Grasp 4.0	349	CALL
Case:W	795	695	HiJaak 2.0	199	139
dBFAST Windows	495	409	Hold Everything	199	159
DbxSHIELD	595	549	MKS Toolkit	249	199
DemoSHIELD	495	459	Norton Anti-Virus	129	99
DialogCoder	499	479	Norton Commander	149	99
Drover's ToolBox	295	239	Norton Utilities 5.0	179	129
File Organizer	199	179	Opt-Tech Sort/Merge	149	119
InstallSHIELD	395	369	PC Tools Deluxe 6.0	149	95
KnowledgePro	695	635	PreCursors	96	79
LogSHIELD	395	369	SideKick 2.0	100	69
Magic Fields	295	235	SpinRite II	89	75
MemSHIELD	395	369	Squish Plus	100	75
Mewel 3	295	259	SunShow Image Library	CALL	CALL
w/ source	595	529	Switch-It	99	90
MS Windows Development Kit	500	349	Tree 86	90	69
w/ Whitewater Resource Tlkt	695	469	UpShot	95	89
ObjectVision for Windows			Zeno	269	239
w/ a FREE T-shirt!	100	95	Word Processing		
Paradox Engine 2.0	495	349	Ami Professional	495	CALL
ProtoView	695	625	Microsoft Word for Windows	495	349
Sage Control Pak	595	535	WordPerfect	495	CALL
Smalltalk V/Windows	500	395	...Thousands more products available! Call or fax today for your FREE catalog.		
Spinnaker Plus	495	349			
TbxSHIELD	295	275			
WindowsMAKER	795	635			
Professional	995	795			
WinTrieve	395	339			

FREE Programmer's Paradise T-Shirt!

when you buy one of these hot new products from Borland.

- Borland C++ \$325⁰⁰
- Turbo Pascal for Windows \$169⁰⁰
- ObjectVision \$95⁰⁰

Please specify size when ordering (M, L, XL).
(While supplies last.)



THE WHITEWATER RESOURCE TOOLKIT™

An easy to use, interactive tool that lets you rapidly design the look and feel of new Windows™ applications, as well as alter existing Windows applications. It is the first product specifically designed to provide a simple and comprehensive way to create, edit and manage Windows resources. Whether you are a C programmer, Actor™ programmer, systems integrator, or an end user, you'll find the Resource Toolkit an invaluable tool for creating and modifying the look and feel of Windows applications.



Bundle Offer: Whitewater Resource Toolkit and Microsoft SDK

Valued at \$695 NOW \$469 Offer expires May 31, 1991.

FAXcetera: (800) 445-7899

ATTENTION CORPORATE CUSTOMERS

Call **CORSOFT** (800) 422-6507

- Select from over 5,000 titles—and we special order too!
- Get quick delivery at great prices on Microsoft, Borland, Lotus...etc. We buy software directly from all the major publishers, and keep plenty of stock on hand.
- Ask about volume purchase agreements, contracts, and personally assigned inside & outside sales representatives.

CORSOFT is a Division of Voyager Software Corp



A Division of Voyager Software Corp
1163 Shrewsbury Ave., Shrewsbury, NJ 07702

1-800-445-7899

Corporate: 800-422-6507
(CORSOFT Division)

International: 908-389-9228

Customer Service: 908-389-9229

Canada: 800-445-7899

Fax: 908-389-9227

FAXcetera: 908-389-8173

POLICIES

Phone Orders

Mon-Fri 8:30 AM-7 PM EST, Sat 9:30-2:30 EST. We accept MC, Visa, AMEX. Domestic shipments, please add \$5 per item for shipping/handling by UPS ground. For domestic COD shipments, please add \$3. Rush service available.

Mail or FAX / International / POs

Phone number required with order.

FAXcetera —(908) 389-8173

Call from your FAX telephone and follow the instructions to receive more information on the products featured above!

Corporate Accounts

Call CORSOFT, our corporate sales division. Ask about volume purchase agreements.

Returns

Subject to \$25 processing charge.

* All prices subject to change without notice.

DOS and Unix As One

The Voyager, a workstation based on an i486 microprocessor, concurrently runs Unix and DOS applications. Able to take full advantage of both environments, according to Tyan Computer, Voyager includes 8 MB of RAM (expandable to 64 MB) and a 64-bit data bus.

Voyager features integrated I/O ports, a built-in Ethernet interface, and an 8514/A-compatible graphics adapter. Options for the 3½-inch internal hard disk drive range from 210 MB to 500 MB. Preinstalled software includes Unix, X Window System version 11, and Motif.

Price: Starts at \$9999.

Contact: Tyan Computer Corp., 612 North Mary Ave., Sunnyvale, CA 94086, (408) 720-1200; fax (408) 720-1584.

Circle 1287 on Inquiry Card.

A 486 in a Choice of Speeds

A 25-MHz and a 33-MHz model of the Systems Integration Associates 486 SF desktop computer are available. Both configurations accommodate three half-height drives or one full-height drive and one half-height drive.



The SIA 486/33 SF functions as a stand-alone or in a network.



Tyan's Voyager unites Unix and DOS on a single workstation.

The 486 SF in both versions incorporates an Intelligent Drive Electronics controller and 64K bytes of cache memory. Its 2-MB main memory is expandable to 32 MB. Cooling is via a front-mounted and a rear-mounted fan. Other standard features include one parallel and two serial ports, a 600- by 800-pixel VGA card, and a 200-W power supply.

Price: SIA 486/25 SF, \$3495; SIA 486/33 SF, \$4347.

Contact: Systems Integration Associates, 222 East Pearson, Suite 502, Chicago, IL 60611, (312) 440-1275.

Circle 1288 on Inquiry Card.

Gas-Plasma Display and Battery Power

A 16-MHz 386SX PC that runs on 4-hour nickel-cadmium batteries or on conventional power, the Lyte-Byte 5300 has 1 MB of RAM (expandable to 4 MB), a 640- by 480-pixel VGA gas-plasma display, a 40-MB hard disk drive, and a 3½-inch floppy disk drive. The unit uses an AMI BIOS and an Intel 80387SX-16 math coprocessor. Hard disk drives with capacities of up to 200 MB are available.

Additional features of the Lyte-Byte 5300 include an expansion slot for a 16-bit short card, one parallel and two serial ports, and ports for an external 5¼-inch floppy disk drive, a VGA color monitor, and an 101-key keyboard. You can plug the computer into conventional power and use it with or without the battery pack in place.

Price: Starts at \$2195.

Contact: Micro Express, 1801 Carnegie Ave., Santa Ana, CA 92705, (800) 642-7621 or (714) 852-1400; fax (714) 852-1225.

Circle 1289 on Inquiry Card.

The Latest Triumphs for Arche

A arche's latest additions to its Triumph line of PCs are the 386SX-16 and 386SX-20. Both incorporate the company's integrated motherboards containing Presto, a single 5000-gate application-specific IC. Also on the boards are an Intelligent Drive Electronics/FDC interface and a Tseng Labs ET4000 graphics chip set.

The basic 386SX includes a 16- or 20-bit Intel 386 microprocessor with keyboard-selectable 8-MHz or 16-MHz clock speed, a socket for an 80387SX math coprocessor, and 1 MB of single in-line memory module RAM (expandable to 8 MB on the motherboard). Other features include one parallel and two serial ports, two 8-bit and six 8-/16-bit expansion slots, and a 150-W power supply. The 386SX-20 includes 1 MB of video RAM with a graphics resolution of 1024 by 768 pixels in 256 colors and 2 MB of base RAM (expandable to 16 MB on the motherboard).

Price: Basic Triumph 386SX-16, \$1395; with on-board VGA and expandable RAM, \$1595. Triumph 386SX-20, \$1830.

Contact: Arche Technologies, 48881 Kato Rd., Fremont, CA 94539, (800) 422-4674 or (415) 623-8100; fax (415) 623-8171.

Circle 1290 on Inquiry Card.

A Printer to Consider

In support of the TrueImage page description language, the TrueLaser printer uses the Am29000 32-bit RISC microprocessor. The printer comes with 2 MB of DRAM (expandable to 6 MB).

Compatible with the Mac and any standard PC with a parallel or serial interface, the TrueLaser is bundled with 35 TrueType fonts. It is compatible with PostScript and provides Printer Command Language emulation. With a print speed of 6 ppm, the TrueLaser prints graphics and text. The printer can automatically switch among its AppleTalk, Centronics, and RS-232 ports.

Price: \$2695.

Contact: Microtek Lab, Inc., 680 Knox St., Torrance, CA 90502, (800) 654-4160 or (213) 321-2121; fax (213) 538-1193.

Circle 1291 on Inquiry Card.

A Cursor Controller for the Road

The Icontroller, a cursor controller that attaches to the side of your laptop, notebook, or PC, is Microsoft and Mouse Systems compatible. In addition to fingertip cursor control with optional speeds, the unit has three function buttons.

Other features of the laptop Icontroller include a signal selector, a 25-pin adapter, and required software. Its protective storage case attaches to the laptop case. For times when you want to use the Icontroller with your



Microtek's RISC-powered TrueLaser printer.

desktop PC, an extension cord is packaged with the controller.

Price: \$99.95.

Contact: Suncom Technologies, 6400 West Gross Point Rd., Niles, IL 60648, (708) 647-4040; fax (708) 647-7828.

Circle 1292 on Inquiry Card.

A Hard Disk Drive That Fits in Your Pocket

The PocketDisk, a self-contained, removable hard disk drive for PCs, is available in two models. The PD20-1, for desktop PCs, weighs 13 ounces; the PDH20-1, just over 1 pound, works with desktop PCs and any laptop that accepts a half-card expansion board.

Each disk drive has a 20-MB capacity with a 23-ms access time. Besides using the PocketDisk as your primary drive, you can use it as a secondary or fast backup device.

Price: PD20-1, \$895;

PDH20-1, \$950.

Contact: Tradewinds Peripherals, Inc., 2633 East 28th St., Long Beach, CA 90806, (213) 595-7272; fax (213) 595-6446.

Circle 1293 on Inquiry Card.

Use Your Hard Disk Drive While You're Printing

The Export T series of external hard disk drives offers high-speed backup for laptop and desktop computers. Running from the parallel port, the devices let you simultaneously operate your hard disk drive and your printer.

You bring the Export online via a device driver that you add to your CONFIG.SYS file. The capacity of the 3½-inch drives ranges from 20 MB to 207 MB; speeds range from 28 ms to 15 ms. The supplied device driver works with removable cartridge and magneto-optical drives, Bernoulli boxes, and CD-ROMs.

Price: \$595 to \$1795.

Contact: Systems Peripherals Consultants, 7950

Silverton Ave., Suite 107, San Diego, CA 92126, (619) 693-8611.

Circle 1294 on Inquiry Card.

Comfort on a Keyboard

Resting on a three-position nested stand, the ergonomically designed K-156-H Klik keyboard creates less stress than other keyboards, according to Hertz Computer. The small-footprint, lightweight keyboard features sculptured, cylindrical key caps by the German firm Cherry. Hidden underneath the board is an AT/XT switch.

PC and Novell ELS NetWare compatible, the Klik includes a separate inverted-T cursor control, 12 function keys, dedicated screen control keys, and a separate numeric keypad. Nonskid rubber grips prevent the keyboard from sliding away while you're typing.

Price: \$79 through June; \$89 thereafter.

Contact: Hertz Computer Corp., 325 Fifth Ave., New York, NY 10016, (212) 684-4141; fax (212) 684-3658.

Circle 1295 on Inquiry Card.



The ergonomically designed K-156-H Klik keyboard.

Speed on a SCSI Solid-State Drive

The SiliconDisk Plus SCSI solid-state disk drive, with an access time of 0.05 ms, emulates conventional disk drives but without mechanical delays such as seek and rotational latency. By using a Motorola 68020 32-bit processor and a dedicated 25-MHz SCSI processor, the drive achieves a data transfer rate of 5 MBps on your PC or Mac, according to Atto.

Included in the SiliconDisk Plus is Atto's Auto Format feature, which lets you use the device without having to format it or install software drivers. With 32 single in-line memory module sockets, the unit has the capacity to hold up to 128 MB of memory.


Price: \$2995.

Contact: Atto Technology, Inc., Baird Research Park, 1576 Sweet Home Rd., Amherst, NY 14228, (716) 688-4259; fax (716) 636-3630.


Circle 1296 on Inquiry Card.

Learn Multiprocessing from a Kit

The Transputer Education Kit includes a ready-to-use PC



Learn parallel computing with the Transputer Education Kit.



Atto's SiliconDisk Plus has a 0.05-ms access time.

add-on board with a 20-MHz 32-bit transputer, a T400 C cross compiler, a T400 Occam compiler, an assembler, and documentation. The kit is geared toward users who know how to program serial machines and want to learn multiprocessing and parallel computing.

The kit is available with factory-installed options, such as up to 4 MB of local DRAM and a T425 or floating-point T800 transputer. You can link kits within a single PC or between PCs and expansion chassis. **Price:** Introductory price, \$236; 1 MB of DRAM, \$110; add-on processor

boards, \$150.

Contact: Computer System Architects, 950 North University Ave., Provo, UT 84604, (800) 753-4272 or (801) 374-2300; fax (801) 374-2306.

Circle 1297 on Inquiry Card.

Grab and Print the Picture

Two video image-capture systems from IDEC, the Supervision/8 and the Supervision/16, are available to users of AT-compatible computers. The Supervision/8 also works with XT compatibles. Both boards let you capture video images from a camera, videotape, or a live broadcast.

The Supervision/8 has a resolution of 256 pixels by 256 lines by 256 shades of gray. It is compatible with Hercules monochrome, CGA, EGA, and VGA monitors. Printer compatibility is with dot-matrix and laser printers.

The resolution of the Supervision/16 is 512 pixels by 488 lines by 256 shades of gray. You can display the picture on any VGA monitor and many Super VGA moni-

tors. It is laser-printer compatible.

Price: Supervision/8, \$269.95; Supervision/16, \$369.95.

Contact: IDEC, Inc., 1195 Doylestown Pike, Quakertown, PA 18951, (215) 538-2600; fax (215) 538-2665.

Circle 1298 on Inquiry Card.

VGA on a Budget

Two \$98 VGA boards that are free of DIP switches and jumpers are available for your PC. Both boards include drivers for Windows, Word, GEM, Ventura Publisher, AutoCAD, WordPerfect, and Lotus 1-2-3.

Boca's new 800- by 600-pixel version of its Basic VGA by Boca board includes 256K bytes of RAM. The board supports 16 colors in the 800- by 600-pixel graphics mode and 256 colors in a 320- by 200-pixel mode for VGA, EGA, CGA, and Hercules Graphics.

Price: \$98.

Contact: Boca Research, Inc., 6401 Congress Ave., Boca Raton, FL 33487, (407) 997-6227; fax (407) 997-0918.

Circle 1299 on Inquiry Card.

Everex's Viewpoint Standard VGA card automatically configures itself for an 8-bit or a 16-bit bus and includes 256K bytes of RAM. Its 800- by 600-pixel resolution supports 16 colors. The board provides extended VGA resolution without using disk-based drivers.

Price: \$98.

Contact: Everex Systems, Inc., 48431 Milmont Dr., Fremont, CA 94538, (800) 628-3837 or (415) 498-1111.

Circle 1300 on Inquiry Card.



The DBMS That Opens Windows™



COMPUTER
LANGUAGE
PRODUCTIVITY
AWARD
1990



Get High Performance Under Microsoft Windows 3.0™ With db_VISTA III DBMS.

Develop Windows applications that are better, faster, and more profitable. db_VISTA III combines speed, flexibility, and productivity into one DBMS tool for C and Windows programmers. Add db_VISTA III's high-speed SQL retrieval to your application and watch your users enjoy power they've never experienced before.

Built For Windows.

db_VISTA III for Windows 3.0 follows all of the Microsoft

guidelines for memory use. Dynamic linked libraries (DLL), multi-tasking, and multi-user environments are all supported. For even faster development, use db_VISTA III with products like ToolBook®, Windowcraft®, or Actor®.

No Other DBMS Opens Windows Like db_VISTA III!

- **Speed.** Benchmarks show db_VISTA III significantly outperforms any DBMS under Windows.
- **No Royalties.** Increase your profits; decrease your overhead.
- **C Source Code Available.** For total programming flexibility.
- **Portability.** db_VISTA III supports most environments.

Special \$195 Developer's Edition

For a limited time only, you can get our db_VISTA database engine for Windows for only \$195. Call today and ask about our Developer's Edition and experience how db_VISTA III can open Windows for you.

Developer license only; not for distribution.

Call 1-800-db-RAIMA (1-800-327-2462)

In Washington State call: (206) 747-5570
Ask for extension 131.

Full Raima Support Services - Including Training.

Develop your applications even faster with Raima Training Classes:

May 6-8	- Boston, MA
May 6-10	- Chicago, IL
May 20-22	- Mexico
June 10-14	- NYC, SUI, NL
June 18-20	- San Francisco

db_VISTA™ III

Database Management System

Specifications: Single & multi-user. Automatic recovery. Automatic referential integrity. Relational and network data models supported. Relational SQL query and report writer. Complete revision capability. C source code is available. No royalties. **Supports:** MS Windows, MS-DOS, OS/2, VMS, UNIX, BSD, QNX, SunOS, Macintosh.

Raima Corporation 3245 146th Place S.E., Bellevue, WA 98007 USA (206)747-5570 Fax: (206)747-1991 Telex: 6503018237 MCI UW
International Distributors: Australia: 61 2 419 7177 Austria: 43 22 43 81861 Belgium: 32 2 734 9818 Brazil: 55 11 829 1687 Central America: 506 28 07 64 Denmark: 45 42 887249 Finland: 358 042 051
France: 33 1 46092784 Italy: 39 45 584711 Japan: 81 3 865 2140 Mexico: 52 83 49 53 00 The Netherlands: 31 2503 26312 Norway: 47 244 8855 Singapore: 65 298 2308 Sweden: 46 13 111588 Switzerland: 41 64 517475 Taiwan: 886 2 552 3277 Turkey: 90 1 152 0516 United Kingdom: 44 992 500919 Uruguay: 598 292 0959 USSR: 01 22 35 99 07; 812 292 7210; 0142 437952 West Germany: 49 7022 34077

Copyright ©1991 Raima Corporation. All rights reserved. db_ is registered in the U.S. Patent and Trademark Office. Windows 3.0, ToolBook, Windowcraft, and Actor are trademarks of their respective companies.


RAIMA™
CORPORATION

We've launched solve problem



The new Microsoft® BallPoint® mouse represents one giant step for you and your laptop computer.

That's because new BallPoint is the first and only mouse specifically developed for laptops. It's compact, yet includes all the features that made the



ed a mouse to ms in space.



Microsoft Mouse the industry leader.

Simply attach it to either side of virtually any laptop keyboard, and adjust it to the most comfortable angle. Then thumb your way through Microsoft Windows™ graphical environment version 3.0 and all your favorite mouse-driven applications.

And for a limited time, you can get a free BallPoint mouse when you purchase a

COMPAQ notebook or laptop PC.

Just call (800) 541-1261, and ask for Dept. P40. They'll send you everything you need to know about the mouse designed to go where no mouse has gone before.

Anywhere.

Microsoft
Making it all make sense®

Intelligent Power Backup

During a power failure, the Intelligent Power System on a Card provides 4 minutes of DC battery power to automatically store data onto your PC's hard disk drive. When the power returns, the IPS Card reloads your PC to its state prior to the interruption.

The card requires a PC, DOS 3.0, 512K bytes of RAM, a 5½-inch floppy disk drive, and a 10-MB hard disk drive or access to a file-server network. Compatible software includes Windows 3.0, Lotus 1-2-3, and WordPerfect. The IPS Card supports graphics, a mouse, and expanded and extended memory.


Price: \$249.

Contact: Elgar Corp., 9250 Brown Deer Rd., San Diego, CA 92121, (800) 733-5427 or (619) 458-0250; fax (619) 458-0267.

Circle 1301 on Inquiry Card.

Cushioning the Job

Silicon Sports' Wrist Pad combines comfort with utility in a move toward preventing repetitive stress injury caused by long hours at your computer. The Wrist Pad creates a resting surface that maintains your hands in a neutral position while you're typing, alleviating the strain on your arms and wrists, the company says. Composed of two layers of neoprene and one of nylon, the Wrist Pad is three-quarters of an inch



Intelligent Power System on a Card provides on-line battery backup for your PC or workstation.

high and 19½ inches long, and it fits snugly along the edge of your keyboard.

Price: \$19.95.

Contact: Silicon Sports, 1180 Sherman Ave., Menlo Park, CA 94025, (800) 243-2972 or (415) 854-1456.

Circle 1302 on Inquiry Card.

Put Your Laptop in a Hardshell

The Hardshell Laptop Case is the latest addition to Underwater Kinetics' line of cases. As are all Kinetics cases, the new cases are made of injection-

molded ABS/polycarbonate and are waterproof to a depth of 30 feet. Guaranteed not to chip, dent, or become discolored, the Kinetics cases include a cushioned, fold-down handle and a full-length hinge. The case interiors are of custom foam.

Price: \$29 to \$200.

Contact: Underwater Kinetics, 1020 Linda Vista Dr., San Marcos, CA 92069, (619) 744-7560; fax (619) 744-7320.

Circle 1303 on Inquiry Card.

Print Forms and Labels Quickly

The Facit E7650 forms and label printer automatically adjusts to each form's thickness. Its Form-Finder system senses the top, right, and left edges of the form.

Able to print in near letter quality at 100 cps and QuickPrint at 600 cps, the Facit E7650 advances forms at 16 inches per second. It features automatic paper-parking and paper-loading controls and lets you tear off a form immediately after it is printed; printing resumes at the top of the next page without wasting paper. The wide-carriage impact printer can print text and graphics in as many as seven colors on up to nine-part forms and supports pressure-sensitive labels.

Price: \$2549.

Contact: Facit, Inc., 400 Commercial St., Manchester, NH 03108, (800) 733-2248 or (603) 647-2700; fax (603) 647-2724.

Circle 1304 on Inquiry Card.


Advanced Technology on a Calculator


A graphing calculator from Casio, the Model FX-7700G, includes 4K bytes of memory capable of storing up to 38 separate programs. The calculator incorporates a 16-character by 8-line display with five zoom modes, trace and scroll, parametric graphing, shading, inequality, and integration. With the FX-7700G you can create matrices, do fractional calculations, and replay function and enhanced statistical abilities. The calculator includes menu keys and a memory-protection system.

Price: \$109.95.

Contact: Casio, Inc., 570 Mt. Pleasant Ave., Dover, NJ 07801, (201) 361-5400; fax (201) 361-3819.

Circle 1305 on Inquiry Card.





INSTANT WORKSTATION. JUST ADD OPEN DESKTOP.

Take a look at the vast majority of graphical workstations developed over the past decade and you'll see something they all have in common:

An integrated UNIX® System environment.

Now take a look at the vast majority of businesses that have put computing power directly onto their office desktops over the past decade, and you'll see something they all have in common:

Industry-standard personal computers.

It doesn't take a computer to forecast the platform that's going to put graphical workstations on the vast majority of business and engineering desktops in the next decade:

An integrated UNIX System environment for industry-standard personal computers.

And that's what Open Desktop® is all about.

Open Desktop is the complete graphical operating system that's built on the most popular UNIX System platform of all time—SCO®. And it lets you create your own networked, icon-driven workstation environment using the industry-standard 386 or 486 computers and peripherals of your choice.

In a single, easy-to-use, fully supported—and completely integrated—package, Open Desktop delivers:

- the full 32-bit, multitasking computing power of SCO UNIX System V/386, designed to meet C2-level security
- compliance with POSIX™ and X/Open® standards
- an OSE/Motif™-based, Presentation Manager-compatible, graphical user interface
- distributed SQL database management services
- compatibility with existing DOS, XENIX®, and UNIX System applications and data files
- NFS™, TCP/IP, and LAN Manager networking facilities

And all at an unbelievably affordable price.

Discover the complete graphical operating system that leading companies worldwide are choosing as their development platform for the '90s—and using to turn their 386 and 486 PCs into instant workstations today.

Open Desktop from SCO.

 **OPEN
DESKTOP®**
The Complete Graphical Operating System

Call SCO today
and ask for
ext. 8400

SCO 
THE SANTA CRUZ OPERATION

(800) SCO-UNIX (726-8649) (408) 425-7222 FAX: (408) 458-4227 E-MAIL: ...!uunet!sco!info info@SCO.COM

SCO, the SCO logo, Open Desktop and the Open Desktop logo are registered trademarks of The Santa Cruz Operation, Inc., in the U.S.A. and other countries. UNIX is a registered trademark of UNIX System Laboratories, Inc. in the U.S.A. and other countries. POSIX is a trademark of The Institute of Electrical and Electronics Engineers. X/Open is a registered trademark of X/Open Company Ltd. OSE/Motif is a trademark of The Open System Foundation. Inc. XENIX is a registered trademark of Microsoft Corporation. NFS is a trademark of Sun Microsystems, Inc.
© 1991 The Santa Cruz Operation, Inc. All Rights Reserved. The Santa Cruz Operation, Inc., 400 Encinal Street, P.O. Box 9900, Santa Cruz, California 95061 USA The Santa Cruz Operation, Inc., Federal Systems Group, 2100 Reston Parkway, Suite 102, Reston, Virginia 22091 USA, (703) 715-8700, FAX: (703) 715-8750 SCO Canada, Inc., 130 Bloor Street West, 10th Floor, Toronto, Ontario M5S 1N5 Canada, (416) 922-8937, FAX: (416) 922-8397 The Santa Cruz Operation, Ltd., Croyley Centre, Hatters Lane, Watford WD1 8YN, Great Britain, +44 (0) 923 816344, FAX: +44 (0) 923 817781 TELEX: 917372 SCOLON G

Circle 274 on Inquiry Card.



New Reflection® Network Series Software brings the best of both worlds to your PC.

Easy access to **Hosts** and **Servers** on your network. HP 3000, 9000, VAX and UNIX

At last you can move smoothly between your servers, hosts and PC. Reflection Network Series Software puts them all at your fingertips. No more rebooting when you have to transfer a file. Run several sessions on multiple hosts from any PC on your network.

Versatile Reflection terminal emulation software with its robust user interface becomes the common denominator. UNIX and VAX hosts over Ethernet, using TCP/IP and LAT with your Novell, 3Com or other leading LANs. Whatever your network configuration, we help you communicate with the most elegant, reliable, and transparent connection for your multivendor network.

We call it concurrent access. Quite simply, you get the best of all possible worlds. All on your own familiar PC with commands that you understand. Run multiple sessions in multiple

windows. And transfer files between your worlds faster with our own easy-to-use FTP. Easy access for anyone and everyone on your network.

Slide effortlessly from one environment to another. Whatever communication protocols are required, you'll install and remove them on demand.

Bringing these two worlds together makes your work simpler and faster. And it doesn't cost that much. Let us show you. You'll find Reflection Network Series will save you time and money. You can even use our powerful command language to automate repetitive tasks.

The best part is — we make it all so easy, you'll never even know we're there. Our products take up very little RAM on your PC so there's plenty of room for your most powerful applications.

See for yourself how much easier the Reflection Network Series can make your life.

Call on our authorised distributors:


Wick Hill/GB	(0784) 438441
IMX Systems/GB	(0483) 772280
Data Factory/CH	(01) 311 29 11
GFK Hamburg/D	(040) 23 7301-27
Data Helsinki/SF	(0) 692 6760
ADE/F	(61) 73 32 49
NV Positronika/B	(053) 65 04 11
Delaware Computing/B	(3) 829 34 11
Computing & Systems Consultants/NL	(040) 434 957
SIS Datenverarbeitung/A	(1) 376316
Siosistemi/I	(030) 2421074
Silicon/E	(1) 8151234
Scorpion Systems/P	(3) 485 40 44
NOCOM AB/S/N/D	(018) 32 1090
Bodeind/IS	(1) 612061
Salcom/SF	(41) 62 0766
CommCare/CH	(01) 730 24 31
Megatec/AUS	(3) 874 3633
Brazil Software/BRA	(21) 240 3143
Datacom Technology, LTD/NZ	(9) 3089 599
Singapore Computer Systems PTE, LTD/SIN	(65) 778 2477

Walker Richer & Quinn, Inc.

CONTROL UP TO **96** PC FILE SERVERS WITH **1** KEYBOARD AND MONITOR USING...


COMMANDER

by cybex



- No external power
- "One-Touch" selection
- Mix PC, PC/XT, PC/AT and PS/2
- "AutoBoot" Feature boots attached computers without operator intervention after power failure
- Shows PC power status
- Mouse support available

- TTL (MDA, CGA, EGA) up to 600 feet away
- VGA up to 400 feet
- Each unit accommodates from 2 to 8 PCs
- Up to 12 units can be cascaded
- Mounting kit available for 19" rack installation



PC, PC/XT, PC/AT and PS/2 are trademarks of International Business Machines Corp.

Dealer Program Available

Cybex Corporation
2800 H Bob Wallace Ave.
Huntsville, Alabama 35805
(205) 534-0011
Fax (205) 534-0010

Circle 84 on Inquiry Card.

Blazing a Trail for Network Users

Telebit's NetBlazer, a dial-up and leased-line IP router, provides remote users with access to TCP/IP networks and services. A bidirectional network device, NetBlazer enables dial-up users to access multiple hosts during a single session. A network of Unix machines can share the modems connected to the NetBlazer for outgoing connections.

The NetBlazer supports as many as three Ethernet ports, up to 26 connections to modems and other RS-232 devices, and one port for a V.35 connection to a 56K-byte leased line. The unit's 2 MB of memory is expandable to 8 MB. Its software provides three levels of network security. The NetBlazer is available in a number of configurations, letting you customize its functions.

Price: Starts at \$2995.
Contact: Telebit Corp., 1315 Chesapeake Terrace, Sunnyvale, CA 94089, (800) 835-3248 or (408) 734-4333; fax (408) 734-3333.
Circle 1306 on Inquiry Card.



Telebit's NetBlazer acts as a terminal/modem server and also offers dynamic dial-up TCP/IP connectivity.

Making Network Management a Snap

A desktop management and control system for LANs and wide-area networks, SnapNet operates as an application under Windows 3.0. The program helps you build, display, track, and modify the topological layout of your network. You can also create network databases, directories, and graphical displays.

With SnapNet you can view high-resolution topological displays with or without maps. SnapNet lets you move from a national network down through re-

gional displays into a LAN within a single location. At any stage, you can store and print the display, including hardware and software configuration notes, on any printer supported by Windows 3.0. SnapNet automatically creates the database and directory that let you identify and track each node and link by name, type, and location.

The system requires 1 MB of RAM, a hard disk drive, a floppy disk drive, a color monitor, and a mouse.
Price: \$995.

Contact: Network Monitoring, Inc., 2365 Paragon Dr., San Jose, CA 95131, (408) 453-6430; fax (408) 453-1210.
Circle 1307 on Inquiry Card.

Macintosh to Novell Through Mosaic

Mosaic for Macintosh lets you use your Mac to print documents to a Novell network from any application on Hewlett-Packard LaserJet and DeskJet printers. The program does

not require additional hardware or add-on printer adapters.

Mosaic for Macintosh requires 1 MB of memory and System 6.0. The software is compatible with NetWare ELS II, Advanced NetWare, and Advanced NetWare SFT file servers. Included with Mosaic for Macintosh is Novell's NetWare Desk Accessory utility.
Price: \$395 for three users; \$595 for 10 users.

Contact: Insight Development Corp., 2200 Powell St., Suite 500, Emeryville, CA 94608, (800) 825-4115 or (415) 652-4115; fax (415) 652-9857.

Circle 1308 on Inquiry Card.


Token Ring Adapter Card for Mac IIs

Cabletron's Desktop Network Interface (DNI) card for the Mac II NuBus provides built-in network management and diagnostic capabilities. The card lets Mac II users connect to 4- or 16-Mbps Token Ring networks over shielded or unshielded twisted-pair cabling.

The card incorporates Cabletron's Lanview status monitoring and diagnostic system, which lets you quickly determine if you have accessed the network. Lanview also lets you determine your data-distribution speed and whether your computer is transmitting or receiving data.

Price: \$1295.
Contact: Cabletron Systems, Inc., 35 Industrial Way, Rochester, NH 03867, (603) 332-9400; fax (603) 332-7386.

Circle 1309 on Inquiry Card.



SnapNet works under Windows 3.0 to let you build, display, track, and modify topological layouts.



CARRY-I

The New Standard

The Carry-I 9000 series comes complete with 80386SX/80286-16/80286-12 microprocessor (Co-Processor optional), 1024 x 768 VGA/MGA & CGA display interface, 1/2/4 MB RAM, one 3.5" 1.44 MB FDD or one FDD plus one 40/80 MB HDD, one 8 bit expansion SLOT, one parallel and two serial I/O ports, and one 30W auto range switching power adapter, all in the traditional 240mm x 185mm x 45mm (9.4" x 7.3" x 1.8") casing of Carry-I. Each package includes two mini-tower stands and a carry bag. The 81 key mini keyboard with 101 functions and 9 inch color or monochrome VGA monitor are optional.

Other Carry-I products include the 8000 series XT & AT book-size personal computers and the 6000 series XT and AT book-size LANstations. All Carry-I product lines are bundled with DR DOS 5.0



FLYTECH GROUP INTERNATIONAL

Germany	:	TEL# 69-746081, 746453	FAX# 69-749375
Hong Kong	:	TEL# 305-1268	FAX# 796-8427
Taiwan	:	TEL# 2-7852556, 7827538	FAX# 2-7852371, 7837970
U.S.A.	:	TEL# 408-7277373, 7277374	FAX# 408-7277375

See us at

COMDEX '91

The World's Leading Computer Trade Show for Resellers and End-Users

Georgia World Congress Center, Booth # 4458

DISTRIBUTORS

CANADA: BUDGETRON TEL# 416-564-7800 FAX# 416-564-2679 • FRANCE: M3C TEL# 1-48271976 FAX# 1-42355916 • GERMANY: MACROTRON TEL# 89-4208233 FAX# 89-423745
 GREECE: ALTEC TEL# 1-8832017 FAX# 1-8816187 • HONG KONG: PARKLY TEL# 3051268 FAX# 7968427 • INDIA: BEETA/UNICORP TEL# 11-6831341 FAX# 11-6845828 • ITALY:
 MA TEL# 522-518599 FAX# 522-518599 • MALAYSIA: COMTEC TEL# 03-2748888 FAX# 03-2749988 • NETHERLAND: KN TEL# 2968-84141 FAX# 2968-97436 • NORWAY:
 US DATA TEL# 2-722510 FAX# 2-722515 • SINGAPORE: TRANSHIKO TEL# 4758408 FAX# 4713803 • SOUTH AFRICA: PC MART TEL# 11-8043355 FAX# 11-8024153 • SWITZERLAND:
 SOFTWARE TEL# 022-622020 FAX# 022-615650 • UNITED KINGDOM: CENTERPRISE TEL# 256-463754 FAX# 256-843174 • BELGIUM: CELEM S.A. TEL# 41-676434 FAX# 41-676515

The Next Gets a Fax Modem

The InterFax NX fax modem for the Next computer combines 9600-bps fax capabilities with a 2400-bps Hayes-compatible data modem. The unit provides MNP level 5 data compression for data throughput as high as 4800 bps and built-in MNP data correction.

Jointly developed by Abaton and Next, the InterFax NX comprises software built into Next's newest operating system and Abaton's hardware. InterFax works by converting your document from Display PostScript to fax format and immediately sending it to the specified destination. You receive visual status of the progress of your fax or data call via the LEDs on the unit. A built-in speaker informs you of additional status information. The machine supports automatic data-to-voice switching.

Price: \$595.

Contact: Abaton, 48431 Milmont Dr., Fremont, CA 94538, (800) 444-5321.

Circle 1310 on Inquiry Card.

Fax/Modem for Macintosh Portable

An internal V.42 and V.42bis fax/data modem for the Macintosh Portable, the Comport 5/42 gives you an effective throughput of 9600 bps using a 2400-bps modem. Hayes compatible, the modem



The InterFax NX's software is built into the latest Next.

works with all Macintosh portables.

The Comport 5/42 wakes the Mac from sleep mode when it detects an incoming call and lets you schedule transmissions to take advantage of nighttime rates. The software includes the QuickFax desk accessory, which lets you send faxes from within any application.

Price: \$699.

Contact: PSI Integration, Inc., 851 East Hamilton Ave., Suite 200, Campbell, CA 95008, (800) 622-1722 or (408) 559-8544; fax (408) 559-8548.

Circle 1311 on Inquiry Card.

Network Flexibility

The FlexiHub, a modular internal 10Base-T hub, features modules called HubSimms. Each HubSimm provides connectivity for two ports, giving you the flexibility of installing a hub with 6, 8, 10, or 12 ports.

The FlexiHub is capable of full repeater signal regeneration, as well as automatic and independent port partitioning and reconnection. A BNC connector provides thin Ethernet connectivity

and lets you cascade FlexiHubs for larger networks.

Price: \$600 for 6 ports;

\$150 each additional 2 ports;

\$950 for 12 ports.

Contact: Pivotal Technologies, Inc., 18240 Purdue Dr., Saratoga, CA 95070, (408) 374-7887; fax (408) 374-8074.

Circle 1312 on Inquiry Card.

Poste Your Unix Message


Poste, an E-mail program for Unix users, is designed to let technical and nontechnical users send multipart, multimedia messages across a number of different mail networks. A graphical application, Poste has an OSF/Motif interface that includes multiple windows capable of accepting input simultaneously.

The open architecture of Poste lets you easily integrate new applications as they become available. The program aids message delivery by providing recipient address templates for X.400 and Internet addressing. Message management features include hierarchical file folders, cross indexing, and message query and sorting on multiple fields.

Price: \$395.

Contact: Alfalfa Software, Inc., Suite 4200, 185 Alewife Brook Pkwy., Cambridge, MA 02137, (617) 497-2922; fax (617) 876-2523.

Circle 1313 on Inquiry Card.



PSI's Comport 5/42 fax/modem wakes sleepy Macintosh portables when it detects an incoming call.

You should buy a
multi-user BBS for one simple reason:

Return On Investment

How much money do you pay to overnight courier services every month? How much to the U.S. Postal Service? Are you interested in making the most productive possible use of your business resources?

A BBS (Bulletin Board System) can improve your bottom line in several ways:

1. Cut costs by transferring computer files over telephone lines, instead of paying courier charges. With modems, you can send files to or from your home office at speeds up to 38,400 bits per second. A 60-second telephone connection costing less than a dollar can take the place of a diskette via overnight courier costing \$11.50 or more.
2. Improve your overall business responsiveness by doing business faster. Why wait for that spreadsheet file overnight, by courier, when you can receive it instantly, by modem? Send and receive software, purchase orders, databases, and word processor files right away, rather than waiting a day. Sometimes an extra day can make the difference between success and failure.
3. Eliminate mailing costs by offering files (updates, newsletters, CAD files, whatever your business may provide) to your customers for download, rather than mailing them diskettes or printed matter all the time. The phone call is on their nickel, and they'll love it because they're getting the information right away, not several days stale.
4. Gain a competitive edge by offering your customers round-the-clock service – but without increasing your staff hours! 24 hours a day, your BBS can provide prices, refer people to your dealers, and act as a Q & A clearinghouse, all unattended. Your own people can log on for a few minutes a day, any time it is convenient for them.

Depending on your particular business, you may be able to harness this technology in even more productive ways. If you have a field sales force, for example, or a dealer network, your BBS can host both public discussion areas and private one-on-one E-Mail. If you're in the software business, you can offer technical support, user-group "forums", application examples, and downloadable "demo disks" to your prospects instantly. If you do market research, you can use online questionnaires to gather vast amounts of data without ever picking up the phone or hiring a single telephone interviewer.

You can calculate Return On Investment (R.O.I.) as the ratio between the annual "payoff" of your BBS, minus expenses, and the initial cost of setting it up. The "payoff" may not be known exactly, but you can approximate it as a certain amount per hour of usage. One method of analysis, illustrated below, shows that various reasonable assumptions can yield exciting results:

# of lines	PC (386+ harddisk)	multi-modems	software (ML+src)	lines per mo.	payoff per hr.	# of users	av.#hrs use/day	hrs/day /line	payoff per mo.	R.O.I.
4	\$2500	\$2090	\$1280	\$200	\$1.00	30	0.50	3.75	\$450	51%
					\$2.00	40	0.60	6.00	\$1440	253%
					\$3.00	50	0.75	9.38	\$3375	649%
8	\$3500	\$2840	\$1580	\$400	\$1.00	60	0.50	3.75	\$900	76%
					\$2.00	80	0.60	6.00	\$2880	376%
					\$3.00	100	0.75	9.38	\$6750	962%
16	\$5000	\$3688	\$1880	\$800	\$1.00	120	0.50	3.75	\$1800	114%
					\$2.00	150	0.60	5.63	\$5400	522%
					\$3.00	200	0.75	9.38	\$13500	1442%

The figures shown here do not include overhead, set-up expenses, or ongoing maintenance. Software costs shown are for the popular combination of the MenuMan and File Library editions, with C source code. If you prefer to do your own spreadsheet, the formulas here are (assuming columns lettered A through K): $E = A \times 50$, $I = G \times H / A$, $J = F \times G \times H \times 30$, $K = 12 \times (J - E) / (B + C + D)$.


You can get started with all of this for as little as \$59. This buys our complete 2-line software package, The Major BBS®, which includes E-Mail, file upload/download, teleconferencing, questionnaires, an Audit Trail, a "user registry", and much more. Initial set-up is quick and easy – 15 minutes on the average – and unlimited technical support (within reason) is just a phone call away. There's even a 30-day money-back satisfaction guarantee.

We're hoping that you'll like the \$59 package so much that you'll want to expand it. Our main business is a wide variety of hardware and software add-ons, such as multi-modem cards, multi-port serial cards, the GalactiBox, "extended editions" of The Major BBS, C source code, The Major Database, the X.25 software option, the Ergo OS/286 protected-mode toolkit, the Dial-Out package, Search-and-Retrieve™, and an assortment of multi-user games and amusements.

None of these add-ons approach the cost effectiveness of the \$59 package, of course, but they all represent excellent value. Operate your own BBS for a few months, and find out for yourself just how useful a BBS can be.

To order, just call **305-583-5990** and say, "I'd like to place an order!" We accept VISA, Mastercard, and American Express... or, we can ship C.O.D. if you like. We also accept Purchase Orders from major corporations and government.


Galacticomm, Inc.
4101 S.W. 47th Ave. #101
Ft. Lauderdale, FL 33314



How to make accommodate every



TOM: "Well, that's an accurate presentation of unit sales, but what I'd like to know is dollar sales..."



Now, you can answer all those "What if ...," "What about ..." and "What would happen ..." questions from every Tom, Dick and Harriet in the room. Instantaneously. In brilliant, photographic-quality color.

With the new In Focus 5000CX LCD projection panel.

Simply place it on your overhead, connect your Macintosh or IBM compatible computer and you



have one of the most powerful and persuasive presentation tools ever seen.

The 5000CX can project nearly 5000 colors at a time. And its 640 x 480 resolution supports all VGA, EGA, CGA and Macintosh video standards.


So you can access all of your computer's software. While you're presenting.

You can project new projections. Revise revisions. And tailor your presentation to accommo-

your presentation om, Dick and Harriet.



DICK: "That was certainly quick. Have you got any data on the actual costs of goods?"



HARRIET: "That's not a pretty picture for the cosmetics division. By the way, do you think you could help me out on this presentation I'm giving tomorrow...."

late every member of your audience. On the spot.

What's more, you'll never again have the cost or hassle of preparing slides. Or the boredom of presenting yet another set of dull, black and white overheads.

The 5000CX is just one of a complete line of high-performance, portable In Focus color and monochrome projection panels.

Come see a demonstration of one today. We promise you a show you won't forget.

FREE OVERHEAD OFFER

For a limited time, we're giving away a free portable overhead projector with every In Focus color projection panel*. It's a \$495.00 value. So call 1-800-327-7231 or in Oregon, 503-692-4968 today. And arrange to see a free demonstration.

IN FOCUS SYSTEMS® INC.



restricted or prohibited. In Focus, the In Focus logo and the In Focus 5000CX are registered trademarks of In Focus Systems, Inc. All other trademarks or registered trademarks are the property of their respective holders.

A Mightier Look & Feel

The new version of the C-scape Interface Management System and Look & Feel Screen Designer, a library of C routines for creating user interfaces, now offers support for several DOS extenders, allowing you to write applications that break the 640K-byte barrier. Version 3.2 of the system also supports the X Window System for Unix and VMS.


Supported extenders include the Phar Lap 386|DOS-Extender, Rational Systems' 16/M DOS Extender, and Ergo Computing's OS/286 DOS Extender. The C-scape library of routines lets you add text-entry features such as word wrap, search and replace, and block commands to your applications. You can also add menuing systems, mouse support, data entry, help, graphics compatibility, and other interface elements. **Price:** DOS version, \$499; Unix version, \$1499; QNX version, \$599; VMS version, \$2499.

Contact: Oakland Group, Inc., 675 Massachusetts Ave., Cambridge, MA 02139, (800) 233-3733 or (617) 491-7311; fax (617) 868-4440.

Circle 1272 on Inquiry Card.

C++ Library for dBASE

A new multiuser database management library for C++ lets you work directly with the data, memo, and index files of dBASE IV and build dBASE IV-compatible applications. By using C++ and the class library, you can program applications with code that is faster, more flexible, and more portable than pro-



The graphical versions of Professional Edit for Unix include printer drivers for more than 450 printers. Buzzwords' Screen Shooter captured the moon bit-map image.

Unix Development in Motif and Open Desktop

A new programming and desktop publishing environment for Unix takes advantage of Motif, Open Desktop, and Open Look, letting you open multiple windows with files of up to 1 MB each. The new graphical versions of Professional Edit let you cut and paste columns and blocks between windows while providing a workbench environment for linkers, make tools, and C compilers. The editor is WordStar and SideKick compatible; you can remap the keyboard to support your favorite editor interface.

Price: Any platform running X Window System, \$550 (includes character-based version for terminals); DOS, \$95; Windows, \$195; any Unix character-based version, \$295; Screen Shooter, \$95.

Contact: Buzzwords International, 2879 Hopper Rd., Cape Girardeau, MO 63701, (314) 334-6317; fax (314) 334-0794.

Circle 1271 on Inquiry Card.

gramming in a dBASE language.

Price: \$295.

Contact: Sequiter Software, Inc., Suite 209, 9644

54 Ave., Edmonton, Alberta, Canada T6E 5V1, (403) 448-0313; fax (403) 448-0315.

Circle 1274 on Inquiry Card.

A New Look to Portable Interfaces

Aspect, a set of graphical user interface creation tools and libraries for writing portable graphics-based applications, includes a C-callable application programming interface and an interactive design tool. You can port applications written to the Aspect API to each supported run-time environment. An OSF/Motif and a Unix-character run-time environment should ship by the end of May. Other versions will follow later this year.

The design tool produces a portable resource file that allows changes to the interface without recompiling the application. Each Aspect run-time environment implements elements such as menus, push buttons, and scroll bars in the underlying native toolbox. An application with an Aspect user interface, when linked to the Aspect Motif run-time, results in a native Motif implementation. Likewise, the same application, when linked to the Mac run-time, results in a native Mac application.


To solve the dilemma of Unix developers who want to offer software in an X Window-based user interface as well as a character interface, Aspect developed a character run-time.

Price: Character-based SCO Unix and Interactive, \$995; Motif, \$1495; introductory price for Mac and Windows (when they become available), \$795.

Contact: Open, Inc., 655 Southpointe Court, Suite 100, Colorado Springs, CO 80906, (719) 576-8967; fax (719) 576-7246.

Circle 1273 on Inquiry Card.

PostScript solutions for LaserJet printers haven't exactly set records for speed.




But times have changed.

In the past, patience has been a necessity when printing PostScript® quality graphics and text on your LaserJet IIP, III, or IIID laser printer.

Introducing PacificPage XL™ – it will change the way you look at PostScript language emulation products, both in price and performance. That's because PacificPage XL offers PostScript compatible output in record time for a price lower than competitive products.


Compare it to the Hewlett-Packard PostScript solution. For their cartridge and 2 MB of printer memory you will spend \$1085. PacificPage XL provides the newest version of our PacificPage P•E cartridge and a high speed accelerator board that installs easily into the LaserJet's printer memory slot. It includes an Intel i960™ KB RISC microprocessor and 2 MB of memory which produces output 2 to 8 times faster than the HP car-



tridge solution. All for the low price of \$999.

Even without the accelerator board, PacificPage P•E now provides an overall 25% increase in speed over the HP cartridge. PacificPage P•E and PacificPage XL come with a lifetime warranty and a money back guarantee of satisfaction.

If you're looking for a change of pace in PostScript solutions for the LaserJet printer, call your nearest dealer or contact Pacific Data Products, 9125 Rehco Road, San Diego, California 92121, USA. (619) 597-4644, Fax (619) 552-0889.



PACIFIC
DATA PRODUCTS



All prices are U.S. list effective 2/15/91. For time comparisons, PostScript solutions installed on LaserJet III printer connected via parallel cable to NEC 386 25 Mhz personal computer. All printer times measured from hitting "Enter" key to engine start-up. PacificPage XL and PacificPage P•E are trademarks of Pacific Data Products, Inc. i960 is a trademark of Intel Corporation. PhoenixPage is a registered trademark of Phoenix Technologies Ltd. Copyright 1987, 1988 Phoenix Technologies Ltd. HP, LaserJet and Resolution Enhancement are registered trademarks of Hewlett-Packard Co. PostScript is a registered trademark of Adobe Systems Inc. EUROPEAN SALES OFFICES: The Netherlands, Tel (31) 20-475566, Fax (31) 20-453329 France Tel (33) 1-42669075, Fax (33) 1-42661560 England Tel (44) 442-231414, Fax (44) 442-236540 Switzerland Tel (41) 22-412650, Fax (41) 22-410682. © 1991 Pacific Data Products, Inc.


Spreadsheets for Motif, Open Look

Access Technology's newest version of its 20/20 spreadsheet supports OSF/Motif and Open Look graphical interfaces. The graphical 20/20 takes full advantage of the X Window System environment, responding automatically to window modification such as resizing, repositioning, and cutting and pasting data between windows.

Developed in tandem with Sun, the Open Look version uses that environment's pushpin facility to make dialog boxes (which normally pop up and disappear) remain on-screen. It also lets you drag and drop icons representing 20/20 files from the Open Look file manager into 20/20 for automatic loading. 20/20 is also available for SunView, as a character-based interface product, and in a real-time version for market traders who need the automatic updating of spreadsheets as information changes.

Add-in products for 20/20 include OpenLink, a bridge to applications written in traditional programming languages, and Database Connection, a DBMS retrieval mechanism that draws information into the spreadsheet for processing. Access says the connection lets you transparently integrate 20/20 with Oracle, Ingres, and Sybase databases without knowing Structured Query Language or requiring an intermediate temporary file.

Currently, 20/20 runs on more than 25 different Unix platforms.



20/20 supports screen graph types including pie, comparison bar, overlay, and x,y graphs.

Price: 20/20 prices start at \$600 per workstation; 20/20 real-time prices start at \$1800; OpenLink and Database Connection prices start at \$240 each.

Contact: Access Technology, Two Natick Executive Park, Natick, MA 01760, (508) 655-9191; fax (508) 651-3788.

Circle 1275 on Inquiry Card.

The Exclaim! graphical spreadsheet for the X Window System and Motif now supports a live link to the X version of FrameMaker, allowing a document to contain WYSIWYG spreadsheet images and business graphics. The program also supports the ISO8859 character set, allowing you to store information in French, German, Spanish, and other languages. The program runs on a variety of Unix platforms.

Price: \$695 per floating license.

Contact: Quality Software Products, 5711 West Slauson Ave., Suite 240, Culver City, CA 90230, (213) 410-0303; fax (213) 410-0124.

Circle 1276 on Inquiry Card.

What You See Is What You Get with Quattro

Borland continues to add features to its Quattro Pro (QP) spreadsheet without requiring a hardware upgrade from an 8088-based PC with 512K bytes of RAM. Version 3.0 of the program adds a WYSIWYG display for working with typefaces, styles, colors, and sizes. The WYSIWYG Zoom lets you proportionally reduce or enlarge your screen (between 25 percent and 200 percent) to see more or less of your spreadsheet. A handy print-to-fit feature automatically shrinks or enlarges a print block to fit it into a single page, and the program has built-in banner-printing capability.

Unlike the Impress add-in for Lotus 1-2-3 release 3.1, which has its own menu structure and creates modified versions of the underlying spreadsheet, QP's WYSIWYG is totally integrated into the program. According to Borland, this lets

you work with any aspect of the program in WYSIWYG mode without requiring you to learn another command set. QP 3.0's backward compatibility lets you share files among previous versions of the spreadsheet, and it runs on everything from an 8088 to a 486 system.

The ProView Power Pack provides additional clip art, fonts, macros, and other presentation capabilities to augment those already in QP 3.0 (e.g., transitional effects). The pack, which comes with QP 3.0, includes a macro library for streamlining the process of creating graphs and presentations. It also has two headline typefaces, clip art, graph and text chart templates, and a collection of digitized sound effects for use during slide-show transitions. The three effects are fanfare, thank you, and applause. If your company's fortunes have been colored red, you can get a boo and other sound effects from a Borland third-party developer.

QP 3.0 is part of Borland's strategy to provide a continuum of products that provide for an easy upgrade to Windows. The company says it will deliver a full Windows version of Quattro this year.

Price: QP 3.0 with ProView, \$495.

Contact: Borland International, Inc., 1800 Green Hills Rd., P.O. Box 660001, Scotts Valley, CA 95067, (408) 438-8400.

Circle 1277 on Inquiry Card.

**WE CAN'T ALL WORK IN THE SAME SHOES.
WHY SHOULD WE WORK WITH THE SAME MOUSE?**

When you think about it, a one-size-fits-all mouse makes as much sense as a one-size-fits-all shoe. That's why Logitech™ created MouseMan™—the first line of mice designed to fit different kinds of hands. All MouseMan products are ergonomically shaped for comfort and ease of use. They're also totally plug compatible with the Microsoft® mouse. Of course, all come with Logitech's legendary quality and lifetime warranty.



**MouseMan for
the Right Hand**

**MouseMan for
the Left Hand**



**MouseMan
Cordless
Radio Mouse**

For more information, call:

800-231-7717 ext. 2606

In CA: 800-552-8885 ext. 2617.




Tools That Power The Desktop.

Circle 194 on Inquiry Card (RESELLERS: 195).

MouseMan for the Right Hand and MouseMan for the Left Hand are for IBM® PCs and compatibles and Macintosh® systems. MouseMan Cordless is for IBM PCs and compatibles only. TM, ®. Trademarks and registered trademarks of their respective holders.





WE FINALLY F THAT CAN OUTPERFORM

The Tandon 486/33.

An awesome computer designed from the ground up around the top of the line Intel® 80486 processor. But processing at a speed of 33 MHz. And we didn't stop there.

We added our exclusive MultiCACHE™, a 64k external cache that accelerates processor read operations even more.

And we didn't stop there. We put it into high gear with the proprietary Tandon PowerPoster™. A unique write buffer that speeds up write operations to RAM.

And then to make things really fly, we combined a 64 bit bus (double the width) with the latest EISA technology to boost performance to

previously unheard of levels. As much as two times faster than a 386.

Of course, with any Tandon Computer you also get prompt delivery, a one year limited warranty, on-site service, and 24-hour, on-call tech support. We even offer a special leasing program. And if for any reason you're not pleased, you can get a full refund within the first 30 days.

So if you're interested in what has to be considered one of the fastest personal computers in the world call us today about our Tandon 486/33. Or ask about our 386/33 for \$3399 or 386/25 for just \$3099. And be treated to one of three top performances daily.

\$7,299
COMPLETE SYSTEM!

- 30-Day Money Back Guarantee
- Toll-Free Technical Support
- 1-Year Limited Warranty
- On-Site Service
- Leasing Program Available

Tandon 486/33

AND A MACHINE THE TANDON 486/25.

Tandon 486/33 • Price includes: System unit, 4MB RAM; 200MB IDE hard drive; 1.2MB or 1.44MB diskette drive; VGA monochrome monitor; 16-bit video card; keyboard; power cord; Microsoft® Windows™ 3.0, and serial mouse; operation and installation manual; Tandon MS-DOS software and manual. • **Upgrade options:** 2MB and 8MB memory upgrade kits (to 64MB); 330MB, 600MB, and 1GB SCSI hard disk drives; 650MB ISO-approved optical drive and cartridge; VGA and Super VGA color monitors; graphics accelerator card; 2400 baud modems; network cards; laser printers. **Tandon 386/33 and Tandon 386/25.** • Price includes: System unit; 4MB RAM (Tandon 386/33); 2MB RAM (Tandon 386/25); 110MB IDE hard drive; 1.2MB or 1.44MB diskette drive; VGA monochrome monitor; 16-bit video card; keyboard; power cord; Microsoft® Windows™ 3.0 and serial mouse; operation and installation manual; Tandon MS-DOS software and manual. • **Upgrade options:** 1MB and 4MB memory upgrade kits (to 16MB); 80387 math coprocessor; additional 1.2MB and 1.44MB diskette drives; 200MB IDE, 330MB ESDI hard drives; VGA and Super VGA color monitors; graphics accelerator card; 2400 baud modems; network cards; laser printers. Tower models available. **Please call for information.**

OPTIONS AND CUSTOM CONFIGURATIONS

- Hard Drives, Diskette and Optical Drives
- Modems
- Memory Expansion
- Coprocessors
- VGA and Super VGA Monitors.
- Additional Options Available On All Systems. Please Call.

Tandon

TO ORDER DIRECT, CALL NOW:

800-800-8850

FAX 805-529-8408

Tandon reserves the right to amend specifications and prices without notice. Tandon 486, Tandon 386, SL386sx, SL 486, LT/286, LT/386sx, 386sx/N, 286/N, Tandon Tower 386, Tandon Tower 486, PowerPoster, MultiCACHE and MIAT are trademarks of Tandon Corporation. Intel is a registered trademark of Intel Corporation. All other products or services are identified by the trademarks or service marks of their respective companies. Lease terms vary by system. ©1991 Tandon Corporation, Moorpark, CA.


FEA for Engineers on the Mac

FEHT, a finite element analysis program originally designed to solve heat-transfer problems, is now available for solving problems in electrical engineering and civil engineering. It gives numerical solutions to the governing partial differential equations that describe conduction heat transfer, electromagnetic fields, potential flow, and other phenomena. The program provides a drawing environment for entering the 2-D problem, the finite element calculation procedure, and the ability to graphically display the results.

The program runs on any Mac with 1 MB of RAM. **Price:** \$400. **Contact:** F-Chart Software, 4406 Fox Bluff Rd., Middleton, WI 53562, (608) 836-8536. **Circle 1278 on Inquiry Card.**

Engineering Notebooks for the Mac, Unix

HiQ is designed to replace all the functions of an engineer's notebook



FEHT generated this contour plot of temperatures of a nuclear reactor on the Mac. The program lets you assign varying degrees of fine meshing to your problem.

as well as provide all the tools that an engineer would normally use. The program integrates management, design and graphics, programming, engineering analysis, and data reduction.

The HiQ core includes more than 500 math and graphical algorithms and more than 100 problem solvers. Word processing, advanced numeric calculation capabilities, powerful scripting, 2-D and 3-D graphing, and networking facilities are included with the program.

The program is available for the Mac SE/30 or higher and Sun workstations. Versions are planned for the IBM RISC System/6000 and DEC workstations.

Price: Prelease price, \$495; \$695 thereafter.

Contact: Bimillennium Corp., 101 Albright Way, Los Gatos, CA 95030, (800) 488-8662 or (408) 866-2010; fax (408) 866-2305. **Circle 1279 on Inquiry Card.**

Estimate Natural Radiation Effects in Space

Space Radiation lets you model the effects of natural radiation in space on digital electronics and humans. It estimates single-event error rates, radiation dose, and dose equivalent in any orbit, Severn Communications says.

Version 1.1 of the program handles cosmic rays, trapped protons, and solar particles. For satellite and communications design, the program can model the effects of trapped electrons.

Space Radiation runs on DOS-based systems with 640K bytes of RAM. A math coprocessor is recommended.

Price: \$2495. **Contact:** Severn Commu-

nications Corp., 223 Benfield Park Dr., Millersville, MD 21108, (301) 987-5236; fax (301) 987-3113. **Circle 1280 on Inquiry Card.**

Mathematica's Multiplied Capabilities


Mathematica 2.0, a new version of the mathematical analysis program for the Mac, Unix workstations, and Windows, adds 283 functions, bringing its total to over 800. The program now solves numerical differential equations and has new programming capabilities, sound, and a faster compiler.

A new set of functions relates to linear programming to solve optimization problems in operations research. Some of the new features work only on certain platforms; for example, the Mac, Sony, Next, and Sun computers, which have built-in sound capabilities, let you render data and functions in audible form; publishing extensions to the Mac and Next let you create on-line books; and Mac, PC, and Windows users can simulate multitasking with Mathematica's concurrent processing feature.

The programming language now includes tracing and debugging features and direct file manipulation. A new compiler can significantly increase execution speed.


Price: \$595 to \$30,000. **Contact:** Wolfram Research, 100 Trade Center Dr., Champaign, IL 61820, (217) 398-0700; fax (217) 398-0747.

Circle 1281 on Inquiry Card.



The interface of HiQ resembles that of an engineer's notebook. You can "tear out" pages and combine them with other notebook elements.

Everything You Ever Wanted In UNIX. And Less. \$99.95*



NEW COHERENT RELEASE 3.1 NOW WITH...

- elvis: vi editor clone
- SCSI (Adaptec AHA 154x series and more on the way.) and ESDI support
- UUCP Bulletin Board System
- RAM disk support
- And much, much more!

OVER 10,000 SATISFIED USERS!

nowhere? Well it didn't. It came from Mark Williams Company, people who've developed C compilers for DEC, Intel, Wang and thousands of professional programmers.

We make all this experience available to users through complete technical support via telephone. And from the original system developers, too!

Yes, we know \$99.95 may still be hard to believe. But we've made it fool-proof to find out for yourself. With a 60-day money-back no-hassles guarantee.

You have to be more than just a little curious about Coherent by now. So why not just do it? Pick up that phone and order today.

You'll be on your way to having everything you ever wanted in UNIX. And for a lot less than you ever expected.

1-800-MARK WMS

(1-800-627-5967 or 1-708-291-6700)

FAX: 1-708-291-6750

60-DAY MONEY BACK GUARANTEE!



**Mark Williams
Company**

60 Revere Drive
Northbrook, IL 60062

*Plus shipping and handling. Coherent is a trademark of Mark Williams Company. UNIX is a trademark of AT&T. XENIX is a trademark of Microsoft.

EVERYTHING UNIX WAS MEANT TO DO.

Like the original UNIX, Coherent is a powerful multi-user, multi-tasking development system. With a complete UNIX-compatible kernel which makes a vast world of UNIX software available including over a gigabyte of public domain software.

Coherent also comes with Lex and Yacc, a complete C compiler and a full set of nearly 200 UNIX commands including text processing, program development, administrative and maintenance commands plus UUCP.

CRITICS AGREE: IT'S AN INCREDIBLE VALUE!

"Mark Williams Co. seems to have mastered the art of illusion; Coherent comes so fully qualified as a UNIX clone, you find yourself thinking 'I can't believe it's not UNIX.'"

-Sean Fulton, UNIX Today!,
November 26, 1990

"...(Coherent) may be the best thing that has happened to UNIX yet."

-William Zachmann, PC Week,
November 5, 1990

"If you want to come as close as you can to real UNIX for a low price, COHERENT can't be beat."

-Warren Keuffel, Computer Language
Magazine, November 1990

"If you want a UNIX-like development and learning system for less than \$100... I don't see how you can go wrong with Coherent."

-David Fiedler, BYTE Magazine,
November 1990

EXPERIENCE, SUPPORT AND A 60-DAY MONEY BACK GUARANTEE.

Wondering how something as good as Coherent could come from

OK. We know it's hard to believe. So just consider this.

Coherent™ is a virtual clone of UNIX. But it was developed independently by Mark Williams Company. Which means we don't pay hundreds of dollars per copy in licensing fees.

What's more, Coherent embodies the original tenet of UNIX: small is beautiful. This simple fact leads to a whole host of both cost and performance advantages for Coherent. So read on, because there's a lot more to Coherent than its price.

SMALLER, FASTER...BETTER.

Everybody appreciates a good deal. But what is it that makes small so great?

For one thing, Coherent gives you UNIX capabilities on a machine you can actually afford. Requiring only 10 megabytes of disk space, Coherent can reside with DOS. So you can keep all your DOS applications and move up to Coherent. You can also have it running faster, learn it faster and get faster overall performance. All because Coherent is small. Sounds beautiful, doesn't it?

But small wouldn't be so great if it didn't do the job it was meant to do.

LESS IS MORE!

Coherent For
the IBM-PC/AT
and compatible
286 or 386
based machines.

Santa Cruz
Operation's
XENIX 286,
Version 2.3.2

No. of Manuals	1	8
No. of Disks	4	21
Kernel Size	64K	198K
Install Time	20-30 min.	3-4 hours
Suggested Disk Space	10 meg	30 meg
Min. Memory Required	640K	1-2 meg
Performance*	38.7 sec	100.3 sec
Price	\$99.95	\$1495.00

*Byte Exec benchmark, 1000 iterations on 20 MHz 386.
Hardware requirements: 1.2 meg 5¼" or 1.4 meg 3½" floppy, and hard disk. Does not run on Microchannel machines.

Two Image and Document Databases

Symsoft's HotShot ImageBase uses a TSR image finder/previewer to eliminate the frustrating and slow task of blindly loading images into Ventura Publisher and most word processors.

The program supports WordPerfect, Microsoft Word for DOS, Harvard Graphics, other applications, and 10 graphics file formats.

Price: \$149.

Contact: Symsoft Corp., 924 Incline Way, Call Box 5, Incline Village, NV 89450, (702) 832-4300.

Circle 1282 on Inquiry Card.

The PixSure File Document Imaging System lets you electronically capture, store, manage, and retrieve files, including letters, handwritten notes, forms, and all types of paper documents. You can retrieve documents with user-defined keywords such as names, dates, customer numbers, or other information.

The program is designed for the Novell network environment.


Price: \$1495.

Contact: The Norick Companies, 5400 Northwest Grand Blvd., Suite 450, Oklahoma City, OK 73112, (800) 527-5764 or (405) 947-7560; fax (405) 946-7559.

Circle 1283 on Inquiry Card.

Easy Backup for OS/2 PM

Irwin Magnetic Systems' new OS/2-based backup software for stand-alone and networked PCs takes ad-



The HotShot ImageBase displaying a Harvard Graphics chart prior to auto-loading into Ventura Publisher.

vantage of Presentation Manager and OS/2's multi-threading and multitasking capabilities to launch background sessions.

You can select files while the software loads a backup tape. An integrated library gives you on-line access to directory information from all your tapes and backups.

EzTape PM incorporates the Stac Electronics algorithm for increasing the capacity of a tape drive and supports all versions of OS/2, including High Performance File System supporting OS/2.

Other features include automatic unattended backup, multiple hard disk volume backup, and two levels of data protection (password and encryption).

Price: \$329.

Contact: Irwin Magnetic Systems, Inc., 2101 Commonwealth Blvd., Ann Arbor, MI 48105, (313) 930-9000; fax (313) 995-8287.

Circle 1284 on Inquiry Card.

Recover from Unix Crashes

With the new Veritas File System (VxFS) and the Veritas Volume Manager (VxVM), Veritas provides a flexible, high-performance commercial file system for Unix. VxVM provides on-line reconfiguration, striping, spanning, and disk mirroring. VxFS provides fast recovery from crashes.

The Veritas system maintains a log of intended changes to the descriptive data that accompanies Unix files, clearing entries from the log as they are written to disk. If, after a system crash, the Veritas software finds leftover entries in the log, it simply writes them to disk. As a result, the maximum time to restore even a disk drive of 1 gigabyte is about 15 seconds. Traditional Unix restoration methods might require 30 minutes.

The system lets you reorganize file systems into contiguous blocks while the disk is being used. When used together with the logical volume manager, you can expand file systems while they're still active.

At a lower level, the file system's behavior can be tuned by applications when a certain type of I/O is expected. This mechanism allows database managers and other disk-intensive applications to avoid the direct-to-disk approach that is commonly taken to work around the file system.

Price: Prices depend on system. VxFS, from \$1200 to \$18,000; VxVM, from \$1000 to \$15,000.

Contact: Veritas Software Corp., 4800 Great America Pkwy., Suite 420, Santa Clara, CA 95054, (408) 727-1222; fax (408) 562-4334.

Circle 1285 on Inquiry Card.

DOS Memory at 952K Bytes

Memory Commander, a DOS memory management utility for 386 and 486 computers, lets you free up memory by moving TSR programs and device drivers into high memory between 640K and 1024K bytes. Depending on your system's video configuration, the utility can provide up to 952K bytes of contiguous memory for use by your application.

The program lets you configure up to five memory models. Once you install Memory Commander, it selects the best model for the application without requiring rebooting.

Price: \$99.95.

Contact: V Communications, Inc., 4320 Stevens Creek Blvd., Suite 275, San Jose, CA 95128, (408) 296-4224; fax (408) 296-4441.

Circle 1286 on Inquiry Card.

SPREAD THE WORD

Your new product is important to us. Please address information to New Products Editors, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Better yet, use your modem and mail new product information to the microbytes.hw or microbytes.sw conferences on BIX. Please send the product description, price, ship date, and an address and telephone number where readers can get more information.

BYTE

INTERNATIONAL

MICROBYTES
90IS-3

Kyocera's Multilight IIIsx
90IS-7


SHORT TAKES
Olivetti Tosses Its Hat Into
the 386SX Ring

Digital Research's Multuser DOS
A Pocket Computer Connection
for the Macintosh
90IS-11

WHAT'S NEW
90IS-19

Object-Oriented Management Planning
90IS-63

RESOURCE GUIDE
90IS-68



SAFETY AND HIGH PERFORMANCE GO HAND IN HAND



T660



9400i



T560i



9080i



9060S

New Advances in Safety Offer Full Protection from Radiation

EIZO's E&I (Ergonomic Innovation and Intelligence) Series display systems are proof that no contradiction needs to exist between performance and product quality on the one hand and safety and low radiation on the other. The latest advances in visual electronics embodied in E&I Series displays provide the ultimate combination of safety and quality performance. The most important features of these exciting new professional display systems are elimination of harmful static electricity and greatly reduced low-frequency alternating magnetic and electric

Recommended EIZO Controllers for EIZO Displays

T660	► MD-B12-70
9400i	► MD-B12-60
T560i	► MD-B12-70
9080i	► MD-B11, GC40
9060S	► MD-B07, B10



radiation. Specifications for radiation and static electricity conform to the new Swedish MPR-1990 standard and the values recommended by the Swedish Confederation of Professional Employees (TCO) (This option is only available in some countries). E&I Series displays have a unique saddle-to-saddle deflection yoke that eliminates image interference between two displays placed as close as 15 cm apart. And, of course, the E&I Series represents crystal clarity on every inch of the screen — a feature that has made EIZO displays the first choice of working professionals.

FLEXSCAN T660 20" Professional Hi-Res Colour Display (TRINITRON® CRT adopted)

- 0.31mm screen pitch TRINITRON® CRT ● 1280 x 1024 high resolution
- High refresh rate ● Scan frequency: Automatic adjustment; H: 30 — 78kHz; V: 55 — 90Hz ● Anti-reflection, anti-static CRT surface panel ● Low Radiation ● Dynamic Beam Spot Control System ● Professional CAD and DTP use, Super VGA, Mac II compatible

FLEXSCAN 9400i

20" Professional Hi-Res Intelligent Colour Display

- Picture digitally controlled with microprocessor ● 1280 x 1024 high resolution ● Scan frequency: Automatic adjustment; H: 30 — 65kHz; V: 55 — 90Hz ● Low Radiation ● Anti-static electricity ● Dynamic Beam Spot Control System ● Professional CAD and DTP use, Super VGA, Mac II compatible

FLEXSCAN T560i 17" Professional Hi-Res Intelligent Colour Display (TRINITRON® CRT adopted)

- 0.26mm screen pitch, non-glare treated, anti-static electricity TRINITRON® CRT with Silica Coating ● Picture digitally controlled with microprocessor ● 1280 x 1024 high resolution ● High refresh rate ● Scan frequency: Automatic adjustment; H: 30 — 78kHz; V: 55 — 90Hz ● Low Radiation ● Dynamic Beam Spot Control System ● Professional CAD and DTP use, Super VGA, Mac II compatible

FLEXSCAN 9080i

16" Hi-Res Intelligent Colour Display

- Picture digitally controlled with microprocessor ● 1024 x 768 high resolution ● High refresh rate ● Scan frequency: Automatic adjustment; H: 30 — 64kHz; V: 50 — 90Hz ● Low Radiation ● Anti-static electricity ● Dynamic Focus Circuit ● Personal CAD and DTP use, Super VGA, Mac II compatible

FLEXSCAN 9060S 14" Hi-Res Colour Display

- 800 x 600 resolution ● Scan frequency: Automatic adjustment; H: 15.5 — 38.5kHz; V: 50 — 90Hz ● Low Radiation ● Anti-static electricity ● Dynamic Focus Circuit ● Super VGA, EGA, CGA, Mac II compatible

EIZO®

Professional Display Systems

EIZO CORPORATION 7-35-1, Yokogawa, Kanazawa, Ishikawa 921, Japan Tel: (0762) 41 8600 Fax: (0762) 41 9300 Tlx: 5122-022 EIZO J

EIZO (UK) LTD. Genesis Business Park, Albert Drive, Sheerwater, Woking Surrey GU21 5RW Tel: (0483) 757118 Fax: (0483) 757121 Tlx: 858640 EIZO UK G

EIZO Distributors: Australia MegaVision Pty Ltd. Tel: (02) 975 1877/Austria HAYWARD COMPUTER + PERIPHERIE Tel: (0662) 8529290/Belgium Manudax Belgium Tel: (02) 477 92 11/Cyprus IMC COMPUTER CENTER LTD. Tel: (51) 5 376447/Denmark SC Metric A/S Tel: (42) 804200/Finland TEHOKIVI OY Tel: (0) 754 1022/France INCOMA Tel: (01) 47 91 47 02/Germany Rein Elektronik GmbH Tel: (02153) 733-0/Greece MICROTEC Computers Tel: (01) 8835115/Hong Kong LASER COMPUTER LTD. Tel: 735 5884/Iceland HANS PETERSEN LTD. Tel: (01) 680955/Italy EPSON ITALIA S.p.A. Tel: (02) 262331/Korea TAEIL SYSTEMS CO. LTD. Tel: (02) 756-5340/Norway Professional System AS Tel: (02) 25-33-50/Philippines Microcircuits Systems International, Inc. Tel: (02) 819-0776/Singapore POWERMATIC DATA SYSTEMS PTE LTD. Tel: 2500555/Spain COMELTA S.A. Tel: (01) 754 30 01/Sweden Jet Data AB Tel: (08) 753 31 45/Switzerland EXCOM AG Tel: (01) 782 21 11/Taiwan R.O.C. First International Computer, Inc. Tel: (02) 717-4500/The Netherlands Rein Elektronik b.v. Tel: (040) 431775/Turkey ROMAR PAZARLAMA SANAYI VE TICARET A.S. Tel: (01) 152 08 09

Circle 431 on Inquiry Card.

NEWS

INTERNATIONAL MICROBYTES

Industry news and technological developments in the international microcomputer market

Eden Develops First U.K. Pen-Based Computer

Eden Group (Cheshire, U.K.) has finished development of a DOS-compatible pen-based computer, the first that has been wholly financed and designed in the U.K. The new Papertalk VPI386 is designed around a 16-MHz Intel 386SX CPU and currently runs MS-DOS 3.30; it will support Microsoft's newly announced PenWindows when this environment becomes available.

Eden has also negotiated with GO Corp. for a port of the PenPoint object-oriented pen-based operating system, which should be ready later this year. Hardware features to support PenPoint, namely a soft power-down switch and a hardware identifier for networks, were designed into Papertalk from the start.

The Papertalk VPI386 is a flat tablet, measuring 340 by 270 by 28 mm and weighing 2.4 kg (including batteries). On the top of the tablet is a high-resolution backlit black-on-white LCD, with a viewing angle of 50 to 130 degrees, that emulates a 640- by 480-pixel VGA display with 16 gray levels.

A metallic border that acts as a function-key tablet surrounds the display; you can place overlays over this border to emulate a PC keyboard, a digitizing tablet, or other input devices under software control. The whole display area is covered with a tough polycarbonate film on which you "write" with the attached pencil. The company will offer two pencil options: one with a single writing end and a button, to support PenWindows, and a proprietary double-ended pencil (one end writes and the other erases) for dedicated data-gathering applications. These pencils have a high resolution of 1000 points per inch and a sample rate of 100 points per second.

The machine comes with options of 1, 2, or 4 MB of RAM and 1 or 2 MB of flash EEPROM. Two Japan Electronic Industry Development Association-standard memory card slots in the edge of the case provide the mass-storage space; at present, these hold 512K-byte static RAM cards, but the company promises higher capacities and flash memory cards. Two serial ports support attachment to external modems and fax machines. There is also a parallel-printer port.

Eden does not intend to sell the VPI386 under its own name but rather offer it as an OEM product to be labeled by other manufacturers, some of whom will supply it as a dedicated machine with ROM software. Eden has developed its own "virtual paper" application that lets you scribble handwritten notes and sketches, but the firm will not be pursuing handwriting recognition technology; that will come from PenPoint and other third-party software.

—Dick Pountain

New Version of C++ Comes to the Transputer

Inmos (Bristol, U.K.) and compiler firm Glockenspiel (Dublin, Ireland) have announced availability of Glockenspiel C++ 2.0 for the transputer on IBM PC, Sun-3 and Sun-4, and VAX VMS hosts. Inmos software manager Tony Debling says that the data encapsulation mechanism in object-oriented C++ lets objects be safely executed on multiple transputers.

Each Glockenspiel C++ product con-

sists of two compilers. The first integrates with the Inmos ANSI C compiler to generate code for transputer networks, while the second generates native code for the host machine by integrating with the host's C compiler. In the case of IBM hosts, this means Microsoft C 6.0 and the Programmer's Workbench.

Inmos distributors and Glockenspiel agents will sell the new products.

—Dick Pountain

NANOBYTES

Personal computer sales hit a high last year in **Denmark**. More than 150,000 machines were sold there, according to figures from International Data Corp. Scandinavia. Most of the computers in Denmark are from IBM, followed by Commodore, Apple, and Olivetti, IDC says.

Meanwhile, PC sales were down in **Taiwan**, according to another industry monitor. The Market Intelligence Center, based in Taipei, has released figures that show personal computer sales slipped 6 percent in 1990, compared to 1989 numbers. Shipments totaled 278,000 in 1990, the study says. The MIC report blames a slowdown in the economy.

British Technology Group

(London) is looking for portable computer and other electronics manufacturers who might want to license its algorithms and designs for **continuous speech recognition**. The company claims that its technology performs better than speech boards equipped with digital signal processors and that it is less expensive. The algorithms primarily work in systems with at least an 8-bit processor. This design requires 64K bytes: 40K bytes to hold up to 10 command words and 24K bytes for program space. For additional information, contact Peter Hawkes at 071-403-0320 or fax: 071-403-0320.

The **Electronics Industry Association of Japan** says that the **semiconductor market** will see a 7.4 percent growth rate this year. This forecast follows a year in which sales of semiconductor production equipment was down in Japan, an indicator that some say means sales of chips are in temporary decline.

Borland Gives U.K., Dutch Users a Price Break

Borland International has radically changed the pricing of its software products for the U.K. and Dutch markets. (Borland's operating structure is set up so that those two markets are in the same business group; there are no Dutch-specific versions of the company's products.) Like most U.S. companies, Borland calculated its U.K. price level simply by adding a pound sign to the dollar amount. With the exchange currently running at slightly less than two dollars to the pound, this has caused a great deal of resentment among dealers and users alike. It has also led to an increasingly lucrative gray market for virtually all software from major U.S. vendors.

Borland's move means that starting with ObjectVision and C++, the U.K. and Dutch prices will follow the U.S. price much more closely. For example, both ObjectVision and C++ are priced at \$495 in the U.S. and will now be available on this side of the Atlantic for £299.95. The prices of Borland's products in the rest of Europe are not affected by this move, but the very real cost of

translation and foreign language support has always made prices in Germany and France more reasonable. Observers in the U.K. expect Borland to announce a European-wide price alignment soon.

Rikke Helms, who was recently appointed managing director of Borland International and who worked for Borland in Scandinavia, commented, "The new pricing policy addresses two major issues: First, as an end user it must be difficult to understand why pricing discrepancies exist, and second, we need to take positive steps toward helping our channel partners match up to 1992 by at least ensuring our U.K. pricing is in line with the rest of Europe."

In the current economic climate, this price cut is a courageous move. It will probably not generate much extra market share, and it will reduce Borland's revenues significantly. Borland is taking a bold lead for the software industry. It has realized that the current pound-for-dollar pricing won't last much longer and has decided to take action now.

—Andy Redfern

Far East Companies Boosting Production, Technology of LCDs

Although certain U.S. companies and government representatives have been pushing penalties for alleged dumping of LCDs, manufacturers in the Far East continue to ramp up production as well as R&D of lightweight display devices.

The Electronics Industry Association of Japan estimates that output of LCDs will climb 23 percent this year compared to last year, which itself was a very good year. In 1992, the trade group estimates output will be up by 35 percent, for a total worth of 247 billion yen.

Along with the growth in the market, LCDs themselves are getting bigger. Several Japanese companies are perfecting their 10-inch active-matrix displays, which should be reaching mass-production stage soon; for example, Matsushita Electric Industrial is building a new fac-

tory to make 10-inch thin-film transistor LCDs. Production is expected to start at 40,000 units per month. According to the Tokyo-based *Journal of Electronic Engineering*, multiplex drive crystal displays corresponding to a 14-inch CRT have been developed, and some companies are working on LCDs that will be equivalent to 15-inch CRTs.

Matsushita, one of the busiest companies in this business, has developed a thin monochrome LCD module, measuring 256 by 157 by 8.5 mm; the display is capable of 640- by 480-pixel resolution. Hitachi has invented a new transistor structure tailored to large thin-film displays. The device's gate electrodes are made of aluminum, which enables the designers to lessen gate-delay time and build bigger displays, Hitachi says.

—D. Barker

WANTED: TECHNOLOGY NEWS

Are you involved in the development of new technology or products that could affect the international microcomputer market? If so, we'd like to hear from you. Contact BYTE in the U.S. by phone at (603) 924-2638; fax: (603) 924-2552; or mail: Martha Hicks, BYTE Magazine, One Phoenix Mill Lane, Peterborough, NH 03458, U.S.A.

NANOBYTES

An international assortment of major computer companies are banding together to give Intel's **i860 architecture** a greater presence in the industry and to help developers bring their products into the i860 environment. Members of the **MASS860** association include **IBM, Olivetti, Samsung, Oki, and Alliant**. Another group member, **Du Pont Pixel Systems** (Surrey, England), is working to promote the i860 in imaging and graphics applications. As part of its Fusion program, Du Pont Pixel is providing software, such as development tools and imaging libraries, and hardware, including i860-based image-processing boards for Unix workstations.

Comings and goings in the international market: **Hewlett-Packard** has set up a new Polish subsidiary in **Warsaw**. Singapore-based personal computer maker **Wearnes Technology** has set up shop in **Vienna**. Taiwan's **Sampo**, which makes a line of Intel-based PCs, has chosen **France** as its European base, from where it will distribute its products in Spain, Italy, Greece, Portugal, and Northern Africa. **Microsoft** plans to open by the middle of this year a marketing and sales office in **Auckland**, New Zealand.

Following years of legal wrangling between the major players competing to organize the London-based **business computer show**, two of the three contenders say that they've settled their differences and formed a single computer show, to be called **Business Computing**. **Montbuild** and **EMAP** have both organized separate shows for years, and now their collaboration looks certain to secure the place of a major show in London during these financially depressed times. The third player, **VNU**, Europe's biggest computer magazine publisher, now has no U.K. computer show either inside or outside London.



Dowty THE NEW EUROPEAN LANDSCAPE

The distinction between Local and Wide Area Networks is disappearing. Users are demanding LAN-style service, whether they're communicating across the office, across the street, between cities or countries or around Europe and the world. But only a certain type of supplier can turn the demand into a reality. Like Dowty Communications, a European leader operating worldwide. We have expertise and products in both local and wide area networking. Plus a total service from network design

through project management to installation and after-sales support. Our systems embrace international standards for open interworking - linking all types and makes of hardware into a seamless entity. Carrying voice, data, text and images too. To stay competitive in a fast-developing world, you must be prepared to change and adapt. Your information services need the flexibility of a Dowty network which will change and adapt with you. First step: call us. It will be a LANmark for your company.



Dowty
Communications
TALKING EUROPEAN

Dowty Communications, Caxton Way, Watford Business Park, Watford, Herts WD1 8XH. Tel: 0923 58000. International tel: +44 923 58000. Telex: 923325 CASE G. Fax: 0923 50829.


Dowty International Offices: Australia, Tel: +61 2 451 6655. France, Tel: +33 1 46 87 32 33. Hong Kong, Tel: +852 8100515. Japan, Tel: +81 3 343 1806.

Middle East, Tel: +971 4511632. New Zealand, Tel: +64 9 394212. Singapore, Tel: +65 2926981. Spain, Tel: +34 1 326 5220. Sweden, Tel: +46 8 830 370.

USA, Tel: +1 609 424 4451.

Circle 429 on Inquiry Card.

Multiplex 8 to 1!



BayTech's TX108 multiplexes up to eight individual communications lines into a single composite channel. These units operate with standard asynchronous dial-up or leased-line modems.

Eliminate multiple modems

- Low Prices!
- Maximizes throughput by prioritizing channels according to activity level.
- System diagnostics monitored with LED activity lights.
- 4 port or 8 port models available.
- Internal or stand-alone 2400 or 9600 bps modems available. 2400 bps modems feature MNP-5 data compression and error correction. 9600 bps modems provide MNP 2-4 error correction.
- EIA-422 port for connections up to 4000 feet.
- Composite port speeds up to 115.2K bps.
- Channel data rates up to 19,200 bps.
- Offers hardware (DTR/CTS) or software (XON/XOFF) handshaking.
- Unlimited technical support.

Eliminate the expense of multiple modems and save on telephone line costs with our TX Series Statistical Multiplexers! BayTech — the obvious choice for your low cost/high performance multiplexers, modems, peripheral sharing, and data acquisition and control devices. Call now and start saving today!

Because Resources Should Be Shared

BayTech

Data Communications Products Division
200 N. 2nd St., P.O. Box 387, Bay St. Louis, MS 39520
Fax 601-467-4551 Phone 601-467-8231

Circle 410 on Inquiry Card (RESELLERS: 411).

*All product or company names are trademarks of their respective holders.

INTERNATIONAL DISTRIBUTORS

Australia
Melbourne
Shuttle Technologies, Ltd.
(03) 587 4920

Melbourne
Goya Tech. Pty., Ltd.
(03) 747 8455

Belgium
Multiway Data Belgium
03-666-3854

The Netherlands
Multiway Data Netherlands
070-424 111

Denmark
Trend Communications
53 85 23 45

Finland
Genuine Oy Impdata
(921)335700

France
Suresnes
Kondex International
(1) 47 72 63 11

Paris
Gradoo France
(1) 42 94 99 69

Germany
Munich
AMS Computech GmbH
(089) 126808-0

Dusseldorf
Multiway Data Germany
211-251875

Italy
Torino
BRM Italiana
(011) 771.00.10

Milano
I.T.D.
(02)749.0749

Norway
A/S Kjell-Bakke
47-6-832000

Singapore
Mark Systems
(FE) Pte., Ltd.
65-244-1100

Spain
Vidmar Control
(93)2454803

Sweden
Solna
Microcom/Maldita
(08)7344100

Sofientuna
Sofientuna

Switzerland
Sengstag Computers AG
0041.1.950.54.44

United Kingdom
Leicester & London
A-Line Data-speed Devices, Ltd.
0533-778899

STAT MUX

Chorus of Approval

DICK POUNTAIN

The new Chorus operating system for the transputer lets the parallel processor run Unix

hand, the transputer is a microprocessor designed as a building block for parallel computers that use distributed memory. Because of this, the current T400 and T800 versions of the transputer offer no memory protection hardware.

Nevertheless, such is the demand that several vendors have created Unix-look-alike operating systems for the transputer, such as transIDRIS and Helios (see "A Personal Transputer," June 1988 BYTE). Until now, Inmos has not officially adopted any of these operating systems, although it has offered some support and encouragement to their developers.

Enter the H1

The new H1 Transputer, due to be launched in June, has several new features that assist in building a distributed Unix environment. In particular, its packet-switched communications system offers practically unlimited numbers of virtual channels (see International Microbytes, March BYTE) and a degree of hardware memory protection (although still well short of the full memory management unit (MMU) needed for an efficient, centralized Unix).

On January 22, Inmos, parent of the transputer and now a member of the French SGS-Thomson group, announced that it is porting the Chorus operating system to its new H1 Transputer as a route to a distributed Unix implementation.

Chorus offers more than just Unix. It lets you build heterogeneous systems that mix Unix and other operating systems on different networked hosts, with seamless cooperation between them. The Chorus nucleus also supports real-time and embedded operation.

Ever since the transputer was first launched in 1983, its users have been asking for Unix. The problem was that the original chip was patently not suited to this operating system.

Classic Unix is a centralized operating system that runs multiple processes on the same CPU, and it demands that such processes be protected from one another by a hardware memory manager. On the other

sponsible for Sol in 1979, a port of Unix to French-manufactured microcomputers and minicomputers. The complete Sol team later joined the Chorus project, bringing all their Unix experience.

The original version of Chorus was written between 1980 and 1982 as a prototype and technology demonstrator. It established the basic Chorus principles of a small, simple distributed nucleus that supported applications composed of ensembles of independent "actors" that communicate by sending messages via "ports." The next version, 1.0, was developed between 1982 and 1984 for the Motorola 680x0 microprocessor running Unix as a host development system on one of its multiprocessors. Version 2.0 appeared between 1984 and 1986 and was reworked to include Unix as a "subsystem" under Chorus, although the basic principles of the nucleus remained unchanged.

In 1986, the Chorus team transferred from the INRIA to a new firm, Chorus Systèmes, financed to a large extent by the Banque Nationale de Paris and France Telecom via their venture funds. Chorus Systèmes is commercially exploiting the current Chorus 3.0. This version, which will be ported to the Inmos H1 Transputer, is fully Unix System V and X/Open compatible, while extending Unix to support distributed applications. The port of version 3.0 is being carried out by Chorus Systèmes in collaboration with the French firms Archipel and Telmat Informatique. Archipel manufactures the Volvox range of multi-transputer computers and has accumulated considerable experience in developing transputer software tools. Telmat produces the T-Node supercomputer, which can contain up to 1024 transputers.

THE FACTS

Chorus
(price not yet available)

Chorus Systèmes
6 Avenue Gustave Eiffel
78182 Saint-Quentin-en-
Yvelines Cedex, France
33-1-30-57-00-22
fax: 33-1-30-57-00-66
Circle 982 on Inquiry Card.

Chorus is not yet well known outside its native France, but it belongs to that new generation of distributed operating systems that also includes Carnegie Mellon University's Mach, Stanford University's V-System, and the University of Amsterdam's Amoeba. It is a mature operating system that is now in its third major revision, and it has emerged from the research lab into industrial use.

The Chorus system arose from research into packet-switched networks in the late 1970s at the Institut National de Recherche en Informatique et Automatique, a government-funded computer laboratory. The INRIA was also re-

The Chorus Architecture

For users to accept a modern distributed operating system, it has to offer more features than they can find through networking alone. The jargon term is *multi-vendor transparency*; you should be able to run different applications, written in different languages, under different operating systems, on a variety of computers and microprocessors from different manufacturers, and have this mixture work as an integrated ensemble. Chorus has the potential to support this kind of seamless integration.

At the heart of Chorus is a small




Figure 1: At the heart of the Chorus operating system is a small generic nucleus that runs on every processor in the system. The nucleus supports all communications and the distribution of programs at this level.




Figure 2: The Chorus architecture. On top of the machine-specific nucleus is a set of generic operating-system services that you can use to build a standard operating-system subsystem. Among the possible subsystems is Unix. Real-time applications might run directly on the nucleus, but most applications run on the operating-system subsystem layer.

generic nucleus that runs on every micro-processor in the system and, of course, contains a machine-specific portion (see figure 1). The nucleus supports all communications and the distribution of programs at this level.

On top of the nucleus, Chorus also provides all the generic operating-system

services needed to build a standard operating system like Unix. Real-time applications might run directly on the nucleus, but most applications run on this operating-system layer. Figure 2 shows this layered structure in diagrammatic form. The Unix V subsystem is supplied as standard with Chorus.

From the start, Chorus was designed using a set of rigorous logical abstractions, quite unlike the ad hoc evolution of so many operating systems. A principal design goal is to hide the physical facts of program distribution in cases where they are not relevant to the functioning of applications. To explain how Chorus works, I first need to explain these abstractions and the terminology used to describe them.

A Chorus system runs on a real physical computer that consists of a cluster of *sites* connected by a network or bus. A site is a collection of computing resources that includes one or more microprocessors, memory, and peripheral I/O devices. In reality, a site may be the whole box—what you normally call a computer—or it may be a single board inside such a box. However, a site is *not* the fundamental conceptual unit in Chorus; instead, Chorus is based on abstract entities called *actors*.

An actor is the logical unit of program distribution and of Chorus resources. It is, if you like, a virtual computer. More precisely, an actor defines a protected virtual address space, in which several *threads* can be executed. Threads, like their namesakes in OS/2 or Mach, are lightweight processes that all share the same address space. The address space of an actor is divided between user address space and system address space. All actors on the same site have private user address spaces but share the same system address space.


The equivalent abstraction for stored data is called a *segment* (i.e., an encapsulated collection of data stored anywhere in the Chorus system). Segments have an identity independent of the physical devices used to store them, and they are managed by system servers that decide when, where, and how to store them.

A site can support many concurrent actors, but these actors are confined to that site and cannot migrate to other sites (nor can the threads that they contain). Threads are confined to their own actor, and other actors cannot share them; the actor is the execution environment for a thread.

On a site with many microprocessors, the threads of any individual actor can run in parallel on more than one microprocessor. On a single microprocessor, they can be scheduled as concurrent processes by the nucleus, which supports

JC BOARDS,

WORLD CLASS HIGH PERFORMANCE PRODUCTS



Pictured above is a portion of the products made by JCIS. Our factories in California have been producing boards for VARs and OEMs since 1979. These boards have been designed by JCIS for performance and reliability.

Our boards are used by OEMs worldwide as the basis for many of their own systems. More than 1/4 million end users are using JCIS designed products. More than 450 dealers offer our boards and systems to their clients.



JC Information Systems Corp.
High Performance Company Since 1979
44036 Grimmer Blvd.
Fremont, CA 94538
Tel: (415) 659-8440
FAX: (415) 659-8449



Our experienced engineering staff have designed-to-spec, many products using the latest technology, for OEMs that do their own manufacturing. And we can provide you as well, with a design that offers world class performance.

Call or FAX for a complete catalog of our current products. Experience the extraordinary quality, performance and engineering that goes into each JCIS product.




Figure 3: Chorus consists of sites, actors, threads, and ports. A site can be a single system or a single board within a system. Each site can have several actors, and each actor can have several threads. Each actor can also have several ports that are used for communication. The sending of a message from one actor to another requires two ports: one for the sender and one for the receiver. Unlike actors, ports can migrate so that you can dynamically reconfigure a Chorus system at run time.

preemptive priority-based scheduling and also time-slicing and priority degradation on a "per-thread" basis. (Priority degradation is the scheme used in OS/2, whereby the priority of a high-priority process is progressively reduced to give other processes a turn.) A single nucleus can simultaneously support both real-time and interactive multiuser applications by using these mechanisms.

Threads communicate and synchronize with one another by sending messages to each other via message queues called *ports*. Ports belong to actors, and

all the actor's threads can use any of its ports. You can use a port for communications between threads in the same actor, or between threads of different actors, using the same mechanism for both sorts of communication. You need two ports for any communication: one for the sender and one for the receiver (see figure 3).

Chorus's communications system, called IPC (for interprocess communications), gives every port a unique global name so that messaging is transparent to the current location of the threads; if you know the name of the receiver's port, you can send it a message without knowing where it is. Unlike actors, ports can migrate, so you can dynamically reconfigure a Chorus system at run time. Chorus also lets you combine several ports into a *port group*, which can receive multicast messages.

Messages

In Chorus, messages are just byte strings that are logically copied from the sender's to the receiver's address space. Because Chorus employs virtual memory, actual copying may not always be necessary within a single site; by just changing the page descriptor, Chorus can send a large message without moving any data.

The Chorus IPC supports two messaging protocols: asynchronous and remote procedure call (RPC). In an asynchronous communication, the sender is only blocked during the short time a message is being locally processed. IPC does not guarantee that an asynchronous message has actually been delivered; should the receiving port not exist, the message is destroyed without any notification to the sender. By choice, the Chorus nucleus does not impose flow-control protocols, because of the overhead that they would impose on all communications and the lack of accepted standards. However, you can use the basic facilities of IPC to build more sophisticated flow control into a subsystem.

The RPC protocol supports client-server systems based on *transactions*, in which a client requests a service from a remote server. An RPC client is informed when the server receives its request, and also if the server crashes before responding or if the communication line breaks. The RPC protocol guarantees that a response a client receives is actually that of the server and that it corresponds to a particular request and no other.

A Network Manager, external to the nucleus, is responsible for keeping track of ports throughout the system and for the actual dirty business of communication; currently, the Network Manager supports both Open Systems Interconnection and Internet protocols. The Network Manager also acts as a communications server for those special actors that need to access network services directly; most actors are blissfully unaware of the physical side of IPC.


Ports provide a level of indirection in the Chorus communications system. A thread that sends messages to a port attached to a server actor is insulated from the details of communication and of the threads inside the server. At "rush hours," you might start up extra threads within the server to cope with the extra demand, without any of the client threads being any the wiser. Equally, you could migrate a port from one running server to another one, and the clients would not know. You can use this facility to provide fault tolerance (migrate ports if a server fails), nonstop maintenance (migrate a port to the new version of server), or load balancing (migrate a port to a faster server).

BYTE ACTION SUMMARY

One of the most popular microprocessors for parallel processing is the transputer. Now, there is finally a Unix operating system for it, which may make the transputer more popular.

continued

SOME CALL IT "SIMPLY INGENUOUS"!



THE NEW LASER BEAM PRINTERS BY MINOLTA

SP 101 & SP 101 PS

Do you set high standards? Superior print quality for both text and graphics? Flexibility in fonts and emulations? Ease of use? Reliability and a compact design? All of these come as standard features with Minolta's innovative Laser Beam Printers.

Minolta's Fine Micro-Toning System – guarantees superior print quality; clear, sharp publication of text and graphics.

The all-in-one Imaging Cartridge – exchanged in seconds, prints at least 6,000 pages of standard correspondence.

32 internal fonts – choose from standard typewriter to typesetter fonts, from small print to headlines.

Universal Paper Cassette – holds 250 sheets and adjusts to different paper sizes, with integrated manual feed tray for thicker paper, labels or transparencies.

Dual-body design – for a compact, robust printer. Front access gives ease of use for all operations.

Both printers emulate the HP LaserJet Series II* and feature options: second paper cassette and added font ROM.

SP 101 PS

The SP 101 PS Printer achieves even higher standards, fulfilling the most demanding personal Desktop Publishing and graphic printing requirements.

– Not only a PostScript* Compatible, further emulations are available at the touch of a memory button: HP LaserJet Series II*, Diablo 630*, IBM Proprinter*, and HP-GL (Sub-set)*.

– 2 MB Standard Memory, and 35 outline fonts.

Forget complicated handling: both printers are virtually maintenance free and simple to operate.



SP 101



SP 101 PS

* The following are trademarks of their respective companies: HP LaserJet II, HP-GL of Hewlett-Packard Corp., PostScript of Adobe Systems Inc., Diablo of Xerox Corp., IBM Proprinter of International Business Machines Corp.

Minolta. The simplicity of intelligence.



Minolta GmbH · B.E.O. · In den Kolkwiesen 68 · D-3012 Langenhagen 1 · Tel. (0511) 77 00-0

Circle 455 on Inquiry Card.

"I am writing an introductory textbook on the languages of the world, and Multi-Lingual Scholar is proving to be a godsent tool for producing a camera-ready copy."

—ANATOLE LYOVIN, Professor
University of Hawaii

SOFTWARE THAT SPEAKS YOUR LANGUAGE

Multi-Lingual Scholar™, a single software program for wordprocessing and high quality printing with multiple languages in the same document. Supports on-screen foreign characters — with accents and vowel points — with no hardware modifications. Arabic, Farsi and Hebrew edit right to left, and a font editor lets you design your own characters and customize keyboard layouts.

- ☐ Standard package includes 5 alphabets: Roman (for English, European and Scandinavian languages), Arabic/Farsi, Cyrillic, Hebrew and Greek. Supports 9-pin and 24-pin dot matrix printers. \$350 + \$37 s/h
- ☐ Also available with Hindi (Devanagari) replacing Hebrew.
- ☐ Laser Printer option (HP Laserjet + II), \$150 additional.
- ☐ Optional languages: Hindi, Thai, Lao, and many others available, please inquire.
- ☐ Demo program includes tutorial. \$15 + \$7 s/h

VISA/MC/AMEX, or
bank draft in
US dollars accepted.

Req: IBM PC/XT/AT,
640K, graphics, 1 drive,
1 parallel port.

**Multi-Lingual
Scholar**

A product of
Gamma Productions, Inc.

710 Wilshire Boulevard, Suite 609
Santa Monica, CA 90401 USA
Tel. 213-394-8622 Fax 213-395-4214

AUTHORIZED DEALERS:

Australia: Belfer Electronics 3-527-7211
Canada: Bayer Bus. Machines 416-624-4001
Germany: Ing Kohler 069-76-98-29
Iran: LBI (USA) 714-727-1223 Fax 714-727-1226
Italy: Quotha32 055-22-98-022
Mid East: H. Dergham & Sons —
Lebanon 1-423-639
Netherlands: Wilson 020-23-83-95
UK: 2020 Technology 01-793-0005

Names and Addressing

Chorus gives all actors, segments, and IPC addresses (i.e., ports and port groups) unique global names by which they are known to each other and to the system. These names are called UIs (for unique identifiers), and they are constructed to be unique in both time and space; no two objects in a distributed Chorus system will ever use the same UI for the life of the system.

UIs are 128-bit quantities formed by combining a site number, which indicates the birthplace of the object, with a random "stamp" chosen from a large, sparse number space. The Chorus Network Manager can track down the current location of any name, so actors can use named objects without knowing where they currently are. You can also build gateways from one distributed Chorus system into another by prefacing each system's UIs with an extra *domain* name that identifies the system.

The Chorus and nucleus always create the actors and ports, so naming them is never a problem. However, external services might implement some objects (e.g., data segments), and such objects are named by global *capabilities*, which contain protection information to control access. A capability is constructed by combining the UI of a port of the server that manages the object with a 64-bit "key" that identifies the object within the server.

As I mentioned above, you can gather ports into port groups. In a port group, a single UI names all the ports in the group, so when a thread sends a message to that UI, every port in the group will receive it. A newly created port group is an empty UI, into which ports can be inserted (and removed) dynamically. A port can belong to more than one group at the same time. The group concept is important to Chorus, because the group UI provides a single stable name for what might be a changing group of entities. In other words, a group UI names a system service rather than the actual servers that provide the service. Groups add an extra level of indirection to the communications system and also a degree of immortality, because a group persists even after the ports it contains have terminated. This means that servers can be dynamically reconfigured without disrupting any on-going transactions.

In the interests of security, the nucleus

must control the adding and removing of ports from port groups. Accordingly, every group name has a group manipulation key that acts as a password for port insertion and removal. The creator of a group (normally a server) is given this key and can freely transmit it to other actors. In fact, the name and key of a group are related like this:

name = $f(\text{key})$

where f is a noninvertible (hence, the key cannot be retrieved from the name) function that every nucleus knows.

Protection in Chorus can be summed up as follows:

- Only possession of a port gives an actor the right to receive on that port. Ports cannot be shared between actors.
- Only knowledge of the name of a port or port group gives an actor the right to transmit to that port. The knowledge of names is protected against forgery by the sparse and random nature of name generation.
- Only knowledge of the key of a port group gives an actor the right to update that group (i.e., to insert or remove ports).

Chorus also permits protection of objects managed by subsystem servers by issuing a protection identifier to every new actor and port. All messages sent by that actor or port are stamped with this identifier, which any actor can read but only a special superuser can change. This lets subsystems such as Unix implement their own traditional file protection policies on top of Chorus.

Virtual Memory

In Chorus, the unit of information is a segment, which you normally find in secondary storage (i.e., in a disk file or swap area). System actors, called segment servers or *mappers*, maintain these segments and their capabilities, access policies, and consistency. An actor's address space is divided into several *regions*. Each region maps a portion of a segment at a virtual address range, so references to an address in the region act as references to the segment. Threads can create, destroy, and change the read/write/execute access rights of the regions in their own actor's user address space, as well as in the user address spaces of

WE TRY HARDER

- ✓ 386 33MHz 64Kb CACHE
- ✓ 4Mb MEMORY
- ✓ COLOUR SUPER VGA 14"
- ✓ 1024 x 768 PIXELS
- ✓ 512Kb SVGA GRAPHICS CARD
- ✓ 90Mb 19mSec HARD DISK
- ✓ 1.2Mb & 1.44Mb FLOPPY
- ✓ WINDOWS 3.0 & MS MOUSE

£1899

TIKO Computer Corporation specialises in fast, high precision, IBM compatible computer systems. Our standard models as shown below are superior in almost every way to our competitors' top of the range offerings. All of our systems are supplied with Windows 3.0 and a Microsoft mouse as standard. These run at 1024 x 768 Pixels and 16 colours or 256 colours (option). Only TIKO looks good at these prices. TIKO products have proven themselves time and time again. After several years of meeting and surpassing the DP requirements of the world's most demanding markets you can now benefit from Japanese quality and American know how.

TIKO supplies direct to its customers, thus reducing costs and providing a superior support plan second to none which includes a One Year On-Site nationwide maintenance agreement as standard. Today's economic situation demands higher quality at realistic prices. TIKO is committed to fulfilling those requirements for you. Make the call today and find out why TIKO is fast becoming the UK's Number 1 choice. We do try harder.



FEATURE	PC216	PC316	PC325	PC333	PC425
Processor	i80286	i80386sx	i80386dx	i80386dx	i80486dx
Processor speed	16MHz	16MHz	25MHz	33MHz	25MHz
Landmark speed	21MHz	21MHz	31MHz	58MHz	120MHz
Cache memory				64Kb 25nS	Integral 8Kb
User memory	1Mb exp to 4Mb	2Mb exp to 8Mb	4Mb exp to 8Mb	4Mb exp to 16Mb	4Mb exp to 16Mb
Floppy disks	1.2Mb & 1.4Mb	1.2Mb & 1.4Mb	1.2Mb & 1.4Mb	1.2Mb & 1.4Mb	1.2Mb & 1.4Mb
Hard disk	45Mb 25mSec	45Mb 25mSec	90Mb 19mSec	90Mb 19mSec	180Mb 19mSec
Hard disk options	90, 180, 300Mb	90, 180, 300Mb	180, 300, 600Mb	180, 300, 600Mb	300, 600Mb
I/O Ports	2xSERIAL 1xPRINTER	2xSERIAL 1xPRINTER	2xSERIAL 1xPRINTER	2xSERIAL 1xPRINTER	2xSERIAL 1xPRINTER
Graphics card	SVGA 1024x768 512Kb	SVGA 1024x768 512Kb	SVGA 1024x768 512Kb	SVGA 1024x768 512Kb	SVGA 1024x768 512Kb
Monitor	COLOUR SUPER VGA 14"	COLOUR SUPER VGA 14"	COLOUR SUPER VGA 14"	COLOUR SUPER VGA 14"	COLOUR SUPER VGA 14"
MSDOS	MSDOS 4.01	MSDOS 4.01	MSDOS 4.01	MSDOS 4.01	MSDOS 4.01
Software	Windows 3.0 & mouse	Windows 3.0 & mouse	Windows 3.0 & mouse	Windows 3.0 & mouse	Windows 3.0 & mouse
Onsite maintenance	1 YEAR	1 YEAR	1 YEAR	1 YEAR	1 YEAR
PRICE	£999	£1199	£1599	£1899	£2499

SALES CALL (7 DAYS A WEEK)



44 71-734-5093 (SALES)

44 506-631-567 (SALES)

44 506-630-838 (FAX)

THE ONLY CORNER TO CUT
PLEASE RUSH ME FURTHER INFORMATION

NAME: _____
POSITION: _____
COMPANY: _____
ADDRESS: _____

POST CODE: _____ TEL NO: _____

COMMERCIAL FINANCE AVAILABLE



14 BLACKBURN ROAD, BATHGATE,
WEST LoTHIAN EH48 2EY, U.K.

E. & O.E. Prices and specifications are subject to change without prior notification. Prices exclude VAT.

Circle 469 on Inquiry Card.

other actors whose UIs are known (only the superuser can alter system address spaces).

The nucleus on each site operates a scheme of demand-paged virtual memory for all the segments that its actors use. It maintains a local memory cache

for each segment, invoking the segment's mapper as required to fill the cache when a page fault is raised. The consistency of a segment shared between different actors on the same site is guaranteed, because there is only one such cache. When actors on different sites

share a segment, there is one cache per site, and it is up to the segment's mapper to maintain consistency between caches; a mapper can flush the cache on any site via the IPC. Chorus also allows explicit access to segments without mapping them into an address space, using exactly the same caching scheme; mappers do not distinguish between explicit and mapped access. This use of a single cache-management scheme avoids consistency problems between virtual memory and file system caches.

Unix as a Chorus Subsystem

Unix is implemented on top of the Chorus nucleus using all the abstractions described above. The Unix subsystem is built from a group of actors (e.g., process managers, pipe managers, file managers, and name managers) acting as subsystem servers that interact via IPC and as a subsystem interface that implements all the normal Unix system calls. This architecture ensures that the extreme modularity of Chorus extends to the Unix system; only those managers that are actually required at a site need be loaded, and managers can be loaded dynamically without stopping the system.

The subsystem interface is protected by using Chorus system traps, which are managed by a dedicated component of the nucleus called the *supervisor* (see figure 1). The code and data structures that implement each Unix call are loaded into system address space and hidden behind traps so that they can only be accessed via the subsystem interface.

The Chorus Unix subsystem extends Unix into a distributed environment in several ways. The Unix file system becomes fully distributed, and file access is location independent. You can connect file trees so that all files, remote and local, occupy a global name space that conforms to Unix syntax. You can execute processes, whether at the fork/exec or shell level, anywhere in the system, and child processes can be spawned onto any binary-compatible remote site. The Chorus IPC is available at the Unix interface level so that you can develop network-transparent distributed Unix applications.

All this is achieved while preserving the full semantics of System V release 3.2; existing Unix programs will run without modification and (on a binary-compatible site) without recompilation.

continued

DISCOVER UNIX

APPLICATION DEVELOPMENT

ESIX System V

Complete 2 user version	\$569
ESIX Motif/GUI Toolkit	\$299

INTERACTIVE UNIX V/386

Workstation Developer

Includes X11 dev. sys., Looking Glass, C-Soft dev. sys., VP/ix, TCP, NFS, and more.

2 user version	\$1695
3+ user version	\$2495

INTERACTIVE Motif Development System

\$395

INTERACTIVE Portable Network

\$4995

INTERACTIVE

Technical Support Programs

Call us to find which Technical Support option best suits your needs.

UHC System V, Rel. 4.0

Comp. System includes Development System, X Windows 11.4, Open Look, Motif, X11 News, NFS, TCP/IP, comp. documentation and more.

2 user version	\$1995
unlimited user version	\$2395

UNIX COMPILERS

LPI FORTRAN\$799

LPI COBOL\$1199

MetaWare High C\$895

NDP C, C++, or PASCAL\$1195

OREGON C++\$995

CALL FOR CATALOG

• International (508) 393-5560 • Fax (508) 393-1456 Dealer Inquiries Welcome



X WINDOWS

AGE XoftWare Advanced Graphics Eng.

Software for TIGA/DOS\$495

PC-Xview/16 GSS

Turns your DOS PC into an "X" Terminal.

\$449

PC-Xsight Locus

includes TCP/IP\$495

NETWORKING

ftp Software

PC/TCP for DOS\$429

PC/TCP Plus - includes NFS\$529

PC NFS Sun Microsystems\$519

UNIX PROGRAMS

Lotus 1-2-3 for UNIX

single user version\$699

10 user version\$1295

dBase IV for UNIX\$1495

UNIPLEX Plus

4 users\$1395

Informix Productscall

Terms: MasterCard, Visa,
Wire Transfer, American Express

PROGRAMMERS

ODYSSEY

120 Hudson St., Northborough, MA 01532 USA

USE YOUR FAX TO FIND THE LOWEST COMPUTER PRICES IN THE WORLD

When you know exactly what you want, the last thing in the world you need is a salesman.

Once you've come to a thoughtful decision on components, systems and peripherals or software, all you want to know is "how soon can I get it."

...and you want the facts "now!"

That is why we formed Elex International five years ago. We don't want to sell you a thing. We do want to help you find exactly what you need at a price you are happy to pay.

Very often, we find what you want in the very last place you might expect: in the USA.

Unrestricted competition in the United States keeps prices low and availability high.

Of course, many of the same powerful systems, soft-

ware programs and components are available to some extent throughout the world, but multi-tiered international distribution channels can inflate prices well above comparable levels we find in the US.

So, whether you are looking for anything from a single 41256 memory chip, to a fully configured IBM AS400 minicomputer system, Elex International gives you an important new purchasing option.

We provide this service to end users, value added resellers and original equipment manufacturers throughout the free world.

Wherever you are—in Europe, Africa or Asia—you can get direct access to the low prices and wide range of choices available in the US, right now.

It's easy to test the Elex solution. Fax your system

requirements, detailing all appropriate specifications, to an Elex order center. We will respond with a firm bid within the span of a single business day.

Fax any requirements written in English directly to our US Order Center for immediate response.

Requirements written in French, German, Spanish Italian or Russian should be Faxed to our Order Center in Geneva.

If you don't need an immediate quote, feel free to call or write at any of our Order Centers.

However you choose to contact us, you will gain an important new source that is committed to filling your computer system requirements promptly and at prices your local distributor cannot match.

Payment Method: L/C, T/T, VISA, COD

Elex International, Inc.

125-127 North 4th St.
Philadelphia, PA 19106, USA
Telephone: 215-627 7202
Toll-free Orders: 800-783-2313
FAX: 215-627-2342

Elex Information Systems, SA

65 Rue du Lausanne
1202 Geneva, Switzerland
Telephone: 41 22 7381188
24-hour Elex Net Modem: 41 22 7310444
FAX: 41 22 7381190

To help you port device drivers from a Unix kernel to a Chorus server, there is a Unix emulation library to link with your Unix code. This emulation library supplies functions such as sleep, wake-up, splx, copyin, and copyout.

Chorus Unix extends the Unix concept of a process (which is monothreaded) to allow multiple threads within any process. This is particularly useful for implementing multiplexed servers that can handle many clients concurrently without blocking. A single Chorus actor implements each Unix process. The process receives a special control port and thread with which a process manager can manipulate the process's address space and core image; these are not visible to users of the process.

Will Chorus Sing in the Transputer World?

Chorus is an elegant and apparently efficient distributed operating system. The

Chorus nucleus is small (29K bytes without virtual memory on a 68020 and 55K bytes with virtual memory), and the various servers that support Unix are each typically less than 50K bytes in size. Chorus Systèmes' benchmarks suggest that Chorus Unix performs at about the same speed as native Unix on the same microprocessor. Unlike several distributed operating systems, Chorus has matured well beyond the research stage and is currently in commercial use by the European Space Agency, France Telecom, Intel Scientific, and GEC/Plessey.

Chorus is reasonably well matched with the hardware architecture of the H1 Transputer. By treating transputers as compute servers addressed through port groups, the H1/Chorus system can be fault tolerant and truly scalable, with the ability to add extra microprocessors "on the fly." The transputer's fine-grained process scheduling and context switch-

ing should make threads efficient, while the H1's supporting C104 routing chip has packet-switching capabilities well suited to a dynamically reconfigurable network such as the Chorus IPC.

What is missing from the H1 is a full MMU to support Chorus virtual memory; thus, the first port of Chorus will use a less-powerful segmented approach to memory. Full virtual memory will have to wait for the E1 Transputer in the mid-1990s.

Most important, perhaps, is that in Chorus the transputer world will finally have an operating system that Inmos fully supports and that offers an industry-standard environment. This could give a bigger boost to the uptake of transputer technology than any event since the first launch of the chip. ■

Dick Pountain is a BYTE consulting editor based in London. You can contact him on BIX as "dickp."

Go beyond Clipper 5.0!

Professional

CLTools 3.0

supply your Clipper program with a Windows-like surface, extensive graphics library included:

- window-processing on graphic screens
- event-management for simultaneously running dialog-boxes
- mouse support, buttons, scrollbars, icon menus
- about every graphic element you could think of, image-management, presentation graphics
- PCX support - scan your pictures
- unachieved results in printing
- vector font, rubberbanding

Whether you need operating system functions, access to the printer spooler etc. - CLTools implements all the functions your program needs - clearly subdivided into 16 further groups - including highlights such as serial interface functions and a string management which knows no equal.

£ 279

CLReport 3.0

the next dimension in list programming. Menu-driven report drafting with WY-SIWYG-user interface permits even complex evaluations to be conducted without problems. CLReport and the directly linkable runtime module present a flexible, high-performance development package for professionals: support for more than 300 printer types, graphics and text output, screen-output with horizontal and vertical scrolling etc. With CLReport you can forget all about difficulties with external programs, laborious function control or licensing agreements.

£ 169

CLText 3.1

the number 1 among Clipper text systems worldwide has now become smaller, more condensed and more powerful. You are able to program your object-orientated word processing - as many editor-objects as you want with more than 80 methods - to suit your personal needs. CLText fits neatly into the Clipper 5.0 landscape and a complete application with source - MS-word-like in look and feel - is included as well as a printer-file with more than 350 printer-installations.

£ 189

Professional

Bundle: £ 519



Dr. Huggle & Partner

Dr. Huggle & Partner GmbH • Heinrichsallee 41 • D-5100 Aachen
Telefon +49-241 - 403114 • Fax +49-241 - 403117

How long will it be before you discover

CAD KIT

entry level
price*
\$ 4.999

the electronic drafting board
that signals the dawn of a new
era in CAD/CAM technology

CADKIT® is comprised of hardware boards and CAD software that can be installed on any AT-compatible i 286 based PC. Using the HW and SW facilities provided by CADKIT®, inexpensive PCs are transformed at low cost into sophisticated, high-end, turn-key, professional CAD workstations.

HARDWARE

AT-compatible CPU board

- Motorola MC 68020/30
- Motorola MC 68881/82
- 2-8 MB DRAM
- 8-16 bit AT-bus I/F
- 2 output connectors



HARDWARE

AT-compatible GRAPHICS board

- AMD QPDM
- 4-8 graphics memory planes
- 1024x768 or 1280x1024 pixel resolution
- RS 170 RGB not interlaced I/F
- 2 RS232C I/F

CAD/CAM SOFTWARE

FAST®

- 2D-3D Mechanical Engineering



CAD/CAM SOFTWARE

BUILDER®

- 2D-3D Building Engineering



DRIVER®

- 2 1/2 axis CAM

TRIDENT®

- 3D Surface Modeler

HANNOVER MESSE
CeBIT '91
HALL 19 STAND A 18

Distributors
wanted



VIDEO DISPLAY SYSTEMS

BUILDER®, CADKIT®, DRIVER®, FAST®, TRIDENT® are registered trademarks by V.D.S. VIDEO DISPLAY SYSTEMS S.p.A. AT is a trademark by IBM corp.

Circle 475 on Inquiry Card.

* Distributor price


A Page-Layout Program for Budget-Minded Users

MicroDesign 2 combines drawing, layout, and typesetting features into a low-cost, page-layout program. Creative Technology developed the program for casual users whose budgets preclude hard disk drives and laser printers.

The program comes on a single 360K-byte floppy disk, with a second disk holding a library of 25 fonts and 16 icon sets. For hard disk drive owners, the supplied installation program creates the correct directories and copies all the files. There's no vast list of printer drivers to choose from; you just select 9-pin dot-matrix, 24-pin dot-matrix, or laser, and you answer a few simple questions.

The program is divided into five main sections, each of which has its own screen displays: Layout, Text Editing, Design, Font Editor, and Icon Editor. The first display you see is Layout, which gives a reduced page preview of a full A4 page in the middle, flanked by a menu column on the left, and a shallow text-editing window below. In Editing mode, the latter window expands to full screen size.

MicroDesign handles text and graphics separately, combining the two through the Typeset operation. It stores up to 32K bytes (or 1000 lines) of text data in a separate area of memory, so you can work on only one page at a time. The program represents all graphical elements (e.g., drawings, icons, fonts, and finished pages) as bit maps, and it holds them in memory during processing. So, for example, if you want to work in a large font on a high-resolution A4 page, you may have to make some adjustments. I had to remove SideKick Plus from my 640K-byte machine before MicroDesign would let me work on high-resolution pages.



THE FACTS

MicroDesign 2
£69.95;
extra fonts, £14.95;
library disks, £19.95

Requirements:
IBM PC with 512K
bytes of RAM, DOS 3.2,
one floppy disk drive,
and a graphics adapter;
a two- or three-button
mouse is supported but
not required.

Creative Technology
(MicroDesign) Ltd.
Park House
10 Park St.
Uttoxeter
Staffordshire ST14
7AG, U.K.
44-889-567160
fax: 44-889-563548
Circle 977 on Inquiry Card.

To lay out a page, you must load and position any graphical elements onto a blank new page. Then, in the editor, you mark a block of text, which you may have created in the editor or in a file you loaded from WordPerfect 5, WordStar, Locoscript, Protext, or plain ASCII. Now you can select Typeset, and the marked text flows into the Layout display at the cursor position with the current typographical parameters in force.

Available page formats include A4 portrait and landscape and a narrow strip format, all in either high or low resolution, with text running from one to nine columns. MicroDesign does not pretend to be a full-scale desktop publishing package, so its typographical controls are Spartan—don't look for kerning, hyphenation, feathering, or

the like. However, the default values are well chosen to produce attractive printed text.

Text automatically wraps around (or continues after) pictures. If all your marked text will not fit on a page, MicroDesign moves the mark automatically to the beginning of the overmatter, so you can save the current page and start the next one at the right place. You can use the editor to write scripts that will print multi-page documents in a single operation.

The Design display is a window (roughly four times life-size) that you can call up within the Layout display and in which you can draw lines, rectangles, circles, ellipses, or freehand shapes and add flood fills with patterns; you can also enter text directly in the Design display.

MicroDesign comes with a

Times font in only 12-, 14-, 16-, and 25-point sizes, but you can get intermediate sizes by rescaling, with some inevitable loss of resolution due to pixel replication. This makes sense only for headlines and small texts like letterheads.

A supplied utility converts alien graphics file formats like .IMG, .PCX, .CUT, .TIF, and .MSP into MicroDesign's own .MDA format for importing. The Font and Icon editors let you design your own character sets and icon symbols, which you can pick from a window and paste into the Design screen display. Several icon sets (e.g., arrows, borders, and electrical and map symbols) are supplied in the library.

MicroDesign's user interface employs a sidebar menu, like those that mainframe CAD programs use. First, you select or *launch* an operation; then you adjust it by moving a cursor, dragging a box, and choosing parameters from a pop-up palette. Finally, you *fix* the result by clicking on a Tick symbol or by pressing Return. Clicking on the Cross symbol instead will undo the last operations up to two or three levels. At first I found this interface awkward, but once I grasped the launch-adjust-fix-undo concept, I warmed right up to it. However, the odd roles given to the Home, End, PageUp, and PageDown keys will vex experienced PC users.

Despite its limitations and idiosyncratic style, I find that I prefer MicroDesign 2 to the more powerful desktop publishing packages for use in performing those single-page jobs, such as invoices and letters. On my Star Micronics 24-pin printer, MicroDesign 2 produces professional-looking results and prints far faster at 240 dots per inch than supposedly smarter desktop publishing packages.

—Dick Pountain

"PowerWatch is available in the United Kingdom from:"

UNISYS

THE WORLDWIDE LEADER IN DATA PROTECTION OFFERS THESE FOUR EXCITING PRODUCTS

**ICELOCK**

IceLock is an exclusive software protection device which allows any software reseller—from developers to distributors to corporate users—to protect the programs they sell or use from software piracy. IceLock is a small "dongle" which plugs into any serial or parallel port on the computer—and yet still leaves the port open for peripherals. Software can be used like a book: copies of programs can be kept in many places but only run on computers that have the exclusive ICE device. IceLock encodes existing EXE and COM files.


**POWERWATCH**

PowerWatch works with any UPS to provide guaranteed software and hardware shut-down during a power failure before the UPS batteries are exhausted. This eliminates the possibility of UPS failure when battery time is exceeded. It saves your files, exits your programs and logs out of the network. Available to MS-DOS, XENIX and UNIX users. Compatible with all major networks.

**FILELOCK**

FileLock is a combination of hardware and software to protect sensitive data. FileLock inserts into any serial or parallel port to allow secured data to be accessed from within an application. FileLock maintains a library of secure files and it compresses secured files.

See us in America at  **COMDEX '91** Booth 5147

**TRACKER™ FIVE**

personal contact management software

Tracker™ Five is an "intelligent" cardfile system which dramatically simplifies the storage, retrieval, up-dating and access of information on clients, customers, and contacts.

And, because **Tracker™ Five** can be a TSR (terminate and stay resident) system, it means that no matter what else you're working on, one hot-key brings **Tracker™ Five** to the screen, ready to help you write a note, schedule an appointment in your calendar, or retrieve a vital piece of information in an instant.

Distributorships available, call or fax:

313 R/E Ltd. 43 Argow Pl. Nanuet N.Y. 10954 Tel. 1 (800) UD 313 RE
Tel. 1-(914) 623-1630. Fax (914) 623-7180

WORLDWIDE SUPPORT

Australia: (62) 310728 Fax (62) 961815
Denmark: (042) 804200 Fax (042) 804131
Malaysia: (03) 719 8299 Fax (03) 717 6558

Belgium: (013) 771902 Fax (013) 777372
Italy: (02) 6698 1094 Fax (02) 6700 705
Netherlands: (020) 5861 411 Fax (020) 5861568
United Kingdom: (0600) 5829 Fax (0600) 72179

Circle 401 on Inquiry Card.

A Neat Implementation of Scheme for IBM PC Users

Scheme is a modern dialect of Lisp that has a large following in the U.S. Lambda Publications provides a neat implementation of Scheme, called **EdScheme**, that runs efficiently on modest IBM PCs. As its name suggests, it is aimed at educational users.

EdScheme came on a single 3½-inch floppy disk containing only 380K bytes of files. The file EDS.EXE occupies a mere 169K bytes, but, nevertheless, the amount of user program space is limited on a PC because EdScheme does not currently support EMS. When you run EDS, it receives by default 8K bytes of compiler work space, 8K bytes of garbage-collector data space, and a maximum of 1024 levels of recursion. You can alter these values at load time, however, using command-line switches. On my 640K-byte PC, I was able to obtain, at most, 24K bytes of garbage-collected data space, whereas my 4-megabyte Acorn Archimedes permitted EdScheme to grab up to 3.5 MB of data space—a clear message there for serious users.

The user interface is Spartan in traditional Lisp style—just a blank screen with an arrow prompt at which you type S-expressions that you want to evaluate. There is, however, a rather good WordStar-compatible editor. This full-screen editor has all the normal filing functions, block moves, and search-and-replace functions, but it is limited by the size of its memory buffer to 64K-byte files. The editor indents program code automatically and can count parentheses; putting the cursor over any closing bracket shows you its balancing opening bracket. I found this feature tremendously useful.

Pressing Control-X exits you back into EdScheme and then evaluates the editor contents, which makes for a fairly

quick edit/compile cycle; it would be even quicker if you could enter the editor with a single keystroke. Another omission I found irksome was the lack of any way to line-edit and reissue previous expressions at the `->` prompt. You can use an external editor and compile your source files with the Load function; a smaller version of the compiler without the editor or turtle graphics (called EDSR.EXE) is supplied to give you more free memory in this case.

The Scheme language itself is a small and elegant variation on Lisp (see "Semantics of Scheme," February 1988 BYTE). It is lexically scoped and block structured, and the compiler automatically recognizes tail recursion and generates more efficient iterative code. Scheme has an only

slightly "sweetened" syntax compared to classic Lisp; for example, you can say *first* and *rest* instead of *car* and *cdr*, and you can say *begin* instead of *prog*. Scheme uses square brackets to delimit conditional clauses, which makes them a lot more readable, and there is a Repeat primitive for iterative loops.

EdScheme supports integer and floating-point arithmetic; the latter with a range of ± 1.7 by 10^{308} and 14 significant digits. Strings (e.g., "dog") are supported in addition to atoms. File I/O is elegantly provided via *ports*, which are first-class objects that you can pass as arguments.

Among the many advanced features EdScheme provides are continuations, streams, and delayed evaluation. *Continuations* are anonymous

functions that restore a saved environment and let you write error and other escape procedures that jump to an outer program level in a sanitary way. *Streams* provide what other languages call lazy evaluation (e.g., you can define an infinite stream that generates all the integers). *Delayed evaluation*, in which you store an unevaluated expression in a variable, provides a clean and intuitive way to pass functional arguments, and you can use it to implement streams.

Screen output is surprisingly sophisticated. Several text-windowing primitives, such as Make-Window and Print-in-Window, are built into the language. EdScheme supports graphics up to the VGA standard and comes with several of Borland's .BGI units (I suspect, therefore, that it was written in Turbo C or Pascal). A complete set of turtle graphics functions, with multiple turtles, is built in.

I could not check the performance of EdScheme in any depth, but as a rough guide, it can reverse a 10-element list 1000 times in 16.5 seconds on my 20-MHz 386SX Minstrel PC. As expected, garbage collection can severely impact performance; the Sieve of Eratosthenes working on an infinite stream of integers slowed down to a crawl after generating 50 or so primes while the garbage collector fought to free enough space for the next evaluation.

EdScheme 3.2 is an attractive and relatively efficient Scheme for PC users at a bargain price, and it deserves wider attention. The Archimedes version I received was identical to the PC version (except in memory allocation) and only ran as a single full-screen task; however, I understand that a new version will have a user interface that will make better use of RISC OS facilities.

—Dick Pountain

```

=> (define prime?
      (lambda (n)
        (cond
          [(less? n 2) #f]
          [(even? n) (= n 2)]
          [else (prime?-help n 3)])))

prime?
=> (define prime?-help
      (lambda (n div)
        (cond
          [(less? n (square div)) #f]
          [(divides? div n) #f]
          [else (prime?-help n (+ 2 div))]))

prime?-help
=> (define filter
      (lambda (f vec)
        (cond
          [(null? vec) '()]
          [(f (first vec)) (cons (first vec) (filter f (rest vec)))]
          [else (filter f (rest vec))]))

filter
=> (filter prime? (interval 2 30))
(2 3 5 7 11 13 17 19 23 29)
=>
  
```

THE FACTS

EdScheme 3.2

£38;
with Scheme tutorial book,
£50.

Requirements:

IBM AT or PS/2 with 640K
bytes of RAM, one floppy
disk drive, and a graphics

adapter, or a similarly
equipped Acorn
Archimedes.

Lambda Publications
194 Cheney Manor Rd.
The Green
Swindon SN2 2NZ, U.K.
44-793-695296

Circle 980 on Inquiry Card.

Compuclassics

Your Source For Software

TO ORDER, OR INQUIRE CALL

800-733-3888

OR FAX YOUR ORDER

818-347-9977

W Indicates Windows Compatible Products

ACCOUNTING			LANGUAGE/PROGRAMMING		
DAC Easy Accounting	85		Lotus 1-2-3 Ver. 3.1	419	
Pacioli 2000	35		Quattro Pro 2.0	319	
Peachtree Double Bonus Pack	235		Quattro Pro Upgrade	95	
Quickdraw 4.0	39		Sideways 3.3	59	
Turbo Tax 1040 Personal	39		Supercalc V	99	
Turbo Tax 1040 Professional	229		WIRIS 3-For-3	69	
			WMS Excel V3.0	319	
			WWinz	339	
CAD			UTILITIES		
Autosketch 3.0	149		1 Dir + 3.5	49	
Design Cad 30 3.1	205		386 To The Max 5.1	72	
Design Cad 20 4.2	155		Above Disk 4.0	65	
Generic Cadd 5.0	235		Amidisk	59	
TurboCAD	95		Automenu 4.7	39	
W DraftCAD for Windows	449		Blue Max for PS/2	85	
COMMUNICATIONS			Central Point Back-up	63	
Carbon Copy Plus 5.2.2	109		Check It	85	
Close Up Customer 3.0	129		Copy II PC 6.0	27	
PC Anywhere IV	99		Copywrite	65	
Procomm Plus V2.0	65		Direct Access 5.0	65	
Reflection 2+ 4.0	225		Disk Manager	39	
Reflection 4+ 4.0	299		Disk Technician Gold	95	
Smartem 340	199		Fastback Plus 2.1	115	
Smartem 320 V1.2	135		Lap Link Release III	92	
Smartcom Exec 2.0	75		Lap Link Magellan 2.0	109	
W CrossTalk for Windows	125		Call	92	
W DA Vinci EMail for Windows	849		Mace Utilities 1990	92	
W Dynacom Async for Win	189		Move Em (286 to the Max)	55	
DATABASE			Nethroom (4 User)	99	
Clarion Professional Dev 2.1	475		Nethroom (10 User)	159	
Clipper 5.0	529		Nethroom Single User	49	
DBase IV 1.1	489		Norton Antivirus	89	
Filebase Plus S/U 2.1	195		Norton Commander 3.0	99	
Filepro S/U 1.02	455		Norton Utilities Advanced 5.0	115	
Paradox 3.5	525		PC Kwik Powerpak 2.0	75	
Paradox 3.5 Upgrade	145		PC Tools Deluxe 6.0	87	
PC File 5.0	89		Power Menu	59	
Personal R-Base	81		Print Cache	99	
Quicksilver	349		Print Q 5.0	89	
R & R Rel Rpt Writer 4.0	155		Q-Dos II	39	
W DBFast Windows	256		Qemem 386 5.1	62	
W Gupta SQL for Windows	999		Qem	52	
W Q & E for Windows	109		Software Bridge 5.0	79	
W Superbase 4 for Windows	425		Software Carousel V5.0	55	
W Xerox Filebase 1.1	319		Spirit II	67	
DESKTOP PUBLISHING			Virex PC	49	
Bitstream Fonts (each)	85		W Becketttools for Windows	75	
Fontants of Press Light	59		W Desktop Set	79	
Fontants of Press 2.2	249		W Distinct Backup	99	
Goscript Plus	179		W Do Dat for Windows	135	
PFS First Publisher 3.0	75		W Faxit for Windows	169	
Professional Clip Art Gallery	159		W hDC Windows Express 3.0	52	
Readright	319		W hDC First Apps	52	
The New Print Shop	39		W MS Windows Productivity Pack	45	
Ventura Publisher Gold	549		W Superprint	115	
W Adobe Type Manager	59		W WIN Connect	82	
W Bitstream Facelit	59		W Winfax	49	
W Image-In Full Pack	579		WORD PROCESSING		
W Omnipage 386 V3.0	469		IBM Displaywrite V 2.1	245	
W Omnipage Professional	655		Facelit for Wordperfect	59	
W Pagemaker V4.0	499		Glyphix for WordPerfect	79	
W Soft Type	115		Grammatik IV	52	
W Ventura Publisher for Windows	579		MS Word 5.5	229	
W Wordscan Plus	699		Rightwriter 4.0	55	
EDUCATION/ENTERTAINMENT			WordPerfect 5.1	249	
Aircraft & Scenery Designer	31		WordPerfect 5.1 Station	189	
Flight Simulator 4.0	39		W AMI Professional	305	
Kings Quest V	45		W Grammatik IV for Windows	52	
Language Assistant French	45		W Language Master for Windows	59	
Language Assistant German	45		W Professional Write Plus	165	
Language Assistant Italian	45		W MS Word 1.1 for Windows	325	
Language Assistant Spanish	45		XENIX/UNIX		
PC Globe 4.0	39		Interactive Unix Op Sys 1-2 User	329	
Simcity	35		Interactive Dev. System	509	
Simearth	43		Lotus 1-2-3 (10 User)	1039	
Spellcasting 101	37		SCO Filebase + 386	715	
Test Drive III: The Passion	35		SCO Unix Develop Sys 386	715	
Where In The World...Deluxe	52		SCO Unix Operating Sys 386	675	
W MS Windows Ent. Pak	29		SCO VP/IX (Unlimited)	645	
W Professor Windows	39		SCO VP/IX (2 User)	355	
FORMS/FLOWCHARTING			Wordperfect for SCO Xenix 5 User	509	
Flowcharting III	145				
Formtool Gold	59				

SPRING SPECIALS

NEW! CARBON COPY PLUS V 6.0

BUY ANY WINDOWS PRODUCT, AND RECEIVE PUBLISHER'S POWERPAK FOR WINDOWS FOR ONLY \$15


NEW! PUBLISHER'S PAINTBRUSH FOR WINDOWS

BUY LOTUS 1-2-3 v3.1 AND GET FREE AMI PRO (\$19.95 MANUFACTURER'S SHIPPING CHARGE) AND RECEIVE NEXT 1-2-3 UPGRADE FOR \$49 (OFFER VALID UP TO 6 MONTHS FROM PURCHASE DATE)

All promotions good while supplies last.

HARVARD GRAPHICS v 2.3

The leading business graphic software for business. Its intuitive interface and ease of use allows instant productivity for all. Full drawing capabilities allow images to be easily customized. Practically limitless charting options allow a full range of capabilities with output for printing, color slides, overhead transparencies or free running ScreenShows.



Special Value \$299.00

NEW WINDOWS PRODUCT FROM SOFTWARE PUBLISHING!

Professional Write PLUS is a Windows word processor designed to improve the productivity of business professionals and the power of their documents.



CALL FOR SPECIAL PRICE!

BRIEF/SOURCERER'S APPRENTICE - NEW

from Solution Systems... Brief 3.1 and Sourcerer's Apprentice 1.2 with Mouse Support! Mouse Support is just one of the NEW features that makes BRIEF 3.1 Faster and More Flexible Than Ever.



\$185

EMS Coaching, Redo, dialog-box support, enhanced window capabilities and support for Microsoft C v6.0 are a few more. With its seamless interface to BRIEF, Sourcerer's Apprentice will now include mouse support as well.



\$375

BRIEF & SOURCERER'S APPRENTICE SPECIAL BUNDLE \$530.

WINNER! BEST MEMORY MANAGER

NETROOM.

SINGLE USER \$49.

FOUR USER \$99.

TEN USER \$159.



PC MAGAZINE EDITOR'S CHOICE February 20, 1991

PLEASE CALL US FOR PRODUCTS NOT LISTED. WE WELCOME CORPORATE AND INTERNATIONAL ORDERS. WE SHIP TO APO & FPO ADDRESSES. Please Specify Disk Size When Ordering

800-733-3888/818-347-7500/FAX 818-347-9977

Immediate shipment on purchase orders from government and state agencies, cities, counties, school and universities. • Prices subject to change without notice. • We ship the latest versions. • We accept Visa, MasterCard, JCB and American Express. • 2% surcharge on American Express and JCB. • 15% restocking fee for all non-defective items returned. • Please call (818) 347-9400 for an authorization number on defective goods or your return will not be accepted. • Due to copyright laws we cannot take back any software where the seal has been broken. • (Domestic Sales) \$6.00 minimum shipping per item, less on bulk orders. • \$10.50 Blue Label shipping. • \$4.50 C.O.D. charge. • International sales call for freight pricing. • Heavier items are charged accordingly. • We do not guarantee compatibility. • Call for prices for any software item not included in this ad. • Order desk open 7 A.M. to 5 P.M. Monday to Friday (PST), Saturday 10 A.M. to 2 P.M.

P.O. Box 10598, Canoga Park, CA 91309 • Showroom: 7959 Deering Ave., Canoga Park, California 91304.

Circle 421 on Inquiry Card.

A Sure Sign of Quality

Siemens Nixdorf and Partners

As a user of electronic data processing systems you require professional partners able to give you competent advice in solving your computer problems. And this is precisely where Siemens Nixdorf and their dealers set a new standard in the market:

Siemens Nixdorf QUALIFIED PARTNERS.

Wherever you see this sign of quality, you can be sure to find first-class advice, reliable service and a complete range of EDP products throughout the whole of Europe. And why should you settle for less?

A wide range of hardware. Professional systems offering top quality and performance. Particularly in electronic data processing. Made in Germany has become an acknowledged seal of quality. With the MS-DOS, OS/2, SINIX and UNIX operating systems. With integral

software solutions tailored to the needs of the business client.

Siemens Nixdorf is the ideal partner for qualified dealers, system and software outlets committed to doing far more than just selling hardware. And Siemens Nixdorf dealers are your competent system consultants for solving your EDP problems. They guarantee that you will get the right software solution. Plus the service and back-up you require. For this is our concept of synergy at work.

You'll find Siemens Nixdorf qualified partners nearby wherever you are. Just write to us for the name and address of the dealer nearest to you.

Our address:

Siemens Nixdorf Informationssysteme AG,
Division Reseller
Bürgermeister-Ulrich-Str. 100
DW-8900 Augsburg / Germany


SIEMENS

NIXDORF

Q U A L I F I E D
P A R T N E R



AGC'S COMPLETE LINE OF POWERPLAY SYSTEMS HAVE BOTH THE POWER AND THE CHARACTER TO FILL ANY ROLE IN A COMPUTING ENVIRONMENT. FROM THE SLIM DESKTOP 286 UP TO THE TOWERING AND POWERFUL 486, THE POWERPLAY SERIES HAS NETWORK WORKSTATIONS, ENGINEERING WORKSTATIONS, MULTIUSER HOSTS AND PROCESSORS FOR EVERY APPLICATION. PUT THE BEST FACE ON YOUR WORK WITH THE POWERPLAY SERIES.



THE POWER BEHIND THE PERFORMANCE



■ 13th South Africa
Computer Faire
Block 53, Booth B
June 12-15, 1991

■  Taipei
Computex
1991
Area B, Stand #522,
524, 526, 528, 530,
532 June 4-10, 1991

AGC ELECTRONICS CORPORATION-MAIN OFFICE 16th Floor, Number 629, Min-Sheng East Road, Taipei, Taiwan, 10446, Republic of China. Telephone: (886)-2-718-1523 (Rep.)
Facsimile: (886)-2-718-1808/9 **CACHING TECHNOLOGY CORPORATION-USA OFFICE** 250 North Lakeview Avenue, Unit Q Anaheim, California 92807 United States of America.
Telephone: (714)-777-2818 Facsimile: (714)-777-3608 **AGC ELECTRONICS GmbH-GERMANY OFFICE** 7 Etage, Konrad-Adenauer Platz 10, D-4000 Düsseldorf 1, Federal Republic
of Germany Telephone: (0211)-3644-83 (0211)-3658-98 Facsimile: (0211)-3653-92 **AGC ELECTRONICS CORPORATION S.L.-SPAIN OFFICE** P.º del Marqués de Zafra, 2.1.º A
28028 Madrid, Spain Telephone: (91)-256-1301 Facsimile: (91)-256-6457

Logiccraft's Booksize PC

Logiccraft's Logi Note-386SX Booksize PC has a 386SX microprocessor with a clock speed of 8 or 16 MHz, 1 MB of RAM with EMS (expandable to 2 MB with an add-on card), and a 20-MB hard disk drive. The white backlit VGA LCD screen has a resolution of 640 by 480 pixels and a diagonal measurement of 9½ inches.

Other features include a serial port, a parallel port (or, optionally, a second serial port), a numeric keypad connector, an external VGA monitor port, an external 3½-inch 1.44-MB floppy disk drive port, an expansion unit interface, and a keyboard with full-size keys and embedded numeric keypad.

The removable battery gives you 2 hours of operation, and a second internal battery lets you change batteries without powering down. A buzzer warns you when battery power is low.

FlexiMap is a program that enhances the contrast between the 16 shades of gray to dramatically improve text and graphics clarity. With graphics displays, FlexiMap generates 15 visual effects from photo-negative effect to posterization.

External dimensions of the Logi Note386SX Booksize PC are 12 by 9.7 by 1.8 inches, and the weight is 3 kg. The operating system is DOS 4.01.

Price: Singapore \$5003.

Contact: Logiccraft Products Manufacturing Pte. Ltd., 21 Kallang Ave., Suite 05-169, Kallang Basin Industrial Estate, Singapore 1233, 65-293-9088; fax 65-293-7300.

Circle 1315 on Inquiry Card.



The Logi Note386SX Booksize PC comes with FlexiMap, a program that enhances the contrast between the 16 shades of gray to dramatically improve text and graphics clarity.

A Disk-Based Index to Mac Products

MacIndex is a disk-based cumulative index for Macintosh hardware and software product news and reviews published in seven magazines available in the U.K. that feature Mac-related products. The magazines are indexed from January 1989 and include *Apple Business*, *BYTE*, *MacPublishing*, *MacUser* (U.K.), *MacWorld* (U.K.), *Management Computing*, and *Personal Computer World*.

The index is updated and published monthly (a few days after the magazines appear on the newsstands) and sent to subscribers by first-class mail.

MacIndex lets you locate a product in three ways: by category, by publisher or manufacturer, and by product name. References to magazine articles include date of issue, volume/issue

number, type of article, length of article, rating given, and page number.

The index requires a Mac SE or higher with 2 MB of RAM and a hard disk drive.

Price: £39 for a single issue; £59 for two issues per year; £79 for four issues per year; £139 for 12 issues per year.

Contact: Pippistrelle (Europe) Ltd., Eversley Gardens, Leasgill, Milnthorpe, Cumbria LA7 7EY, U.K., 44-5395-64123.

Circle 1316 on Inquiry Card.

A Real-Time 3-D Graphics Engine

When you combine Magic Nob-Box, Datapath's Multi-Axis Graphics Image Controller, and the Merlin graphics engine

board, you get a real-time 3-D graphics engine. The Magic Nob-Box is a general-purpose, self-contained device for workstations that lets you move the viewpoint of a screen image around six axes and carry out other functions such as zooming. The Nob-Box can run independently of the workstation's microprocessor, leaving the machine free for other activities. You can reboot the workstation without interrupting the program on the Merlin board and connect the Magic Nob-Box to peripherals such as a mouse, a digitizer, or another Nob-Box.

The fully programmable Merlin board is based on an i860 RISC CPU running at 33 or 40 MHz and can deliver processing speeds of up to 66 MFLOPS. The board also has a TI34010 graphics processor, which operates in parallel with the i860 and provides raster control and Texas Instruments Graphics Architecture compatibility; built-in graphics instructions; and a proprietary memory management unit, which incorporates memory pipelining and Datapath's Raz-Razor technology. The board's video-output stage provides frequencies of up to 225 MHz (screen resolutions of 2048 by 1536 pixels or 1600 by 1600 pixels). Merlin is available with 2 or 4 MB of video RAM, giving map sizes of 2048 by 1024 pixels by 8 bits or 2048 by 2048 pixels by 8 bits, and 2, 4, 8, or 16 MB of DRAM for program space. On a 600-by-500-pixel-resolution screen, Merlin can recompute and display up to 30 images per second.

Price: £1195 for Magic Nob-Box; £4995 to £5995 for Merlin.

Contact: Datapath Ltd., Alfreton Rd., Derby, U.K., 44-332-294441; fax 44-332-290667.

Circle 1317 on Inquiry Card.

Find the Right Person for the Job

Select is a computer-based assessment system from Business Software that you can use to evaluate a job applicant's strengths, weaknesses, aptitudes, and skills for a variety of positions in sales, marketing, personnel, and accounting. The system uses multiple-choice job-specific test questions to provide job-related information about the applicants.

The package includes a personality test that helps you assess a candidate's emotional stability, versatility/adaptability, precision, leadership, sociability/teamwork, creativity, motivation/ambition, and initiative. You can use the personality test on its own or in conjunction with any of the job-specific modules to assess personality and job-related qualities.

The applicant can take the job-specific and personality tests using pencil and pen or through direct keyboard input. The package includes printed questionnaires.

Select also incorporates a report generator that can produce five narrative reports and six graphs and charts. You can produce reports on any number of candidates for any number of qualities and use the graphs to compare candidates' scores for any selected qualities. The system also includes a letter writer, a label printer, and mail-merge facilities so that you can easily create personalized letters and labels for selected candidates.

Select requires an IBM PC with 640K bytes of RAM, DOS 3.1, and a hard disk drive.



You use Select to evaluate a job applicant's strengths, weaknesses, aptitude, skills, and personality traits for positions in sales, marketing, personnel, and accounting.

Price: £480; £100 to £300 each for job-specific test questionnaires.

Contact: Business Software, 5 Derby St., London W1Y 7HD, U.K., 44-71-499-1744; fax 44-71-499-6146.

Circle 1318 on Inquiry Card.

Process Weather Images

The MacSat system from Newcastle Computer Services can receive and process automatic picture transmission (APT) from weather satellites. The system can receive images from current or projected meteorological satellites and decode, display, and store them on a Mac II at a resolution of 800 pixels by 800 lines, with each pixel digitized to one of 256 intensity levels.

You plug the image acquisition board into the computer, and it receives signals from a satellite-receiving system that includes a dish antenna, a receiver, and a down converter. You can store images at four levels of magnification with full pan and scroll facilities.

MacSat can also generate a 3-D representation for synthetic-aperture radar images and create animated sequences of up to 16 frames so that weather forecasters, for example, can illustrate cloud movements.

APT images are basically transmitted as monochrome pictures; however, you can assign a color to each value of the gray scale to provide artificial coloring. MacSat can display up to 128 colors from a palette of 16.7 million shades. Using MacSat's density-slicing techniques, you can highlight specific information within an image.

The complete system includes a 1-meter-diameter satellite dish, a VHF antenna, a down converter, MacSat software, and a VHF synthesized receiver with a built-in acquisition unit.

Price: £3685.

Contact: Newcastle Computer Services Ltd., Belville House, Ponteland, Newcastle-upon-Tyne NE20 9BD, U.K., 44-661-25515; fax 44-661-860069.

Circle 1319 on Inquiry Card.

IMC's Scanner for Medical Applications

IMC designed its new color/gray-scale scanner for medical, dental, and biotechnology applications. The XRS OmniMedia 3cx scanner features an extended optical density range of from 0.01 to 3.5 and is capable of digitizing low-contrast, dark transmissive images, such as x-rays and gels, measuring up to 8½ by 14 inches.

By combining the scanner and a microcomputer, you can electronically view, diagnose, archive, print, and transmit x-rays. The 3cx can also digitize color or black-and-white reflective artwork for desktop publishing tasks.

The 3cx features 8-bit gray-scale scanning to digitize 256 gray shades for x-ray imaging. Image resolution can be between 75 and 300 dpi. Scaling of from 25 percent to 400 percent lets you set the image size to your requirements. Color scanning operates at 24-bit resolution and captures up to 16.8 million colors. When you combine the scanner's single-bit scanning mode with popular optical-character-recognition software, the 3cx can scan text from journals, publications, and other documents directly into a word processor.

The XRS OmniMedia 3cx scanner is suitable for use with machines such as the IBM PC, Mac II, Sun386i, and Sun-3 and Sun-4 workstations. The package includes color and gray-scale imaging and scanning software.

Price: £4195.

Contact: IMC, 281 St. Leonard's Rd., Windsor SL4 3DR, U.K., 44-753-830999; fax 44-753-831094.

Circle 1320 on Inquiry Card.

SERVING ALL OF EUROPE FROM LONDON & ZURICH!

PRE-SALE
CONSULTING

AT UNBEATABLE PRICES!

POST SALE
SUPPORT

NEW AND NOTEWORTHY:

Adobe Type Manager for Windows\$105 £52
Scalable WYSIWYG fonts for displays and non-PostScript printers. Supports all typefaces available for PostScript and Display PostScript.

Borland C++ v2.0\$593 £297
Windows Development without requiring MS Windows SDK! Incl. Whitewater resource Tikit.

CLEAR+ for C\$227 £113
Develop and understand your C code better, by automatically drawing program flow charts, multi-level tree charts, formatted source listings, function cross referencing and more!

Gupta SQL Windows v2.0\$1684 £842
Create Windows and OS/2 graphical applications to access SQL databases the easy way!

Multiscope Debugger for Windows\$448 £224
Two interfaces: Character mode and as a Windows app. Debug your Windows and DOS applications on a single screen, (no second monitor necessary), on a dual monitor system through a serial cable or even through a LAN network.

Object Vision\$164 £82
First ever end-user visual programming system for Windows! Innovative, new visual programming tool that enables non-technical professionals and managers to easily create interactive business applications for Windows 3.0.

Smalltalk/V-Windows\$500 £250
Combines a prototype-to-delivery development style while integrating with the host Windows 3.0 environment.

ARTIFICIAL INTELLIGENCE

Artif Combination Pack v5.11306 653
PDC Prolog (Turbo Prolog) v3.21375 187
PROLOG-2 Personal v2.15177 89

ASSEMBLERS & LINKERS

RTLink/Plus v4.1593 297
Blinker v1.11286 143
Microsoft Macro Assembler v5.1174 87
Plink86+ v2.3474 237
Spontaneous Assembly v2.0300 150
Turbo Debugger & Tools v2.0183 92

BACKUP

Back-It v3.1110 56
Central Point Backup v6.0109 54
Copy II PC v5.049 25
Copy II PC Deluxe Option Board v5.4206 103
Norton Backup v1.1176 88

BASIC

HyperHelp v1.0162 81
Microsoft BASIC Pro Dvlpmt System v7.1569 284
Microsoft QuickBASIC Compiler v4.5119 59
PowerBASIC v2.1135 68

BUSINESS

ABC Flowchart v1.1332 166
Form Tool Gold v3.0106 53
Grammatik Windows101 50
Instant OrgChart v1.0221 111
Lotus 1-2-3 v3.1757 378
Micrografix Charisma v2.0603 301
Microsoft Excel-Windows v3.0554 277
ORG PLUS Advanced v5.0116 58
PerFORM Pro534 267
Quattro Pro v2.0573 287
SideKick Plus v1.0235 117
Super Project Expert v2.0779 390
TimeLine v4.0817 408
Xerox FormBase Windows v1.1554 277

C

Aztec C Cross Development Systems698 349
Borland C++ v2.0593 297
C ASYNCH MANAGER v3.0229 115
C-terp 386 v3.5478 238
CLEAR+ for C v1.0227 113
Control Pak/PM488 244
Control Pak/Windows488 244
DESQview API C Library v1.3213 106
DESQview API Toolkit150 255
Essential Communications v3.0363 182
Essential Graphics v3.0455 228
graphicsMENU v3.0253 127
Greenleaf CommLib v3.0467 233
Greenleaf Data/Windows with Source v2.1593 297
Guido v1.5286 143
Intel 386/486 C Code Builder Kit v1.0817 408
Lattice C Development System v6.0302 151
Microsoft C Compiler v6.0569 284
Microsoft QuickC v2.5119 59
Microsoft QuickC with QuickAssembler v2.5232 116
Paradox Engine (C version) v1.0338 169
PC-Lint v4.0144 72
Pro-C with Workbench v2.01033 517
Turbo C TOOLS v6.02182 91
Vitamin C for Microsoft C v4.0272 136
WATCOM C/386 Professional v8.01672 836
Zortech C++ Developer's Edition v2.1540 270

CADD

3D Drafting371 186
AutoCAD Release 115258 2629
Design CAD 3D v3.1361 181
DRAFIX CAD for Windows v1.1762 381
Generic CADD v5.0419 210

CASE

Case: PM for C++ v2.13323 1662
Case: Windows v3.01660 830
Compeditor II v3.09421 210
EasyCASE Plus472 236
Teamwork/PCSA v3.11098 549

COBOL

Microsoft COBOL Compiler v4.01028 514
RM/COBOL-85 Development System v5.01398 699

COMMUNICATIONS

Carbon Copy Plus + Host v5.2203 102
Crosstalk for Windows v1.1223 112
LapLink III v3.0153 77
Mirror II v2.0152 76
Procomm Plus v2.0123 61
Remot2 (Host & Caller) v2.0198 99
SmartTerm 240 v3.1347 173
Takeover297 149

DATABASE & FILE MANAGEMENT

ALPHA/For v1.1548 274
AskSam v5.0404 202
Clarion Professional Developer v2.1842 421
Clipper v5.0931 465
dBASE IV v1.1871 435
dbFast/PLUS v1.4312 156
dbFast/Windows v1.5446 223
Documentor v1.5285 143
FairCom Toolbox Special Edition831 415
Gupta SQL Windows v2.01684 842
Informix 4GL RDS/ID for DOS1327 664
Microsoft SQL Server (1-5 users) v1.11207 603
Oracle Developers Kit v5.1C1240 620
Paradox v3.5905 453
Paradox SQL Link v1.0622 311
Q&A v3.0413 206
R&R Clipper and FoxBASE+ Module64 32
R&R Report Writer for XDB SQL v1.0360 180
R-BASE v3.1871 435
Superbase 4 Windows v1.2776 388
UI Programmer V2.1576 288
XOL Relational Data Manager v2.11981 490

DEBUGGER

Multiscope Debugger for Windows v1.0448 224
Periscope II with Breakout Switch v4.0178 89
Periscope IV-25MHz v4.03345 1672

DESKTOP PUBLISHING

Adobe Type Manager for Windows105 52
Astral Picture Publisher v2.1602 301
Facelift for Windows113 56
Freedom of the Press446 223
Go Script Plus v3.0336 168
Hulaak v2.0241 121
OmniPage/386 for Windows v2.1776 388
PageMaker v4.0913 457
Publish It! v2.0203 101
Xerox Ventura Publisher Gold v3.0980 490

DISK/DOS UTILITY

Disk Manager v4.0369 35
Lotus Magellan v2.0185 93
Mace Utilities 1990171 86
Norton Utilities v5.0207 103
OPTune84 42
PC Tools Deluxe v6.0168 84
Q-DOS II v2.068 34
SpinRite II v1.1117 59
XTREE Pro Gold v2.0170 85

EDITOR

Brief v3.0330 165
Brief with dbrief v3.0474 237
Sage Professional Editor v1.1355 178
VEDIT PLUS v3.3188 94

FORTRAN

F77L-EM/32 v3.01245 623
Fortran Toolkit v1 v5.2133 66
Fortran Toolkit v2 v5.2218 109
GRAF-MATIC & PLOT-MATIC290 145
Microsoft FORTRAN Compiler v5.0516 258
RM/FORTRAN Development System v2.44665 332
WATCOM Fortran 77/386 v8.01414 707

GRAPHICS

Adobe Illustrator for Windows v1.1505 252
Autodesk Animator v1.0536 268
Corel Draw v2.0693 347
Crockett Graph for Windows221 111
Designer for Windows v3.01844 422
GRASP with ARTTOOLS v3.5206 103
GSX Graphic Dvlpmt Toolkit for DOS v2.161028 514
GX Graphics v1.0300 150
HALO v3.1423 212
HALO Professional v3.0635 318
Harvard Graphics v2.3559 279
MetaWINDOW v3.7b414 207
PCX EFFECTS v1.0152 76
PCX Programmer's Toolkit v4.0375 187
Pizazz Plus v1.3167 84

HARDWARE

80387-33 Math Coprocessor1068 534
ASCII Internal 2400 Modem129 65
ASCII Internal 9600bps V.32 with MNP5794 397
Expand Disk Expander Card237 119
Practical 2400 Pocket Modem200 100
ProScan P51000 Grayscale Full-Page Scanner906 453
QuickTel 2400 Internal Modem113 56
QuickTel 4800 V.22bisV.42 Internal Modem214 107
QuickTel 9600 Internal Send/Receive FaxModem320 160
QuickTel 9600 Send/Fax Internal Modem164 82
SatisFaxTion Classic697 348
ScanMan Plus PC267 133
Worldport 2400 Pocket Modem446 223

LAN & LAN READY

AboveDISC+ (unlimited users) v1.0360 180
AboveLAN (unlimited users) v1.0B446 223
Disk Manager-N (Novell) v3.04183 92
ELN Network Level II v2.12981 490
ELN Network Level II v2.152059 1034
LANtastic 10 MBPS Ethernet Starter Kit v3.0635 318
Networker Plus v2.2261 131
Saber Menu for MS Windows 3.0464 232
Xtree Net ELS Level 1 & 2 v2.0261 141

MAC

Adobe Photoshop944 472
Adobe Type Manager v2.0109 54
ColorStudio1108 554
FastBack v2.5215 107
Freedom of the Press v3.0446 223
HyperDisk v4.288 44
HyperDisk Mac Connectivity Pack v3.0162 81
Mathematica for Mac v1.21264 632
PageMaker v4.0324 162
Smalltalk/V Mac v2.0203 101
Statview II495 248
SLIM II (Symantec Utilities for Mac) v2.0180 90
SuperCard v1.5354 177
Think C v4.0 or Think Pascal v3.0296 148

MEMORY MANAGEMENT

386 MS v1.1134 67
AboveDISC+ v4.0111 55
Headroom v2.02134 67
OEMM Expanded Memory Manager/386 v5.1110 55
DRAM v1.089 47
Turbo EMS v5.094 47
Vcache v5.0688 44

MODULA-2

EmsStorage with Full Source v1.093 47
Legitech Modula-2 Development System v3.0296 148
Repertoire v1.6152 76
TopSpeed Modula-2 DOS Compiler Sm. v1.17281 140

OBJECT ORIENTED PROGRAMMING

Ador for Windows with Language Extns. v3.01316 658
Borland C++ v2.0593 297
Object Professional v1.1248 124
Object Vision v1.0164 82
Smalltalk/V 286 v1.1203 101
Zinc Interface Library v1.0300 150
Zortech C++ Compiler v2.1242 121
Zortech C++ Developer's Edition/386 v2.11186 593

OPERATING ENVIRONMENT

386ix Operating System Release 3.2534 267
AIX Advanced Interactive Executive v1.11028 514
Concurrent DOS 386 10 Users v3.0532 266
DESQview 386 v2.3236 118
DR DOS v5.0245 123
GeoWorks Ensemble v1.0199 99
Microsoft DOS v4.01130 65
Microsoft Windows v3.0176 88
Open DeskTop v1.02005 1002

OS/2 Extended Operating System v1.31108 554
OS/2 Standard Operating System v1.3469 235
VM/386 Multitasking v1.22248 124

OS/2 PRODUCTS

Asymtix ToolBook v1.0509 255
Display Write 5/2436 218
Microsoft OS/2 Presentation Mgr. Toolkit v1.2574 287
OS/2 Programmers' Toolkit v1.11015 508
Paradox v2.0856 428
PC Prolog v3.2894 447
RBASE v2.11086 543
SideKick for Presentation Manager v1.0235 117
Smalltalk/V-PM v1.2500 250
TopSpeed Modula-2 OS/2 Compiler v2.0691 346
Wide Angle for OS/2120 60

OTHER

Dan Bricklin's Demo II (Prototype) v3.0301 150
Guide 3 for PC (HyperText) v3.0664 332
HyperPAD (HyperCard) v2.0155 77
Maze Vaccine (Virus Protection)111 55
Microsoft Windows Entertainment Pack51 25
MKS AWK (Language) v3.1140 70
MKS Toolkit (UNIX like tools) v3.1345 173
PolyAWK (Pattern matching) v2.3241 121
PolyLibrarian (Source documentation) v2.3301 150
PolyMake v3.3200 100
PVC'S Professional (Version Control) v3.3593 297
RPG II Development System v3.12064 1032
System Sleuth (Diagnostics) v2.1138 69

PASCAL

Asynch v5.01229 114
B-Tree Filter v5.04166 83
Graf/Drive Plus Professional v2.0361 180
graphicsMENU v3.0293 127
Microsoft Pascal Compiler v4.0347 173
Microsoft QuickPascal v1.0119 59
Object Professional v1.1248 124
Object ASYNCH MANAGER v1.1213 106
Pascal TOOLS and TOOLS 2 v2.5213 106
POWER TOOLS PLUS v5.1182 91
SkipJack v1.01402 201
Topaz v3.0123 62
Turbo Analyst v6.0171 85
Turbo Pascal v5.0177 89
Turbo Pascal Professional v6.0348 174
Turbo Plus v5.5261 131
Turbo Professional v5.09171 85
Turbo v3.1 v2.0229 115

SCIENCE & ENGINEERING

Advanced Math Application Pack117 59
ChiWriter v4.0490 245
Derive v2.0342 171
MathCad v2.5564 282
Mathematica 386 v1.21106 553
Mathematica for Windows v1.21581 791
Mathpak 87145 73
SSP/PC Scientific Subroutine Library v1.0455 228

SCREEN DESIGN & MANAGEMENT

Fansi-Console v3.01185 92
POWER SCREEN v1.1183 91
Vermont Views v2.0593 297
WideAngle v1.0120 60

TRANSLATORS

BAS C v3.2450 225
dbX/dbPort with Source v4.71490 745
FOR C++ for DOS1609 804
FOR C++ with Binary Runtime v3.1867 403
For_Struct v1.1986 493

UNIX/XENIX

Grammatik344 172
Informix 4GL RDS/ID4111 2056
Interactive ARCHITECT Multi-User Extension1074 537
Interactive Architect Series Workstation Dvlp2138 1069
Interactive Motif v1.0118 109
Interactive Motif Development System268 134
Norton Utilities for System V v3.2396 198
Oracle UNIX/Xenix 386 1-user v6.02728 1364
RM/COBOL-85 Dvlp. System v5.02302 1151
SCO Microsoft FORTRAN Compiler v3.3858 429
SCO Portfolio Suite 386 v6.11875 937
SCO UNIX System V/386 Devlp System v3.21177 589
VEDIT PLUS for UNIX/XENIX v3.24344 172

WINDOWS DEVELOPMENT

Asymtix ToolBook v1.0509 255
Btrieve for Windows v5.1665 332
Halo Windows Toolkit v1.0665 315
hDC Windows Express v3.094 47
KnowledgePro for Windows v1.41092 546
MS Windows Device Driver Dvlp Kit v3.0572 286
MS Windows Productivity Pack74 37
MS Windows Software Developers Kit v3.0572 286
Object Vision v1.0164 82
Smalltalk/V-Windows v1.0500 250
WindowsMaker v3.011104 552

- All major credit cards accepted.
- 30 day invoicing for qualified organizations.
- Special discounts for large or corporate buyers.
- Prices do not include VAT or other local taxes.
- Prices subject to change without notice.

USA SOFTWARE

LIMMATQUAI 116
8001 ZURICH • SWITZERLAND
TEL: 01-252 6710 • FAX: 01-252 7795

16 CONNAUGHT STREET
LONDON W2 2AG • UK
TEL: 071-402 0722 • FAX: 071-724

Over 3,500 products carried. Call today for price list-disk.

Circle 474 on Inquiry Card.

Low-Emission VGA Monitors

If you are concerned about the potential health dangers of low-frequency magnetic CRT emissions and static electricity, Mitac's new Super VGA monitor may be for you. The L1420 low-emission 14-inch color monitor uses a deflection yoke and silica coating to surpass the Swedish National Institute of Radiation Protection standards.

The Mitac L1420 offers an interlaced resolution of 1024 by 768 pixels and a dot pitch of 0.28 mm. In addition to a 14-inch display and flicker-free picture supported by a bandwidth of 45 MHz, the L1420 is also compatible with VGA, Super VGA, 8514/A, and Mac II standards. The monitor has a flexible scan range of from 31.5 to 35.5 kHz for automatic trace and auto-adjust frame sizing for standard 8514/A and VGA modes.

The newly designed deflection yoke features a "lizzy wire" cancellation coil that cuts down emissions by canceling out the ELF field inside the CRT. In addition, the chemically etched, anti-glare, tinted glass reduces screen glare, while inside the CRT, an anti-static silica coating absorbs and eliminates electrostatic emissions created by the CRT's electro-beam.

The L1420 supports international keyboards with 102 or 122 keys and has serial and parallel interfaces located on its side and rear.

Price: £349.

Contact: Mitac (U.K.) Ltd., Unit 1, Hortonwood 32, Telford, Shropshire TF1 4EX, U.K., 44-952-677022; fax 44-952-605605.

Circle 1321 on Inquiry Card.



The L1420 color monitor uses a deflection yoke and silica coating to cut down emissions and eliminate static.

Desktop Publishing for Windows

LaserScript Publisher brings typographic precision to desktop publishing. The package includes functions such as block manipulation, searching and replacing strings, text storage, and file insertion.

The formatting screen provides a grid that helps you lay out your pages without pasteups. After you input the text, you can digitize the images and photos you want to insert into your documents using the scanner, or retrieve image files from a drawing software package.

You can format two pages per screen (numbered from 1 to 999) with options such as

files, graphics, display, modification, cut, balancing, and zoom. All these options let you compose your page using A4 format in the form of a layout or directly by half-page using the zoom. Once you call up a document, you can choose the size of your character fonts from between 4 and 700 points and then condense, extend, or frame the character fonts. You can then place your texts, grids, frames, and images manually within the page using the keyboard or a mouse. If you use the keyboard, the page formatting can be at a resolution of 1/1000 mm. When you use a mouse, you get a precision of within 1 mm.

The page side display helps you find the precise location of the different elements of your page format. The graphics option offers you a variety of possibilities, including the choice between grids and frames in

percentages of from 0.1 to 100 (width for the grids, density for the frames) with square or rounded corners, different radii, and printing in a circle or at an angle. Correction features include column replacements via the mouse with page side display; deletion; column truncation; correction of text currently being formatted; readjustment of grids, frames, and images; and transfer from one page to another. Once your page looks the way you want it to, you can store it and print it. Printing quality depends on your equipment—you can print from 300 to 1200 dpi with a laser printer and up to 2500 dpi with a photocomposer.

Typesetting features include vertical and block justification, interactive character anamorphosis, fill-in characters, italics, rounded characters, rotation of text by degrees, body variation, and a variety of type styles.

You can apply color to any elements you have created with LaserScript Publisher and use it in the page layout. Quadrichromatic separation features let you produce one film per color, with cutting reference points. You can print your document on a color printer.

LaserScript Publisher requires an IBM XT with 640K bytes of RAM, DOS 3.2, Microsoft Windows 2.0 or higher, a 20-MB hard disk drive, a Windows-compatible graphics adapter and monitor, a Microsoft Mouse or compatible, and a laser printer.

Price: 8980 French francs.

Contact: API Informatique, 41, rue Albert Perdreau, 92370 Chaville, France, 33-1-47-50-17-69; fax 33-1-47-50-22-36.

Circle 1322 on Inquiry Card.



GUESS WHICH MANAGER HAS CHARISMA

What's most important about a business presentation is how good you look after everybody else has finished. No matter what you know, it's how well you've communicated that usually determines your success. That's why you need Charisma.

Charisma is a complete graphics program for business, combining text charts, graphs, and drawing tools in one powerful package. Switch to Charisma and you can stop switching back and forth between all the other programs to get what you need. Now it's all at your fingertips.

The time and energy you save can be used to refine your presentation. And think of the time your work group will save by only having to be proficient with a single easy-to-learn graphics program.

Another clear advantage is Charisma's compatibility with Windows 3.0 which conveniently pops hundreds of options on the screen for rapid experimentation. Browse through chart types, clip art, 42 outline typefaces, perspective chart effects, colors, gradients, chart templates, and free form layouts, to name a few.

Charisma also includes drawing tools that will help the beginner and offer the power user maximum control. So finding the combination that gives your presentation the right snap will be quick and easy.

Charisma can import many other graphic and spreadsheet formats, but more importantly, imported text, charts, and graphics arrive as data and can be further manipulated and incorporated.

When boundaries disappear creativity flourishes. The usual can be made unusual. Communication becomes forceful and unique. Charisma turns drudgery into innovation.

Make your next presentation a memorable performance. Ask for Charisma at your local software dealer or through your corporate purchasing department.

Or call your local MICROGRAFX office directly.



THE LEADER IN WINDOWS 3.0 GRAPHICS

Micrografx Ltd.
Surrey House, 34 Eden Street
Kingston-Upon-Thames KT1 1ER
United Kingdom
Tele : 081-547-1638
Fax : 081-547-1647
Territory: England, Scotland, Ireland, Wales
Contact: Michael Nash, Sales Manager

Micrografx Scandinavia ApS
Ringager 4C
DK-2605 Brøndby, Denmark
Tele : 43-43-26-77
Fax : 43-43-26-66
Territory: Denmark, Sweden, Norway,
Finland, Greenland
Contact: Lars Rønning, Sales Manager

Micrografx France
Sternes 1; 15 avenue du Québec
Courtaboeuf Z.A.
91140 les Ulis Villebon, France
Tele : 01-69-86-9595
Fax : 01-69-86-9465
Territory: France, Belgium, The Netherlands
Contact: Yvan Lazareff, Sales Manager

Micrografx Deutschland
Prälat - Zistl Straße - 6
8000 München 2,
West Germany
Tele : 089-260-3830
Fax : 089-699-3333
Territory: Germany, Switzerland, Austria
Contact: Ulrike Pfeiffer, Sales Manager

Micrografx Canada
853 Logan Avenue
Toronto, Ontario M4K 3E2
Canada
Tele : 416-778-7611
Fax : 416-778-7612
Territory: Canada
Contact: Grant Wickes, Sales Manager

Micrografx, Inc. 1303 Arapaho, Richardson, TX 75081 USA - (214)234-1769 (customers outside of North America please dial extension 3710). Copyright© 1990, Micrografx Inc. All rights reserved, Micrografx is a registered trademark, and Micrografx Charisma is a trademark of Micrografx. All other products are trademarks of their respective owners.

Circle 452 on Inquiry Card.

Line Printing for Offices

You can use the MT661 high-performance line-matrix printer in normal office environments. Mannesmann Tally's shuttle-line-matrix machine uses a bank of 66 print elements to produce 132 characters simultaneously in one line. The mechanism uses counter-rotating eccentric weights to minimize vibration when moving the shuttle, leading to its low acoustic characteristics. The MT661 can print at 800 lines per minute with an acoustic level lower than that of most personal printers.

The MT661 is designed for high workload applications of up to 75,000 pages per month. Standard emulations are IBM Proprinter and Epson FX.


The six resident fonts are draft, data processing, Courier, Gothic, and OCR A and B. The MT661 also provides for graphics printing at a resolution of 240 by 240 dpi. A Graphics Processing Option for industrial graphics provides QMS compatibility.

The MT661 has a shared parallel and serial interface that lets you connect it to two hosts simultaneously (e.g., you could use the machine as a LAN-server printer and as a traditional minicomputer or mainframe line printer at the same time). You can mount the MT661 on a desktop or pedestal.

Price: £4990 and up; £450 for the pedestal; £600 for the Graphics Processing Option.

Contact: Mannesmann Tally, Molly Millar's Lane, Wokingham, Berkshire RG11 2QT, U.K., 44-734-788711; fax 44-734-791491.

Circle 1323 on Inquiry Card.



Mannesmann Tally designed the MT661 to print 800 lines per minute with an acoustic level lower than most personal printers'.

A Board for Hostile Environments

GipCo designed its XT-V25 board for use in environments where a PC with a floppy or hard disk drive would be too delicate or too expensive to be used. You can create an application using any language, video adapter, or other IBM XT-compatible hardware; test the application on the XT-V25 board with a

floppy disk drive; and then transport it onto EPROM. The included software creates the EPROM data files required for the application.

The board contains an NEC V25 microprocessor running at 8 to 10 MHz. All BIOS interrupts are totally IBM XT compatible. The XT-V25 also comes with three XT-type expansion slots, 640K bytes of RAM, a 1-MB EPROM disk, two RS-232 ports, and one parallel port. You can use it with an XT keyboard or a 64-key membrane keyboard that uses the same buffer as the standard XT keyboard.

Other features include an

A/D converter for digitized speech or sounds, a 7-W audio amplifier, an eight-line bidirectional I/O port, an eight-line input port capable of also reading 16 voltage levels, eight outputs capable of driving 30 V at a maximum of 0.1 amp, and an on-board real-time clock with 2K bytes of battery-backed RAM.

Price: 600,000 lire.

Contact: GipCo srl, Via Barsanti, 17, 47100 Forlì, Italy, 39-543-795055; fax 39-543-795078.

Circle 1324 on Inquiry Card.

Automate Your PC

If you have procedures on your PC that you repeat regularly, AutoRun from GuildSoft can automate those frequently repeated routines no matter how complex they are or how long the sequence takes to execute. The PC automation software acts as a software robot, running a single program or series of programs completely unattended, at any time.

After you execute a routine one time, AutoRun memorizes each keystroke and the amount of time between keystrokes as you type them. The program is then ready to execute the program to the schedule you require.

AutoRun requires an IBM PC with 512K bytes of RAM and DOS 2.0.

Price: £99.95 for the single-user version; £299.95 for the multiuser version.

Contact: GuildSoft, Wentworth House, Dormy Ave., Mannamhead, Plymouth, Devon PL3 5BE, U.K., 44-752-251155; fax 44-752-604012.

Circle 1325 on Inquiry Card.

ISIC: Helpdesk Tool



ISIC: Information Systems for Information Centers is an entirely menu-driven, pc-based softwarepackage. ISIC is extremely user friendly and improves your enduser support.

ISIC automates and controls information within data centers (Helpdesk, Information Center, User Support Department), as well as between the data-center and the enduser. With ISIC you keep track on all your expensive computerequipment. Using ISIC, calls of users will never be lost or forgotten.

ISIC can be used as a single-user version for IBM PC's (and compatibles) and as a multi-user, network version for all PC networks. The database can be read by popular softwarepackages like Lotus 1-2-3 and dBase.

ISIC: A proven product from a company dedicated to quality.

For more information please contact us:

Rijnhaave Software Distribution

Postbox 2301
2301 CH Leiden
The Netherlands

Phone: + 31 (0)71 226473
Fax: + 31 (0)71 221458

Dealer Inquiries Invited



Information System for Information Centers

Features:

- Problem and change management
- Inventory management
- Hard- and software purchase control
- Training course administration
- Order processing
- Rental control
- Efficient call logging
- Management reports and graphics

An i860-Based Module for Your IBM AT

The latest transputer module from Quintek is based on the Intel i860 processor. In typical parallel-processing environments, the company says, the TRAM will run 5 to 10 times faster than a transputer.

You can use the Quintek i860 TRAM as a coprocessor, an accelerator, or an i860 evaluation card for a variety of hosts, including IBM AT, Apollo, Sun, and VME machines. It is fully supported by the MetaWare ANSI C Compiler with a standard host server for DOS and Unix parallel systems.

Typical applications for the Quintek i860 TRAM include engineering simulations, advanced financial modeling, and image processing.

Price: £4999 to £6580, depending on the memory and clock speed.

Contact: Quintek Ltd., Southfield House, 2 Southfield Rd., Westbury-on-Trym, Bristol BS9 3BH, U.K., 44-272-628196; fax 44-272-628717.

Circle 1326 on Inquiry Card.

First APL for the X Window System

Dyadic Systems says that its Dyalog APL/X is the first implementation of the APL programming language designed to exploit the facilities of the X Window System. The package combines Dyalog APL's development environment with the graphical user interface provided by X Window.

Dyalog APL/X provides you with a session window for the evaluation of APL



You can use Quintek's i860 TRAM as a coprocessor, an accelerator, or an i860 evaluation card.

expressions, and several edit windows for APL functions, operators, and variables. The debugger displays the APL function stack as a stack of overlapping windows and lets you step through an application watching the code execute line by line. You can also set up windows to watch variables change as the application runs. The development environment is fully integrated and lets you copy and move data freely among different windows.

The screen manager lets you design and build sophisticated user interfaces. It has been enhanced to take advantage of the facilities of X Window, yet remains fully compatible with other versions of Dyalog APL/X.

An interface to xlib, the X Window subroutine library, provides you with a set of graphics tools. The product also includes a set of high-level functions for business graphics applications. Using these tools, you can incorporate multiwindow graphics into an application.

Dyalog APL/X is available for the Sun Sparcstation running under OpenWindows, the IBM RISC System/6000 under AIX Windows Environment/6000, and the Hewlett-Packard 9000 Series 300 and 400 workstations.

Price: £1500.

Contact: Dyadic Systems Ltd., Riverside View, Basing Rd., Basingstoke, Hampshire RG24 0AL, U.K., 44-256-811125; fax 44-256-811130.

Circle 1327 on Inquiry Card.

Develop Multimedia Applications

The new version of Book One, Parallax Software Publishers' authoring system (see April 1988 What's New International, page 88A-3), integrates videodisk and CD-ROM so that you can develop courseware applications consisting of text, pictures, animations, music, and video. Book One Professional uses a WYSIWYG editing concept for dynamic and interactive applications that minimizes training time and maximizes authoring speed and power, according to the company.

You can store frequently used backgrounds, programming routines, or interaction processes permanently in memory for quick retrieval and economic use of disk space. You also get scan-disk mode for quick selection of video sequence, sync elements for exact synchronization of graphics and video, a video highlight option, still frames, and setting of frame numbers by variables.

Book One Professional requires an IBM AT with 1 MB of RAM, DOS 2.11, VGA capability, a VGA monitor, an EMS driver, two RS-232 ports, a Microsoft-compatible mouse, and, optionally, a CD-ROM drive. It also requires an overlay board and a video-disk player.

Price: 5000 Dutch guilders.

Contact: Parallax Software Publishers BV, Zandpad 28, 3601 NA Maarssen, The Netherlands, 31-3465-72740; fax 31-3465-71732.

Circle 1328 on Inquiry Card.

V.32 Smorgasbord

Motorola/UDS offers
more choices, more features
than any other modem builder

Motorola/UDS, acknowledged by leading trade magazines and independent research organizations as the world's premier supplier of V.32 modems, offers more variations on the V.32 theme than any other manufacturer.

Beyond basic V.32 conformity lies a myriad of features and options. Among the user options available are:

PACKAGING—Board-level IBM plug-ins, standalone packages or central site rack-mountable cards.

THROUGHPUT—Selected models offer MNP® levels 4 and 5 for error control and data compression; others, in compliance with CCITT V.42 bis, offer MNP or LAP-M compression throughput rates up to 38,400 bps.

CONNECTIVITY—Sync-Up™ board-level versions of V.32s are available for various combinations of BSC, SNA and OS/2 host-to-remote communication for EDI, X.25, BSC, SNA and LU6.2 applications.


PC APPLICATIONS—V.32s are available in the FasTalk® configuration, designed especially for PC use.

INTERNATIONAL ACCEPTABILITY—Several versions of the Motorola/UDS V.32 have already been qualified to non-U.S. operating standards, assuring their acceptability in multi-national networks.

For a look at the whole menu, contact Motorola/UDS, 5000 Bradford Drive, Huntsville, AL 35805-1993.

Telephone 205/430-8000; FAX 205/430-8857.

MNP is a trademark of Microcom, Inc.; OS/2 is a trademark of International Business Machines; Sync-Up and FasTalk are trademarks of UDS.



MOTOROLA
UDS

A Lean, Mean Computing Machine

Core Pacific Electronics designed its NB-386SX notebook computer to be trimmer and less bulky for carrying convenience. The system includes a 386SX microprocessor, VGA graphics capability, and floppy and hard disk drives.

Besides the interchangeable 16- or 20-MHz 386SX microprocessor, the NB-386SX comes with 1 MB of DRAM (expandable to 16 MB); a socket for an 80387SX coprocessor; one 3½-inch 1.44-MB floppy disk drive; a 20-, 40-, or 60-MB hard disk drive; and a full-function 78-key keyboard. The VGA-compatible LCD screen is sidelit and has a resolution of 640 by 480 pixels with 16 gray scales. The interfaces include two serial ports, one parallel port, one external monitor port, one external keyboard port, one external DC input port, and an external IBM AT-bus expansion port. The internal rechargeable nickel-cadmium batteries are removable, and you can replace them with regular alkaline batteries. The NB-386SX also comes with an AC adapter.

External dimensions are 280 by 235 by 46 mm, and weight is 3 kg. Options include an 80387SX coprocessor, an external 5¼-inch floppy disk drive module, an external 102-key keyboard, and an external pocket fax modem.

Price: About US\$3000.

Contact: Core Pacific Electronics Co. Ltd., Ninth Floor, 108-4 Min Chuan Rd., Hsintien, Taipei, Taiwan, R.O.C., 886-2-9160048; fax 886-2-9144960.

Circle 1329 on Inquiry Card.



The NB-386SX packs a 386SX CPU, up to 16 MB of DRAM, a 3½-inch floppy disk drive, a hard disk drive, and VGA into a notebook computer.

LPA's New Series for 386/DOS

Logic Programming Associates' new 386 series is a range of software tools for 386 microprocessors running under DOS. The 386 series includes LPA 386-Prolog, hci/386, flex/386, Prolog++/386, and GraFix/386.

At the base of the 386 series is a Prolog inference engine, a window system, and a program editor. The new series can access up to 4 gigabytes of memory and uses incremental compilation of user programs to provide the speed of a compiler with the interactive behavior of an interpreter.

LPA 386-Prolog supports first-argument indexing, tail recursion, last-call optimization, and source-level debugging. It has access to structured data files through

formatted I/O primitives, a dedicated dBASE III interface, built-in file-browsing facilities, and a 32-bit floating-point arithmetic package.

The hci/386 software provides a set of routines for constructing sophisticated user interfaces and supports pop-up menus, pull-down menus, complex dialogues with buttons, edit fields and menus, and business and financial functions.

The flex/386 package provides an expert-system toolkit—with frames, instances, daemons, rules, relations, and questions—that supports multiple inheritance and dynamic rule sets and has full access to Prolog. The flex package contains its own Knowledge Specification Language, whereby it defines rules and frames in an English-like natural language.

Prolog++/386 provides a complete object-oriented programming language with objects, instances, methods, and attributes.

The language supports multiple inheritance and message cascading, and it has full access to Prolog. To aid program development, there is an object inspector and a graphical hierarchy browser.

GraFix/386 provides high-resolution full-color graphics facilities (up to VGA), including support for bit maps (PCX files) and bar-chart facilities.

The 386 series requires a 386-, 386SX-, or i486-based IBM PC with 2 MB of memory (preferably 4 MB) and DOS 3.3.

Price: £2000 for LPA 386-Prolog; £3000 for the flex/386 package; £2500 for the Prolog++/386 package; both hci/386 and GraFix/386 are supplied free of charge.

Contact: Logic Programming Associates Ltd., Studio 4, Royal Victoria Patriotic Building, Trinity Rd., London SW18 3SX, U.K., 44-81-871-2016; fax 44-81-874-0449.

Circle 1330 on Inquiry Card.

Use Two Monitors Simultaneously

With the AGC-Post-Write card, you can power two monitors from one computer. This dual-display card runs monochrome software and gives you a parallel printer port, full-screen CGA graphics with 16 shades of gray, adjustable contrast level, 132-column high-resolution text mode, and an efficient video memory interface.

Price: US\$15.

Contact: Advanced Computer Technology Ltd., 12th Floor, Chuang's Finance Centre, 81-85 Lockhart Rd., Wanchai, Hong Kong, 852-866-2728; fax 852-866-2359.

Circle 1331 on Inquiry Card.

RDE

presents

LifeNet 90

for 386 / 486 Networks.

**It's a High Performance Network Operating System.
It's State of the Art. It's written in 386 "C" by RDE.
It's "Made in West Germany". You should know about it.
Dealers, OEMs and Distrib. will get Special Information.**

Fax for Info - right now.

Highlights:

**True real 386 Code, SAA/Windows like User-Interface,
Software Fault Tolerance with Real-Time-Tape Backup,
Arcnet, Ethernet & TokenRing, Huge ESDI Disks,
extremly fast, safe, easy Installation, easy to handle,
comparable low price.**

We are looking for Distributors.

Circle 458 on Inquiry Card.

LifeNet 90
High Performance Network Operating System

RDE Network Systems

Fax : 49/611/507252 (West Germany)

Hand-Held Bar Code Readers

Codeway's range of ScanPlus hand-held bar code readers operates at 200 scans per second. The readers can replace wands, other charge-coupled devices, hand-held lasers, and Spectra-Physics flatbed lasers used in supermarkets. Applications include data collection systems in offices and factories; tracking systems for distribution, assembly areas, service departments, and laboratories; and record management in commerce, government, health services, pharmacies, and libraries.

The curved unit is easy for you to hold while pressing keys on cash registers, visual display units, data collection terminals, and portable data recorders. The 2-cm depth of field lets ScanPlus read bar codes on curved surfaces and flexible packaging. The unit can also read poor-quality print.

ScanPlus can decode eight bar code families: EAN/UPC, Code 39, Code 128, 2 of 5 (standard, matrix, and interleaved), Codabar, Code 11, MSI, and Plessey. It can also provide undecoded output and read bar codes to a high-resolution limit of 0.8 mm.

The new models let you connect ScanPlus to more than 200 PCs and visual display units supported by Microbar; IBM 3683 and IBM 4683 retail terminals; and NCR, TEC, Olivetti, and other point-of-sale units. You can directly connect the RS-232 models to a variety of equipment. There are low-power versions, with optional switches, for use with battery-powered portable data recorders such as the Psion Organiser. You can transfer the ScanPlus V9 model from use with a POS



The ScanPlus bar code readers can replace wands, other CCDs, and hand-held lasers and can decode eight bar code families.

terminal to a portable for stock-taking after hours.

Price: £595.

Contact: Codeway Ltd., Telford Way, Colchester CO4 4QP, U.K., 44-206-751300; fax 44-206-751286.

Circle 1332 on Inquiry Card.

PAL Video Overlay Controller Card

The Spectrum-PAL video-overlay controller card for the IBM AT works in conjunction with the system's VGA display card to place a live or frozen video window on the system's VGA monitor. The Spectrum's hardware approach to the overlay of video on VGA screens does not require DOS TSR routines or other software interference with the operating system. This feature means that software developed on the U.S. Spectrum-NTSC can be instantly used on the Spectrum-PAL.

The front-end circuitry can accept signals from most video sources. Available window sizes for Spectrum-PAL are one-quarter, one-half, and full screen. Zoom at factors of 2 and 4 times are also possible. Using the board's Chroma-Key Logic, VGA graphics and text are possible at resolutions of up to 800 by 600 pixels and at a frequency of 60 Hz. You can make noninterlaced images appear as overlays on top of live or frozen video. The Spectrum-PAL also works as a frame grabber, digitizing full 16.8-million color frames of PAL video to the board's two internal frame memories in real time.

Included software support consists of a C-callable subroutine library, a menu-driven interactive program, a Microsoft Windows 3.0 driver, and a Windows 3.0 interactive application. Additional functions of the library include file storage support for TIF, PCX, and TGA file formats and direct hard-copy output support for Seiko, NEC, Hewlett-Packard, and Xerox color hard-copy devices.

Using a combination of two boards, the Spectrum-PAL is capable of stereographic display and makes an ideal candidate for operation in geographical information systems and fiber-optic endoscopy systems.

Price: About £1495.

Contact: Computer General, 13 Campbell Court, Bramley, Basingstoke, Hampshire RG26 5EG, U.K., 44-256-881377; fax 44-256-882905.

Circle 1333 on Inquiry Card.

CommonView 2.0 for Zortech C++

The new version of CommonView 2.0 for Windows is compatible with Zortech's C++ compiler. Glockenspiel CommonView 2.0 is the standard class library for graphical user interface (GUI) applications on Windows and OS/2 Presentation Manager (PM).

Glockenspiel CommonView 2.0 implements Windows 3.0 graphical objects such as windows, dialog boxes, or controls like C++ software objects. Using CommonView, you can write up to 70 percent fewer lines of code, compared with using straight C, according to QA Training. Applications you develop using CommonView have an object-oriented style that is vital to effective programming under a GUI environment. Using CommonView, you can port code you have written for Windows to OS/2 PM.

Price: £399.

Contact: QA Training, Cecily Hill Castle, Cirencester, Gloucestershire GL7 2EF, U.K., 44-285-655888; fax 44-285-650537.

Circle 1334 on Inquiry Card.

SAMPLE CONFIGURATIONS

(excluding carriage and VAT)

£9954

Netware 386 v3.1 (up to 250 users)

PLUS

Elonex 486V/25E file-server
25MHz 80486 processor, 32-bit EISA bus,
internal cache memory, 8MB RAM, (optional 32MB),
1 Gigabyte SCSI Hard Disk (formatted),
32-bit (EISA) Ethernet server card,
heavy duty Uninterruptable Power Supply.

£7073

SFT Netware 2.15 (Fault tolerant, up to 100 users)

PLUS

Elonex 386V/33E file-server
33MHz 80386 processor, 32-bit EISA bus,
32k cache memory, 4MB RAM (max 32MB),
600MB SCSI Hard Disk (formatted),
32-bit (EISA) Ethernet server card,
heavy duty Uninterruptable Power Supply.

£5188

Advanced Netware 2.15 (Up to 100 users)

PLUS

Elonex 486B/25 file-server
25MHz 80486 cpu, internal cache memory,
4MB RAM (max 16MB), 300MB IDE Hard Disk,
intelligent Ethernet server card.

£2875

ELS II v2.15 (Entry level, up to 8 users)

PLUS

Elonex 386B/25 file-server
25MHz 80386 processor, 64k cache memory,
4MB RAM, 200MB Hard Disk, 16-bit Ethernet card.

£2164

ELS I v2.12 (Entry level, up to 4 users)

PLUS

Elonex 386B/25 file-server
25MHz 80386 processor, 64k cache memory,
4MB RAM, 100MB Hard Disk, 16-bit Ethernet card.

£810

Elonex 386SXM slimline Workstation, 1MB RAM,
Mouse, 16-bit Ethernet card and boot ROM.

£640

Elonex 286M slimline Workstation, 1MB RAM,
Mouse, 16-bit Ethernet card and boot ROM.

Call Response Computer Maintenance (tel: 081-965 3225) for a free
site installation survey and/or subsequent on-site support.

All trademarks are acknowledged. Elonex reserves the right to
change specifications and prices without notice. All items are sold
subject to Elonex's terms and conditions of trade.

NEW LONDON OFFICE

Elonex plc, 2 Apsley Way, London NW2 7HF
Fax 081-452 6422

SALES

Tel 081-452 4444

TECHNICAL SUPPORT

Tel 081-450 6262

NORTHERN OFFICE

Elonex plc, 7-9 Campus Road, Listerhills Science
Park, Bradford, West Yorkshire BD7 1HR
Fax (0274) 307294


Tel (0274) 307226

IRE

ERS Computers, Merchant Court
24 Merchants Quay, Dublin 8
Fax 1-6791728 Tel 1-6797774/5

BELGIAN OFFICE

Marktech (Benelux) SA Route Provinciale 244,
Bte 7, B-1301 Wavre (Bierges), Belgium
Fax 10-41 45 96 Tel 10-41 42 26



JOINT FORCES

Few companies can match our range
of Personal Computers and our reputation for professional
Technical Support.

Fewer still can also supply such a wide choice
of powerful File-servers and Workstations, fully installed
and ready to run under NOVELL's Netware.

Only a handful possess the in-house expertise to help you
get the maximum out of connecting them together.

None offers complete solutions as flexible and
cost-effective as ours.

Please send me information about the Elonex product range and services

JN/BYTE/05/91

COMPANY NAME

NAME

POSITION

ADDRESS

TELEPHONE


NOVELL

ELONEX

Forging into the Wireless Age

If you ever had to connect a printer to a PC, you know the problem—the cable is normally too short for you to be able to place the printer where you want it. And even if the cable is long enough, the printer makes too much noise if you place it too close to the PC. In addition, if you want to connect another PC or printer, you will probably need T-switches, additional cables, and amplifiers. Infralink can solve these problems. The product is an infrared data-transmission system capable of transmitting information, including data, voice, images, and video signals, to and from your IBM PC and peripherals with standard parallel ports.

You plug the compact device onto the parallel interface of your PC and onto the parallel interface of your printer, plotter, or machine tool, and it links them via an infrared connection. In addition to eliminating the need for cables, Infralink can operate on several infrared



Infralink can transmit information that includes data, voice, images, and video signals to and from your IBM PC and peripherals with standard parallel ports.

channels so you can simultaneously use up to eight peripherals. The system also features improved transmission reliability and flexibility with a data transfer rate of 40,000 bps and a transmission capability of up to 15 Mbps while maintaining data integrity.

The Infralink package includes one Infralink, one cable each for connection to the parallel port, documentation, and a power supply unit.

Price: Under DM 500.

Contact: Infralink GmbH, Am Fuchsberg 8, D-4040 Neuss-Uedesheim, Germany, 49-2101-35053; fax 49-2101-32791.

Circle 1335 on Inquiry Card.

Pumping Pixels

Digitburst is offering its MicroEye Image Compression Card as a solution to the problem of compact image storage and fast

image retrieval for applications such as picture databases, image-data communications, and scientific-image analysis. The card combines two T212 16-bit transputers, an Inmos A121 image compression/decompression chip, and 128K bytes of RAM, which it uses as image buffers.

The two T212 transputers work in parallel, so communication takes place through the high-speed serial transputer links rather than through the IBM AT bus. The links let you transfer image data to the on-board video RAM for compression and transfer decompressed data from video RAM for display.

The card can achieve a compression ratio of 30 to 1, with negligible loss of image quality. A typical TIFF color image file of 1.1 MB compresses to about 35K bytes in about 15 seconds, so you can store up to 40 24-bit color images on a single 1.2-MB floppy disk, according to the company.

You can connect the Image Compression Card to other transputer-based products, such as Digitburst's Picture Book Card,

Desktop FORTRAN

EXPERTS AGREE WHAT TO BUY — THEY JUST CAN'T AGREE WHY!

"Without the FTN77/386 compiler it would have been totally impractical for us to convert our million-line + power system analysis program (PSS/E) to run on a 386 PC."
Wayne B'Relis
Power Technologies Inc.

"The . . . FTN77 compiler has allowed us to port our main-frame applications to 386 micros with minimum effort. The speed of compilation is incredible! . . . The run time performance is fantastic, full support for 32-bit operations and the 80387 coprocessor means our programs run like lightning!"
Tony Fitzpatrick, Exploration Consultants Ltd.

"The ease of use, speed, debugging facilities, dynamic libraries with resulting small .EXE files, and extensive library routines made it a joy to use."

H. Gordon Jensen
FTN77/386 User.

"For sheer speed and sleekness the (Salford) compiler stands out like a Ferrari among Yugos."
Jack W. Crenshaw, Computer Language, May 1990

"By far the fastest and most complete FORTRAN compiler that I have ever seen or used in the DOS environment".

Tim Wool
FTN77/386 User.

"FTN77/386 provides more intrinsic functions than any other: functions to manipulate strings, handle screen and keyboard I/O, read the date and time, parse the command line . . . Advanced file manipulation functions allow an FTN77/386 program to work with files in a C-like manner".

Scott Ladd,
Computer Language, Nov. 1988.

FAST, FRIENDLY & FULLY FEATURED — THE PERFECT MIX — CALL US NOW!
(DISTRIBUTORS FOR MOST COUNTRIES)


SALFORD SOFTWARE MARKETING LTD. MAXWELL BUILDING • THE CRESCENT • SALFORD M5 4WT.

TELEPHONE: 061 745 5678 • FAX: 061 745 5666

FTN77 386/486™ extending DOS.

**UNIX VERSION
AVAILABLE NOW!**

Build Your Network On A Solid Foundation



ReadyLINK . . . The First Step for Your PC Network.

Without the right software, your computer network may seem like a house without its foundation. With ReadyLINK from Compex, your network will be versatile, economical and easily expanded to NetWare.

Industry Standard Interface Cards

ReadyLINK doesn't need proprietary interface cards that must be discarded when you want to upgrade to NetWare. ReadyLINK uses most standard interface cards that have a NetWare driver including the complete line of Compex ARCNET and Ethernet controllers.



COMPEX, Inc.

4055 E. La Palma, Unit C, Anaheim, CA 92807
Tel: (714) 630-7302 • Fax: (714) 630-6521
Telex: 401987 COMPEX USA

Low Cost

ReadyLINK's astounding \$299 retail price is all the network software cost you need ever incur. There are no software charges as workstations are added. And, with Compex interface hardware retailing as little as \$99 per workstation, your total network will be highly economical.

Software Compatibility

ReadyLINK uses the industry standard NETBIOS interface to insure maximum compatibility with applications programs including Microsoft's Windows 3.0.

So, when it's time to create a computer network, build it on a solid foundation. Anything less might leave you on shaky ground.

Trademarks: ARCnet, Datapoint Corp; NetWare, Novell, Inc.

Circle 418 on Inquiry Card (RESELLERS: 419).

via the high-speed transputer link, or you can use it in stand-alone mode, taking images from the buses of compatible IBM PCs.

Digithurst has incorporated driving routines for the MicroEye Image Compression Card into its Picture Book Multimedia Authoring Package and MicroScale, its scientific image-analysis package, making the operation of the card transparent. The card comes with C library software.

Price: £995.

Contact: Digithurst Ltd., Newark Close, Royston, Hertfordshire SG8 5HL, U.K., 44-763-242955; fax 44-763-246313.

Circle 1336 on Inquiry Card.

Robot-Simulation Software

If you are an engineer who works with robots, then Robot Simulations may have a program for you. WorkSpace 2 lets you design, model, and evaluate robot workcells and automated systems in real time on your IBM PC; it includes a

full kinematic modeler, 3-D graphics, off-line programming facilities, and a mouse-driven user interface.

You can control, model, and simulate as many as nine robots, together with associated machinery. WorkSpace 2 then lets you display them in real time in 3-D with full color shading. WorkSpace 2 automatically calculates cycle times (how long a robot takes to perform a sequence of actions) and checks for collisions between moving objects.

Workspace 2 lets you simulate several robots in one workcell and combine the results to form one fast-moving simulation, which you can replay for a realistic visualization of complex workcells. The program will also model tooling, automatic feeds and conveyors, automatic programmable vehicles, and linear tracks and turntables. You can also assess performance and safety without a physical trial.

The software's CAD Model capability includes 3-D wireframe with hidden-line removal, blocks and cylinders, extruded objects, curved-line and surface

approximation, and object-attachment hierarchy.

The mouse-driven interface lets you control robots, define objects, or create workcell layouts. For example, you can select an object on the screen and click on it, and the robot will automatically move to that point.

You can also use WorkSpace 2 for off-line programming; you can simulate and optimize sequences of operations from software and send them to the robot only when they are perfect. Robots supported include the Unimation Puma range, the UMI RT range, and machines from ABB, Cincinnati-Milacron, Fsad, IBM, GMF, and Panasonic.

WorkSpace requires an IBM PC with 640K bytes of RAM, any version of DOS, and a mouse. The company recommends a hard disk drive and EGA or VGA color graphics.

Price: £1950.

Contact: Robot Simulations, High Bridge House, 21 High Bridge, Newcastle on Tyne NE1 1EW, U.K., 44-91-221-1087; fax 44-91-230-0281.

Circle 1337 on Inquiry Card.

New Versions of I-CASE Tool Sets

The 2.0 versions of Westmount Technology's integrated CASE (computer-aided software engineering) tool sets, ISEE, RTEE, and TSEE (see June, February, and January 1990 What's New International, pages 64IS-36, 80IS-32, and 80IS-24, respectively), feature extensions and enhancements to the areas of code generation, reverse engineering, version and configuration management, methods support, and integration between the development stages in several software development life cycles.

The new versions let you save versions of the software design models as well as versions of the model parts. You can also save the configurations of software models so that you can freeze versions of the models and the developed software.

The 2.0 versions support information analysis, systems analysis, global design, detailed design, construction, and maintenance, as well as

With X.desktop you just Point and Click



Instant Confidence

Users are now demanding an easy way of managing their work, even on today's powerful UNIX computers. X.desktop is becoming the standard way that people interact with their UNIX systems. It provides a consistent graphical front-end that makes different computers look and feel the same.

Using intuitive, mouse-controlled operations, you can easily run programs, manage your files and access printers and other peripherals. No knowledge of UNIX required. X.desktop makes UNIX accessible to everyone by

shielding them from the UNIX command line and letting them get on with their work quickly and efficiently.


The Ideal Addition to any Motif interface

X.desktop is an X Windows application with an OSF/Motif look and feel. It is an ideal companion to any Motif interface and is available on a wide range of systems such as Sun, DEC and Hewlett-

Packard workstations and bundled with IBM, NCR, SCO and Unisys graphical user interfaces.

Call IXI Sales on UK: 0223 462131 or

International: +44 223 462131.



IXI

IXI Limited • 62-74 Burleigh Street • Cambridge CB1 10J • England • Tel: +44 223 462131 • FAX: +44 223 462132

X.desktop, IXI and the IXI logo are trademarks or registered trademarks of IXI Limited.



STREAMERS FOR SCREAMERS!

TEAC[®]

SMALL IN SIZE (3 1/2 INCH FORM FACTOR).
HUGE IN CAPACITY (A FULL 600MB).



- Compact 3 1/2-inch size.
- High-speed data transfer: 242.3KB/sec.
- A choice of interfaces: SCSI or D/CAS-5.
- Autoeject function.
- 5 1/4-inch form factor models also available.

3 1/2-inch Form Factor Cassette Streamer

MT-2ST/F SERIES

For Memories You'll Be Glad To Have

TEAC CORPORATION Musashino Center Bldg., 1-19-18 Naka-cho, Musashino, Tokyo 180, Japan Tel:0422-52-5041 Telex:34435 Fax:0422-55-2554

■ **Hong Kong**, Nissei Sangyo Co., Ltd. Hong Kong Branch Tel: 3-343441-6; KARIN ELECTRONIC SUPPLIES CO., LTD. Tel: 3-898252 ■ **Singapore**, NISSEI ELECTRONICS, LTD. SINGAPORE BRANCH OFFICE Tel: 2357900; UAC SINGAPORE REP. OFFICE Tel: 2922608 ■ **New Zealand**, DATAMATIC NETWORKS LIMITED Tel: 09-444-0760 ■ **Australia**, AWA DISTRIBUTION Tel: 02-888-9000 ■ **Indonesia**, CHUGAI BOYEKI CO., LTD. Tel: 370824 ■ **Philippines**, COMPEX INTERNATIONAL INC. Tel: 213020 ■ **India**, Priya Electronics & Chemicals Limited Tel: 2863611 ■ **Kuwait**, Bader Al Mulla & Brothers Co. W.L.L. Tel: 2423250 ■ **United Kingdom**, TEKDATA LIMITED Tel: 0782 577677; Data Peripherals (UK) Limited Tel: 0785 57050 ■ **F.R. Germany**, nbn Elektronik GmbH Tel: 08152/390 ■ **Austria**, nbn Elektronik GmbH Tel: 0316/40 28 05 ■ **Netherlands**, SIMAC DATA B.V. Tel: 040-582933 ■ **Belgium & Luxembourg**, SIMAC ELECTRONICS SPRL/BVBA Tel: 02/252.36.90 ■ **France**, TEKELEC AIRTRONIC S.A. Tel: (1)4534-75-35 ■ **Italy**, A.E.S.S.E. S.p.A. Tel: 02/54.64.741 ■ **Spain**, ATAIO INSTRUMENTOS S.A. Tel: 735-0252 ■ **Portugal**, BASF PORTUGUESA LDA. Tel: (351) 1-562511 ■ **Switzerland**, WENGER PERIPHERALS AG Tel: 01/830 75 55 ■ **Denmark**, Dansk Binaer Teknik A/S Tel: 03/66-20 20 ■ **Sweden**, MACROTEK AB Tel: 08-733 02 20 ■ **Norway**, SCANTELE A/S Tel: (02)65 69 20 ■ **Finland**, INSTRUMENTARIUM CORPORATION Tel: 90-528 4338

* If no distributor listed above is in your area, please contact us directly for further details about our products.

Circle 466 on Inquiry Card.

documentation generation. TSEE and RTEE also include a Systems Architecture editor that lets software development teams simulate the behavior of future software systems.

If you use Informix, Unify, Sybase, or Ingres, you will find the support you need for generating Structured Query Language (SQL) relational DBMSes and databases as well as fourth-generation language applications. This feature helps you integrate the design and construction stages.

The 2.0 releases offer reverse engineering of SQL scripts as well as existing databases of Informix, Unify, Sybase, or Ingres. The Westmount environments generate entity relationship models from this, so project teams don't have to start from scratch. You can optionally read in Backus Naur Form, as well as import this definition language into the dictionary and use it for further code generation. You can also generate data structure diagrams and import any format using SQL.

Price: 15,000 to 25,000 Dutch guilders.

Contact: Westmount Technology BV, Poortweg 8, NL-2612 PA Delft, The Netherlands, 31-15-610815; fax 31-15-565701.

Circle 1338 on Inquiry Card.

Remote Mouse Operation for CO/Session

The new version of CO/Session, a remote-control communications package, features remote mouse support that allows remote users and technical-support personnel to operate mouse-driven programs from a remote PC exactly as they would from a host PC. CO/Session 5.0 works with mouse-driven applications that support Microsoft and compatible mouse drivers such as Desqview, Quattro Pro, First Publisher, and PC Tools 6.0.

CO/Session 5.0 supports EMS 4.0, so you can load the CO/Session host package into expanded memory above the DOS 640K-byte barrier. In addition, the package reduces the amount of conventional memory required for remote access to just 5K bytes, thereby allowing you to use remote computing with memory-intensive programs.

Compatibility with Desqview allows two remote users to dial in and run programs on a 386 PC in the background while a local user runs a program in the foreground. The ability to run in multiple Desqview windows simultaneously allows multiple users to access pro-

grams on a 386 PC without interrupting each other's process.

The menu interface has also been enhanced to support operation with a mouse. Additional enhancements include a master password for the phone directory, new security features to limit remote program and file access, flexible modem handling for modifying modem settings, command-line options for the CO/Session remote package, and support of 43- and 50-line text modes.

CO/Session 5.0 requires an IBM PC with 256K bytes of RAM and DOS 2.0.

Price: £105 for two PCs.

Contact: M-Trade U.K. Ltd., 17 Northfields Prospect, Putney Bridge Rd., London SW18 1HR, U.K., 44-81-877-1711; fax 44-81-874-7265.

Circle 1339 on Inquiry Card.

Index Accounting Documents

You can use Document Recall imaging software for automatic indexing and cross-referencing of accounting documents during routine operations with OSAS ML, the multilingual, multicurrency version of Open Systems Accounting Soft-

ware. The imaging software facilitates rapid storage, display, and printout of sales invoices, vendor invoices, and payment records.


In about the same amount of time it takes to send a fax, Document Recall takes a picture of each document, stores it on your hard disk, and catalogs it. You can recall or print the document by entering a few simple parameters that trigger document search and identity. Display time on a 386-based computer with a CGA monitor is within 5 seconds.

The OSAS ML software converts screens from one language to another. Menu selections are currently available in American English, British English, French, German, Italian, and Spanish; accounting terms and procedures are country-specific. OSAS ML also helps you record daily exchange rates, examine valuations in different currencies, enter sales and purchase orders in various currencies, and determine transactional and translational gains and losses.

The combination of Document Recall and OSAS ML lets you select the language you want to work in, meets country-specific accounting regulations, facilitates varied currency transactions, and provides rapid

SA-9600 Stand-Alone RADIO MODEM

- ❑ Async/Sync RS-232 connection to virtually all types of computers
- ❑ 406-470, 806-960MHz Frequencies
- ❑ Encryption capable
- ❑ Up to 15-mile range; hundreds of miles with repeaters/amplifiers
- ❑ Full or Half Duplex



MEGADATA

35 Orville Drive, Bohemia, NY, USA 11716

WIRELESS DATA COMMUNICATIONS for Mini and Mainframe Computers

- ❑ Transparent radio link - no software modifications
- ❑ Voice option
- ❑ FCC CERTIFIED 450-470MHz

PC-compatible plug-in board (PC-9600) also available

TEL (01) 516-589-6800 • FAX (01) 516-589-6858



JUGGLING ACTS...

...ARE FOR CLOWNS

● Juggling files, documentation, people and time is no way to manage a software project. You need to know who is working on what, which files are being changed and why. And your team should be moving ahead on development, not stuck in costly collisions.

MKS RCS – Your Project Manager

MKS RCS (Revision Control System) helps keep your project from becoming a juggling act by maintaining a complete history of changes to a file and giving you access to any of the changes. MKS RCS also automatically saves crucial descriptive information about each revision.

An advanced user interface and excellent documentation make MKS RCS extremely easy to use. Or if you prefer, you can operate from the command line. MKS RCS can automate every aspect of your project, handle both binary and text files with ease, provide unlimited branching and merging capabilities and compress log files to save valuable disk space.

The Bigger the Better

The more complex your project, the more you need MKS RCS. In a multi-user environment, eliminate access conflicts

with locking options. Manage and track development to deliver your project on time, on spec and on budget.

For individual projects, MKS RCS handles the headaches of recording and retrieving files. Whether you are on a LAN or an individual PC, MKS RCS will make you more productive.

Price and Performance Leader

MKS RCS has all the features you will ever need in a revision control system at a price that will fit your budget.

MKS RCS for DOS is just \$249; for OS/2, SCO or 386 Unix \$349. A 5-CPU LAN license for DOS is \$995; for OS/2, SCO or 386 Unix \$1,395.

Call MKS for LAN pricing for more than 5 CPUs.

MKS Software Management Team

Reduce the juggling act even more with the MKS Software Management Team (MKS RCS and MKS Make). You set up the rules stating which files must be changed when other files are altered, and MKS Make automatically keeps those files in synch.

TO ORDER, CALL:

1-800-265-2797 (continental U.S. only)
1-519-884-2251 (outside continental U.S.)
1-519-884-8861 (FAX)

Full 30 day money back guarantee.

Australia 03-419-0300
03-555-4544
Belgium 02/736.60.64
England 0763 244114
0364 53499
071 833 1022
Finland 08-5054536

France-
Germany 01 47 95 01 07
055-704800
0721 886 664
06126/595-0
30 852 00 45
020 14 24 63
Netherlands
Sweden 0762 704 60

MKS, MKS RCS and MKS Make are trademarks of Mortice Kern Systems Inc. UNIX is a trademark of AT&T.



MKS

35 King Street North
Waterloo, Ontario
Canada. N2J 2W9



DARE TO LOWEST PRICES

- NO SURCHARGE ON EXPORT SERVICES
- FASTEST COMPUTERIZED EXPORT LICENSING
— 72 Hours in Most Cases
- IMMEDIATE PRODUCT AVAILABILITY
- ALL FREE PROFESSIONAL SERVICES
— Export Licensing, Documentation, Follow Through

IBM PS2

MOD 30(286)—E1/E21/E31	\$1526/1725/1795
MOD 502—31/61	\$2178/2375
MOD 55SX—30/60	\$2595/2695
MOD 60—41/71	\$3152/3553
MOD 70—E61/061/121	\$3491/3888/4320
MOD 70—A61/A21	\$5220/5595
MOD 80—41/71	\$3988/4629
MOD 80—111/311	\$5670/7475
PORTABLE 70—60/120	\$5250/5740

COMPAQ

DS 286—1/20/40	\$1543/1951/2157
DS 286—1/20/40	\$1785/1885/1995
DS 386S—1/20/40	\$2260/2468/2772
DS 386S—84/100MB	\$2650/2795
DS 386/20—1	\$3100
DS 386/20—60/70/130MB	\$3200/3355/3595
DS 386/20E—1/40/110MB	\$3579/4114/4785
DS 386/25—60/84/110MB	\$5835/5990/6999
DS 386/25—300MB	\$8028
DS 386/25E—1/60/120MB	\$5150/5473/6143
DS 386/33—84/320MB	\$7223/10295
DS 386/33—650MB	\$12102
DS 486/25—120/320MB	\$9374/11250
DS 486/25—650MB	\$13490
386 SYSTEM PRO—240MB	\$10558
386 SYSTEM PRO—420MB	\$12760
386 SYSTEM PRO—840MB	\$17280
PORTABLE LTE—1/20	\$1684/2060
POR. LTE 286—1/40MB	\$2762/3199
POR. LTE 386S/20—30/60MB	\$4750/5140
PORTABLE III—20/40MB	\$3393/3870
PORTABLE SLT 286—20/40MB	\$3566/3857
PROTABLE SLT 386S/20—60/120	\$5022/5560
PORTABLE 386—40/100MB	\$4777/5577

APPLE

Mac CLASSIC	\$998
Mac PLUS/Mac SE(1FD)	\$1247/1952
Mac SE—20/40MB	\$2054/2363
Mac SE30—1/40/80MB	\$2775/2920/3895
Mac IIcx—(1FD)/40MB	\$4320/5090
Mac IIcx—80/100MB	\$5453/5762
Mac IIcx—1/40MB	\$3347/3885
Mac Ilix—1FD/40MB	\$3777/4130
Mac Ilix—80/160MB	\$7805/8536
Apple 21" Monitor Incl Card	\$1873
Mac PORTABLE 1/40MB	\$3599/3888

LAPTOP / PORTABLE

NEC	
ULTRALITE—640KB/1MB	\$1596/1630
PROSPEED 286/16—40/100MB	\$2989/4186
PROSPEED 386SX—40/100MB	\$3999/4695
PROSPEED 386/16—40/100MB	\$4068/4732
TOSHIBA	
T1000/T1000SE	\$655/1099
T1000XE/T1000LE—20MB	\$1495/1645
T1200XE/T2000SX—20MB	\$1995/3249
T2000SX—40MB/T1200HB—20MB	\$3585/1395
T1600—20/40MB	\$2275/2485
T3100SX—40/80MB	\$3900/4420
T3100E/T3200—40MB	\$2795/2925
T3200SX—40/120MB	\$3715/4250
T3200SX—120MB/T5100—100MB	\$5595/4395
T5200—40/100/200MB	\$4195/4625/5265
T5200C—200MB/T8500—100MB	\$6175/6395

AST RESEARCH

BASE SYSTEMS	
AST BRAVO 286	\$824
AST BRAVO 386SX/16	\$1464
AST PREMIUM 286	\$1047

AST RESEARCH (Continued)

AST PREMIUM 386SX/16	\$1499
AST PREMIUM 386SX/20	\$1749
AST PREMIUM 386-25	\$3044
AST PREMIUM 386-33	\$3718
AST PREMIUM 386-33T	\$4065
AST PREMIUM 386-33TE	\$4386
AST PREMIUM 486-25	\$4729
AST PREMIUM 486-25E	\$5070
AST PREMIUM 486-25TE	\$5403

HARD DRIVE

NEC	
D-3142 65MB 23MS RLL	\$325
D-3661 110MB 18MS ESDI	\$605
D-5655 150MB 18MS ESDI	\$745
CONNOR	
CP 3100—100MB, 25MS	\$499
CP3044—44MB, 28MS KIT	\$339
CP3084—80MB, 19MS KIT	\$479
CP3104—100MB, 25MS KIT	\$535
CP3204—209MB, 19MS KIT	\$1122
IBM	
20MB—PS2 30/PS2 30(286)	\$472/516
30/60MB—PS2 50Z, 55SX, 70's	\$716/1015
120MB—PS2 70/70A	\$1538
40/70MB—PS2 60's, 80's	\$827/1035
115/311MB—PS2 60's, 80's	\$1555/3323
IMPRIMIS	
94181—385H, SCSI	\$2028
94181—702, SCSI	\$2314
94186—383H, ESDI	\$1757
94191—766, SCSI	\$2802
94196—766, ESDI	\$2802
94601—1.2, SCSI	\$4784
MAXTOR	
1085—80MB, MFM	\$577
4380—380MB, SCSI&ESDI	\$1650
8760—760MB, SCSI&ESDI	\$2802
TOSHIBA	
MK134FA 44/66MB, MFM/RLL	\$315
MK156FA 155MB 23MS ESDI	\$735
MK358FA 760MB 16MS ESDI	\$2250
MK358FB 760MB 16MS SCSI	\$2395

NOVELL NETWORK

NETWARE ELS1/ELS2	\$595/1279
NETWARE ADVANCE V2.15	\$2350
NETWARE SFT V2.15	\$3199
NETWARE 386 V3.0	\$4499
NETWARE 386 V3.1	\$4950

MATH COPROCESSOR

INTEL	
8087—5/8087—1/8087—2	\$86/155/126
80287—10/XL/XLT	\$209/245/249
80387—SX/16/20	\$297/308/349
80387—25/33	\$448/539
IIT	
8C287—6/8/10	\$125/190/209
8C287—12/20	\$265/289
8C387—16/20/25/33	\$298/330/420/536
WEITEK	
3167—20/25/33	\$309/385/536
CYRIX	
80387—16/20/25/33	\$289/319/410/509

ATICOM SYSTEMS

One Year Warranty — Tower Case Available — 110/220V	
ATICOM 286-12MHz SYSTEM	\$749
— 1MB RAM	
— 40MB HDD/1.2MB or 1.44MB FDD	
— BASE CONFIGURATION WITH DOS 4.01	

ATICOM SYSTEMS (Continued)

One Year Warranty — Tower Case Available — 110/220V	
ATICOM 286N WORKSTATION	\$699
— 100% NOVELL READY, w/14" Mono Monitor.	
ATICOM 386SX—16MHz	\$1339
ATICOM 386SX—20MHz	\$1479
ATICOM 386—20MHz	\$1699
ATICOM 386—25MHz w/64K CACHE	\$1789
ATICOM 386—33MHz w/64K CACHE	\$1959
ATICOM 486—25MHz ISA	\$2999
ATICOM 486—25MHz EISA	\$4599

Above SUPER VGA SYSTEMS consist of:

— 2MB RAM	
— 1.2MB & 1.44MB FDD	
— 1024X768 SUPER VGA CARD w/512K	
— 14" 1024X768 VGA COLOR MONITOR	
— 1 PARALLEL & 2 SERIAL PORTS	
— 101 ENHANCED KEYBOARD	
— MS DOS 3.3 OR 4.01	

MEMORY UPGRADE OPTIONS

2MB KIT	\$120
4MB KIT	\$239
8MB KIT	\$419
16MB KIT	\$1129

HARD DISK OPTIONS

44MB 28ms KIT	\$298
80MB 19ms KIT	\$595
100MB 19ms KIT	\$645
200MB 19ms KIT	\$1095
330MB 16ms ESDI/SCSI KIT	\$1895
760MB 16ms ESDI/SCSI KIT	\$2995
1.2GB SCSI KIT	\$4695

OTHER OPTIONS

SERIAL MOUSE	\$39
TRACK BALL	\$69
9600 BAUD FAX/MODEM CARD	\$299
120MB TAPE BACKUP	\$269
MS WINDOWS 3.0 w/MOUSE	\$119
UPS 600 WATTS	\$475
UPS 1000 WATTS	\$695

Prices are offered with system purchase only

VIDEO BOARD

ATI	
VGA WONDER, 1024x768, 256K	\$206
VGA WONDER, 1024x768, 256K, MOUSE	\$240
VGA WONDER, 1024x768, 512K	\$243
VGA WONDER, 1024x768, 512K, MOUSE	\$264

GENOA

VGA 6300, 1024x768—256K/512K	\$175/196
------------------------------	-----------

MONITOR

IBM	
8503/8512/8513 MONITOR	\$203/437/530
NEC	
MULTISYNC 2A/3D/PLUS	\$473/609/858
MULTISYNC 5D/XL RGB	\$2348/1869

SONY

14" FOR Mac/1304 SUPER VGA	\$700/682
----------------------------	-----------

LASER PRINTER

APPLE	
IMAGE WRITER/LASER WRITER	\$442/1971
LASER WRITER—IIINT/INTX	\$3394/4527
CANON	
LBP—8 III/IIIR	\$1799/2724
BJ—10e PORTABLE PRINTER	\$399

HP

DESK JET+/DESK WRITER	\$658/749
LASER JET—II/IIID/IIIP	\$1488/2599/972
LASER JET—III/IIID	\$1599/2649
PAINT JET—COLOR/XL	\$974/1871
IBM	
4019—001 LASER PRINTER	\$1658

LASER PRINTERS Continued

NEC	
LC290/LC890/LC890XL	\$2547/3047/3492
PANASONIC	
KX—P4420/4450i	\$849/1250
KX—P4455 Post script	\$2199
QMS	
PS800—2/PS810/PS JET +	\$2724/3372/2317
TOSHIBA	
PAGE LASER 12	\$2673

PRINTER

EPSON	
FX850/FX100/FX1050	\$328/363/450
LX810/LQ510/LQ850	\$195/365/485
LQ950/LQ1010/LQ1050	\$494/421/623
LQ2250/LQ2550	\$935/935

IBM

PRO PRINTER—II/IIIX/III	\$353/492/452
PRO PRINTER IIIX/QUICK WRITER	\$566/983
PRO PRINTER—X24E/L24E	\$578/765
QUIET WRITER III	\$1080

NEC

P2200/P2200XE/P5200	\$310/289/486
P5300/PSXL	\$618/935

OKIDATA

172/182/182+/182TURBO	\$196/232/236/236
320/321/390/391	\$329/445/449/599
393/393 COLOR	\$966/1038

PANASONIC

KX—P1092/P1180/1191	\$332/165/216
KX—P1124/P1592/P1595	\$279/228/411
KX—P1524/P1624/P1695	\$510/412/414

STAR MICRONICS

NX1500/NX2400/NX2410	\$281/295/386
NX2415/XB24—10/XB24—15	\$514/419/572
XR1000/XR1500	\$342/446

PLOTTER / SCANNER

HP	
7440A/7470A/7475A	\$946/403/1360
7550A/7570A/7575A	\$2847/2889/3774
7585A/SCANJET + & INT. S/W	\$6422/1495
SCANJET + /INT. S/W	\$1055/470

TAPE BACKUP

COLORADO MEMORY SYSTEMS	
120MB XT, AT—EXT./INT.	\$364/260

IBM

6157 ST. TAPE DR.—60/150MB	\$988/1582
----------------------------	------------

TEAC

150MB TAPE BACKUP	\$723
-------------------	-------

UNIX SPECIAL

SYSTEMS	
AST PREMIUM 486/25	\$4729
UNISYS PW 500/20A	\$2255
UNISYS PW 800/33A	\$4180
UNISYS S/X480	\$10495
WYSsystem 386/3225	\$3984

PERIPHERALS

COMPUTONE ALC-EISA	\$1090
COMPUTONE ALC-ASYNC	\$818
STORAGE DIMEN. X/STOR	\$590
MAYNARD/ARCHIVE VP	\$1238
GIGATREND UNIDAT/SCO	\$4253

SOFTWARE

CONN. ATLANTIX COCONET	\$1980
UNIX FOR SCO XENIX 386	\$1390
SCO UNIX V/386 3.2	\$629
SCO VPX	\$690
XENIX 386 (8 USER)	\$1123
XENIX 386 (16 USER)	\$1790

HIGH VOLUME BIDS INVITED!
For International Orders, FAX Us at (415) 680-1408

- Prices are FOB USA shipping point and subject to change.
- Please add 4% (lowest in industry) handling charge (Minimum \$20) on FOB price for international order.
- 14.5% (lowest in industry) restocking charge on non-defective or non-authorized return.
- No return on opened software.
- Shipping & insurance extra.
- All trademarks acknowledged.

- 3.95% surcharge for VISA/MC and minimum surcharge for L/C term.
- We do not charge your credit card until your order is shipped.
- All products are new and carry manufacturers' warranty.
- Not responsible for typographical errors.



- SHIPPING BY
- Air Freight
- Federal Express
- UPS Air
- US Mail Express
- DHL

Member of the World Trade Centers Association

Circle 408 on Inquiry Card (RESELLERS: 409).

COMPARE IN THE WORLD!

Atico
SERVING WORLDWIDE SINCE 1985

DESCRIPTION	FOR MODELS	REF. P/N	PRICE
APPLE			
1MB UPGRADE KIT	II, IICX, IIX, PLUS, SE, SE/30	MO218	\$75
2MB UPGRADE KIT	PLUS, SE	MO219	\$120
4MB UPGRADE KIT	II, IICX, IIX, PLUS, SE, SE/30	MO2707	\$255
1MB UPGRADE KIT	IIC1	MO2911L-A	\$105
4MB UPGRADE KIT	IIC1	MO2921L-A	\$240
16MB UPGRADE KIT	IIC1, IICX	MO2931L-A	\$1240
4MB UPGRADE KIT	LaserWriter I/INTX	MO606	\$280
4MB UPGRADE KIT	IFX	MO376L-A	\$280
16MB UPGRADE KIT	IFX	N/A	\$1160
1MB UPGRADE BOARD	MAC PORTABLE	MO248	\$265
2MB UPGRADE BOARD	MAC PORTABLE	MO249	\$699
3MB UPGRADE BOARD	MAC PORTABLE	N/A	\$1140
4MB UPGRADE BOARD	MAC PORTABLE	N/A	\$1540
2MB UPGRADE BOARD	MAC SL, ISI	MO514L-A	\$290
1-3MB EXP. BRD	MAC CLASSIC	M6361L-A	\$165

AST			
1MB UPGRADE KIT	PREMIUM 386/33	500718-002	\$69
4MB UPGRADE KIT	PREMIUM II, 486/25, 386/25	500780-004	\$540
1MB UPGRADE KIT	PREMIUM 386C/16	500510-007	\$75
4MB UPGRADE KIT	PREMIUM 286, 386C/16	500510-008	\$259
1MB UPGRADE KIT	PREMIUM 386	500510-003	\$95
2MB UPGRADE KIT	PREMIUM 486	500718-004	\$215

AT & T			
2MB MEM EXP. KIT	AT&T 6286 WGS	37727	\$169
4MB MEM EXP. KIT	AT&T 6386, 6386E WGS	37718	\$268
2MB MEM EXP. KIT	6386SX, 25, 33 WGS	37336	\$179

CANON			
1MB EXP. BRD	LBP-4 LASER	S63-2230	\$202
2MB EXP. BRD	LBP-4 LASER	N/A	\$358
1MB UPGRADE BRD	LBP-8 II LASER	S63-1300	\$146
2MB UPGRADE BRD	LBP-8 II LASER	S63-2350	\$358

COMPAQ			
512K KIT	DESK PRO 286	113012-001	\$52
1MB ADD-ON MODULE	386S	113646-001	\$95
4MB ADD-ON MODULE	386/20e, 20, 25, 25e, 286e	113132-001	\$260
4MB ADD-ON MODULE	386S	112534-001	\$275
1MB MEMORY EXP. BRD	386S	113633-003	\$156
1MB MEMORY EXP. BRD	PORTABLE 386	107651-001	\$202
INTFC BRD	PORTABLE 386	107707-001	\$98
4MB MEMORY MODULE	SLT/286	110237-001	\$890
1MB MEMORY MODULE	SLT/386	118303-001	\$209
2MB MEMORY MODULE	SLT/386	118304-001	\$359
4MB MEMORY MODULE	SLT/386	118305-001	\$741
2MB MEMORY EXP. BRD	386/16	108069/71-001	\$429
1MB EXP. BRD	386/16	108069-001	\$280
1MB UPGRADE KIT	386/16	108071-001	\$110
8MB UPGRADE KIT	386/16	108070/72-001	\$1350
4MB UPGRADE KIT	386/16	108072-001	\$340
INTFC BRD	PORTABLE III	107808-001	\$85
2MB UPGRADE KIT	PORTABLE III	107332-001	\$220
EXP. BRD	PORTABLE III	107811-001	\$254
1MB MEMORY BOARD	LTE 286	117081-001	\$119
2MB MEMORY BOARD	LTE 286	117081-002	\$189
4MB BRD	LTE 286	117081-003	\$813
2MB MEMORY MODULE	386S/20, PP386N	118689-001	\$149
4MB MEMORY MODULE	386S/20, PP286N, 386N	118690-001	\$425
2MB MEMORY MODULE	386/33, 486/25, SYS PRO, 33L	115144-001	\$159
8MB MEMORY MODULE	SYS PRO & 486/25	116561-001	\$1240
0-16MB EXP. BRD	286N, 386N	118700-001	\$104

DATA GENERAL			
4MB BOARD	AVIION SERIES	7000/K	\$585
8MB BOARD	AVIION SERIES	7012/K	\$1157
16MB BOARD	AVIION SERIES	N/A	\$4290

DEC			
4MB	DECSTATION 3100	MS01AA	\$410
8MB	DECSTATION 5000	MS02AA	\$904
32MB	DECSTATION 5000	N/A	\$7267
4MB UPGRADE KIT	VAX 3100	MS01-AA	\$410
8MB EXP. BRD	VAX 3100	MS42-KA	\$878
12MB	VAX 3100	MS42-BA	\$1333
16MB	VAX 3100	MS42-CA	\$1755
20MB	VAX 3100	N/A	\$2087
24MB	VAX 3100	N/A	\$2542
8MB	VAX 3000 SER. (MICRO VAX III)	MS650AA, M7621	\$1073
16MB	VAX 3000 SER. (MICRO VAX III)	MS650BA, M7622	\$1976
32MB	VAX 3000 SER. (MICRO VAX III)	N/A	\$3848
8MB	VAX 2000	MS400CA	\$1105
12MB	VAX 2000	N/A	\$1495
4MB	MICRO VAX II	MS630BB	\$735
8MB	MICRO VAX II	MS630CA, M7609AX	\$1073
16MB	MICRO VAX II	N/A	\$1892
16MB	VAX 8600/8650	MS86CA, LD0225	\$3673
1MB	VAX-11/780, 11/785	MS780FX, M8373	\$884
4MB	VAX-11/780, 11/785	MS780JX, M8374	\$1287
1MB	VAX-11/750, 11/730	MS750CA, M8750	\$774
8MB	VAX-11/750	MS750HB	\$3900
12MB	VAX-11/750	N/A	\$5395

MEMORY UPGRADES

*New... 100% Compatibility...
Lifetime Warranty
- Guaranteed -*

DESCRIPTION	FOR MODELS	REF. P/N	PRICE
EPSON			
1MB UPGRADE KIT	Ile, 386/20	A808091	\$90
1MB UPGRADE KIT	Ile, 386/20, 386SX, 386/25	A808231	\$90
4MB UPGRADE KIT	Ile, 386/20, 386SX, 386/25	N/A	\$240
2MB UPGRADE KIT	Ile, 386SX	A808101	\$159
2MB UPGRADE BOARD	EPL 6000	1BS401	\$280
4MB UPGRADE BOARD	EPL 6000	1BS402	\$419

EVEREX			
2MB BRD	386 STEP 33	N/A	\$195
4MB BRD	486 STEP 25	N/A	\$496
2MB UPGRADE KIT	286 STEP 12, 16, 20, 386 STEP IS	N/A	\$156
4MB UPGRADE KIT	286 STEP 12, 16, 20, 386 STEP IS	N/A	\$270
1MB UPGRADE KIT	386 STEP 16, 20, 25	N/A	\$81
2MB UPGRADE KIT	386 STEP 16, 20, 25	N/A	\$165
4MB UPGRADE KIT	386 STEP 16, 20, 25	N/A	\$294
8MB UPGRADE KIT	386 STEP 16, 20, 25	N/A	\$556

HP LASER/VECTRA			
2MB UPGRADE BOARD	LASERJET II, IID	H33444B	\$145
4MB UPGRADE BOARD	LASERJET II, IID	H33445B	\$238
2MB UPGRADE BOARD	LASERJET III, HP	H33475B	\$145
3MB UPGRADE BOARD	LASERJET III, HP	H33476B	\$192
4MB UPGRADE BOARD	LASERJET III, HP	H33477B	\$238
2MB UPGRADE KIT	VECTRA OS/16S ES/12PC	D1354A	\$139
4MB UPGRADE KIT	VECTRA OS/16S RS/20PC	D1542A	\$280
4MB UPGRADE KIT	VECTRA OS/20S RS/25PC	D1642A	\$280
1MB UPGRADE KIT	VECTRA 486 PC	D2150A	\$65
2MB UPGRADE KIT	VECTRA 386/25	D2381A	\$149
4MB UPGRADE KIT	VECTRA 486 PC	D2151A	\$420
8MB UPGRADE KIT	VECTRA 486 PC, 386/25	D2125A	\$1040

HP/APOLLO			
2MB BOARD	DN3000	N/A	\$1166
4MB BOARD	DN3500, 4000, 4500	N/A	\$1892
8MB BOARD	DN3500, 4000, 4500	N/A	\$3497

HP/1000			
1MB BOARD	A400, 600, 700	N/A	\$1268
2MB BOARD	A400, 600, 700	N/A	\$2028
4MB BOARD	A400, 600, 700	N/A	\$3211
6MB BOARD	A400, 600, 700	N/A	\$4394
1MB BOARD	A900	N/A	\$2958
2MB BOARD	A900	N/A	\$3549

HP/3000			
4MB BOARD	6X, 7X	N/A	\$4394
8MB BOARD	6X, 7X	N/A	\$8450
2MB BOARD	37, Micro 3000XE	N/A	\$3380
4MB BOARD	37, Micro 3000XE	N/A	\$4563
2MB BOARD	39, 4X, 5X	N/A	\$2620
4MB BOARD	39, 4X, 5X	N/A	\$5493

HP/9000 WORKSTATION			
1MB UPGRADE	200, 310, 320	N/A	\$571
2MB UPGRADE	200, 310, 320	N/A	\$1078
4MB UPGRADE	200, 310, 320	N/A	\$2177
8MB UPGRADE	200, 310, 320	N/A	\$4385
4MB BOARD	318	N/A	\$3482
8MB BOARD	319	N/A	\$6633
4MB CONTROLLER BOARD	330, 350, 370	98258A	\$3651
4MB ADD-ON BOARD	330, 350, 370	98258B	\$3245
12MB ADD-ON BOARD	330, 350, 370	98258C	\$7301
1MB UPGRADE	332	98268	\$571
4MB UPGRADE	332	98268	\$1395
4MB UPGRADE	340	98268	\$2008
4MB RAM BOARD	345, 375	98229A	\$1661
8MB RAM BOARD	345, 375	98229B	\$3289
16MB RAM BOARD	345, 375	N/A	\$4986
4MB UPGRADE	360	98267A	\$1850
8MB UPGRADE	360	98267B	\$3540
12MB UPGRADE	360	98267C	\$5061

IBM			
512K KIT	PS/1	1057035	\$91
2MB KIT	PS/1	N/A	\$358
2MB MODULE	PS/2, 95XP	6450902	\$156
4MB MODULE	PS/2, 95XP	6450128	\$397

DESCRIPTION	FOR MODELS	REF. P/N	PRICE
IBM (Continued)			
2MB UPGRADE KIT	30/286, ADT BRD 1497259	30F5360	\$134
1MB MEMORY MODULE	70/121, 061, E61, 55SX, 65SX	6450603	\$75
2MB MEMORY MODULE	70/A21, A61, B21, B61	6450608	\$136
2MB MEMORY BOARD	80/111, 311, 121, 321	6450379	\$175
4MB MEMORY BOARD	80/A21, 80/A31	6451060	\$449
4MB MEMORY MODULE	55SX, 65SX	34F2933	\$354
2-16MB EXP. CARD	30, 50, 50Z, 60, 55SX, 65SX	6450609	\$580
4-16MB EXP. CARD	70, 80	34F3011	\$730
1MB MEMORY CARD	LASER PRINTER 4019E	1039136	\$125
2MB MEMORY CARD	LASER PRINTER 4019E	1039137	\$169
2MB MEMORY CARD	ADAPTER 6450367	6450372	\$384

IBM COMPATIBLE (XT & AT)			
1MB	XT	N/A	\$208
2MB	XT	N/A	\$247
1MB	AT	N/A	\$234
2MB	AT	N/A	\$284
3MB	AT	N/A	\$352
4MB	AT	N/A	\$408
8MB	AT	N/A	\$750

NCR			
2MB UPGRADE	386SX/IS	3279K119	\$151
4MB UPGRADE	386SX/MC	3420K102	\$302
2MB UPGRADE	486/MC	3314K102	\$188

NEC			
1MB MEMORY EXP. BRD	POWERMATE SX PLUS	APC-H850E	\$298
2MB MEMORY EXP. BRD	POWERMATE SX PLUS	N/A	\$549
4MB MEMORY EXP. BRD	POWERMATE SX PLUS	APC-H852E	\$878
8MB MEMORY EXP. BRD	POWERMATE SX PLUS	N/A	\$1528
2-8MB BOARD	POWERMATE SX PLUS	APC-H251E	\$488
4-8MB BOARD	POWERMATE SX PLUS	APC-H250E	\$631
1MB UPGRADE KIT	PROSPEED 286, SX (NOT THE PLUS)	PC-21-21	\$275
2MB UPGRADE KIT	PROSPEED 286	N/A	\$420
4MB UPGRADE KIT	PROSPEED 286, SX (NOT THE PLUS)	PC-21-22	\$690
2MB UPGRADE KIT	PROSPEED 386	PC-31-21	\$449
8MB UPGRADE KIT	PROSPEED 386	PC-31-22	\$1599
2MB CPU UPGRADE KIT	POWERMATE SX/20	OP-410-8101	\$383
2-8MB EXP. BRD	POWERMATE SX/20	OP-410-8102	\$383

SILICON GRAPHICS (IRIS SERIES)			
4MB KIT	PERSONAL 40/20/25	H4C04A	\$699
16MB KIT	PERSONAL 40/20/25	H4C04B	\$2643
4MB KIT	PRO 40/40/50/70/80	H4C04B	\$699
16MB KIT	CS/12 TURBO 12/16	H4C04B	\$2643
8MB KIT	POWER SER. 40/120/220/240/280	H4C08X	\$1906

SUN			
4MB OPTION	3/50	N/A	\$754
8MB OPTION	3/50	N/A	\$1125
4MB OPTION	3/60, 3/80, 4/60, SPARC	X104C.G.H.Y	\$279
4MB OPTION	SPARC SLIC	X105Z	\$380
16MB OPTION	SPARC 4/60	X116H.Y.W	\$1490
16MB OPTION	4/110	X116D	\$1025
16MB	4/330	N/A	\$2687
32MB	4/330	N/A	\$4580
64MB	4/330	N/A	\$7990
8MB OPTION	4/330, 4/370	X108H	\$580
4MB OPTION	3/75, 110, 140, 150, 160, 180	N/A	\$1138
8MB OPTION	3/75, 110, 140, 150, 160, 180	N/A	\$1684
12MB OPTION	3/75, 110, 140, 150, 160, 180	N/A	\$2408
16MB OPTION	3/75, 110, 140, 150, 160, 180	N/A	\$3244
8MB OPTION	3/260, 280, 470, 480, 4/260, 280	N/A	\$4908

TOSHIBA			
1MB MEMORY CARD	T1000SE, XE	PC14-PA8311U	\$259
2MB MEMORY CARD	T1000SE, XE	PC14-PA8312U	\$349
2MB MEMORY CARD	T1200XE	PC13-PA8306U	\$206
2MB MEMORY CARD	T1600	PC8-PA8302U	\$179
512KB MEMORY KIT	T3100E	PC9-PA8340U	\$109
2MB MEMORY KIT	T3100E	PC9-PA8341U	\$165
2MB MEMORY CARD	T3100SX	PC15-PA8308U	\$165
4MB MEMORY CARD	T3100SX	PC15-PA8310U	\$499
3MB MEMORY KIT	T3200	PC6-PA7137U	\$305
2MB MEMORY KIT	T3200SX	PC12-PA8307U	\$175
4MB MEMORY KIT	T3200SX	PC12-PA8909U	\$499
2MB MEMORY CARD	T5100	PC7-PA8304U	\$175
8MB MEMORY KIT	T5200	PC-PA8313U	\$1240
2MB MEMORY KIT	T8500	PC10-PA8304U	\$175
8MB MEMORY KIT	T8500	PC-PA8313U	\$1240

document retrieval.

Document Recall requires a 286-based IBM AT with DOS 3.2, a 500-MB hard disk drive, a Hewlett-Packard LaserJet printer, an HP ScanJet scanner, and the OSAS accounting software.

Price: 3250 Swiss francs.

Contact: AccuMat Data SA, rue Fritz Courvosier 40, CH-2300, Lachaux de Fonds, Switzerland, 41-39-318851; fax 41-39-281846. **Circle 1340 on Inquiry Card.**

APL.68000 Reaches Level II

MicroAPL developed the interpreter APL.68000 Level II for maximum compatibility with IBM's mainframe APL2 product so that Unix and

Mac users can access the same development tools on their machines and Commodore Amiga and Atari ST users can explore mainframe-compatible software. The new version of APL includes features such as nested arrays, selective assignment, and user-defined operators.

APL.68000 Level II lets you mix and nest arrays and use user-defined, derived, and nonscalar functions with operators. The new version also supports user-defined operators, includes Axis Error and Valence Error messages, permits comments in function/operator headers, retains blanks before comments, and supports multiple and selective specifications.

New primitive functions include Enclose, Disclose, Depth, Enlist, First, Parti-

tion, Pick, Match, Find, Without, and Index. MicroAPL has also enhanced some of the existing primitives. Ravel with axis lets you create a new axis of length 1 or combine a range of axes into one. Take and Drop with Axis allows Take and Drop operations along specified axes only, while other axes remain unchanged. Format by specification references OFC for overflow, negative, and decimal-point characters.

APL.68000 Level II also has a new operator, new or enhanced system functions and variables, and new or enhanced system commands.

Price: £520 for the single-user Mac version; £260 for the single-user Commodore Amiga version; £170 for the single-user Atari ST version; £2500 for the multi-user version.

Contact: MicroAPL Ltd., South Bank Technopark, 90 London Rd., London SE1 6LN, U.K., 44-71-922-8866; fax 44-71-928-1006.

Circle 1341 on Inquiry Card.

A Local Bridge for 802.3 Networks

The B100 from ExperData is a local bridge you can use to automatically filter traffic between two 802.3 Ethernet-, thin Ethernet- (Cheapernet-), or StarLAN-type LANs. The unit offers an efficient solution to your LAN configuration requirements and protocol transparency, while being totally independent of the computer system running the network.

The bridge requires no

BYTE BACK ISSUES FOR SALE

	1988	1989	1990	1991
January				
February				
March				
April				
May				
June				
July				
August				
September				
October				
November				
December				
Inside the IBM PCs				

Rates (postage and handling included):

Holland	Dfl 18.00	Switzerland	SwFr 13.50
United Kingdom	£ 5.25	France	FFr 54.50
West Germany	DM 16.50	Sweden	SEK 56.50

No other currencies will be accepted other than those mentioned above.

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:

BYTE Back Issues, c/o Dynamic Graphics International, P.O. Box 25, 3950 AA Maarn, The Netherlands

☐ Check enclosed

Charge: ☐ MasterCard ☐ Eurocard ☐ American Express

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

Postcode _____ City _____

Country _____


All orders must be prepaid. Pay only in currencies given.

Please allow three weeks for delivery by surface mail.



☐ Issues Available

Major International EISA MAIN BOARD Rely On United Hitech's Team

**486-33ES EISA
baby Size Main Board**



**486-33EL
486 EISA Main Board**




United Hitech provides a full range of 486 EISA/ISA and ISA386 mainboards, so there never need be any problem with a shortage of 486 CPUs. Also we are Taiwan's only maker of the baby size EISA 486 As reported in the September 11, 1990 issue of PC Magazine our U.S. affiliate (Advanced Integration Research, A.I.R.) supplies 486 system boards to a number of renowned OEMs who demand our kind of consistent quality.


**Welcome OEM
and distributor**



**386AS
386-25/33/40
Main Board**




**486-33LC
486 ISA
Main Board**



**333L
386 Main Board**



**486-33S
486 ISA Baby
Size Main Board**



EISA Controller

Manufacturer & Exporter

UNITED HITECH CORPORATION

7F-1, No. 1, Wu-Chuan 1 Road Hsin Chung City,
Taipei Hsien Taiwan, R.O.C.

Tel: 886-2-299-3125 ~ 30 Fax: 886-2-299-3210

In the U.S., please contact

ADVANCED INTEGRATION RESEARCH

657 N. Pastoria Ave., Sunnyvale, CA 94086

Tel: (408)737-8200 Fax: (408) 737-9997

Circle 471 on Inquiry Card.

PC Upgrades

At the Lowest Prices in EEC.

**No International Handling Charge.
No EEC Import Duty or UK Tax
are charged for EEC orders.**

Toshiba Compatible Memory

T1000SE/XE-1MB	£90	2MB	£120
T1000SE- 4MB	£389	8MB	£749
T2000SX- 4MB	£389	8MB	£749

Same price for all the followings

T1200XE, T1600, T3100SX, T3100E,	
T3200SX-	2MB-£81
T3100SX/T3200SX- 4MB	£185/£210
T5200	8MB-£371

Contact us for Toshiba Computers

Compaq Compatible Memory

Modules same price for S&E range

1MB	£65	4MB	£162
-----	-----	-----	------

S & E Boards. Same price for both

1MB	£110	4MB	£255
-----	------	-----	------

SLT-1MB	£89	4MB	£427
---------	-----	-----	------

IBM Compatible Memory

IBM ID, Easy installation, LIM 4.0

MCRAM32- 16/32 bit card 0k	£160
with 8MB	£472

2MB IBM Compatible Memory

6450604-	£75	6450608-	£75
----------	-----	----------	-----

AT Memory

Boca AT Plus. 2MB	£167	8MB	£360
-------------------	------	-----	------

Laser Printer Memories

HP IIP/III/IIID with 0MB	£30
Panasonic 4450i, 4420 0MB	£50

Hard Disk Drives

Fujitsu/Seagate. 40MB to 780MB £Call

***NEW*-386SX NoteBook**

386SX/16- 2MB of Memory.

1.4MB Floppy, 20/40MB hard disk.

VGA Compatible Backlit LCD.

Graphics 640x480. £Please Call

Multi-lingual Word Processor

Supports 24 Languages. £120

Extensive set of commands.

Full Range of Fax/modem card.

Please contact us for items not listed.

Contact Us Today on

Tel : 372-1917 Fax: 625-7649

Tel codes: 071 for UK

and 4471 for International Calls

Prices are subject to change without notice.

AMDS Ltd.

36A, Kilburn High Rd

London

UK.

Trade Marks :PS/2 & OS/2 belong to
IBM. Unix AT&T. Novell Novell Inc.
Compaq . Compaq computers.

NEWS

INTERNATIONAL

manual configuration and lets you connect up to 1024 stations to each of the two subnetworks. Whenever you add or move stations, the B100 automatically updates its internal forwarding database. The built-in watchdog function automatically verifies bridge status every 256 ms to prevent the system from blocking.

The B100 lets you interconnect an active Ethernet optical-hub branch to an Ethernet LAN for a building or a floor, interconnect an Ethernet 10Base-T network to a StarLAN 1-Mbps network, and interconnect an Ethernet 10Base-T network to a coaxial Ethernet backbone.

You can use the B100 local bridge to extend the network, to prevent network congestion by transmitting only traffic destined to the other segment, and to provide fault isolation between the segments.

Price: 22,000 FF for an Ethernet AUI 10Base-5 LAN; 30,000 FF for an Ethernet fiber-optic AUI 10Base-5 LAN; 35,000 FF for an Ethernet 10Base-T LAN.

Contact: Société Expert-Data S.A., 16, rue St. Denis, 92100 Boulogne Billancourt, France, 33-1-46-03-48-54; fax 33-1-48-25-69-15.

Circle 1342 on Inquiry Card.

XVision Gets a New Look

X Vision, VisionWare's Microsoft Windows X Server, allows PCs networked over TCP/IP to one or more host systems (Unix or non-Unix) to display multiple X Window

System clients alongside local Windows programs, and it supports copying and pasting between DOS and the X Window System. The new version, XVision 4.0, fully supports the X Window System 11 release 4 protocol, including all fonts, as well as many X11.4 enhancements and server extensions.

XVision 4.0 has a new approach to copy protection that is designed to prevent software piracy without inconveniencing the user. New user options optimize performance with certain applications. The new version gives you two server extensions: SHAPE, which lets you use nonrectangular windows, and MITMISC, which provides bug compatibility with X11.3 clients.

An enhanced local window manager improves performance when you use it instead of a host window manager. The Backing Store feature stores the contents of a window locally for faster repainting of windows that were obscured. The Save Under feature restores whatever was underneath an unmapped window. When you start X clients from the Windows Program Manager, the enhanced Program Starter lets you control how and when to start the first X client.

XVision 4.0 also includes the standard MIT screen saver; an alternative method of copying and pasting using cut buffers; Windows 3.0 on-line help; and increased network support for Hewlett-Packard LAN Manager, ARPA services, and Novell LAN Workplace for DOS.

Price: £399.

Contact: VisionWare Ltd., 57 Cardigan Lane, Leeds LS4 2LE, U.K., 44-532-788858; fax 44-532-304676.

Circle 1343 on Inquiry Card.

Compu\$ave International

Int'l Orders (602) 437-8208 FAX (602) 437-8988

DIGITIZERS

CalComp 12 x 12.....	310
36 x 48.....	1,925
H. P. Sketch Pro.....	410
Kurta 12 x 12.....	358
12 x 17.....	629
NUMONICS ZEDPen.....	FAX
Summa Sketch II.....	329
12 x 18.....	599

GTCO, Hitachi, Seiko.....FAX

LARGER SIZES AVAILABLE

AAPPS	Asante
Abaton Technology	AST Research
Above Software	ATI Technologies
Access Technology	Avatar Technologies
Acer	Bankier Companies
ACS Telecom	Belkin Components
Action Technologies	Beseler
Activision, Inc.	Brightwork Dev.
Adapttec, Inc.	C4 Construction Net
Advanced Digital	C H Products
Advanced Logic Res	Caere Corporation
Adv. Transducers	Calcomp
All Computer	Calera
Alloy	Canon
Amdek	Cardinal Tech
American Micro Res	Castelle
Amer. Power Conv.	Cayman Systems
Anchor Automation	cc:Mail
Anthem Electronics	Central Point
Apple/Macintosh	C. Itoh
Artisoft	CMS Enhancements

ALR

Advanced Logic Research

Business VEISA 386/33

Model 101.....	1,754
Model 40.....	4,125
Model 80.....	4,550
Model 110.....	4,700

Business VEISA 486/25

Model 101.....	3,515
Model 40.....	5,360
Model 110.....	5,950

FAX for other Models

Co-Star Corporation
Compuserve
Comp. Accessories
Comp. Peripherals
Computone
Control Systems
Core International
Cornerstone
Crosscomm
Cumulus
Curtis Mfg. Co.
Da Vinci
Data Access Corp.
Data Technology
Datacom Tech.
Datadesk Int'l
Datashield/SCI
Datastorm
Dayna Comm., Inc.
DCA
DPT
Delta Technology
Dest
DigiBoard
Digital
DMI INC.
Dove Computer
Dupont
E-Machines, Inc.
Eastman Kodak Co.
EFI Corp.
Elgar
Emerald
Emex
Enable
Enter Computer
EPD/CMS
Ergotron, Inc.
Everex/Emac
Everex/IBM Periph.
Farallon
FGS
Fujitsu
General Interface
Genicom
Goldstar
Grapevine Lan Prod
GTCO
Gupta Technologies
Hayes
Hercules Computer
Hewlett-Packard
Hitachi
Hunt Mfg.
Hyundai
IBM
Info. Research
Innovative Concepts
Intel
Intellicom
Interleaf
Intl Computer Group

PLOTTERS

Calcomp 1023.....	3342
Calcomp 1025.....	4368
Calcomp 1026.....	6333
Calcomp 1043.....	6468
Calcomp 1044.....	8764
Calcomp 1020.....	15349
Enter SP600.....	604
HI DMP61.....	2787
HI DMP61DL.....	3485
HI DMP62.....	3752
HI DMP62DL.....	4097
HP 7440.....	1165
HP 7475A.....	1519
HP 7550.....	2950
HP 7570.....	2945
HP 7575.....	3657
HP 7576.....	4725
HP 7579SX.....	6505
HP 7596B.....	7626
Ioline 3500.....	2220
Ioline 3700-1.....	2923
Ioline 3700-8.....	3062
Ioline 4000-1.....	3409
Ioline 4000-8.....	3617
Ioline 7200-8.....	10590
Ioline ArtPro 3500-1.....	2682
Ioline ArtPro 3700-1.....	3388
Ioline ArtPro 3700-8.....	3527
Roland CAMM-1.....	3255
Roland CAMM-2.....	2553
Roland DPX-2500.....	3956
Roland DPX-3500.....	4307
Roland DPY-1100.....	810
Roland DXY-1200.....	1149
Roland DXY-1300.....	1500
Roland DXY-885.....	755
Roland GRX-300AR.....	3605
Roland GRX-400AR.....	4307
Roland LTX-120.....	2412

SOFTWARE - We carry every major publisher and title!

Ioline	Living Videotext
Iomega	Logitech
Irwin Magnetics	Magnavox
J & L Info Systems	Manzana Micro
Jovian Logic Corp.	Mass Micro System
Kalmar Designs	Maynard
KAO Infosystems	Megahertz
Kennect Tech	Micro Displays Sys
Kensington Micro	Microcom
Keytronic	Microlytics, Inc.
Kimtron Corp.	Micron Technology
Kingston	Microrim
Koala Technologies	Microsoft Corp.
Kurta	Microspeed Inc.
Lapis Technologies	Microtek
Lan Systems	Milford Null Modem
Link Technologies	Miniscribe

Mitsubishi
Mountain Computer
Mouse Systems
Multi-Tech
Natl Semiconductor
NEC
Norton-Lambert
Novell
Number Nine
Nuvotech, Inc.
Okidata
Orange Micro
Orchid Technology
P.A.C.E.
Pacific Data Prod
Packard Bell
Panamax
Panasonic
Paradise
PC Guardian
Perfect Data
Persoft
Personal Writer
Philips
PLI
Plus Development
Polygon
Practical Peripherals
Princeton Graphic
Prodigy Services
Product R&D Corp.
Prometheus Prod
Pure Data
QOR
QMS
Qume Corp.
Racal Interlan, Inc.
Racore
Retix
Renaissance GRX
Rodime Systems
Roland
Rybs Electronics
SL Waber
Saber
SAFE Power System
Samna
Samsung
Santa Cruz Oper.
Sayette Technology
SCI DataShield
Seagate
Seiko
Shiva Corp.
Siclone Sales & Eng
Sigma Designs
SMT Peripherals
Softklone
Solana Electronics
Sony
SRW Computer
Standard Microsys.

WYSE Terminals

30 w/keyboard.....	292
50 w/keyboard.....	362
60 w/keyboard.....	389
99GT w/keyboard.....	468
150 w/keyboard.....	373
185 w/keyboard.....	362
370.....	789
700.....	699

WYSE Computers too!!

DISKLESS WORKSTATION

38SX/16S.....FAX

STB Systems	U.S. Robotics
Storage Dimension	Uniplex
Summagraphics	Unison Tech
Sunriver Corp.	Ven-Tel, Inc.
Synergy Software	Verbatim Corp.
Synotics	Vermont Micro Sys
Sysgen	Verran Datalink
Targus	Video Seven
TDA/Dimensional	Vixis Software
Tecmar	Walker, Richer, Quinn
Telebit Corp.	Western Digital
Texas Instrument	Western Telematic
The Complete PC	Wyse
Thomas Conrad Co	Xerox Imaging Sys
Tops	Xicom
Toshiba	Zenith
Tripp Lite	Zip Technology
Tseng Laboratories	Zoom Telephonics
Unisys	

The BEST UPS

Micro-Ferrups-50 Hz Models

QME 500VA.....	930.00
QME 700VA.....	1,080.00
QME 850VA.....	1,230.00
QME 1.15KVA.....	1,755.00
QME 1.4KVA.....	1,965.00
QME 1.8KVA.....	2,790.00
QME 2.1KVA.....	3,100.00
QME 3.1KVA.....	3,825.00

Ferrups Models-50Hz Models 4.3 KVA to 18 KVA

Rackmount Models-50Hz Models 1.8 KVA to 7KVA

Fax for 60Hz Models

Address: Compu\$ave - 4209 S. 37th Street - Dept. W10 - Phoenix, AZ 85040 - USA

Order lines Monday - Friday 7 am - 5 pm. FAX line always open.

Prices reflect U.S. currency and are subject to change without notice. Bankwire, VISA/MC, checks and letters of credit are accepted. We do not guarantee compatibility. All products carry manufacturer's warranty and we do not honor rebates, extended guarantees or promotional programs. Please FAX or call before ordering and give manufacturer name and model number. If faxing order, include your fax number in body of transmission. International Orders add 5%.

BYTE's International Direct Response Postcards

From the most prestigious microcomputer magazine comes an inexpensive direct response medium – a postcard advertising insert bound into the highly-respected International Section of BYTE magazine called **BYTE's International Direct Response Postcards**.

Postcard ads provide a direct-response vehicle that encourages prospects to respond to offers for information as well as direct sales. A postcard ad is versatile because it allows you to test your product to potential buyers. That's because you can use your card to sell computer products, generate leads, conduct market research or sell books and periodicals. Each postcard is perforated so it can be easily torn out and returned directly to you without any intermediary—*guaranteeing leads that are current and "hot."*

Expand your horizons into this valuable marketplace.

The Pan-European marketplace is preparing to open up to greatly expanded trade in 1992 with the breaking down of trade restrictions. And **BYTE's International Direct Response Postcards** presents the perfect opportunity to test your product in this marketplace and to get your company positioned in the minds of the major buyers.

These unique advertising postcards which will be inserted in the International Section will reach 95,000 influential *BYTE* paid readers throughout Europe.

In Europe, contact:

Uwe Kretschmar

European Advertising and Marketing Mgr.
at (01) 543-1234

McGraw-Hill Publications
Wimbledon Bridge House
One Hartfield Rd.

Wimbledon, London SW19 3RU
England

BYTE 

NEWS

INTERNATIONAL

New-Generation Micro APL Technology

STSC has added interfaces for C and FORTRAN and support for Microsoft Windows 3.0 to APL*PLUS PC 10. The new version also features mouse support, new extensions to file system functions, PostScript printer support, GSS 2.16 driver support, improved display resolutions of up to 132 characters by 43 lines, and enhanced color monitor support.

Version 10 lets you call non-APL subroutines written in other languages like C and FORTRAN from within an APL program, so you can speed up your application development and performance by interfacing with existing software routines. Interfaces are currently available for Microsoft C 5.1, Turbo C 2.0, and Microsoft FORTRAN 5.0.

APL*PLUS PC 10's enhanced support for Windows 3.0 lets you run APL sessions in more than one window, share data between sessions, and run other software programs simultaneously. The new version also lets you include mouse support in your APL-based applications so that they will work like other mouse-driven software.

STSC has integrated the User Command Processor with the APL interpreter, making it immediately accessible within execution mode or under program control. It lets you define and store command sets that are always available regardless of the workspace being used. In addition, the company has merged the Session Manager with the interpreter so that both parts of the system can be contained in one executable file.

APL*PLUS PC 10 requires an IBM PC with 384K bytes of RAM (the company recommends 640K bytes, a math coprocessor, and a hard disk drive), and DOS 2.0. For network support, the package requires DOS 3.1 or higher.

Price: £477.

Contact: Cocking & Drury Ltd., Fourth Floor, 180 Tottenham Court Rd., London W1T 9LE, U.K., 44-71-436-9481; fax 44-71-436-0524.

Circle 1344 on Inquiry Card.

A Module That Speaks Volumes

The V8600 electronic text-to-speech module from Triangle Digital Services can say anything you want in speech that is readily understandable and with intonation that follows punctuation. The module's speech-processing technology uses language rules in the on-board microcomputer. Using these rules, the V8600's data-input pins process the plain ASCII text into a quality male voice at the speaker output. The text can come from your computer's standard printer port or via a serial input. You can also connect the module directly onto a microprocessor bus, piggyback it onto a host printed circuit board, or use it independently. To operate the V8600, all you need is a 5-V power supply and a loudspeaker.

Price: £189.95.

Contact: Triangle Digital Services Ltd., 223 Lea Bridge Rd., London E10 7NE, U.K., 44-81-539-0285; fax 44-81-558-8110.

Circle 1345 on Inquiry Card.

THE SOFTWARE CONSTRUCTION COMPANY

BORLAND

Borland C++ NEW	£199
Turbo C++ 2.0	£55
Turbo Debugger & Tools	£85
Turbo Pascal v.6.0	£69
Pascal Professional	£129
ObjectVision Until 30.4	£79
Paradox 3.5	£375
Paradox Engine	£215
Paradox MultiPak	£695

AUTHORISED

COMMS LIBRARIES

C Asynch Manager	£125
C Comms Toolkit	£99
Essential Comms	£215
SilverWare C Asynch	£165
Hold Everything	£129
Asynch Plus	£125
Pascal Asynch Manager	£125

DATA FILE HANDLERS

C-ISAM	£250
c-tree Plus	£385
CBTREE	£129
CodeBase ++	£190
CodeBase ++ Upgrade	£79
CodeBase 4	£190
Essential B-Tree	£129
Paradox Engine	£215
Toolbox Professional	£835
Toolbox Special Edition	£515
Topaz	£65

GENERAL FUNCTIONS

Blackstar C Lib	£65
FUNCKY.LIB	£129
Spontaneous Assembly	£129

GRAPHICS LIBRARIES

Essential Graphics	£259
GraphiC	£255
GraphPak	£55
Flipper	£129
GUIDO	£165
Plot 88	£219
dGE	£195
SilverPaint	£85

TEXT SCREENS

C Windows Toolkit	£65
C-Worthy Library Srce.	£175
C-Worthy Upgr to v.2.0	£125
C-Worthy Upgr to v.2.0	£175
C-Worthy/cwArchitect	£389
C-Worthy/cwArc/Srce	£559
Curses by Aspen	£85

Curses by Lattice	£125
Curses with Source	£225
Formaker	£255
Formation Desktop	£129
Formation Dsktp.Srce.	£235
Formation Dsktp Desr	£105
MEWEL Window /Srce	£320
MEWEL Window	£129
Vermont Vws. / Desig	£319
Vermont Vws. GraphEx	£99
Vermont Views / source	£575
Vitamin C	£145

Microsoft

BASIC 7.1	£219
C 6.0 Compiler	£210
COBOL 4.0	£345
FORTRAN 5.0	£199
MASM 5.1	£75
Pascal Compiler	£149
QuickBASIC	£50
QuickC	£50
QuickC/Assembler	£85
QuickPascal	£50
Windows 3.0	£65
Windows S.D.K.	£260

Authorised

CASE TOOLS

EasyCASE Plus	£190
EasyCASE Plus Prof.	£255
EasyCASE Prof. Upgr.	£80
Logic Gem	£65
Visible Analyst	£385
Visible Analyst Wkben.	£2460
Visible Analyst Wkben.	£6995
Visible Analyst Wkben	£1295
Visible Dictionary	£595
Visible Prototyper	£595
Visible Rules	£595

EDITORS

BRIEF for DOS & OS/2	£199
dBRIEF for BRIEF	£99
dBRIEF with BRIEF	£275
Edix	£129
EDT+	£190
EMACS	£210
Epsilon	£129
KEDIT	£99
ME Editor	£59
MKS Vi	£99
Multi Edit	£65
Multi Edit Professional	£115
Norton Editor	£50
PI Editor	£129
Professional Editor	£195
Q Edit Advanced	£39

SPF/PC	£159
VEDIT PLUS	£120

LINKERS

ALINK	£129
.RTLink	£190
.RTLink/Plus	£319
Blinker	£125
Plink	£289
Plink w/LTO	£359

VERSION CONTROL

MKS RCS	£125
MKS RCS -5 User	£485
PVCS	£359
PVCS -5 User	£1345
SMS	£319
Sourcerer's Apprentice	£429
Sourcerer's Apprentice	£175
Sourcerer's Appren.5	£1505
TLIB 5.0	£90
TLIB Network	£195

DEMO BUILDERS

Dan Bricklin's Demo III	£190
Instant Replay III	£99
Instant Replay Prof.	£385

FREE

Microsoft Flight Simulator

WORTH £45 WITH EVERY PRE-PAID ORDER OVER £100*

Proteus	£165
ProtoFinish	£195

MAKE UTILITIES

MKS Make	£99
MKS Make -5 User	£320
PolyMake	£129
PolyMake -5 User	£485

UTILITIES

Above Disk	£79
Batcom	£39
Blue Max	£100
386 MAX Version 5	£85
Copy II PC	£30
Disk Manager	£85
Disk Technician Adv.	£99

DoDot	£99
HEADROOM	£85
HiJaak	£99
Install	£165
Mace Utilities 1990	£95
MultiBoot	£35
Norton Utilities	£95
PC-KWIK PowerPak	£85
QA+ Diagnostics	£129
QEMM-386	£65
GRAM	£55
SpinRite II	£59
Superkey	£55
System Sleuth	£99
The Builder	£99
Toolbook	£249

NETWORK UTILITIES

CC:Mail	£450
CC:Mail Expand	£385
DaVinci eMAIL	£645
LAN Assist Plus	£190
LANshadow	£449
LAN Shell	£320
LAN Select	£320
LAN Space	£320
LAN Spool	£255
Map Assist	£225
Montrix	£515
PS-Print	£255
Saber LAN Adm. Pack	£449
Saber Menu	£255
Saber Meter	£129
SiteLock	£320
X-Tree Net	£255

UNIX TOOLS

MKS AWK	£115
MKS Toolkit	£225
MKS Toolkit-5 user	£640

TERMS & CONDITIONS PRICING

All prices exclude V.A.T., but include carriage.

DISCOUNTS

Educational & volume discounts available.

PAYMENT

VISA or ACCESS. Credit to approved accounts.


*OFFER

Applies only to orders exceeding £100 exclusive of V.A.T. on non-discounted products.

TOOLBOX CATALOGUE


Call for free copy.

**1 THE MALTINGS, GREEN DRIFT, ROYSTON, HERTS. SG8 5DB
TELEPHONE (0763) 244114 FACSIMILE (0763) 244025**



- Support WEITEK 4167 Coprocessor
- 64K/256Kb 2nd level cache memory
- Up to 64Mb Memory on board
- Support 80486 Burst Mode & EISA Bus
- 6 EISA SLOT & 2 ISA SLOT

33MHz: Byte BMARK CPU Index 9.64
25MHz: Byte BMARK CPU Index 7.25



TP 486/386 SONIC SERIES

**BRAND NEW ISA BOARD!
SMALLER BUT POWERFUL**

- Baby AT size
- Burst Mode Design
- External Scalable 64K/256K Direct-mapped Cache and write-back Algorithm
- Intelligent Refresh Optimized Scheme (IROS)
- 32MB RAM capacity on-board, expandable to 64MB by a 32-Bit Memory Card
- Socket for Weitek 4167
- Caching & Shadowing on Video, Controller & System BIOS

PERFORMANCE

TP486/33-SONIC: 15.23 MIPS
TP486/25-SONIC: 11.4 MIPS
TP386/33-SONIC: 8.328 MIPS
TP386/25-SONIC: 6.206 MIPS

30-DAY MONEY BACK GUARANTEE!

TP **TP ENTERPRISE LTD.**

20th Fl., No. 1058, Mingsheng E. Rd.,
Taipei, Taiwan, R.O.C.

Tel: (02) 753-1930

Fax: 886-2-7531940 • 886-2-7153105

All brand names are registered trademarks of their
respective owners

Create High-Quality Business Forms

If you would like to produce typeset-quality forms without the expense and delay of going to a commercial printer, then FormMaster 1.2 may be for you. The package helps you quickly create and print high-quality business forms using your IBM PC, Microsoft Windows, and a laser printer.

The package lets you rapidly design forms composed of lines, boxes, images, text, and data fields. You can modify individually or as a group each of the objects that make up the form, using editing functions such as scaling, moving, deleting, and copying. Because you define the form completely in your computer, you can easily make alterations and changes whenever required.

Form layout features include letter, A4, A5, legal, DIN A4, DIN A5, and custom form sizes up to 40 cm, with portrait or landscape orientations; password protection for your forms and data; and the ability to attach a description and designer's name to a form.

FormMaster's graphics features let you edit filling patterns; import image/graphics files in PCX, TIFF, MSP, IMG, and PIC formats; and crop and pan images and graphics objects. The software also connects line ends to other objects automatically.

Text features include multiple faces and sizes for texts and field data; reversible and rotatable texts when you are using vector fonts or PostScript printers; explicit and implicit hyphenation; and horizontal and vertical alignment types.

You can draw frames with different line styles and

filling patterns; divide frames evenly, proportionally, and as a unit; divide subframes in the same way you divide frames; and edit every edge of the divided frames separately.

FormMaster 1.2 also provides text, numeric, and formula field types; multi-font and alignment for field data; prompt strings of fields to help you decide what to input; and import and export records in dBASE III/IV or ASCII delimited file format. You can print forms with or without data and print only the data.

Other features include on-line help; the ability to snap objects to user-definable grids, ruler scales, or reference lines; standard Clipboard formats to communicate with other Windows applications; Undo/Redo functions for almost every operation; and ruler units in centimeters or inches, which you can set independently for horizontal and vertical rulers.

FormMaster 1.2 requires an IBM AT with 512K bytes of RAM, DOS 3.0, Microsoft Windows/286 or /386, and a Windows-compatible display adapter. A Microsoft-compatible pointing device, such as a mouse, is optional. The package is available in English, French, and German versions.

Price: DM 1755.

Contact: Gesellschaft für Computer-Anwendung mbH, Daimlerstrasse 4, 7149 Freiberg/Neckar, Germany, 49-7141-75055; fax 49-7141-76897.

Circle 1346 on Inquiry Card.

Now's
THE GREATEST
TIME TO BUY!



Free Catalog!

Call now for your free Softline
2000 product catalog.

NEW!

Now available
on Disk or Print



1333 60th Street, Brooklyn, NY 11219 FAX:718-438-2315

WE'VE MADE THE WORLD OUR BUSINESS.

SOFTWARE

• (Items in RED run under Windows)

Word Processing/Editors

Ami Professional	\$308
Grammatik for Windows	58
Microsoft Word 5.0	231
Microsoft Word for Windows	332
Multimate 4.0	249
Norton Editor	77
Professional Write Plus	171
Wordperfect 5.0 Xenix 1-5 User	535
Wordperfect 5.1	261
Xywrite III Plus	211

Desktop Publishing

Adobe Streamline	236
Adobe Type Manager	71
Arts & Letters Composer	259
Form Filler	92
Facelift for Windows	73
Gem/3 Desktop Publisher	168
Jetform Design	277
Pagemaker	521
Pagemaker for OS/2	566
Per:form Pro	307
Picture Publisher Plus	389
Publishers Type Foundry	306
Super Fonts	116
Super Print for HP	116
Ventura Publisher Gold	516

Database & Tools

B-trieve	464
C-tree	320
C-tree/R-tree/D-tree Toolkit	1133
Clarion Professional	476
Clipper	512
Dataease	458
Dbase IV	506
Dbase IV Developer Version	873
Dbfast/Windows	316
DBXL	140
Foxbase Plus	197
Foxpro	467
Oracle Professional	734
Paradox	528
PC-File Single User	97
Q&A	232
Rbase for OS/2 1-3 User	626
Revelation Advanced V2.0	563
SCO Foxbase+ 286/AT for Xenix	778
Superbase 4 Windows	432
UI Programmer	360
X-trieve Plus	460
SQL Relational Data Manager	614

Spreadsheets

Lotus 1-2-3 Version 2.01	332
Lotus 1-2-3 Version 2.2	354
Lotus 1-2-3 Version 3.1	427
Lotus 1-2-3/G for OS/2 Std Ed	521
Microsoft PC Excel	317
Microsoft PM Excel for OS/2	332
Quattro Pro	319
Supercalc 5	305

Integrated Packages

Enable OA	\$434
Framework III	458
Lotus Symphony 2.2	521
Microsoft Works	109
Wingz	324

Graphics

Adobe Illustrator - PC	296
Autodesk Animator	237
Autosketch Enhanced	150
Chansma	340
Corel Draw	391
Cricket Graph	89
Design CADD 3D	202
Designer	477
Draw Perfect	277
Draw Plus	157
Freelance Plus	340
Gem/3 Artline	408
Generic Cadd 5.0	237
Harvard Graphics	299
Micrografix X-Port	137
PC Paintbrush Plus	92
Pizzaz Plus	77
Powerpoint for Windows	326
Show Partner FX	222

Desktop Environments

Desqview/Desqview 386	89/130
Microsoft Windows 3.0	108
Sidekick Plus	137

Project Management

Harvard Total Proj. Mgr.	\$1433
MS Project for Windows	469
Project Mgr. Workbench Adv.	1777
Superproject Expert	420
Superproject Expert/2 for OS/2	496
Timeline W/Graphics	452

Communications

Attachmate Extra	399
Carbon Copy Plus	118
Close-Up Customer/Suppt	128/160
Crosstalk for Windows	123
Crosstalk MK4	137
Dynamacom Asynchronous	1199
Net Remote Plus	219
PC Anywhere IV	109
Procomm Plus	76
Reflection 1+/7+	311/399
Relay Gold	174
Smalltalk/V 286	121
Smalltalk/V PM for OS/2	1303
Smartcom III	138
Smartcom 240	211
Winfax	53

Statistics

CSS Statistica	744
SPSS PC Plus	183
Statgraphics	559
Systat V5.0	727

Languages & Programming Tools

ABC Flowcharter	\$183
Asymetrix Toolbook	296
Borland C++	332
Blaise C Tools+/Power Tools+	118
Blaise Pascal Tools+	143
Clear+ C/Clear+ Dbase	134
DBC III Library/III Plus	187/ 375
Interactive Easyflow	108
Lattice C Compiler	157
MS Basic/MS C Compiler	334
MS Fortran Compiler	304
MS Macro Assembler	109
MS Quick Basic/Pascal/C	78
MS Quick C w/Quick Assembler	135
MS-DOS 3.3/MS-DOS 4.01	51/74
MS Windows SDK	333
Norton Guides	43
PowerBasic	82
Turbo Pascal Professional	206
Turbo Debugger & Tools	111
Turbo Pascal/Prolog	105/111
Turbo Professional	109
Vermont Views W/Source Code	779

Network/Multiuser

Novell Advanced Network	1971
Novell ELS I/ELS II	544/ 1202
Novell SFT/Network 386	3355/5365
PC-MOS 386 5 User	486
VM/386 Starter Kit	240

OCR

Catchword for Scanman	140
Readright	313
Omnipage 386	451
Wordscan	407

Personal Information Managers

Lotus Agenda	296
Packrat	246
Who-What-When	179
WordPerfect Office	92

Utilities

386 to the MAX Professional	82
Above Disk	72
Copy II PC	31
Fastback Plus	116
Gofor	55
HDC Windows Express	63
Headroom	64
Lotus Magellan	112
Mace Utilities 1990 Edition	102
Manifest	45
Norton Utilities V5.0	116
Norton Backup	105
PC Kwik Power Pack	83
PC Tools Deluxe	101
Popdrop Plus	64
PS-Print	266
QEMM 386 EMS Manager	65
QRAM 286	56
Spinrite II	73
Super PC-Kwik	55
Winsleuth	91

HARDWARE

Display Boards

Hercules Graphics Station 1MB	\$733
Hercules Graphics Station 3MB	1066
Hercules VGA Card	127
Paradise 8514/A (AT)	468
Paradise VGA Plus	139
Video 7 VGA 1024i (512K)	240

Emulation Boards

AST 5251-11 Enhanced+	517
DCA IRMA 2 (PCA or MCA)	749
DCA IRMA 3 Convrt (PCA or MCA)	445
Megahertz 3270 Emulation Cd	446

Mass Storage Devices

NEC CDR 72 Ext CD ROM W/Intfc	584
Maxtor 80MB IDE 19ms	480
Maxtor 338MB SCSI 16ms	1371

Printers/Plotters/Accessories

HP Deskjet 500	516
HP Laserjet III	1627
HP Laserjet IIP	886
Pacific Data 1MB Exp Ex. II	111
Pacific Data 25-in-1	287

Networking


3COM Etherlink II (PCA)	\$208
3COM Etherlink/MC (MCA)	299
Megahertz Laptop Ethernet Cd	254
Novell NE1000A Ethernet (PCA)	160
Pure Data Laptop Arcnet Cd	334
Std Micro Active Hub 8 Port	267
Std Micro PC130E Arcnet Coax	122
Std Micro PC500FS Arcnet Svr	287
Std Micro PS110 Arcnet (MCA)	319
Tom Conrad Active Hub 12 Port	846
Tom Conrad TR MAU 16 Port	710
WDC Ethercard Plus Elite16	179

Modems

Prac Periph 1200 Int/Ext	74/ 85
USR Sptstr 2400 Int/Ext	125/ 143

Input Devices

Logitech Series 9 w/Paint	97
MS Mouse w/Paintbrush	115
MS Mouse w/Windows	164
PC Mouse II w/Paint	94
Summasketch 12X12 W/4 Button	376
HP Scanjet Plus W/Intfc	1586
Logitech Scanman+PCA/MCA	155/234
Logitech Scanman 256	313



To Place Your Order By Telephone, Please Call **Fay Kleinbart** • Intl. Sales Mgr.

1-718-438-6057

To Place Your Order By Fax: **1-718-438-2315**



TERMS: ALL RETURNS REQUIRE PRIOR AUTHORIZATION. 20% RESTOCKING FEE ON RETURNS. ALL PRICES SUBJECT CHANGE, CALL FOR CURRENT PRICES. PAYMENTS MAY BE PAID BY BANK CHECK, WIRE TRANSFER, L/C, MASTER, VISA OR AMERICAN EXPRESS CARD (3% HANDLING FEE ON CREDIT CARD ORDERS). GOODS ARE SHIPPED VIA AIR MAIL (RECOMMENDED FOR SMALL ORDERS) OR AIR FREIGHT. CDD FREIGHT COSTS TO PREPAYMENT OR GOODS ARE SHIPPED FREIGHT COLLECT.

5 out of 5 hackers prefer other software protection methods to Hardlock E-Y-E.®



What hackers dislike...

Hardlock E-Y-E was designed using cryptographic principles. It took the experience and know-how of Germany's No. 1 in software protection and the leading edge technology of a US semiconductor company to create the ultimate software protection tool. Hardlock E-Y-E is based on a custom chip featuring secure algorithmic response rather than simple bit swapping or counting schemes.

What software developers like...

Hardlock E-Y-E combines all the features software developers require in a single product: algorithmic response to provide security and an optional non-volatile memory to allow custom configurations. FAST Electronic has made implementation of Hardlock E-Y-E in your software easy. Use HL-Crypt to protect .EXE or .COM files, or incorporate high level language interface routines in your software. The algorithm parameters and the contents of the memory can be programmed in seconds using our Crypto-Programmer card. This unique card guarantees that no one else can burn your original codes. Simply plug the card into any PC slot and start up your own Hardlock E-Y-E workshop.

What your customers will like...

Hardlock E-Y-E allows unlimited backup copies. The

device is shipped with the software for the user simply to plug into the parallel interface and forget.

Daisy chainability, outstanding reliability (no battery is needed), and the most compact High-Tech design - ensure that your customer will accept Hardlock E-Y-E.

What your accountant will like...

Hardlock E-Y-E needs no factory coding. This ensures optimum delivery schedules and stock flexibility. Revenues will go up as software piracy and multiple usage are prevented. Despite its wealth of features, Hardlock E-Y-E's prices remain competitive.



Hardlock E-Y-E
programmable, algorithmic response
and memory option - all in one.

...As more and more software developers, customers and accountants appreciate the Hardlock E-Y-E device, hackers like it less and less.

For additional information, contact Brahim Ajari at Fast Electronic or one of the distributors listed below:

France:

FAST Electronic France S.A.R.L.
9, Av d'Arromauches
94100 St Maur des Fossés
Tel: (1)-48837811
Fax: (1)-48839734

Italy:

TECHNE S.R.L.
Via della Pace, 94
41033 Concordia s/S. (MO)
Tel: (0535)-54178
Fax: (0535)-57070

Spain:

FAST Iberica, S.L.
c/Ricardo Ortiz, 56 Posterior
28017 Madrid
Tel: (91)-3613222
Fax: (91)-3613219

U.K.:

magnifeye Ltd.
Studio 6, Walmer Studios
235-239 Walmer Road
London W11 4EY
Tel: (71) 2218024
Fax: (71) 7923449

BeNeLux:

crypsys gegevensbeveiliging
Arkelstraat 37
42001 KB Gorinchem
Tel: (01830)-37444/37069
Fax: (01830)-37083

Yugoslavia:

G & G electronic
Krizovljanska 1
41000 Zagreb
Tel: (041)-315794
Fax: (041)-333510

Greece:

Digital Circle
28, Grammu St.
15669 Athens
Tel: (01)-6516-860
Fax: (01)-6535-703

FAST
Fast Electronic GmbH

FAST Electronic GmbH, Kaiser-Ludwig-Platz 5, D-8000 München 2, West-Germany, Tel: 49/89/539800-20, Fax: 49/89/539800-40

Circle 435 on Inquiry Card.

WHAT'S NEW • INTERNATIONAL

LONGSHINE N300 IS YOUR BEST CHOICE.



Introducing LONGSHINE N300 Notebook Computer

The LONGSHINE N300 Notebook Computer packs a 32-bit 386SX/ CPU with 2.5" 20MB (/40 /60MB) hard disk into a true A4 size, high-performance, and battery-powered system. Each system weights only 6.2 lbs. It includes a number of sophisticated features such as math coprocessor option, more I/O interfaces, password security, memory expansion option, power management, personal notebook and more. Plus, ShineModem 2400bps MNP5 Pocket Modem and Pocket LAN Adapter are available from us to create your communication capabilities.

Memory Expansion Options

N300 comes with 2MB of standard memory. Additional memory up to 4MB supports user to increase the system performance and expandability. Also EMS LIM4.0 function is supported for manipulation of large amounts of data.

Password Security Function

It can prevent unauthorized user to access the system or files on your hard disk. So your data are secured.



Headquarters (Taiwan)/LONGSHINE Electronics Corp. 6F, 245, Sec. 3, Roosevelt Rd., Taipei, Taiwan, R.O.C. Tel: 886-2-3634958
Fax: 886-2-3626810 USA Office/Tel: 408-9421746 Fax: 408-9421745 Hong Kong Office/Tel: 852-0-4206186 Fax: 852-0-4205252
German Office/Tel: 49-0211-656014 Fax: 49-0211-654283 UK Office/Tel: 44-923249355 Fax: 44-923224595
Japan Office/Tel: 81-3-8399719 Fax: 81-3-8399729

Trademark: LONGSHINE N300 is a registered trademark of LONGSHINE Electronics Corp.; PS/2 is a trademark of International Business Machine.,
MNP5 is a registered trademark of Microcom Inc.

More I/O Interfaces

Built-in interfaces on N300 allows you to connect with a wide variety of devices, including one parallel port, one serial port, one PS/2 mouse port, one external VGA port, one modem slot and one 100-pin mini I/O expansion slot.

Intelligent Power Management

N300 comes with a rechargeable Ni-Cad battery pack providing up to 3 hours of operations. Plus, the Power Management of N300 can conserve the battery life by automatically shutting down hard disk drive, LCD display/ backlit and reducing processor speed when there is no system activity.

Personal Notebooker

Specially, this function can let you organize your daily business activity effectively and efficiently. It includes card file, appointment calendar, memo pad, calculator and world time table.

Communication Capabilities

Options of ShineModem 2400bps MNP5 and Pocket LAN Adapter could give you qualified data communication and meet convenience needs during your travel.

Merging the German Giants

Now that the companies have merged, the challenge for Siemens Nixdorf Informationssysteme is to merge its personal computers

PEGGY SALZ TRAUTMAN

As you probably know, last year marked the merger not only of West and East Germany, but also of the two largest computer manufacturers in Germany. Siemens merged with Nixdorf to form Siemens Nixdorf Informationssysteme AB (SNI), making it the largest computer manufacturer in Europe and the eighth largest personal computer manufacturer in the world. Although the newly formed company is large, it has the daunting task of merging its two disparate product lines, something that has not been an easy task in past mergers (e.g., those of Burroughs/Sperry and Hewlett-Packard/Apollo). Nevertheless, the company seems to be making a good start in the personal computer area.

Support for Existing Products

Some analysts are disturbed by the multitude of Siemens and Nixdorf products. In the personal computer arena, these range from Siemens' laptops and tower systems to Nixdorf systems that are still enjoying temporary support. Obviously, the company hopes that, in time, it will be able to offer a unified product line. For now, though, SNI says it will continue to support both lines of products "until such a time as their respective successor products are introduced."

Other analysts, such as Dr. Fritz Jagoda, deputy managing director of the Frankfurt-based consultancy Diebold Germany, understand the need for SNI to back off from offering too many new products and aim first for similarity and compatibility between its existing product lines. Jagoda says he would have expected "a bit more consolidation" in the SNI product line, but he sees "practical reasons" for the company's decision to put users first and hold off on major changes at least until the next generation is ready. Jagoda added that SNI would surely risk losing many of its customers if it marked its

merger with a cut in product support.

Jagoda expects that the final product-line consolidation will take place within the next three years. Before the merger, according to SNI, both Siemens and Nixdorf had adopted a strategy of applying standards as broadly as possible. With that plan as a head start, the company aims to "consolidate its PC and Unix product in the short to medium term as unified lines."

CPU in a Slot

Another leg of the SNI personal computer strategy is to continue to apply Siemens' "slot-CPU concept," which it intro-





PCD-2B

chips on an expansion card, as is done in some Zenith desktop systems. But the difference here is that SNI CPU cards are plug- and design-compatible. You can upgrade a system simply by removing the CPU card and replacing it with a more powerful one.

According to Hallauer, the systems have been designed so that "you just open the box, take out the 286 card, and put in the 486 card, and you have upgraded your system without changing cables or anything." You can also choose to upgrade memory, but the rest of the system, including the hard disk drive, stays the same. Hallauer says that as a result, the systems are inexpensive to upgrade.

Also, OEM customers and vendors like the concept. Customers such as Data General have reacted positively to the concept because it helps to lower the company's warehousing and service costs. Vendors like the fact that they have to store only three system enclosures and a set of CPU cards.

Product Range and Changes

Thanks to the merger of these two large corporate cultures and their respective areas of expertise, SNI's numerous products now cover the full spectrum from laptops to supercomputers. In the personal computer arena, the product line ranges from laptops to desktops and tower systems.

Since the merger, the SNI product platform has expanded to include several new models. In addition, SNI seems to have shifted its focus to mobile computing. Proof of the new focus is the PCD-2N, a notebook personal computer that weighs only

duced in late 1989. According to Reiner Hallauer, senior vice president of the company's reseller division, the slot-CPU concept helps SNI to stand out from the competition. He says, "It is cost effective, and it's how we were able to enter the U.S. market." The slot-CPU concept entails putting the CPU and its various support



PCD-4T

however, SNI's product line still includes a range of classic desktop personal computers that use the IBM AT bus and are compatible in basic design with the slot-CPU concept. Two new models that have been added to the SNI offering include the PCD-2B, a system box that contains two free slots for microprocessors or other expansion boards, and the PCD-3Bsx, a 386SX-based system containing three free slots. Older models that were introduced at the CeBIT show in Hannover last year will, of course, continue to be supported by SNI. These include the PCD-2M, a "four-eyes" security personal computer that requires both a key and a password to get started; the PCD-3M series, complete with three expansion slots, one of which contains a 25-MHz 386 microprocessor; and the new PCD-4M-25, a model that features a 25-MHz i486 microprocessor.

Finally, SNI has rounded out its varied computer line with the tower, or "team," models. The series ranging from the PCD-3Tsx to the PCD-3T/33 remains largely unchanged. Again, the slot-CPU concept is the key to expanding these systems and increasing their performance. New to the tower line is the PCD-4T/25, which includes a 25-MHz i486 microprocessor and which can function as a file server in larger networks or as a graphics-oriented workstation. There is also a faster, 33-MHz version of this tower model called the PCD-4T/33.

In addition to the many current models available that are based on IBM AT bus technology, SNI will also offer a model based on IBM's Micro Channel architecture bus. Details of this new system were announced at the Hannover Computer Faire in March.

The Software Connection

Hallauer acknowledges that profit margins in personal computers are getting smaller and smaller for the industry as a whole and that the real marketing aim is in total solutions. This, he says, is why SNI has been "pushed" into the additional position of being a software vendor.

As a result, SNI offers a set of software tools called ComfoWare that allow customers to take advantage of integrated office communication using Microsoft Windows as the user interface. Personal computers can be interconnected via a network called ComfoNet/S. The network, which will be continually expanded to fit the new SNI product platform and personal computer strategy, can be used to access a shared printer, shared files, or a mainframe. The hardware can be connected to public networks.

ComfoWare also includes several other applications: ComfoDesk, for organizing the business place using familiar graphics; ComfoInternet, for building a bridge between PC LANs; ComfoTalk, for linking the personal computer and E-mail; ComfoBridge, for connecting most DOS applications to Microsoft Windows; ComfoBase, a graphics-oriented Structured

BYTE ACTION SUMMARY

Late last year a new giant appeared in Europe—Siemens Nixdorf. The new company will try to unify its product line and capitalize on its CPU-slot concept.

3.2 kilograms and is based on the Intel 286 microprocessor. Other SNI laptops currently include the PCD-2P, a 286-based laptop that weighs 5.6 kg and can accommodate from 1 to 5 MB of memory, and the PCD-3Psx, a 386SX-based system with 2 to 8 MB of memory.

Despite this focus on mobile computing,

"I Get Paid to Write Programs. And Now, I'm Writing Them Twice As Fast."


If you write programs for a living, get to know The Clarion Professional Developer® 2.1.

It can cut applications development time by 50% or more without compromising your design. It's so fast and easy, you can complete prototypes while your clients watch.


Professional Developer 2.1 can interface to routines from C and Assembler. It allows import and export of dBASE, BASIC and DIF files. Its application generator produces commented source code which can be easily adapted with its utilities to allow you to generate .EXEs. Network support is included at no extra cost. There are no run-time licenses or fees. And now Version 2.1 includes Report Writer, which allows you to easily and intuitively create ad hoc reports and queries (from Clarion files, non-Clarion files or any combination).

Professional Developer is an immensely powerful, easy-to-use DBMS application developer. We didn't say it: The PC WEEK poll of corporate satisfaction said it. We came out head and shoulders above the 15 other programmable databases. No one else came even close.

In this business where time is money, let Professional Developer help you generate more money for your time. Below is a partial list of our world-wide network of dealers. For the one nearest you, call:
(U.S.A.) 800-354-5444 (Canada) 305-785-4555



Here's what American corporations in a PC Week survey thought of the power and ease of use of Professional Developer vs. competitors. Any questions?



CLARION SOFTWARE™

150 East Sample Road, Pompano Beach, FL 33064

Clarion Software Products run on any IBM PC, PS/2, or true compatible with 512K of memory and a hard disk. Clarion Professional Developer, is a registered trademark and Clarion Software is a trademark of Clarion Software. Copyright 1989 Clarion Software. dBASE is a registered trademark of Ashton Tate.

ARGENTINA
erSis SRL
enios Aires 1428
PHONE: 01-785-3513
X: 01-782-9544

BENELUX
Advantage Software BV
The Netherlands
PHONE: 31-20-26-46-58
FAX: 31-20-22-80-61

ENGLAND (UK)
Dark Star Information
Systems
Essex
PHONE: 44-206-578-224
FAX: 44-206-578-504

FRANCE
Bionix
Boulogne
PHONE: 33-1-46-05-74-89
FAX: 33-1-46-05-01-77

NEW ZEALAND
ANZTECH Company Ltd.
Otahuhu, Auckland
New Zealand
PHONE: 64-9-276-6715
FAX: 64-9-276-3499

SINGAPORE
Asiasoft Distribution
Singapore
PHONE: 65-338-3866
FAX: 65-338-8303

AUSTRALIA
igital Solutions
argate
PHONE: 61-07-883-1851
X: 61-07-283-1217


BRAZIL
Teklamatic
Sao Paulo
PHONE: 55-011-532-0469
FAX: 55-011-542-7751

FINLAND
Super Systems OY
Espoo
PHONE: 358-0-509-1043
FAX: 358-0-592-046

GERMANY
STF Software
West Germany
PHONE: 49-8031-17631
FAX: 49-8031-31543

NORWAY/SWEDEN
DENMARK
ATM Corporation
Skjoldtun, Norway
PHONE: 47-5-137-285
FAX: 47-5-137-260

SOUTHERN AFRICA
Chariot Software (PTY) Ltd.
Steenberg
PHONE: 27-21-728-705
FAX: 27-21-728-702





helios™

SETTING NEW STANDARDS FOR PARALLEL PROCESSING

Unix-like operating system for transputers

Posix and BSD libraries

X Windows or MS Windows

fully distributed client server model
no limit to number of processors

supports multiple users and TCP/IP networking

extensive parallel support, includes automatic
task mapping, load balancing, multiple threads

comprehensive support tools:
file servers, network libraries, multi-processor
source debugger, graphic libraries etc...

C, Fortran, Pascal, Modula-2,
Strand and assembler

development systems include PC & SUN



Distributed Software Limited

The Maltings, Charlton Rd., Shepton Mallet,
Somerset BA4 5QE, UK
Tel: [+44](0) 749 344345 Fax: [+44](0) 749 344977

Please call DSL for the name of your nearest distributor.

MERGING THE GERMAN GIANTS

THE SIEMENS NIXDORF PRODUCT LINE

The personal computer offerings from Siemens Nixdorf, which cover a wide range from laptops to towers. Prices include monitor, keyboard, and DOS. (N/A = not applicable.)

System	CPU	Clock speed (MHz)	Expansion slots	Memory (MB)	Base price (deutsche marks)
Laptops					
PCD-2N	286	12	N/A	1-2	6650
PCD-2P	286	12	N/A	1-5	7990
PCD-3P _{sx}	386SX	16	N/A	2-8	10,990
Desktops					
PCD-2B	286	12	2	1-4	3925
PCD-3B _{sx}	386SX	16	3	1-8	7000
PCD-2M	286	12	3	1-4	6020
PCD-3M _{sx}	386SX	16	3	1-8	6800
PCD-3M	386	20	3	1-8	8500
PCD-3M	386	25	3	1-32	10,060
PCD-4M-25	486	25	3	4-32	21,900
Towers					
PCD-3T _{sx}	386SX	16	9	2-8	11,670
PCD-3T/20	386	20	7-8	4-8	13,700
PCD-3T/25	386	25	8	4-32	16,260
PCD-3T/33	386	33	8	4-32	22,950
PCD-4T/25	386	25	8	4-32	26,760
PCD-4T/33	386	33	8	4-32	26,760

Query Language data bank that runs under Windows; and ComfoTex, a graphics-oriented WYSIWYG tool for desktop publishing.

On the Record

In setting priorities, SNI has put great emphasis on consolidating and strengthening its personal computer profile. It is relying on a mix of familiar products and the introduction of innovations, such as the slot-CPU concept, to hold on to its customers and to give it a better grip on the American market.

The company's size and revenues will help it to get positioned in its chosen markets, according to London-based International Data Corp.'s senior industry analyst, Jonathan Portch. Portch says that SNI's overall strategy has a chance, because the company is a global player and a supplier of universal systems. Portch says SNI "has software strengths to develop" and adds that it will take a long time for SNI to integrate its products and priorities. In the meantime, its best course is to support established products and emphasize their similarities rather than their differences.

Portch predicts, however, that the end result, based on the combined strengths of the two partner companies, will be quite close to expectation. Says Portch, "Up until now, [Siemens] was criticized as a slumbering giant with huge mountains of cash... Now, its size, together with Nixdorf, has helped it to focus on goals and how to achieve them." SNI, he adds, has a strategy that calls for critical mass. ■

Peggy Salz Trautman is a freelance journalist living in Bonn, Germany. She can be reached on BIX c/o "editors."

16-037-A

16-035-A

16-034

32-570

32-570-A

32-396-A





Backed Up By Strong Capacities, We Keep Growing.

We do all stages of production ourselves—from designing, molding and pressing to manufacturing – and we enforce rigorous QC. Our full range is comprised of over 20 models.

If you're looking for a powerful partner to team up with, get in touch with us today!



32-302



101



Manufacturer & Exporter

LOYALTY FOUNDER ENTERPRISE CO., LTD.

NO.5 CHI LIN N RD., CHUNG-LI IND. PARK, TAOYUAN, TAIWAN, R.O.C.

TEL: 886-3-4511772 FAX: 886-3-4520888 TLX: 35363 LOYALTY

Circle 448 on Inquiry Card.

	POWER SUPPLY	DRIVE SPACE	MAIN BOARD	DIMENSION (D×W×H)	TYPE	CHASSIS THICKNESS
486	350 watt to 375 watts standard AT size with rocker type power switch	fourteen 5.25" half-height FDD	80286/80386/80486 or 8088 standard size	60.3×27.4×82.4 cm (height of base not included)	slide-in	1.4mm
32-301 Meet FCC	standard AT or square type baby AT with extension cable and push-in button power switch	six 5.25" half-height FDD	80286/80386/80486 full/baby size	41×22×47 cm (height of base not included)	slide-in	1.4mm
32-302	standard AT type or square type baby AT with extension cable and rocker type power switch	seven 5.25" half-height FDD	80286/80386/80486 full/baby size	42.6×19×65 cm (height of base not included)	slide-in	1.4mm
32-398 32-396 32-396-A	standard AT type or square type baby AT with extension cable and rocker type button power switch	six 5.25" half-height FDD	80286/80386/80486 full/baby size	42.6×19×62 cm (height of base not included)	slide-in	1.4mm
32-396-A	PS/2 type (14×15×8.6 cm) with extension cable & push in button power supply	two 3.5" half-height FDD three 5.25" half-height FDD	80286/80386/80486 full/baby size	42×21.5×39 cm (height of base not included)	slide-in	1.4mm
32-570 32-570-A	square type baby AT with paddle type power switch	one 3.5" half-height FDD and three 5.25" half-height FDD	80286/80386/80486 baby size or 8088	42×43.7×15.7 cm	slide-in	1.4mm
16-034	made to install the power supply with the dimension: 14×15×8.6 cm with extension cable	one 3.5" FDD + one 5.25" FDD + one 5.25" or 3.5" HDD	can use baby AT/XT/all-in-one main board	39.5×41.8×10.3 cm	slide-in	1.2mm
16-035-A	PS/2 type (14×15×8.6 cm) with push-in button power switch	one 3.5" half-height FDD and two 5.25" half-height FDD	AT/XT/all-in-one baby size	42×41.8×10.3 cm	slide-in	1.4mm
16-037-A	made to install the power supply with the dimension: 4.3×13.6×10.8 cm with extension cable	one 3.5" FDD (1"-height) and one 3.5" HDD (1"-height)	16MHz mini-286	32×27×8.2 cm	slide-in	1.2mm
16-396	made to install the power supply with the dimension: 14×15×8.6 cm with extension cable	four 5.25" half-height disk drive and one 3.5" H.D.D. bays.	can use 80386/80286 normal/baby size or 8088 main Board	42×21.5×39 cm	slide-in	1.4mm
101	PS/2 type (14×15×8.6 cm) with extension cable & push in button power supply	Three 5.25" FDD + one 3.5" FDD + one 3.5" HDD (HIDDEN)	80286/80386/80486 baby size or 8088	40×15.5×40 cm	slide-in	1.2mm

All brand names are registered trademarks of their respective owners.



Jukebox Mass-Storage Systems

Below are listed, by country, international distributors of the U.S. products mentioned in this issue's State of the Art section on Jukebox Mass-Storage Systems.



A U S T R A L I A

Alphatronix, Inc.:
Dios Optical Systems
Unit 4,
206-212 Military Rd.
Neutral Bay, NSW 2089
61-2-953-0211
fax: 61-2-953-9885
Circle 1061 on Inquiry Card.

Micro Design International, Inc.:
SCSI Corp.
21-29 Chester Rd.,
Suite 10
Chatsworth, NSW
61-2-550-4833
fax: 61-2-550-4663
Circle 1258 on Inquiry Card.

Micro Technology, Inc.:
XSI Technology Pty. Ltd.
86 Longueville Rd.
Land Cove, NSW 2066
61-2-418-7270
fax: 61-2-418-7250
Circle 1259 on Inquiry Card.

Storage Dimensions:
Com Tech Communications
Unit 6, 37-41 Doody St.
Alexandria, NSW 2015
61-2-317-3088
fax: 61-2-693-2629
Circle 1266 on Inquiry Card.

A U S T R I A

Micro Design International, Inc.:
Agis
Linke Wienzeile 4
Vienna
43-222-587-9070
fax: 43-222-587-3432
Circle 1258 on Inquiry Card.

Pinnacle Micro:
Wenger Peripherals AG
Widenholzstrasse 1
CH-8304 Wassisellen
43-1-830-7555
fax: 43-1-830-5844
Circle 1261 on Inquiry Card.

B E L G I U M

Alphatronix, Inc.:
Has Belgium NV
Wilrijkstraat 37-45
2200 Borgerhout
Antwerp
32-3-235-6303
fax: 32-3-235-6399
Circle 1061 on Inquiry Card.

Literal Corp.:
P & T Electronics
International NV/SA
Kelberg 2-Minervastraat 4,
b3
1930 Zaventem
32-2-725-2460
fax: 32-2-725-2446
Circle 1074 on Inquiry Card.


Pinnacle Micro:
ASAC
Researchpark Haasrode
Grauwmeer 15
B-3030 Heverlee
32-16-380808
fax: 32-16-380800
Circle 1261 on Inquiry Card.

Storage Dimensions:
Computer 2000 NV/SA
Essenestraat 15
B-1740 Ternat
32-258-26969
fax: 32-258-26712
Circle 1266 on Inquiry Card.

B R A Z I L

Bell & Howell Co.:
Micro+Graphix
Systems Ltda.
Rua Augusta, 1141-
Consolacao
01305 Sao Paulo-SP
55-11-256-7711
fax: 55-11-258-2044
Circle 1063 on Inquiry Card.

Laser Magnetic Storage International:
Miranda & Associates
Av. Rio Branco
20040 Rio de Janeiro
55-21-253-6649
fax: 55-21-253-6467
Circle 1256 on Inquiry Card.



HANTAREX MONITOR GIVE YOUR PC THE IMAGE IT DESERVES.

Your PC may give you a little, a lot, or everything. If you want the maximum, then clear vision is crucial. Hantarex is the European leader in the manufacture of VDUs and main supplier to the big names in informatics: Olivetti, Bull, Apple, Texas Instruments, AT&T. For years now, Hantarex monitors have been offering clean and well defined solutions to the problems of users great and small, responding swiftly to the ever increasing demands of a market in continuous

evolution. Hantarex produces five lines in VDU hardware: Micron, Falcon, Jet, Tecno and Tron, offering looks and technical specifications to suit every requirement. Here is refinement in design, faultless image definition, absolute technology.

Needless to say, every unit offers a highly competitive balance between price and quality, and is backed by a worldwide service network. Small wonder then, that the heavyweights choose our monitors for their computers: if you insist on the best... you deserve Hantarex.



FALCON 12"

JET 14"

MM2131 21"

MICRON 10"

TECNO 14"

MV1402 14"

HANTAREX
LEADER IN VDU TECHNOLOGY

Circle 438 on Inquiry Card.

Headquarter: ITALY - 50127 Florence - Via Perfetti Ricasoli, 76 Tel. 39-55-49731- Fax 39-55-268486

Subsidiary companies: GREAT BRITAIN: London SE26 5BA - Unit 7 - 243, Kangley Bridge Road - Tel. 44-81-778-1414 - Fax 44-81-659-9348 • SPAIN: 08011 Barcelona - 210, 1ª, 6ª, Calle Aragon - Tel. 34-3-4513383/93 - Fax 34-3-2538163 • FRANCE: 78.000 Versailles - 38, Rue des Etats Generaux - Tel. 33-1-39511011 Fax 33-1-39532030 • GERMANY: 5230 Altkirchen - Siegenerstrasse 23 - Tel. 49-2681-3041/2 - Fax 49-2681-7222 • GREECE: 167 77 Elinikon, Athens - 35, Ippokratos St. - Tel. 30-1-9910950 - Fax 30-1-9932801 • SOVIET UNION: 117342 Moscow - 36, Obrouchev St. - Tlx 412160 ANITAR.SU. - Fax 7-05-3347974 • HUNGARY: 1154 Budapest - Banku 11.67.69 - Tel. 1832366 - Fax 1145065

COMPUTER QUICK

Add-In/Add-On

ATI Basic 16	85
ATI VGA Wonder 512 + Mouse	234
Genoa 6300 compatible	150
Hercules Graphics Station 660	
Intel Above Board Plus 512K	379
Intel Above Board Plus 8 2MB 632	
Logitech C9 Serial	69
Logitech C9 + Windows	135
Logitech Scamman	185
MS Mouse	99
MS Mouse with Windows 3.0	145
NEC Graphics Engine 256	965
Niscan/GS Windows	235
Paradise 8514/A + VGA	600
Prodesigner II 1MB	355
Summa II Pro 12 x 12	365

CAD & Graphics

Adobe Illustrator Windows	349
Autodesk Animator	245
Corel Draw Ver 2	380
Design CAD 2D/3D	155/195
Dr. Halo III	19
Freelance Plus	339
GEM/3 Draw Plus	175
Generic CADD Level 3	219
Harvard Graphics	315
Showpartner FX	229
Xerox Graph	195

Chips & Memory

All Upgrades - ALR, AST, Apple, Compaq, DEC, Epson, HP, IBM, Silicon Gr. Sun, Toshiba	LOW
80287/10/12/20 125/145/195	
80387/16/20	275/310
25/33	395/480
387SX-16/20	295/329
SIMM 256/1MBx9-80	16/55
SIMM 4MB x 9-80	240
OTHER CHIPS AND SIMMS	CALL
COMPAQ LTE 2 MB	185
HP Laser 2MB/4MB	150/250
IBM Mod 70 2MB Upgrade	155
IBM 4019 1MB/2MB	165/250
Toshiba 1200 to 8500	
2/4/8MB	220/625/1275
Weitek 3167-25/33	575/750

Communications

Carbon Copy Plus	115
Close-Up Customer	129
Close-Up Support	165
Crosstalk Mark IV	137
Procomm Plus	70
Smartterm 240	195

Database

Ask Sam	175
Clarion Pro Developer	460
Clipper 5.0	495
DBase IV	489
DBase IV Developers Edition	839
Foxpro Single/LAN	469/665
Oracle Professional 5.1B	660
Paradox 3.5	500
PFS Professional File	209
Rbase 3.1	495
Superbase IV for Windows	440
UI Programmer 2	349

Desktop Publishing

Adobe Type Man Plus	125
Pacific Data 25-in-One	289
Pacific Page	529
Pagemaker	519
Per-Form Designer 2.0	169

Disk/Tape

WD 85MB 17ms	360
Plus Hardcard IXL 105MB 670	
Plus Implus 105MB	500
Quantum 100MB 19ms	490
Conner 105MB 19ms	475
Seagate 130MB 16ms	490
Maxtor LXT213	775
Conner 209MB 16ms	775
Maxtor LXT340	1400
Micropolis 345MB 14ms	1380
Maxtor 360MB 14ms	1450
Seagate 676MB 16ms	2100
HP 661MB 16ms	2100
DPT Smartcache 512K	880
Ultrastor ESDI 1MB cache	500
WD1009VSE2 EISA/ESDI	230
Archive 2150ES	975
Tecmar Proline 525ES	2750

7,000 Items
Not Listed

Fax or call for pricing

Modem/FAX

Modems for all portables	LOW
Complete Communicator	460
Faxit for Windows	169
FAX 9600/Modem 2400	200
Hayes 2400B Internal	255
Hayes Ultra 96	849
Hayes V Series 9600 Extl	729
Hayes V Series 9600B Intl	585
Intel SatisFAXtion	400
USR Dual Std External	895
USR Dual Std Internal	875

Networking

3COM Etherlink 2	LOW
DLink Pocket Ethernet	260
EVEREX Ethernet 8/16	150/180
Gateway G/Enet 16	185
IBM 3270 Connection	400
IBM 5250 Kit AT	600
IBM Multiprotocol	280
IBM Token Ring	560
IBM Token Ring 16/4	680
IRMA 3	449
LanTastic 10MB Starter	499
LAN Manager	CALL
NE-1000	168
NE-2000 16-bit	195
NE-3200 EISA	700
Novell Netware	CALL
WD Ethernet Plus	130
WD Ethernet Elite 8-bit	150
WD Ethernet Elite 16-bit	185

Operating System

Desqview 2.2/386	75/130
MS DOS 3.3/4.01	60/80
PC DOS 3.3/4.01	95/115
IBM OS/2 Standard 1.3	265
IBM OS/2 Extended 1.3	615
VM/386	159
Windows 3.0	95
Windows 3.0 & Mouse	100

Programming

Brief 3.0	175
BTrieve Network	389
Knowledge Pro Ver 3.1	600
MS Basic Dev 7.1	325
MS C 6.0	319
MS Fortran	289
Multibit	99
Novell XQL	510
Quickpack Professional	145
Smalltalk V/PM	319
SPF/PC	159
Turbo C++/Prof	134/199
Turbo C/Prof	99/169
Turbo PASCAL 5.0 Prof	189

Spreadsheet & WP

AMI Professional	319
Displaywrite V	249
Excel Ver 3	315
Lotus 1-2-3 V 2.2/V 3.1	340/410
Planperfect	279
Q & A 3.0	245
Quattro Pro	315
Supercalc V	319
Word 5.5	229
Word for Windows	315
Word Perfect 5.1	260

Utilities

386 Max 5.1	75
Check It	85
Disk Technician Advanced	92
Fastback Plus	109
Lap Link Release III	89
Magellan	135
Norton Utilities 5.0	115
Norton Antivirus	95
PC Tools Deluxe 6.0	87
Print-Cache	100
QEMM 386	64
Virus Cure Plus	75
X-Tree Pro Gold	72

We Offer:

- Quantity Discounts
- Dealer Discounts

PHONE: (415) 564-7439

FAX: (415) 731-0878

International orders our specialty • No handling charge • VISA/MC add 2%
AMEXCO add 3% • 15% restocking charge for non-defective returns • No
returns on opened software • Prices are FOB USA and subject to change
Products may be USA versions • Prices in US dollars

Computer Quick, 210 Utah Street
San Francisco, CA 94103, USA

INTERNATIONAL RESOURCE GUIDE

Pinnacle Micro:

MultiSolucoes
Informatica Ltda.
Av. Brig Faria Lima,
2223 6 andar
01451 Sao Paulo
55-11-212-6355
fax: 55-11-210-6294
Circle 1261 on Inquiry Card.

Storage Dimensions:

Dactrade International
Av. Rio Branco, 123
salas 1502/1503
Rio de Janeiro
55-21-252-8821
Circle 1266 on Inquiry Card.

DENMARK

Epoch Systems:

Edata
149 Stamholmen
45-36-771110
fax: 45-36-77091
Circle 1069 on Inquiry Card.

Exabyte Corp.:

BLT Periferi A/S
Bibliotekvej 58
DK-2650 Hvidovre
45-36-773636
fax: 45-36-772636
Circle 1070 on Inquiry Card.

Hitachi America Ltd.:

VT-Data A/S
Produktionsvej 22
DK-2600 Glostrup
45-445-32600
fax: 45-42-911256
Circle 1073 on Inquiry Card.

Storage Dimensions:

Dansk Periferi Teknik A/S
Kiplings Alle 42
DK-2860 Soborg
45-39-661099
fax: 45-39-661024
Circle 1266 on Inquiry Card.

FINLAND

Literal Corp.:

KOMDEL Oy
Metrorinkatu 3
SF-02211 Espoo 21
358-0-885011
fax: 358-0-885327
Circle 1074 on Inquiry Card.

Micro Design

International, Inc.:
Ixion Oy
Raisontie 7
Helsinki
358-0-418677
fax: 358-0-418913
Circle 1258 on Inquiry Card.

Pinnacle Micro:

MacImport Ab Oy
Lauttasaarentie 7A
00200 Helsinki
358-0-682-1900
fax: 358-0-682-1899
Circle 1261 on Inquiry Card.

FRANCE

Epoch Systems:

Metrologie International
Tour d'Asnieres
4 av Laurent C'ely
92606 Asnieres, Cedex
33-1-408-68391
fax: 33-1-408-62662
Circle 1069 on Inquiry Card.

Exabyte Corp.:

Stordata
Storage Data Systeme
International
3 rue du Mal de Lattre de
Tassigny
78150 Versailles-Le
Chesnay
33-1-395-54141
fax: 33-1-395-54680
Circle 1070 on Inquiry Card.

Hitachi America Ltd.:

Bureau de Liaison
en France
50 Av Daumesnil
75012 Paris
33-1-43443329
fax: 33-1-43443640
Circle 1073 on Inquiry Card.

Micro Design

International, Inc.:
Tekelec Airtronic
5 rue Carle Vernet
Sevres
33-1-453-47535
fax: 33-1-450-72191
Circle 1258 on Inquiry Card.

LOOKING FOR THE SIGN OF EXCELLENCE



YOU CAN NOT MAKE A RIGHT DECISION IF YOU DON'T HAVE A CHOICE

ABTECH SYSTEMS

486-33 EISA 64K CACHE SUPER SYSTEM
MOTHER BD MADE IN USA
4 MB ON BOARD EXT. TO 64 MB
EISA SCSI CONTROLLER
2 FD, 200 MB HD
LARGE TOWER CASE W/230 W
1024 X 768 VGA MONITOR
W/VGA CARD **\$ 5,995**

486-33 64K CACHE ISA
4 MB ON BOARD
MOTHERBOARD MADE IN USA
IDE 120 MB HD
SUPER VGA MONITOR ETC. **\$ 3,995**

386-33 64K CACHE
4 MB ON BOARD
IDE 120 MB HD
SUPER VGA ETC. **\$ 2,395**

OEM & DISTRIBUTORS
ARE WELCOME

**FOR OTHER
SYSTEMS CALL**

THE REST OF SYSTEMS

COMPAC DESPRO 486-33L
MODEL 120 EISA **\$ 10,999**
COMPAC DESK PRO 386/25E
MODEL 120 4 MB **\$ 4,299**
COMPAC DESK PRO 386/20 E
MODEL 120 2 MB **\$ 2,659**
IBM PS/2 MODEL 55 SX-O3 **\$ 2,497**
IBM PS/2 MODEL 70-061 **\$ 3,169**
IBM PS/2 MODEL 80-311 **\$ 6,879**
MAC PLUS **\$ 879**
MAC SE/30 1/40 **\$ 2,999**
MAC CLASSIC 2/40 **\$ 1,299**
MAC II CI 4/80 **\$ 4,669**
MAC II FX 4/80 **\$ 6,989**

MONITORS FOR THESE SYSTEMS ARE EXTRA
CALL FOR OTHER SYSTEMS

NOTEBOOK & LAPTOP

286-12 & 386SX-16 NOTEBOOK
W/10" SUPERTWIST LCD CCFT BACKLIT
LCD 32 GREY SCALE
20 MB HD **\$ 1,750 & \$ 1,995**

286-16 LAPTOP
FROM 20 MB HD TO 120 MB HD
\$ 1,750 TO \$ 2,195

EVEREX 386SX 20 MB NOTE BOOK **\$ 2,395**
COMPAC SLT 386 S/20 MOL 60 **\$ 4,695**
MAC PORTABLE 1/40 **\$ 3,859**

PERIFERALS

HARD DRIVE

40 MB IDE **\$ 219**
80 MB IDE **\$ 395**
120 MB IDE **\$ 495**
330 MB ESDI **\$ 1,295**
670 MB ESDI **\$ 2,095**

OPTICAL DRIVES

WORM DRIVES **CALL**
ERASIBLE DRIVES **CALL**
CD ROM WITH COMPLETE
SOFTWARE PACKAGE
INTERNAL **\$ 725**
EXTERNAL **\$ 799**

MONITORS

20" MULTISYNC 1280 X 1024
WITH 1280 X 1024 VGA CARD **\$ 2,395**
14" NON INTERLACE 1024 X 768
WITH VGA CARD **\$ 795**

LEASING IS AVAILABLE

**ABTECH CUSTOMERS INCLUDE EXECUTIVE OFFICE OF THE PRESIDENT,
NASA, VETERAN'S ADMINISTRATION, UNITED NATIONS, GTE, SECURITY
PACIFIC BANK, UNIVERSITY AND COLLEGES, ETC. CUSTOMERS IN EUROPE &
SOUTH AMERICA. WE SHIP WORLDWIDE**

ABTECH INC
1431 N POTRERO AVE UNIT B
SEL MONTE, CA 91733

ORDER 818-575-0007
FAX 818-575-1500

**TP 96/24 S/R Pocket
Fax & Data Modem**



Interface : RS-232 (9-pin) of Computer or Terminal, 2 RJ11 phone jacks
Power : One 9V alkaline battery or AC/DC adaptor
Weight : 130 gms (with battery)
Size : 5.1 × 2.3 × 1.1 inch (105mm × 59mm × 23mm)
Operation: Auto answer, Auto Dial, Auto Detection of Fax or Data
Compatibility:
Fax: GIII facsimile; CCITT V.29, V.27
Modem: BELL 212A, 103A, CCITT V.22, V.21
Software : Background send and receive, auto print after receive, Multiple file formats, Time scheduled transmissions.

**Internal Card 96/24 S/R
Fax/Modem**

Send/Receive fax from:
CCITT GIII fax machine
CCITT T.30 and T.4 GIII Fax 9600 bps
CCITT V.29 ter with fall back to 7200,

Data Modem:
Bell 212A, 103; CCITT V.21, V.22 (2400 bps & 1200 bps)

Software Feature:
Same as TP96/24 S/R Pocket Fax & Data Modem

TP
TECHPOWER CO., LTD.

20th Fl., No. 1058, Mingsheng E. Rd.,
Taipei, Taiwan, R.O.C.

Tel: (02) 753-1930

Fax: 886-2-7531940 • 886-2-7153105

All brand names are registered trademarks of their
respective owners

INTERNATIONAL RESOURCE GUIDE

Micro Technology, Inc.:

SCR Technologies
9 rue des Pommerots
78400 Chatou
33-1-3071-5757
fax: 33-1-3071-5948
Circle 1259 on Inquiry Card.

Storage Dimensions:

Omnilogic
11 Rue De Cambrai
75019 Paris
33-1-400-52800
fax: 33-1-403-43734
Circle 1266 on Inquiry Card.

**Summus Computer
Systems Corp.:**

PBA Sinfodine
1 Rue de Cralova
92024 Nanterre
33-1-477-48081
fax: 33-1-490-19047
Circle 1268 on Inquiry Card.

GERMANY

Alphatronix, Inc.:

Forum GmbH
Johann-G
Gutenberg Strasse 33
D-8037 Olching
49-814-228031
fax: 49-814-240266
Circle 1061 on Inquiry Card.

Epoch Systems:

(GEI) Systemhaus DisCom
GmbH
Roermonder Strasse 615
D-5100 Aachen
49-241-171081
fax: 49-241-173261
Circle 1069 on Inquiry Card.

Exabyte Corp.:

M & S Elektronik GmbH
Nordring 55
W-8751 Niedernberg
49-602-84040
fax: 49-602-8404119
Circle 1070 on Inquiry Card.

Literal Corp.:

Synelec Datensysteme
GmbH
Lindwurmstrasse 95
D-8000 Munich 2
49-89-517-9261
fax: 49-89-517-9243
Circle 1074 on Inquiry Card.

Micro Design

International, Inc.:
IBZ
Dreieichstrasse 59
Frankfurt/Main
49-69-6050040
fax: 49-69-627647
Circle 1258 on Inquiry Card.

Pinnacle Micro:

Technology Import
Marketing GmbH
Schlossbergstrasse 16
6200 Wiesbaden
49-611-27090
fax: 49-611-261603
Circle 1261 on Inquiry Card.

**Summus Computer
Systems Corp.:**

Carlos Computer Systems
Lerchenstrasse 8
D-8000 Munich 50
49-8-935-15073
fax: 49-8-935-641278
Circle 1268 on Inquiry Card.

GREECE

Exabyte Corp.:

Offitech S.A.
Sarantaporou, Fokeas &
Eginis
185 47 Piraeus
30-1-481-9815
fax: 30-1-482-6330
Circle 1070 on Inquiry Card.

HONG KONG

Alphatronix, Inc.:

Kolinker Data Systems
703, Seventh Floor, Fook
Yip Building
553-57 Kwaifung Crescent
Kwai Chung
New Territories
852-756-9323
fax: 852-796-0178
Circle 1061 on Inquiry Card.

**Laser Magnetic Storage
International:**

Philips Hong Kong Ltd.
28th Floor, Hopewell
Centre
17 Kennedy Rd.
852-821-5888
fax: 852-865-4919
Circle 1256 on Inquiry Card.



AOC

AOC INTERNATIONAL

*Our Quality Will
Make You Outstanding*

Low Radiation

&

ANTI-STATIC

Models are available



COMPUTEX '91

June 4-10, 1991
TAIPEI WORLD TRADE CENTER

Booth No:

A626 628 630 632

A725 727 729 731



CM-333
14" VGA
COLOR
MONITOR



CM-335
14" SUPER VGA COLOR
MONITOR
CM-336
14" 1024 x 768
NON-INTERLACED
COLOR MONITOR



CM-734
17" 1024 x 768
NON-INTERLACED
COLOR MONITOR
CM-735
17" 1280 x 1024
NON-INTERLACED
COLOR MONITOR

AOC INTERNATIONAL • 250, Lien Chen Road, Chung Ho City, Taipei Hsien, Taiwan, R.O.C. • Tel: 886-2-223-6742, 886-2-222-9941 • Fax: 886-2-222-8955, 886-2-222-1818 • Tlx: 31105 AOCTPE

AOC INTERNATIONAL (USA) LTD. • 10991 N.W. Airworld Drive, Kansas City, MO 64153, U.S.A. • Tel: 816-891-8066 • Fax: 816-891-7882 • Tlx: 209508 AOUIUR

• 770 Charcot Avenue, San Jose, CA 95131, U.S.A. • Tel: 408-954-0325 • Fax: 408-954-1041

AOC INTERNATIONAL (GERMANY) • Richardstr 110, 1000 Berlin 44 Germany TEL: 030-6869097-8 FAX: 030-6869069

AOC INTERNATIONAL (U.K.) • Enterprise House, 36 Hary St. Henley on Thames Oxon RG9 2AU UK TEL: 491-410961 FAX: 491-572497

Introducing DATABOSS[®] The Applications Generator

- Generates Bug Free C or PASCAL Code for Industry Standard Compilers.
- Relational Data Files, On-Line Help, Window Layout, Network Versions, Reports, Security, Demonstration Versions, Field Validation, Prototypes, Mouse Controls and more.... All In Your Systems.
- Complete Database Systems without the need to modify the generated code at all.
- Paint & Build Report Filters
- Customise applications using your own routines.
- Absolutely No Licence Fees.


£345+vat

SALESBOSS

- Package Generated with DATABOSS
- Sales Prospect Tracking And Retrieving System
- Call Frequency, Budgets, Client Profile etc.
- Easy To Use, Extensive Reports.

£85+vat

Available From Your Software Supplier or From:
Keycraft Europe, Ashgrove House, Ashgrove Industrial Estate,
Kill Avenue, Dun Laoire, Co. Dublin, Ireland.
Ph: 001-804839 Fax: 001-805082



■ Here in the BIX community, you can download your choice of 2,168 programs developed for IBM PCs and their compatibles. You can attend dozens of informative and provocative conferences, too. All this and more is yours in the *IBM Exchange*, with your subscription to BIX. Call our special Customer Service number for more information: 603-924-7681.

BIX

INTERNATIONAL RESOURCE GUIDE

Micro Design International, Inc.:
Manfung Computer Systems
Chow Sang Sang Building
229, Nathan Rd.
Kowloon
852-736-2666
fax: 852-730-4569
Circle 1258 on Inquiry Card.

Storage Dimensions:
Macro Business Appliance
Seventh Floor, Summit
Industrial Blvd.
9 Sun Yip St., Chaiwan
852-889-1088
fax: 852-896-67307
Circle 1266 on Inquiry Card.

INDIA

Alphatronix, Inc.:
Arete Digital Information System
175, Sixth Cross
Gandhinagar
Bangalore 9
91-812-265407
fax: 91-812-261468
Circle 1061 on Inquiry Card.

Literal Corp.:
Crescent Computers Pvt. Ltd.
B-74, Okla Industrial Area
Phase-II
New Delhi 110 020
91-11-684-4991
fax: 91-11-646-8560
Circle 1074 on Inquiry Card.

ISRAEL

Exabyte Corp.:
M.B.I. Computers
Peripherals Equipment Ltd.
48 Sokolov St., Suite 7
Ramat Hasharon 47235
972-3-5409676
fax: 972-3-5400795
Circle 1070 on Inquiry Card.

Laser Magnetic Storage International:
B Technology Ltd.
Malon Hasharon
Herzlia on the Sea 46748
972-52-575777
fax: 972-52-576741
Circle 1256 on Inquiry Card.

Literal Corp.:
OpticBit
60 Hamasger St.
Tel Aviv 67214
972-3-562-0964
fax: 972-3-562-0007
Circle 1074 on Inquiry Card.

Micro Design International, Inc.:
Ankor Computers
Atidim Advanced
Technology Park
Neve-Sharet
Tel Aviv
972-3-544-7356
fax: 972-3-544-7359
Circle 1258 on Inquiry Card.

Pinnacle Micro:
Militram Futuristic
Technology Ltd.
87 Harav Kook St.
P.O. Box 14223
Herzlia
Tel Aviv 61130
972-52-545685
fax: 972-52-574383
Circle 1261 on Inquiry Card.

Storage Dimensions:
MBI Computers
Peripherals Equipment Ltd.
(Inlender International)
48 Sokolov St., Suite 7
Ramat Hasharon
972-3-540-9676
fax: 972-3-540-0795
Circle 1266 on Inquiry Card.

ITALY

Exabyte Corp.:
NAOS S.r.L.
Viale Tassoni 40
41100 Modena
39-59-214454
fax: 39-59-218085
Circle 1070 on Inquiry Card.

Hitachi America Ltd.:
Aesse S.p.A.
Via le Umbria 34/36
I-20135 Milan
39-2-546-4741
fax: 39-2-545-0701
Circle 1073 on Inquiry Card.

THE C LANGUAGE

Microsoft C V6 is a complete rewrite with improved optimisation and a new Programmer's Workbench

C COMPILERS

Zortech C++ OS/2 Dev	OS/2	£360
Lattice C v6	OS/2&MS-DOS	£175
Microsoft C v6	OS/2&PC-DOS	£269
Topspeed C for OS/2	OS/2	£335
Watcom C v8 Prof	OS/2&DOS	£285
Avocet AVCOM 86C	PC-DOS	£210
Aztec C86 Professional	MS-DOS	£120
Aztec C86 Developer	MS-DOS	£175
Aztec C86 Commercial	MS-DOS	£250
Borland C++	Windows/PC-DOS	£250
CI C86 Plus v1.3	MS-DOS	£290
ECO-C88 V4.0	MS-DOS	£ 70
HIGH C v1.61	MS-DOS	£340
HIGH C 386 v2.3	PL386&MS-DOS	£570
Hi-Tech C	MS-DOS	£135
Let's C v4	MS-DOS	£ 60
Microsoft QuickC v2.5	PC-DOS	£ 60
M'soft QuickC/QuickASM	PC-DOS	£105
MIX C	MS-DOS	£ 20
MIX Power C & lib s'ce	PC-DOS	£ 29
Turbo C++	PC-DOS	£120
Topspeed C Standard	PC-DOS	£135
Topspeed C Extended	PC-DOS	£270
Watcom C v8 std	MS-DOS	£230
Watcom C/386 std	PL386&MS-DOS	£515
Watcom C/386 Prof	PL386&MS-DOS	£680
Zortech C++ v2.1	PC-DOS	£120
Zortech C++ 386 Dev	PL386&DOS	£540
Aztec C86 Developer	CP/M-86	£245
Hi-Tech C	CP/M-86	£150
Lattice C	CDOS	£380
Avocet C	CP/M-80	£210
Aztec C Personal 1.06D	CP/M-80	£120
Aztec Commercial 1.06D	CP/M-80	£200
Hi-Tech C	Z80 + CP/M-80	£ 99
Mix C	Z80 + CP/M-80	£ 35
Aztec C65 V1.05	Apple DOS	£200
Aztec C68K MPW C	MACINTOSH	£110
Aztec C68K C	MACINTOSH	£ 75
Aztec C68K/AM Developer	AMIGA	£175
Aztec C68K/AM Prof'snl	AMIGA	£120
Aztec C68K/ST Developer	ATARI	£175
Aztec C68K/ST Prof'snl	ATARI	£120
Hi-Tech C	ATARI	£ 99
Mark Williams C v2	ATARI	£110
Laser C	ATARI	£135
Prospero C	ATARI	£ 80

PROGRAMMING TOOLS

Ada Compilers	Algol Compilers
Assemblers & Libs	AWK
Basic Compilers	Basic Interpreters
Basic Utilities	Basic Libraries
BCPL Compilers	C Compilers
C Interpreters	C Libraries
C Utilities	Cobol Compilers
Comms Libraries	Cross Assemblers
Database Libs.	Debuggers
Dis-assemblers	Editors
Engineers Libs.	Expert Systems
Forth	Fortran Compilers
Fortran Libraries	Graphics Libraries
Icon	Linkers/Locaters
Lisp	Modula-2
Nial Interpreters	OPS 5
Pascal Compilers	Pascal Libraries
Prolog	Rexx
Risc	Screen Libraries
Smalltalk	Snobol

We stock many items for which there is no space in these advertisements.

C++ COMPILERS

Guidelines C++	PC-DOS	£370
Turbo C++	PC-DOS	£120
Borland C++	PC-DOS	£250
Zortech C++	PC-DOS	£120
Zortech C++ DOS Dev	PC-DOS	£270
Zortech C++ OS/2 Dev Ed	OS/2	£360
Zortech C++ 386 Dev Ed	PC-DOS	£540

LIBRARIES & SUNDRIES

C++/Views (ZC++)	PC-DOS	£270
Greenleaf Comms (T&ZC++)	PC-DOS	£195
Object Vision	PC-DOS	£325
Zinc Interface Lib (C++)	PC-DOS	£150
Zortech C++ Database	PC-DOS	£180

C CROSS COMPILERS

We supply 2500AD, Avocet, Aztec, Lattice, IAR and Hi-Tech Cross Compilers hosted on MS-DOS and targeted on Z80, 6502, 6801, 68HC11, 6301, 6809, 7811, 8051, 8096, 68000 & 68020.

Please call for information or advice.

C INTERPRETERS

Instant C/16M supports large programs on 286/386 machines.

C-terp V3.0X	PC-DOS	£165
Instant C/16M	PC-DOS	£700
Interactive C	PC-DOS	£195
Introducing C	PC-DOS	£ 85
Living C Plus	PC-DOS	£135
RUN/C Professional	MS-DOS	£110

C LIBRARIES & TOOLS

COMMS LIBRARIES

C Asynch Manager V3s'ce	PC-DOS	£120
Essential Comms (L,MS,T)	PC-DOS	£165
Greenleaf Comms (source)	PC-DOS	£175
Multi-Comm (L,MS)	PC-DOS	£190
Silvercomm C Asynch	PC-DOS	£145

DATABASE/FILEHANDLING

Btrieve for OS/2	OS/2	£330
Btrieve for Windows	MS-DOS	£330
Btrieve v5.1	MS-DOS	£330
XQL	OS/2,PC-DOS	£440
Xtrieve Plus	OS/2,PC-DOS	£330
C/Database T'chest s'ce	PC-DOS	£ 39
CBTREE (source any C)	PC-DOS	£135
C-Index/Plus (source any C)	PC-DOS	£175
C-ISAM (L,MS)	MS-DOS	£215
C-tree (source any C)	PC-DOS	£265
C-tree Plus	PC-DOS	£315
Essential Btree (s'ce)	PC-DOS	£120
CQL s'ce	PC-DOS	£270
Faircom Toolbox Prof v2	PC-DOS	£645
Pro-C & Workbench v2	PC-DOS	£585
R-tree	MS-DOS	£140
db-VISTA DBMS Object	PC-DOS	£450
Lattice dBCIII (L,MS)	MS-DOS	£185
Lattice dBCIII+ OS/2&MS-DOS	PC-DOS	£365
SftFcus Btree&Isam (s'ce any C)	PC-DOS	£ 80

GRAPHICS

Essential Graphics v3	PC-DOS	£200
GFX Graphics	PC-DOS	£ 80
GraphiC v5 (CI,L,DS,MS)	PC-DOS	£290
graphics MENU/META v3	PC-DOS	£125
GSS Kernel system OS2,PC-DOS	PC-DOS	£425
GSS Graph Dev T'kit OS2,PC-DOS	PC-DOS	£425
HALO v3 (MSC5,LAT,TC)	PC-DOS	£200
HALO Professional (C)	PC-DOS	£335
HGraph (MSC)	PC-DOS	£ 80
Ingraf (MSC)	PC-DOS	£185
MetaWINDOW v3.7b	PC-DOS	£150
MetaWINDOW/Plus	PC-DOS	£200
TurboWINDOW/C (Turbo)	PC-DOS	£ 85
QuickWINDOW/C (QC)	PC-DOS	£ 85

SCREEN & WINDOWS

C-Scape +Look&Feel OS/2&PC-DOS	PC-DOS	£345
Vitamin C for OS/2 OS/2&DOS	PC-DOS	£240
C View Manager (s'ce)	PC-DOS	£245
Curses/PC w. s'ce	PC-DOS	£240
Entelekon Windows (s'ce)	PC-DOS	£105
Greenleaf Datawindow	PC-DOS	£210
Greenleaf Makeform	PC-DOS	£ 70
Lattice Curses	PC-DOS	£105
Multi-windows (MS,L)	PC-DOS	£190
Panel Plus II (source)	PC-DOS	£270
Power Screen (MS&TC)	PC-DOS	£105
Vermont Views (MSC,TC)	PC-DOS	£345
Vitamin C (source)	PC-DOS	£145

DISK COPYING SERVICE

We can copy files to and from 600 disk formats including CP/M, CP/M-86, MS-DOS, PC-DOS, ISIS, APPLE, SIRIUS, BBC, TORCH, APRICOT, HP-150, TRSDOS, DEC RT-11, IBM BEF, ATARI ST, AMSTRAD, MACINTOSH. Our charge is £10.00 + disk + VAT with discounts on small quantities and disks are normally despatched within 24hrs of receipt. For more information call us.

MODULA-2 COMPILERS

Logitech Modula-2	OS/2	£400
Topspeed Mod-2 v2 OS/2	OS/2	£115
Stony Brook Prof Mod2 OS/2&DOS	OS/2	£280
FTL Modula-2 (sml.mem)	MS-DOS	£ 45
FTL Modula-2 (lge.mem)	MS-DOS	£ 55
FTL Modula-2 Developer	MS-DOS	£ 85
Logitech Mod-2/86 Devsys	PC-DOS	£225
Power System w Mod-2	PC-DOS	£120
Stony Brook QuickMod	PC-DOS	£ 95
Taylor Modula-2 Dev Sys	PC-DOS	£505
Topspeed Modula-2 std.	PC-DOS	£140
Topspeed Mod-2 extended	PC-DOS	£270
FTL Modula-2	Z80/CP/M-80	£ 45
Modula-2 System	Z80/CP/M-80	£100
Modula-2 (Mod S/W)	ATARI 520ST	£ 75

Library source is available with some compilers. Please enquire about other libraries and utilities available.

GENERAL FUNCTIONS

C/Utilities T'chest s'ce	PC-DOS	£ 39
C-Worthy v1.2 + forms	MS-DOS	£340
C Tools Plus/6.0 (MS)	PC-DOS	£ 95
CodeRunner	PC-DOS	£ 95
Entelekon Funct (source)	PC-DOS	£105
Essential C Utils v5	PC-DOS	£145
G'leaf Fin'cial Mathlib	PC-DOS	£210
G'leaf Super Functions	PC-DOS	£160
Greenleaf Functions s'ce	PC-DOS	£125
Lattice C Comp Kit+s'ce	PC-DOS	£160
PDK1	PC-DOS	£ 75
Power Search	PC-DOS	£ 95
Resident-C (MS,L) (s'ce)	PC-DOS	£145
Silverware C EMM Lib	PC-DOS	£115
The Heap Expander (MS&TC)	PC-DOS	£ 65
Turbo C Tools v2	PC-DOS	£ 95
WKS Library	PC-DOS	£160

MATHEMATICAL LIBRARIES

C Lang Sci Lib v2	ANY C	£160
Mathpak 87 (L,MS)	MS-DOS	£ 80
Science & Eng Tools	MS-DOS	£ 59

TOOLS & SUNDRIES

PC-Lint	OS/2,MS-DOS	£ 85
C-Documentor	PC-DOS	£195
C-Scan	PC-DOS	£195
Clear+ for C	PC-DOS	£140
Databoss (C)	PC-DOS	£320
Lattice Comp Companion	MS-DOS	£ 65

REAL TIME & MULTI-TASKING TOOLS

Concurrent C (PC/MPX) s'ce	MS-DOS	£ 60
Multi-C (L,MS,CI,TC)	PC-DOS	£190
Op.Sys.T'box (MS) s'ce	PC-DOS	£ 69
Timeslicer v6 (MS6)	PC-DOS	£200
Over-C (L,MS)	PC-DOS	£225

DEBUGGING TOOLS

Multiscope for OS/2	OS/2	£275
Multiscope for DOS	PC-DOS	£115
Periscope I/512K	PC-DOS	£580
Periscope II	PC-DOS	£125
Periscope II-X	PC-DOS	£ 95
Quaid Analyser	PC-DOS	£130
Soft-Ice	386&PC-DOS	£295
Soft-Ice + Magic CV	386&PC-DOS	£400
Turbo Debugger v2	PC-DOS	£105
Zortech C++ Video Course	VHS	£270

CROSS ASSEMBLERS

We supply cross-assemblers by Avocet, 2500AD, Crash Barrier (METAL), IAR Systems and Pecan hosted on MS-DOS, CP/M-86 and CP/M-80 with over 30 target processors. In total over 200 products with no space to list them here. We hold some stock but you should allow 10-14 days for delivery.

Please call for information or advice.

PRICES & DELIVERY

Prices do not include VAT or other local taxes but do include delivery in UK and Europe. Please check prices at time of order, ads are prepared some weeks before publication.

This page lists some of our products.

Call us for a complete pricelist.

Order by phone with your credit card.

GREY MATTER

2 Prigg Meadow, Ashburton, Devon TQ13 7DF

TEL. (0364) 53499

GREY MATTER

2 Prigg Meadow, Ashburton, Devon TQ13 7DF

TEL. (0364) 53499

GREY MATTER

2 Prigg Meadow, Ashburton, Devon TQ13 7DF

TEL. (0364) 53499

FONTS ON-THE-FLY

NEW FASE

NewFase™ for WordPerfect

The instant font generator for WP 5.0/5.1. Create high-quality fonts as you need them. Use 90% less storage than with BitStream. Get camera-ready output on most lasers and dot-matrix printers. Comes with not 1 but 10 scalable fonts. Special symbols, foreign characters, and more. Optional Greek, Cyrillic, APL fonts. From \$149.

Circle 453 on Inquiry Card.

Vector™ T_EX

The most complete scientific typesetting system available today. Scalable fonts, font effects, T_EX standard and powerful new features. Saves more than 80% of storage as compared to other T_EX's. Supports all major printers. Leaves other T_EX's in the dust. Only \$299.

Circle 454 on Inquiry Card.

**Call today for the latest catalog.
(718) 575-1816**

VECTOR T_EX

MicroPress, Inc. 6830 Harrow Street, Forest Hills, NY 11375

Think BIG!



Forget 640K. Forget EMS. Forget the 16-bit squeeze. With LPA 386-PROLOG, you get a genuine 32-bit programming environment, which runs directly under MS-DOS and yet is capable of addressing up to 4G (4096M) of memory. All you need is a 386 or 486, and the talent to Think BIG!



Logic Programming Associates Ltd
Studio 4, Royal Victoria Patriotic Building
Trinity Road, London, SW18 3SX, England
Tel: +44 81 871 2016 - Fax: +44 81 874 0449

INTERNATIONAL RESOURCE GUIDE

Literal Corp.:

Contradata Milano S.r.L.
Via Solferino 12
1-20052 Monza (MI)
39-39-230-1492

fax: 39-39-230-1489

Circle 1074 on Inquiry Card.

Micro Design International, Inc.:

Gigatek
Via Vittorio Emanuele II 46
Corsico (Milan)
39-2-449-0275

fax: 39-2-449-0875

Circle 1258 on Inquiry Card.

Pinnacle Micro:

Deltos S.r.L.
Corso Sempione 75
20149 Milan
39-2-349-2941

fax: 39-2-349-3314

Circle 1261 on Inquiry Card.

Pinnacle Micro:

ASR International, Inc.
1-19-9 Toranomon
Minato-ku
Tokyo 105

81-33-502-5550

fax: 81-33-502-5589

Circle 1261 on Inquiry Card.

Storage Dimensions:

Phoenix International
Shunjuku Hokusei Building
5-18-14 Shinjuku
Shinjuku-ku
Tokyo 160

81-33-208-9500

fax: 81-33-323-20164

Circle 1266 on Inquiry Card.

KOREA

Alphatronix, Inc.:

KCC Computer
Services, Inc.
8-61 Galwol Dong
Yongsan-Ku
Seoul

82-2-77158

fax: 82-2-7577185

Circle 1061 on Inquiry Card.

Bell & Howell Co.:

Young Hwa Corp.
#401 Woonam Building
105 Bukchang-Dong
Chung-Ku
Seoul

82-2-777-2611

fax: 82-2-752-1247

Circle 1063 on Inquiry Card.

Epoch Systems:

Kyunghan Systems, Inc.
34 Yeouido-Dong
Youngdeungpo
Seoul

82-2-784-7731

fax: 82-2-784-9954

Circle 1069 on Inquiry Card.

Epoch Systems:

Kyunghan Systems, Inc.
34 Yeouido-Dong
Youngdeungpo
Seoul

82-2-784-7731

fax: 82-2-798-8022

Circle 1256 on Inquiry Card.

JAPAN

Epoch Systems:

Marubeni Electronics
16-16 Toranomon 1-Chome
Minat-ku
Tokyo

81-33-350-74415

fax: 81-33-350-74689

Circle 1069 on Inquiry Card.

Exabyte Corp.:

Nippon Systemhouse Co.
Ltd.

3-1-16 Kitashin-juku
Shinjuku-ku
Tokyo 160

81-33-3366-3102

fax: 81-33-3366-3103

Circle 1070 on Inquiry Card.

Laser Magnetic Storage

International:
Philips Japan Ltd.
Philips Building
13-37 Kohnan 2-Chome
Minato-ku
Tokyo 108

81-33-374-05165

fax: 81-33-374-00585

Circle 1256 on Inquiry Card.


Laser Magnetic Storage

International:
Philips Industries Ltd.
Philips House
260-199 Itaewon-Dong
YoungSan-Ku
Seoul

82-2-794-7624

fax: 82-2-798-8022

Circle 1256 on Inquiry Card.



■ In the BIX community we take care of people who use IBM PCs or their compatibles. For example, our IBM Exchange offers a growing list of programs which you can download for free. These 2,168 programs are the cream of the crop. All of them are tested in advance by BIX moderators so you know you're getting top-quality, virus-free programs. Here are some of the most popular ones:

BIX FILE NAME	BIX CONFERENCE	DESCRIPTION
stars.zip	microsoft	Utility that turns your Windows desktop into a view of deep space. Choose impulse or warp speed and launch several Windows utilities from a floating pop-up menu.
e.arc	ibm.utils	Public-domain text editor, with source code.
secrets2.arc	ibm.dos	Condensed and edited messages from the ibm.dos/secrets topic. Tricks and undocumented internals of MS/DOS.
tetris2.zip	microsoft	KLOTZ, a Tetris® clone for Microsoft Windows 3.
2zip25.zip	ibm.utils	Converts a variety of archive formats (including ARC, PAK, ZOO, LZH) to PKWare's ZIP format.
w3icons.zip	microsoft	40 new icons for the Windows 3 Program Manager.
firework.zip	microsoft	Fireworks display in a window, for Windows 3.
monitor.arc	ibm.os2	Continuous display of CPU load for OS/2 Presentation Manager.
abort.exe	ibm.utils	TSR that aborts any program when you press Alt-C.
dis386.zip	ibm.utils	Full-screen interactive machine language disassembler for 8086, 80286, 80386, NEC V20.

Besides great free programs, the IBM Exchange offers dozens of informative and provocative conferences on OS/2, PC/DOS and MS/DOS operating systems, alternative 386 operating systems, utility software, communications programs, LANs and more. There's even a "Repairshop" conference, and maybe as a last resort, an IBM clearing house. Beyond our IBM Exchange, we provide industry news and product information that's essential to your performance as a microcomputer pro. All of these privileges are yours with a subscription to BIX. To find out more, call our special Customer Service number: 603-924-7681.

BIX

International VAR's — Maximize Your Profits

INEX Technology International

Suppliers of Quality Networking and Communication Products

— Over 10,000 Products Available —

FROM COMPANIES SUCH AS:

Novell	Storage Dimensions	NEC
ALR	Western Digital	3Com
Tiara	Racal-Interlan	Retix
Hayes	Thomas Conrad	Saber
Accton	LAN Systems	Everex
Xircom	Synoptics	Telebit
Procomp	Mountain	Maynard
Mux Lab	Quantum	Emerald
D-Link	Olicom	Farallon

INEX carries a full line of connectivity products for both IBM/PC and Macintosh systems. Call or fax today for a reliable quotation from our knowledgeable sales staff!

**INEX Guarantees:**

- LOWEST PRICES
- FASTEST DELIVERY
- FULL SUPPORT
- NO LICENSING PROBLEMS



VISA/MASTERCARD/AMEX ACCEPTED

Derwood Business Center
15954 Derwood Rd.

TEL: (301) 330-9664

Rockville, MD 20855

FAX: (301) 762-0562

**SOFTWARE
SECURITY
MODULE**

An easy to use hardware/software combination for securing data/programs.



Our security modules can be used simply as 'Dongles' through to advanced encryption-decryption systems.

- ★ For IBM PC family (and compatibles)
- ★ Variants for other systems
- ★ Advanced construction — rugged and compact
- ★ Proven throughout the world
- ★ Transparent operation — user friendly
- ★ Driver software supplied for variety of applications



Control Telemetry of London
11 Canfield Place, London NW6 3BT
Tel: 01-328 1155 Fax: +441 328 9149

**Micro Design
International, Inc.:**

C&D International
Baek Lim Building
216-5 Nonhyun-Dong
Gangnam-Ku
Seoul
82-2-546-3108
fax: 82-2-514-9007
Circle 1258 on Inquiry Card.

Pinnacle Micro:

Korea First Computer Co.
#159-10, Yeomri-Dong
Mapo-ku
Seoul
82-2-716-06999
fax: 82-2-713-3343
Circle 1261 on Inquiry Card.

Storage Dimensions:

Tri Tech
603 Taeyang Building
44-2 Yoeuido-Dong
Youngdeung Po-Ku
Seoul
82-2-786-0417
fax: 82-2-786-0419
Circle 1266 on Inquiry Card.

MEXICO**Micro Design
International, Inc.:**

Grupo Misermi
Melcher Ocampo 403
52-5-207-0502
fax: 52-5-255-4356
Circle 1258 on Inquiry Card.

Pinnacle Micro:

Lambda Cibernetica S.A.
de C.V.
Bosque de Cidros 46-402
Lomas de Bezares
Bosques de las Lomas
Mexico City cp 11910
52-5-259-4979
fax: 52-5-522-7188
Circle 1261 on Inquiry Card.

THE NETHERLANDS**Alphatronix, Inc.:**

Has Computer System BV
Kabelweg 55
1005 Amsterdam
31-205-866600
fax: 31-208-65099
Circle 1061 on Inquiry Card.

Exabyte Corp.:

Borsu International BV
Bloemendalerweg 43
1382 KB Weesp
31-294-061115
fax: 31-294-014253
Circle 1070 on Inquiry Card.

Literal Corp.:

P & T Electronics
International BV
Rietbaan 2
2908 LP Capelle a/d IJssel
31-104-501444
fax: 31-104-507092
Circle 1074 on Inquiry Card.

**Micro Design
International, Inc.:**

RME
Markerkant 12
1300 BA Almere
31-324-034636
fax: 31-324-042684
Circle 1258 on Inquiry Card.

Pinnacle Micro:

Stebis BV
Postbus 23
4024 ZG Eck en Wiel
31-3-449-3144
fax: 31-3-449-1854
Circle 1261 on Inquiry Card.

Storage Dimensions:

Akam Data BV
Bleiswijkseweg 43
2712 PB Zoetermeer
31-79-443200
fax: 31-79-421974
Circle 1266 on Inquiry Card.

**Summus Computer
Systems Corp.:**

Rotating Memory Expertise
Markerkant 12
P.O. Box 1035
1300 BA Almere
33-1-324-034636
fax: 33-1-324-042684
Circle 1268 on Inquiry Card.

NEW ZEALAND**Bell & Howell Co.:**

Hermes Precisa Ltd.
P.O. Box 44-134
Lower Hutt, Victoria
64-4-691444
fax: 64-4-693695
Circle 1063 on Inquiry Card.



King of Keyboards Conquers DTP-land

DISTRIBUTORS WELCOME

BTC[®]



Logitech is the registered trademark of Logitech Ltd.

- *BTC 150, CUTIE, Logitech compatible, hand held scanner has a 400 DPI, 105mm width and can be combined with Drawing and OCR software.*
- *BTC 6200, CUTIE, Logitech compatible, Image Scanner provides 300 DPI resolution with A4 size for a very reasonable price.*
- *BTC 9001, the CUTIE Mouse is a three button mouse with 230 DPI resolution and an ergonomic shape.*

BEHAVIOR TECH COMPUTER CORP.

HEADQUARTERS: 12F, 18, Sec. 1, Chang An E. Rd., Taipei, Taiwan, R.O.C.
TEL: (02)523-6266 FAX: (02)523-3114 TELEX: 13917 BEHAVIOR
Contact Person: Miss. Ruth Liang

EUROPE OFFICE: Glashaven 22,3011 XJ, Rotterdam, the Netherlands
TEL: (10)404-9400 FAX: (10)433-2535
Contact Person: Mr. Shan Phillips

U. S. A. OFFICE: 4180 Business Center Dr. Fremont, CA 94538
Tel: (415)657-3956 Fax: (415)657-3965
Contact Person: Mr. Jimmy Wang

Circle 412 on Inquiry Card.

Data Collection Module



TDS9095 Multifunction card and TDS9092 control computer sandwich to form a very small module for building into products, especially portable or remote ones. A data logger can run 12 months on a small 9V battery.

Roadside vehicle statistics
Water management
Meteorological outstations
'Black-box' safety recorders
Medical recording
Ticket machines
On-site civil engineering
Bar-code readers
Recorded speech

Non-volatile Memory & Clock, Analog to Digital & Digital to Analog converters, Pulse Processing System, LCD & keyboard interfaces, Multitasking, Forth & Assembler, 2 serial ports & 32 I/O. Library of ready-made routines. TDS9092 £134.95, TDS9095 £164.95 (10 qty) dropping steeply with quantity.



Triangle Digital Services Ltd
223 Lea Bridge Rd, London E10 7NE
Tel 081-539 0285 Fax 081-558 8110

Circle 470 on Inquiry Card.

Advertise your Computer Products in BYTE's International Advertising Section

BYTE Magazine is unique in its ability to serve the needs of the Pan European microcomputer marketplace.

For more information on advertising in BYTE, contact BYTE's London office.

In the U.K., call Roz Weyman at 081 545 6269.

McGraw-Hill Publications
Wimbledon Bridge House
One Hartfield Rd.
Wimbledon, London SW19 3RU
England

Circle 414 on Inquiry Card.

INTERNATIONAL RESOURCE GUIDE

SINGAPORE

Laser Magnetic Storage International:

Philips Singapore Pte. Ltd.
Lorong 1
Toa Payoh
65-350-2656
fax: 65-253-7780
Circle 1256 on Inquiry Card.

Micro Design International, Inc.:

Primefield
Haw Par Glass Tower
180 Clemenceau Ave.
65-338-8522
fax: 65-339-8697
Circle 1258 on Inquiry Card.

Storage Dimensions:

Dynamic Systems Pvt. Ltd.
20 Jalan Afifi
#04-01 Cisco Centre
65-742-1986
fax: 65-747-6828
Circle 1266 on Inquiry Card.

SPAIN

Exabyte Corp.:

PerData
Muntaner, 536.7
08022 Barcelona
34-3-418-8596
fax: 34-3-212-0161
Circle 1070 on Inquiry Card.

Hitachi America Ltd.:

HSCI S.A.
Fundadores 25
E-28028 Madrid
34-1-255-7900
fax: 34-1-256-3632
Circle 1073 on Inquiry Card.

Literal Corp.:

Infocom S.A.
Arrieta 5
28013 Madrid
34-1-559-0619
fax: 34-1-559-1513
Circle 1074 on Inquiry Card.

Micro Design International, Inc.:

Proco S.A.
Clara del Rey 33
Madrid
34-1-416-5700
fax: 34-1-413-6813
Circle 1258 on Inquiry Card.

Laser Magnetic Storage International:

Computer Peripherals Ltd.
Fifth Floor, James Cook
Arcade
296 Lambton Quay
Wellington
64-4-734291
fax: 64-4-722690
Circle 1256 on Inquiry Card.

Literal Corp.:

Micro Controls & Systems Ltd.
P.O. Box 44070
Lower Hutt
64-4-698407
fax: 64-4-694016
Circle 1074 on Inquiry Card.

Summus Computer Systems Corp.:

Backup Computing Services Ltd.
IBM Centre, Sixth Floor
155-161 The Terrace
P.O. Box 10-461
Wellington
64-4-711077
fax: 64-4-712708
Circle 1268 on Inquiry Card.

NORWAY

Exabyte Corp.:


NewTech A/S
P.O. Box 111-Bryn
Nils Hansens VEI 20
Oslo 6
47-2-648330
fax: 47-2-630036
Circle 1070 on Inquiry Card.

Pinnacle Micro:

Dokument Design A/S
Solfallsveien 37
1430 As
47-9-942488
fax: 47-9-942710
Circle 1261 on Inquiry Card.

Summus Computer Systems Corp.:

ICT Databoln
Solbrauelien 45
P.O. Box 188
1370 Asker
47-2-795880
fax: 47-2-783601
Circle 1268 on Inquiry Card.



**“We’re looking
for retired
managers who
want to get
back into
action.”**

Harold W. McGraw, Jr.,
Chairman Emeritus,
McGraw-Hill, Inc.

I'm a volunteer supporter of the International Executive Service Corps, a not-for-profit organization with a vital mission:

We send retired U.S. managers overseas to help businesses in developing countries, which often respond by increasing their imports of U.S. goods. In fact, developing countries consume about 40 percent of U.S. exports.

As an IESC volunteer, you would not get a salary. But you would get expenses for you and your spouse, plus a world of personal satisfaction.

IESC leads the field in this kind of work. We've done over 9,000 projects in 81 countries. We could have a project that's just right for you.

For more information, send this coupon to: Harold W. McGraw, Jr., Chairman, McGraw-Hill, Inc., P.O. Box 10005, Stamford, CT 06904-2005.



Dear Mr. McGraw: Tell me more about becoming an IESC volunteer. I am a recently retired manager or technician—or am about to retire—from a U.S. company. I'm free to accept an overseas assignment. I understand that volunteers receive expenses for themselves and their spouses, but no salary.

Name

Address

City State Zip

In what publication did you see this ad? M3




International Executive Service Corps

It's not just doing good. It's doing good business.

486/25MHz

All-In-One

Integrated IDE HD Interface & Floppy Controller
Two Serial, 1 Parallel Integrated On-Board
64K Secondary Cache Memory Expands to 256K
On-Board Memory Expands to Full 32Mb



HOMESMART COMPUTING
800-627-6998

14760 Memorial Dr. Houston, TX 77079

MC/VISA ACCEPTED (AMX ACCEPTED-ADD 3%)

Circle 439 on Inquiry Card.

NOVELL - UNIX - OS/2 TAPE & DISK DRIVES



PC+ EDITOR'S CHOICE

* QA-150 W/SYTOS \$ 970.00
QA-1200 1.2 GB DAT W/SYTOS + \$1995.00
LAPTOP BACKUP PARALLEL
PORT W/SYTOS +

380 MB **Maxtor** \$1245.00
760 MB \$1895.00
OPTICAL DRIVES

40 MB IDE **K/LQK** \$ 240.00

MYLEX
MOTHER BOARDS

3Com



DEALERS WANTED



3EST - USA

(408) 737-3900 • Fax: (408) 737-3910

Circle 402 on Inquiry Card.

INDUSTRIAL COMPUTERS

MONITORS

KEYBOARDS

PRINTERS

I/O CARDS

The complete solution

**BLUE CHIP
TECHNOLOGY**

(0244) 520222

Harvard Industrial Park, Decatur, Glynn, UK CH5 3PP

European dealers wanted

Circle 413 on Inquiry Card.

INTERNATIONAL RESOURCE GUIDE

Storage Dimensions:

P-Ingenierie Espana S.A.
c/Castello, 82 60 Izda
28006 Madrid
34-1-564-5694
fax: 34-1-411-7567

Circle 1266 on Inquiry Card.

Summus Computer Systems Corp.:

Associative Datadesign AB
Grev Magnigalan 9
114 55 Stockholm
46-8-667-4300
fax: 46-8-660-4665

Circle 1268 on Inquiry Card.

SWEDEN

Epoch Systems:

Edata
Svardvagen 3A
S-182 33 Danderyd
46-8-623-6600
fax: 46-8-623-6623

Circle 1069 on Inquiry Card.

Exabyte Corp.:

Saven AB
P.O. Box 504
Nytorsvagin 30
S-18325 Taby
Stockholm
46-879-21100
fax: 46-879-21790

Circle 1070 on Inquiry Card.

Hitachi America Ltd.:

Ericsson Components AB
Isafjordsgatan 10-16
S-16481 Kista-Stockholm
46-8-757-5000
fax: 46-8-752-9265

Circle 1073 on Inquiry Card.

Literal Corp.:

TeleInstrument AB
Maltesholmsvaegen 138
P.O. Box 4490
S-162 04 Vaellingby-
Stockholm

46-8-380370
fax: 46-8-380503

Circle 1074 on Inquiry Card.

Micro Design International, Inc.:

News Systems
Aniaraplatsen 2
Sollentuna
46-8-968780
fax: 46-8-356480

Circle 1258 on Inquiry Card.

Storage Dimensions:

Dennis Bergstrom Trading
Dalvagen 28
171 22 Solna
46-8-70-50200
fax: 46-8-735-5630

Circle 1266 on Inquiry Card.

SWITZERLAND

Micro Technology, Inc.:

Techno-Link Computer SA
Rue de Veyrot 10
Meyrin 1
CH-1217 Geneva
41-22-782-9121
fax: 41-22-782-9719

Circle 1259 on Inquiry Card.

Storage Dimensions:

Computer Peripherie AG
Tafernstrasse 11
CH-5405 Baden-Dattwil
41-56-849500
fax: 41-56-834204

Circle 1266 on Inquiry Card.

Summus Computer Systems Corp.:

AdComp AG
Lerzenstrasse 27
CH-8953 Dietikon-Zurich
41-1-741-4111
fax: 41-1-741-4520

Circle 1268 on Inquiry Card.

TAIWAN

Alphatronix, Inc.:

Tek Hand Corp.
Sixth Floor-3, Suite 30,
Sec. 3
Chung Shan North Rd.
Taipei

886-2-585-1369

fax: 886-2-585-0919

Circle 1061 on Inquiry Card.

Bell & Howell Co.:

New Fairland Associates
Ltd.
Tenth Floor, 200 Nanking
East Rd.
Section 3

Taipei
886-2-776-3600

fax: 886-2-751-7065

Circle 1063 on Inquiry Card.

Buy with

Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- Is there a service facility?
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines


- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

This message is brought to you by:

the MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing
Association, Inc.
6 E. 43rd St.,
New York, NY 10017

MMC
MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing Association, Inc.



Europe's Greatest BBS

- On-line listing of 20,000 BBS systems in USA. Updated monthly - covers all interests.
- Call any BBS or modem in USA for USD 12 per hour (~10p.min!). Cheapest access to USA.
- i-Com's own BBS covers all European countries: We offer SIGs, casinos, teleconferences, e-mail, chat, US mail order, and much more.


For more information and to join:

1. Call a number below.
2. Press "A" when connected and type "i-com"
3. Follow the instructions on the screen.


UK: 081-566 7260, 021-632 6636,
0223-845860, 0523-341838
Germany: 069-6668131, 0221-210196,
089-3507682
France: 01-46025750, 01-46025500, 78930173
Belgium: 02-725 5060, 02-725 7060
Holland: 070-3475032, 04902-45530
Italy: 02-2641 2450
Sweden: 08-294782 • **Denmark:** 3118 6333
New sites continuously being added!
i-Com, 4 Rue de Geneve, 1140 Brussels, Belgium
Tel: +32 2215 7130 • Fax: +32 2215 8999

Circle 441 on Inquiry Card.

LOW-LOW-LOW

 H.P., Canon, NEC, Panasonic, Fujitsu,
DEST, Printers/Scanners/Plotters

Memory, Hard Drives, Tape Backup, CD
ROMS, LAN Products, Bernoulli Drives

IBM **COMPAG**  **ALR**
EVEREX **AST** & other

Surah 386/486 ISA/EISA
Compatible Computers

AMI/MYLEX Motherboards
Software High End Products

SURAH inc.

44912 Osgood Road, Fremont, CA 94539
Ph: (415) 651-5101 Fax: (415) 651-5241
1-800-543-1001
VISA, Master Card accepted. w/sc

Circle 465 on Inquiry Card.

EXPORT ONLY WHOLESALE & RETAIL

- * ONE SOURCE FOR 5,000
COMPUTER PRODUCTS
- * LOW EXPORT PRICES
- * WORLDWIDE DELIVERY
- * 220 VOLTS/50MHZ

CALL FOR CATALOG

COMPEX International Inc.
PO Box 1021, Cambridge,
MA 02236 USA
(617) 354-5045 • FAX (617) 864-9516

Circle 420 on Inquiry Card.

INTERNATIONAL RESOURCE GUIDE

Laser Magnetic Storage International:

Philips Taiwan Ltd.
581 Min Sheng East Rd.
Taipei
886-2-509-7666
fax: 886-2-500-5899
Circle 1256 on Inquiry Card.

Storage Dimensions:

DOS Information Systems
Co. Ltd.
Tenth Floor, 483 Min
Sheng East Rd.
Taipei
886-2-505-2688
fax: 886-2-505-9147
Circle 1266 on Inquiry Card.

U.K.

Alphatronix, Inc.:

Nextage Systems Ltd.
Oakfield House
Oakfield Industrial Estates
Stanton Harcourt Rd.
Eynsham
Oxfordshire OX8 1TH
44-865-83120
fax: 44-865-883362
Circle 1061 on Inquiry Card.

Cygnat Systems Inc.:

Cygnat Systems Europe
Unit 9, Surrey Technology
Center
40 Occam Rd.
Guildford
Surrey GU2 5YH
44-483-33711
fax: 44-483-573704
Circle 1065 on Inquiry Card.

Epoch Systems:

Thame Microsystems Ltd.
Thame Park Rd.
Thame
Oxfordshire OX9 3UQ
44-844-261456
fax: 44-844-261682
Circle 1069 on Inquiry Card.

Exabyte Corp.:

Phase IV Systems Ltd.
Oakfield House
Oakfield Industrial Estate
Stanton Harcourt Rd.
Eynsham
Oxfordshire OX8 1TH
44-865-883355
fax: 44-865-883352
Circle 1070 on Inquiry Card.

Literal Corp.:

Computer & Aerospace
Components Ltd.
3 Kingston Business Centre
Fullers Way South
Chessington KT9 1HW
44-81-397-5311
fax: 44-81-391-4835
Circle 1074 on Inquiry Card.

Micro Design International, Inc.:

Ideal Hardware
Tolworth Tower
Low Rise
Surrey
Surrey
44-81-390-8848
fax: 44-81-399-4382
Circle 1258 on Inquiry Card.

Reflection Systems, Inc.:

Reflection Systems Ltd.
Saxon Way
Melbourn
Royston
Hertfordshire SG8 6DN
44-763-262963
fax: 44-763-262980
Circle 1263 on Inquiry Card.

Summus Computer Systems Corp.:

Harrier Computer Systems
Unit 1A, Falcon Business
Park
Ivanhoe Rd.
Finchampstead
Berkshire RG11 4QQ
44-734-328282
fax: 44-734-731130
Circle 1268 on Inquiry Card.

*Inclusion in the resource
guide should not be taken as a
BYTE endorsement or recom-
mendation. Likewise, omission
from the guide should not be
taken negatively. The informa-
tion here was believed to be
accurate at the time of writing,
but BYTE cannot be responsi-
ble for omissions, errors, or
changes that occur after
compilation of the guide.*

Reach Over 130,000 Buyers!

BYTE Gives You Buyers Today for the Europe of Tomorrow

BYTE's Pan-European/International Section is a special advertising and editorial section bound into all copies of BYTE that are distributed outside of North America. *The editorial focuses exclusively on the latest computer products available in Europe making this section—including the advertisements—extremely well-read among the European buyers!*

The European Computer Market is One of the Fastest Growing Computer Markets in the World!

In fact, behind the U.S., it's the largest microcomputer market in the world! Not to mention that by 1992, trade restrictions will be removed within the European Community resulting in unprecedented activity and expansion. *Consider that, unit shipments of PCs in Western Europe are expected to increase by 17% in 1991 over 1990 shipments!*

And, More Europeans Read BYTE Than any Other Pan-European Computer Magazine!

BYTE's paid circulation outside of North America has doubled in the past five years bringing the total to an impressive 134,763.

- BYTE's European paid circulation alone has grown to over **95,000**.
- BYTE is read and passed along to three additional readers, resulting in a total Pan-European readership of **525,575**!



BYTE Covers All the Bases in Europe, Consider the Options!


- *Advertisements in the Pan-European/International Section*, reaching a total audience of **525,575** European buyers!
- *International Direct Response Postcard Section*—bound into the Pan-European/International Section, these postcards give advanced business buyers direct access to retrieve information on your products.
- *BYTE EURO-DECK*—the first computer postcard deck targeted exclusively to **50,000** European computer professionals.

BYTE is Your Global Tie to the Expanding Pan-European/International Computer Arena!

International

Uwe Kretzschmar, European Advertising and Marketing Manager, 44 81 545 6268
England: Roz Weyman, 44 81 545 6269
Germany: Uwe Kretzschmar, 44 81 545 6268
France: Zena Coupé, 44 71 281 4116
Italy: Amanda Blaskett, 44 71 281 4116
The Netherlands: Ellen Pardede, 31 34 02 49496
Sweden: Media Marketing AB, 46 8 301280
Japan: Masaki Mori, 81 33 581 9811
Taiwan: Summer Chien, Acer TWP, 886 2 713 6959
Israel: Dan Ehrlich Communications, Ltd., (972) 3 449823
Hong Kong: Steven Marcopoto, Seavex, Ltd., 852 868 2010
Republic of Singapore: Jocelyn Domingo, Seavex Ltd., 65 734 9790
Korea: Jeong-Gwon Seo, Doobee International Ltd., 82 2 776 2096
Domestic
Ellen Perham, (603) 924-2598
Jim Bail, (603) 924-2533

Call Your Local Sales Representative Today!




BYTE
Technically Advanced
Business Buyers Setting
Product and Technology
Standards for the 90s

Circle 415 on Inquiry Card.

**WHERE
ON EARTH
CAN YOU CALL US
FOR AS LOW
AS \$20
AN HOUR?**

Now you can connect with BIX, the on-line information service, at a fixed hourly rate from many cities around the world. Compared to packet switching networks, this saves you up to 75% depending on your location. There's

no application process. No character or packet fees. No extra charge for 2400 baud. And you're billed directly by BIX for your phone usage. Just call the access number nearest you, log on, and the world of BIX is at your fingertips.



BT Tymnet Access Information: (All amounts are U.S. dollars)

AUSTRALIA (\$29/hr.): MELBOURNE (3) 4162146; SYDNEY (2) 290-3400 **BELGIUM** (\$23/hr.): BRUSSELS (2) 725-5060 **DENMARK** (\$23/hr.): COPENHAGEN 31-18-63-33 **FRANCE** (\$23/hr.): PARIS (1) 47719133, (1) 46027003, (1) 46025750, (1) 46025500; LYON (7) 8930173 **ITALY** (\$23/hr.): MILANO (2) 26-41-24-50 **NETHERLANDS** (\$23/hr.): ALKMAAR (72) 155190; AMSTERDAM (20) 6610094; EINDHOVEN (4902) 45530; THE HAGUE (70) 3475032, (70) 3814641; ROTTERDAM (10) 4532002 **SWEDEN** (\$25/hr.): STOCKHOLM (8) 294782 **SWITZERLAND** (\$25/hr.): GENEVA (22) 782-9329; ZURICH (1) 730-9673 **UNITED KINGDOM** (\$20/hr.): BIRMINGHAM (21) 6326636; BRISTOL (272) 255392; CAMBRIDGE (223) 845860; EDINBURGH (SCOTLAND) (31) 3132172; LEEDS (532) 341838; LONDON Baynard House (71) 4898571, Ealing (81) 5667260 **GERMANY** (\$23/hr.): COLOGNE (221) 210196; FRANKFURT (69) 666-8131, (69) 666-4021; MUNICH (89) 350-7682

To learn more about BIX see our other ad elsewhere in this magazine.

BIX

FREE PRODUCT INFORMATION

1

Circle numbers on Inquiry Card which correspond to inquiry numbers assigned to items of interest to you.

2

Check all the appropriate answers to questions "A" through "E".

3

Print your name and address and mail.

Use this Card for More Product Information Featured in this Issue!

Fill out this coupon carefully. PLEASE PRINT.

Name _____
 Title _____
 Phone _____ Fax _____
 Company _____
 Address _____
 City _____ State _____ Zip _____

A. What is your primary job function/principal area of responsibility? (Check one.)

- ☐ 1 MIS/DP
☐ 2 Programmer/Systems Analyst
☐ 3 Administration/Management
☐ 4 Sales/Marketing
☐ 5 Engineer/Scientist
☐ 6 Other

B. What is your level of management responsibility?

- ☐ 7 Senior-level ☐ 9 Professional
☐ 8 Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- ☐ 10 Yes ☐ 11 No

D. What operating systems are you currently using? (Check all that apply.)

- ☐ 12 PC/MS-DOS
☐ 13 DOS + Windows
☐ 14 OS/2
☐ 15 UNIX
☐ 16 MacOS
☐ 17 VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- ☐ 18 1-25 ☐ 21 100 or more
☐ 19 26-50 ☐ 20 51-99

MAY
415EINT

Inquiry Numbers 1-493

Inquiry Numbers 494-986

Inquiry Numbers 987-1479

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003
18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224
239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360
375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	1412	1413	1414	1415	1416	1417	1418	1419									

FREE PRODUCT INFORMATION

1

Circle numbers on Inquiry Card which correspond to inquiry numbers assigned to items of interest to you.

2

Check all the appropriate answers to questions "A" through "E".

3

Print your name and address and mail.

Use this Card for More Product Information Featured in this Issue!

PLACE
POSTAGE
HERE

BYTE

TNT MAILFAST
FRG/BOS/700252/MO1
P.O. Box 66
Hounslow
TW5 9RT
England

Fill out this coupon carefully. PLEASE PRINT.

Name _____
Title _____
Phone _____ Fax _____
Company _____
Address _____
City _____ State _____ Zip _____

A. What is your primary job function/principal area of responsibility? (Check one.)

- ☐ MIS/DP
☐ Programmer/Systems Analyst
☐ Administration/Management
☐ Sales/Marketing
☐ Engineer/Scientist
☐ Other

B. What is your level of management responsibility?

- ☐ Senior-level ☐ Professional
☐ Middle-level

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- ☐ Yes ☐ No

D. What operating systems are you currently using? (Check all that apply.)

- ☐ PC/MS-DOS
☐ DOS + Windows
☐ OS/2
☐ UNIX
☐ MacOS
☐ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- ☐ 1-25 ☐ 21 or more
☐ 26-50
☐ 51-99

MAY
415EINT

Inquiry Numbers 1-493


1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17
18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34
35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85
86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102
103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136
137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153
154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170
171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204
205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238
239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255
256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272
273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289
290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306
307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323
324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340
341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357
358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374
375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391
392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408
409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425
426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442
443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459
460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476
477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493

Inquiry Numbers 494-986

494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510
511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527
528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544
545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578
579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595
596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612
613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629
630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646
647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663
664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680
681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697
698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714
715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731
732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748
749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765
766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782
783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799
800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816
817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833
834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850
851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867
868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884
885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901
902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918
919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935
936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952
953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969
970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986

Inquiry Numbers 987-1479

987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003
1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020
1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037
1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054
1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071
1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088
1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105
1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122
1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139
1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156
1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173
1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190
1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207
1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224
1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241
1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258
1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275
1276	1277	1278	1279	1280												



JERRY
POURNELLE

ATARI REVISITED

Well, it's done: Larry Niven and I finished *Fallen Angels* yesterday. It's scheduled for June publication from Baen Books, which means you ought to find it in bookstores in late May.

Tomorrow I catch a plane for Washington, D.C., where the American Association for the Advancement of Science is meeting this year. AAAS is my hands-down favorite conference of the year, even better than the World Science Fiction Convention. Writing takes a lot of output; AAAS is where I get input. This year, I'm also paying my dues by giving a talk on uses of small computers in science, as well as a lecture at George Washington University on technology and society.

Meanwhile, I'm recovering from minor but painful surgery: they had to slice a small skin cancer out of my face. The result is a Heidelberg scar and the world's worst black eye; it's the black eye that's relevant here. Because of it, I wasn't able to get some of the research done that I'd intended for this column. So it goes. As usual, there's still plenty to write about.

Atari TT030

The newest computer at Chaos Manor is the Atari TT030, which, as the name implies, is powered by the Motorola 68030 chip and is a sort of super Atari ST. The 68030 runs at 32 MHz, in tandem with a 68882 floating-point math coprocessor and built-in cache memory. It certainly runs all the old Atari ST software I could find, including stuff written by my Russian friends at ParaGraph. I now have *Perestroika*, the Game, running on the TT030, and considering how graphics-intensive the game is, that's no bad test. It runs quite smoothly, if too fast.

The TT030 is what the Mega 4 should have been: the case is sensibly designed, although still plastic; the detached keyboard looks professional, with normal function keys instead of the cutie-pie slanted function keys on the 1050ST; and, in general, the machine has a solid, professional look and feel.

Like all Atari machines, it has about a zillion ports, including game, mouse, serial, parallel, and a cartridge port into which you can plug your Spectre Cartridge from Gadgets by Small and have the equivalent of a fast Mac. For reasons not clear to me, the keyboard cable connects to the right side of the keyboard but the left side of the computer.

The TT030 is one of the items I'd intended to do more with until my plans were drastically altered by

surgery; alas, I've had little time to work with it.


My first impressions are quite favorable. Getting the machine running was no problem: I took it out of the box and set it on a stand. I looked in the manual and found that the machine was said to work with VGA color monitors, particularly multisync, so I connected it to the Tatung 14-inch monitor that came with the Gateway 2000 computer—the TT030 has a 15-pin VGA connector that the Tatung (or almost any VGA monitor) will plug into—and turned it on. The monitor flashed white. Then nothing happened for a long time—so long that I believed something was broken. I turned off the machine, checked the connections, and tried again. Still nothing.

I figured I had done something wrong, so I unpacked the TTM195 monitor that came with the TT030, an enormous TTM195 VGA monochrome gray-scale 19-inch monitor, and connected it up. I turned on the system. The monitor flashed a couple of times and then settled down to a uniform white. Then nothing happened. I retrieved the box the TT030 had come in from the storage shed, since I figured I'd have to be sending the machine back. Then I had to look for the manual. When I came back, the operating system (TOS) was running and GEM was on the screen, looking nicer than I'd ever seen it, and there was no question the system was working.

One of the programs on the TT030's hard disk was Mandelbrot, so I clicked on that; the result in monochrome was interesting but not very pretty, so I decided to give the Tatung monitor another try. I plugged that into the system and reset, and, lo, up it came; it just takes a while.

In fact, the TT030 doesn't take all that much longer

Jerry takes a first look at the new Atari TT030, seeks a GUI word processor, and discourses on typefaces



CD-ROM



Guaranteed
Lowest Prices!

Countries of The World

The Ultimate International Reference

Full text of 106 country study books including color maps by Hammond, national anthems (sound), flags and more...

Topics include historical setting, society, environment, economy, business statistics, government, politics, and security. \$495

Pioneer CD-ROM 6 Pak

Add to your CD-ROM collection with this special Pioneer bundle of discs

- U.S. History on CD-ROM • Countries of the World
- Sherlock Holmes • Shakespeare
- Birds of America • Software Potpourri

6 of the Bestselling discs all for only \$389

Six Pack & Minichanger (Save over \$1000) \$1489

U.S. History on CD-ROM

Full text of 107 U.S. History books with 1,000 images, tables & maps!

Microsoft Windows 3 compatible \$395

CD-ROM BUNDLES!

Get The New Philips CM-50 Drive & Any 5 Of These Discs!

Only \$597 SAVE OVER \$1200

Microsoft Bookshelf all time best seller
U.S. History on CD-ROM full text of 107 books
Illustrated Encyclopedia 21 volumes, VGA
CIA World Fact Book Non classified info
Golden Immortal multi-media game
Between Heaven & Hell practical/perverse
Sherlock Holmes on Disc 221 Baker St. fans
Shakespeare on Disc "complete works"
Software Potpourri • Bible • Movie Database

CD-ROM Drives (ready to run)

Denon DRD-253 Drive SCSI, built in speaker SALE Call
Hitachi Drives- all models, PC and Mac From \$599
Chinon CD-431 CD-ROM Drive \$749
Pioneer Minichanger CD-ROM Drive Lowest Price
Also: CDT, Sony, Todd, NEC, WORM & Erasable drives - Call!

Business

C Library or Ada or Shareware Grab Bag \$89
CIA World Fact Book for international "business" 99
Speed Dial entire U.S. Yellow Pages on one disc 399
Microsoft Bookshelf best selling CD-ROM disc Best Price
Business Lists on Disc desktop marketing 795
PC-Sig Library new edition, version 9 Call
Telephone Directory East or West 995

Libraries and Science

Movie Directory Database/Software Potpourri \$49
Between Heaven & Hell II even stranger Sale \$79
Sherlock Holmes or Shakespeare "complete" Call
Grollier's Encyclopedia 21 volumes, VGA pictures Call
McGraw-Hill Ref. Set 100,000 terms; 7,300 articles 245
Mammals includes pictures & text Call
Oxford Textbook of Medicine general reference 595
Oxford English Dictionary over 250,000 headwords 889
Compton's Multi-Media Encyclopedia 895

* MORE! Over 300 different titles available *
Money back guarantee Free tech support
CALL - Bureau On-Line CD-ROM Library,
FREE access to 12 different CD-ROM Discs



Overnite
Delivery

**Bureau of
Electronic Publishing, Inc.**

Dept. P, 141 New Road, Parsippany, NJ 07054

FAX # 201-808-2676

CALL: **800-828-4766** ORDERS
201-808-2700 INFORMATION

USER'S COLUMN

than a big 486 to power up and do memory tests; the difference is that the Atari TOS shows you *nothing* on the screen until it's ready to go to work, while DOS systems tell you what they're doing on power-up. Also, the TT030 seems to take a lot longer to power up when it's cold than it does when it has been running a while. None of this is any big problem, and once it has been powered up, hitting the hardware reset button gets an instant reboot that takes no more than a few seconds.

The Mandelbrot program runs interestingly, with repeated iterations that smooth out the jagged lines as you watch. It's a good demonstration of the TT030's VGA resolution.

So far, I haven't found any of my older ST software that doesn't work on the TT030, although I do have to change the monitor's resolution. The TT030 has all the ST resolutions plus its own higher screen resolutions: 320 by 480 pixels with 256 colors or 640 by 480 pixels with 16 colors, both from a palette of 4096 colors. The monochrome mode is no slouch either, with 1280 by 960 pixels on the TTM195 monitor. When you change resolutions, the TT030 automatically does the equivalent of a reboot.

I am told, though, that there are some compatibility problems with older ST software. This is particularly true with games and other software that have timing loops, since the 68030 is much faster.

I no longer have a lot of Atari software other than games. Alas, I seem to have mislaid my copies of Sundog and Dungeon Master—doubtless they were put in a "safe place," which means they may not surface for years—but it's not fair to restrict the TT030 to games. This is a solid machine, with a GEM interface and a better keyboard than I started with in this business. I have a copy of Aladdin ST, which is the front-end program for GE's GENIE information service, and that works just fine. So does WordPerfect and a bunch of other standard business software. The TT030 is definitely a lot more than a toy.

The TT030 has a built-in MIDI port, which should interest musicians. I'm told that the Stacy Laptop, which is the portable Atari ST, has become just about the de facto standard interface for keyboard musicians.

I find that many Atari ST "power users" almost exclusively use it with the Spectre Cartridge because Mac software is so much better than Atari software. For instance, they use WriteNow, instead of any of the Atari ST word processors, and Excel as a spreadsheet. I have

not tried the TT030 with the newest versions of Dave Small's Spectre Cartridge, but people who have tell me it works fine.

A tentative conclusion: the Atari TT030 system is good enough for almost anything you'd want to do with a computer. It's close to state of the art for music support. There's a wealth of ST software developed in Europe, and quite a lot is available here as well. However, the Atari does remain outside the mainstream of U.S. computer development. It supports a lot of stuff that would otherwise be obsolete, but it neglects advances in the state of the art. You generally can use it to get the job done.

You'll probably be hearing more about the Atari TT030.

Atari PTC1424 "Colour" Monitor

I got this 14-inch monitor today. The manual tells me that it's a multisync monitor for all VGA systems, and it operates on "240 Volt 50Hz mains," as well as informing me that it's a "colour" monitor. In fact, it plugs into the 110-V outlet, but the manual shows its European origins.

It works fine with the TT030, with no discernible difference from the Tatung multisync monitor. It also works with the Premier 9000 in place of the Zenith Flat Technology Monitor, but not very well: the vertical lock is way off, and it flickers. That's all right: when I plugged the 31-kHz Zenith FTM into the TT030, the display was readable, but it flickered. Putting the Atari PTC1424 monitor with the Atari TT030 works fine. Apparently, the PTC1424 and the TT030 really were made for each other.

The TTM195 monitor works wonderfully well with the TT030, too.

Tracker/ST

When I knew I was getting the TT030, I looked for software. One of the first programs to arrive was Tracker/ST, which is a combination database, mail-label generator, and mail-merge program.

Tracker/ST is a near-perfect illustration of the pros and cons of using the Atari computer for business. The good points are that the software is cheap and easy to learn. It does the job in a no-frills, unimaginative way. You really can set up and use this for business correspondence and mailing lists. On the other hand, it is unimaginative; the user interface has the flavor of CP/M during the early days of personal computing.

Example: Tracker/ST includes support for Epson 9- and 24-pin printers, NEC 24-pin printers, Diablo-compatible

TROUBLE SHOOTER

CheckIt[®] 3.0 saves you time, money, and hassles when you're troubleshooting PC problems. This easy-to-use software program shows you exactly what's going on inside your system, without taking off the cover. For example, **CheckIt's** hardware diagnostics and system information displays will help you quickly:


- Identify DOS Setup Errors
- Determine Exact PC Configuration
- Detect IRQ Assignment Conflicts
- Pinpoint Bad Memory Chips
- Review Current RAM Usage
- Test Hard and Floppy Disk Drives
- Verify Serial/Parallel Port Connections
- Test Printer Operation
- Perform PC Acceptance Tests
- Compare System Performance
- Find over 200 Different Viruses

Whether you are a professional troubleshooter or a professional PC user, you'll appreciate the fact that **CheckIt 3.0** finds more types of problems, on more types of PCs, than any other program in the world.

But don't wait until your next problem to try it. The more you work with PCs the more you need **CheckIt** to avoid trouble before it starts.

Call TouchStone TODAY!
(714) 969-7746 or (800) 531-0450

TouchStone
Software Corporation
2130 Main Street, Suite 250,
Huntington Beach, CA 92648

CheckIt is a registered trademark of TouchStone Software Corporation. Copyright ©1991 TouchStone Software Corporation. ALL RIGHTS RESERVED.

Send Literature 314; Call Me, I'm Interested 315

daisy-wheel printers, and the Hewlett-Packard DeskJet and DeskJet Plus. No laser printers. Of course, you *can* use the Atari SLM804 laser printer, but you must select either the Diablo emulator or the Epson LaserBrain emulator; there's no provision to use the laser printer as itself. They then add, "We feel that the LaserBrain emulator is a better choice, but it currently works only with a monochrome monitor...."

As I said, shades of CP/M days. My original Diablo printer is in the Smithsonian, and while I do bring out an NEC SpinWriter once a month to write the checks, it's only because I have a SpinWriter and a vast supply of pin-feed checks. I wouldn't buy that setup today. On the other hand, there's a lot of older good-enough equipment out there on the used market, and it's nice to know there are still some systems that support it.

More on all this when I get more software and have more time.

Adventures in Musicland

Some of you may remember a wonderful movie called *The 5,000 Fingers of Dr. T.*, with Hans Conried, Mary Healey,

and Peter Lind Hayes. Alas, it wasn't a commercial success. It was later chopped mercilessly and released as *Crazy Music*, which wasn't a success, either. If you can find a videotape of the original, rent it or buy it, and watch it with your friends or a

Adventures in Musicland is a series of musical games.

bright child, or both. Whatever your interest in music, I doubt you'll regret the experience.

Clearly Dr. T's Music Software takes its name from that film; and while it's hardly an amusement for adults (which the movie was, or so I think), Adventures in Musicland does try to retain the flavor

of having fun with music. The program is a series of musical games, which, although billed for "children of all ages," are most suitable for the younger end of the spectrum: 10 and under at a guess, although I could be off a bit. Adventures in Musicland tries to teach musical principles through repetition, games, and fun, with goofy illustrations taken from the old woodcut illustrations of *Alice in Wonderland*. You listen to tunes and try to reproduce them, turn over cards to match them, and build musical symbols—that sort of thing.

This is one I'd recommend you look at before buying: some are going to like it a lot, but some will think it's a bit elementary. The version I have is for the Mac, but there's also an Atari version.

Mac Misgivings

Every time I'm ready to conclude that the Mac is a stable and reliable machine, something happens to make me wonder. Case in point: I'd put Adventures in Musicland up on SuperMac, the big Mac IIx with the 8•24 GC video card. Adventures worked fine. I played around with it enough that I could write about it,

Frequent Flyers.



If a portable computer has improved the way you do business away from the office, think what a portable modem can do for you. With it, you'll be able to send and receive data, and even faxes, anytime you want. In or out of the office.

The WorldPort family gives you a choice of four portable modems, including an MNP® error-correcting modem and an electronic fax/data modem.

Each is no more than 8 ounces and can fit in a shirt pocket. They're small but tough

and capable, built for the rigors of business on the road.

They connect to practically any telephone, public or private, via standard RJ-11 jacks or an optional acoustic coupler. They adhere to Bell and CCITT standards world-wide so you can connect to other modems (or fax machines) almost anywhere. They're powered by a single 9-volt battery or through an AC outlet, whichever is more convenient. And, they're easily shared as external peripherals among co-workers.

The WorldPort family of modems. They're built for travel, whether it's to extreme environments, to exotic locations or just down the hall.

Call us today for the dealer nearest you:

800-541-0345.

(In New York, 516-261-0423.)



Touchbase Systems, Inc.
160 Laurel Avenue
Northport, NY 11768
(516) 261-0423
Fax (516) 754-3491

Pocket Power

The world's first 3.5 inch, Erasable Optical Drive.

Pinnacle Micro, the leader in 5.25 inch optical storage systems, now brings you the first 3.5 inch erasable optical drive.

The new REO-130™ with its small size and quick 30 msec. speed is what the world's been waiting for in optical storage.

Each 3.5 inch disk holds 128 megabytes of valuable data, safe and secure.

You can hold the disk in the palm of your hand. You can put it in your pocket, or drop it in the mail.

If you need to distribute or archive large amounts of data, the REO-130™ is the perfect choice.

The drive system is available in both internal or external versions. Interface kits available for MAC, SUN, DEC, IBM and compatibles.

Pocket sized. Amazingly fast. Large capacity, is optical storage now.

Another first from Pinnacle Micro, the Optical Storage leader.

Call today for the name of your nearest authorized dealer.



The world's fastest 3.5 inch,
Erasable Optical Drive.

☎ (800) 553-7070

PINNACLE MICRO

THE OPTICAL STORAGE COMPANY™

came over and wrote that, and went back to shut down the Mac. Pull down the File menu, click on Quit. Wait. And wait. And wait. Eventually it's clear: the machine has hung up, thoroughly and completely. There is no way to get it to respond to anything.

Of course, a Mac II doesn't exactly have a power switch. There is, however, a power cutoff button on the back, and it was either press that or wait for doomsday. Cycling the power did in fact cure

the problem: the Mac came up with the Adventures file lying closed on the Desktop, as it would have been had it been able to quit properly when I tried it with software.

This meant I had to take the Adventures program down to Richard's Mac Plus and try it on that; it worked, and I could close the files and shut that down with no trouble. Then I remembered the problems I'd had before with the 8•24 GC video card. I find that the virtual

memory expansion program (it swaps from memory to a reserved area of your hard disk) will work with the Mac IIx, but not if the 8•24 GC card is in it, and this isn't virtual memory's fault at all; Apple managed to violate some of their own standards with the 8•24 GC.

The problem is, suppose I'd had some unsaved work somewhere on that Mac? One answer to that, I suppose, is "don't use MultiFinder," but that sure puts the Mac II at a competitive disadvantage. Another answer is "don't use the 8•24 GC video card," and that makes a fair amount of sense given that even Apple finds the card buggy. A final one is "stick to the devil you know," which in my case is PC compatibles. None of these answers is totally satisfactory.

Grrrr!


It has been a long day. It included packing for my trip to Washington. I'm looking forward to the trip because I'll get to visit Ezekial, my wonderful old CompuPro CP/M system that's now on display in the Smithsonian. I sure hope he's happy there. Anyway, before I left, I had to pay the bills for the month. Around here what happens is that as bills come in they are sorted into a huge portfolio. I then use my accounting program to record all the bills, whereupon the checkwriter portion of the program makes out checks. I sign them, and John stuffs them in envelopes and mails them.

It all works fairly smoothly. I should, I know, set up to do it all with Quicken, a home and business finance program. Quicken can keep track of my checking and investment accounts. It works much the same as my accounting program. I could then print out the checks myself or send the electronic output from Quicken to the Checkfree system via a modem. Checkfree would then write the checks and mail them out. I can only plead that my system works reasonably well, and although I don't recommend my accounting program to anyone else, I'm very familiar with it.

Another reason to stay with my present system is that it makes me look at every bill. The accounting program remembers what I usually pay to each account, but it won't skip any. Before it will cut a check, it asks me if the amount is right. I designed it that way.

And every month I find at least one bill that should not be there. Typically it works this way: some PR type works on me to look at a product. I plead that it's too much like something else I've already written about, or it's in a product area that I generally have no interest in;

BY HAND. OR BY NOON.



Now With International Characters


Even complex flowcharts that once took days to perfect can be presentation-perfect — in no time!

Quick to master and a snap to use, Patton & Patton's flowcharting software is the standard of both large and small businesses around the world — and is available through all major software dealers.

See your dealer today! Or, for a "live," interactive demo disk, call: **408-778-6557, ext. 1105.**
FAX: 408-778-9972.

Works on IBM & 100% compatible PCs, supports CGA/EGA/VGA and over 150 dot matrix and laser printers, with multiple print densities and 10 font sizes. **Creates multi-page charts, portrait or landscape, on most standard paper sizes.** Mouse or keyboard controlled.

IBM is a registered trademark of International Business Machines Corporation.



PATTON & PATTON
Software Corporation

Excellence in charting the flow of ideas!



COLOR
POSTSCRIPT
COMPATIBLE.

PC & MAC.


\$4995.

Tom Adams
President

Brian Chu
Executive V.P.

Joe Hayes
Dept. Manager

E
Dep




Tektronix introduces the first color printer that's software-based PostScript-compatible for less than \$5000. Our new Phaser II SX is great for individuals or small groups. It works with Windows 3.0 or Macintosh QuickDraw using brilliant 300 dpi thermal-wax color.

For bigger businesses, we have the Phaser II PX. It's PostScript-compatible with HP-GL and licensed by Pantone. It works with Macs, PCs, and UNIX

workstations. At the same time. And, like all our other printers, it's upgradeable so you'll never outgrow it.

So give us a call at 1-800-835-6100, Dept. 14J for more information. Because no other color printer looks this good on paper.



Tektronix®
The best and the brightest.

PostScript is a registered trademark of Adobe Systems, Inc. Phaser is a trademark of Tektronix, Inc. Copyright © 1991 Tektronix, Inc. All rights reserved.

Circle 297 on Inquiry Card (RESELLERS: 298).

Professional Level Performance



INDUSTRY LEADING PERFORMANCE, PRICE AND RELIABILITY

386™-33 FC Cache System

ORDER YOURS TODAY FOR...

\$3,495
complete

(Lease \$98/mo., 48 mos.) 386-25FC price \$3,195
Non-cache model shown. Tower case available.

CUSTOMIZE YOUR OWN:

- 286
- 386™ SX-16
- 386™ SX-20
- 386™-20, 25
- 386™-25, 33 Cache
- 486™-25, 33 Cache
- 486™-25, 33 EISA
- Intel 80386 33MHz CPU
- 4MB 80ns RAM (exp. to 16MB)
- 64K Cache Memory (exp. to 256K)
- 1.2MB High-Density Floppy Drive
- 1.44MB High-Density Floppy Drive
- 130MB Formatted IDE Hard Drive (19 ms)
- 2 High Speed Serial Ports and 1 Par. Port
- 8 Expansion Slots (6 available)
- 102-Key Enhanced Keyboard
- AMI BIOS w/ Setup and Diagnostics in ROM
- Real-Time Clock with 5-Year Battery
- 200-Watt Power Supply
- Super-VGA Monitor (1024x768 at .28mm d.p.)
- Super-VGA Video Card w/512K (expandable to 1MB)
- Microsoft DOS 4.01 or 3.3 (installed)
- Microsoft Windows 3.0 (installed)
- Microsoft Serial Mouse
- Choice of Tower or Desktop Case
- Free Delivery
- Lifetime Toll-Free Technical Support
- TRW One-Year On-Site Warranty
- Wide Variety of Options Available

"ACT's 33MHz mini-tower machine is a class act all the way around. The ACT 386-33FC is a well-made machine with easy drive access, good performance, and impressive attention to construction detail. This computer is easy to recommend."



December 25, 1990

Every A.C.T. System Features

Customized Solutions for 286, 386™ and 486™ Systems • Free TRW One-Year, On-Site Warranty • Lifetime Toll-Free Technical Support • 30-Day Money-Back Guarantee • Guaranteed 48-Hour Burn-in • Plus, Free Shipping



Professional Level Computers



M4 Tower



M1 Tower



Desktop SF



Desktop



M2 Tower M3 Tower



M5 Tower



Automated Computer Technology Corporation

2307 Spencer Highway • Pasadena, Texas 77504
Telephone (713) 946-0731 • Fax (713) 946-3117

A.C.T. NOW Toll-Free

1-800-521-9237



Lease Terms, Qualified P.O.s Accepted
Dealer and VAR inquiries Welcomed

Superior Service and Support

386 SX™ - 20 Cache System

COMPLETE SYSTEM FOR...

\$2,195

(Lease \$64/mo., 48 mos.)

- Intel 80386SX-20MHz CPU
- 2MB 80ns RAM (exp. to 32MB)
- 32K Cache Memory
- 1.2MB and 1.44MB High-Density Floppy Drives
- 89MB Formatted IDE Hard Drive (19 ms)
- 2 High Speed Serial Ports and 1 Parallel Port
- 8 Expansion Slots (6 available)
- 102-Key Enhanced Keyboard
- AMI BIOS w/ Setup and Diagnostics in ROM
- Real-Time Clock with 10-Year Battery
- 200-Watt Power Supply
- Super-VGA Monitor (1024x786 at .28mm d.p.)
- Super-VGA Video Card w/512K (exp. to 1MB)
- Microsoft DOS 4.01 or 3.3 (installed)
- Choice of Tower or Desktop Case
- Free Delivery
- Lifetime Toll-Free Technical Support
- TRW One-Year On-Site Warranty
- Wide Variety of Options Available



386SX
Notebook Laptop
Available!



All ACT Systems are
NOVELL, UNIX, XENIX,
and OS/2 COMPATIBLE


486™ - 33FC Cache System

UPGRADE TODAY FOR...

\$5,295

(Lease \$143/mo., 48 mos.)

- Intel 80486-33MHz CPU
- 4MB 80ns RAM (exp. to 16MB)
- 64K 20ns Cache Memory
- 1.2MB and 1.44MB High-Density Floppy Drives
- 210MB Formatted IDE Hard Drive (15 ms)
- 2 High Speed Serial Ports and 1 Parallel Port
- 8 Expansion Slots (6 available)
- 102-Key Enhanced Keyboard
- AMI BIOS w/ Setup and Diagnostics in ROM
- Real-Time Clock with 10-Year Battery
- 200-Watt Power Supply
- Super-VGA Monitor (1024x786 at .28mm d.p.)
- Super-VGA Video Card w/1MB
- Microsoft DOS 4.01 or 3.3 (installed)
- Microsoft Windows 3.0 (installed)
- Microsoft Serial Mouse
- Choice of Tower or Desktop Case
- Free Delivery
- Lifetime Toll-Free Technical Support
- TRW One-Year On-Site Warranty
- Wide Variety of Options Available



Circle 379 on Inquiry Card (RESELLERS: 380).




ADVANTAGES

1-800-521-9237

"The Complete Integration"

Customize your Professional Level System with your choice of hard drives, memory, video, software, printers, accessories and case options. Our Account Executives will assist you in choosing the best components for the ideal Desktop Publishing, Work Processing, AutoCAD, Accounting, Graphics, Networking Systems or any other demanding application.



PS/2® MEMORY

Introducing OS/RAM8™.

- ✓ 8 Mbytes of memory + 2 serial ports.
- ✓ Extended and expanded memory. LIM 4.0.
- ✓ Works with all of your programs.
- ✓ Run DOS or OS/2 effortlessly.
- ✓ Fast and simple switchless installation.
- ✓ Auto-configuration for all operating systems.
- ✓ Works in all Micro Channel™ computers.
- ✓ Expanded memory 10 times faster than Intel.
- ✓ Risk free guarantee. Two year warranty.
- ✓ IBM approved ID. Best price. Fast delivery.

Call today 617-273-1818 or 1-800-234-4CEC

cec Capital Equipment Corp.
Burlington, MA. 01803

PS/2 and Micro Channel are trademarks of IBM

but that's never good enough. "You've got to look at this, you'll love it, what harm can it do?" Usually I continue to resist, but once in a while they'll wear me down. "All right," I say, "I'll try to look at it, but I probably won't get to it for a while."

"No problem! Thanks!" they say, and in due course a box of software, or a modem or fax card, or some other gadget will arrive at Chaos Manor and be put in the incoming queue. So far, so good; but then, far too often, the next month as I am going through the bill box I will find a bill. Today, for instance, I have two, from two different outfits. One for some software; the other for a PC card that I reluctantly agreed to look at. The software is clearly marked "For Evaluation Only. Resale Prohibited." The invoice says that as well; but there it is, a bill for the full list price.

Two bins down in the bill box is a dunning letter from a company's lawyers. The first time they sent a letter like that I sent a fax to the company asking for a return authorization number so I could ship the stuff back. I then got a flurry of communications—from the company president, the marketing department, and half a dozen other officials—begging me to hang onto it and explaining it was all a mistake. Now they're threatening me with lawsuits.

And yes, I know it's all bureaucratic foul-ups; but I also have to wonder about a company that can't manage their internal affairs any better than that. If they treat me that way, how will they treat their customers?

The truth is that I cannot possibly mention more than about 10 percent of the stuff that comes here, and I don't have a big staff to keep track of it all. I don't run a computer store, I don't sell anything, and I don't give anything away without the owner's permission; but beyond that, I promise nothing.

How Long Can You Tread Water?

As I was writing the above, my son Alex called. I could hear noises in the back-ground.

"Tell your readers to be sure there's good drainage in the computer room," he said.

"What?"

"One of our clients is [a large newspaper]. One of the urinals backed up and then a pipe burst, and the computer room was flooded. We were making cofferdams of books and documents. I finally called the fire department. They are pumping the water out until we can get the plumbing fixed."

I never thought of drainage as one requirement of a computer room, but the lesson here should be obvious. Just be-

USER'S COLUMN

cause modern tower-configuration microcomputers don't need special air-conditioned rooms doesn't mean you don't have to pay *some* attention to where you put them. Especially if they run your whole newspaper. . . .

To GUI or Not to GUI

Everybody keeps telling me that this is the year of the graphical user interface (GUI). There are times when I believe it myself.

If I'm going to GUI, the absolute first thing I need is a word processor that lets me get my work done. At present, I use Q&A Write from Symantec, just as I use the Q&A Database to take care of my correspondence, including letters I get from readers, preliminary copies of the column for the people mentioned, product inquiries, and so forth. (Actually, Roberta and John use Q&A to record all that; I only get the benefits.) Symantec hasn't updated Q&A in a couple of years, and I keep telling myself there has to be something better; Q&A Write has some annoying bugs that must be overcome in newer products.

So, although Q&A Write isn't exactly broke, there are things about it that need fixing; and there's also some pressure to find a GUI word processor I can live with. A GUI word processor has features such as charting and drawing capability. I do a lot of communication by fax now, and my Intel Satisfaxion board can take files with drawings and charts and send them out. What with Operation Desert Storm and renewed interest in the SSX space shuttle, I do have reason to be able to send sketches and maps and such as part of my letters, so while I don't need drawing and chart capabilities every day, I sure would like to have them around.

Ami Pro, a friend said. Has all the features you could ever want, and it's easy to learn and easy to use. I'd heard others say the same thing, so when a new copy of it arrived, I figured this was as good a time as any to install it. The Arche Legacy 386/33 has an updated beta copy of MS-DOS 5.0 (you're going to like MS-DOS 5.0 a lot), so I thought I'd start with that machine. Of course, I don't have Windows on the Arche, but Lotus sent a run-time (single application environment) version of Windows 2.11, and that looked simple enough to install. After all, if I liked Ami Pro, I'd put it on the Premier 9000, which is the primary Windows machine, and if I liked it a lot, I'd consider installing Windows on my main machine and be done with it.

The Arche, like many new machines, has a 5¼-inch A drive and a 3½-inch B

USER'S COLUMN

drive. I put the Setup/Install disk in the B drive, logged onto that, and started in. The first few disks clearly have the Microsoft Setup/Install program on them; this has been perfected over the years and works very well indeed. It had absolutely no problem with installing from the B drive. This continued until it asked for the Ami Pro Program Disk One.

When that one came up, the environment changed; I was out of Microsoft Install and into the Ami Pro Install program. It first asked for my name and my company name; then it wanted me to enter the serial number that was written on the disk. Some kind of copy-protection scheme. When it got all that, it wrote to the disk. It demanded that I put Program Disk One into drive A. Since Program Disk One is a 3½-inch floppy disk, it wasn't going to get into drive A. Nothing I could do would convince this wretched Install program to proceed. Moreover, most of the files on the disk are PKZIP-compressed files, so I couldn't just copy the stuff over.

I ended up rebooting. Then, just because I'm thorough, I put the new written-on Program Disk One back in the B drive, logged onto that, and typed Install. It all went fine, no problems. Apparently, it was the need to go play copy-protection games that confused the Install program: when it comes back, it has forgotten what drive it is installing from. Annoying, but not fatal.

Once the installation glitches were done, I could try Ami Pro. The Arche has a Rollermouse trackball installed, so I'd be able to test that, too. The good news is that Ami Pro works fine with the Rollermouse.

The bad news is that I just don't like Ami Pro.

This is a purely subjective opinion; as I've said, others I respect do like it. I can only describe my experiences and what I think is wrong.

First, the screen's too busy. The GUI demands that there be little icons and windows all over the place; certainly, Ami Pro has them, lots of them. There's a Scissors icon, and a Paste Pot icon, and a whole bunch of others. Now, of course, since the program has a ton of features, it needs a way to tell you about them; but I don't need them staring at me when all I'm trying to do is write text! One silly little pop-up style-selection window even covers some of the text. Both the icons and the window can be turned off, but that's annoying.

Still, none of that's fatal. I could probably get used to it if I liked everything else. The trouble is that I don't like

everything else. I don't much care for the typefaces as they appear on-screen. The Courier, for instance, looks a lot like the one that was on my IBM Selectric. I wrote a few million words with that, so you'd think I'd like it, but I don't. I just don't.

So I changed to the equivalent of Times Roman, changed the point size from 10 to 12, and looked again; and again, it's just not very pretty. It's not easy to read, and it's unaesthetic on-screen. Printed out, all's well, meaning that Ami Pro is very likely good enough to make documents that you'll print; but in my line of work, I don't make paper copies often, sometimes not at all, while I do spend a good part of my day looking at the screen.

Finally, when I typed words into Ami Pro in WYSIWYG mode, they would sit still for a moment, and then, when I let the keyboard stay idle for long, the words on-screen would jump around like fleas (i.e., they'd rearrange themselves to the proper proportional spacing). This is fine if you're not watching the screen, but it's enough to drive me out of my mind; I'd never be able to write with that going on. And, yes, I know that I can change the display mode from layout to draft.

So, I'm still looking for a word processor to use with Windows, one that won't


be too distracting for creative writing. On reflection, what I want is an editor that is character-based for writing, but which I can then zap to rearrange the screen into WYSIWYG. That way I'd have stability, yet be able to cut and paste in pictures, maps, and drawings when I need them. Indeed, Ami Pro would do just fine for that. I didn't have any problems editing with it (although I still think the on-screen typefaces are unattractive); it's when I wanted to do creative writing that the editor seemed to get in the way.

I'll keep looking. More next month.

MoreFonts

There's another way to go: instead of finding a WYSIWYG editor, use a character-based editor and a typescaler, such as MoreFonts from MicroLogic Software. A typescaler is a font generator; it takes a series of typefaces and builds fonts as needed. I expect I had better explain.

In standard typesetter terminology, a typeface is a style (e.g., Times Roman, Helvetica, Letter Gothic, and Schoolbook). Many typeface names are trademarked, but the typeface itself has been around long enough that it is in the public domain; thus, MicroLogic has Geneva rather than Helvetica, Tiempo rather than Times Roman, and so forth. To add



PS/2[®] MEMORY

Introducing OS/RAM32™

- ✓ 8 Mbytes of fast 32 bit memory.
- ✓ Works in all Micro Channel™ computers.
- ✓ Fast LIM 4.0 driver included.
- ✓ Provides extended and expanded memory.
- ✓ Easy switchless installation.
- ✓ Automatic configuration for DOS, OS/2 or UNIX.
- ✓ Risk free guarantee. Two year warranty.
- ✓ Accepted under IBM service contracts.
- ✓ From \$299 to \$998 with 8 Megabytes.
- ✓ "Best price performance", says PC Week.

Call today 617-273-1818 or 1-800-234-4CEC

cec Capital Equipment Corp.
Burlington, MA. 01803

PS/2 and Micro Channel are trademarks of IBM

to the confusion, some copycat typefaces are not *quite* the same as the originals. In any event, a particular type style is called a typeface.

Each typeface has a series of *faces* and *sizes*. Faces are different variant styles, such as *italic* and **boldface** of the original type style. A *font* of type is a typeface, such as Times Roman, at a particular size, such as 10 point, in a particular face, such as *italic*. In the old letterpress typesetter days, a case of type would be specified by typeface (Times Roman) and size (12 point), and it would consist of a number of fonts of that typeface at that size.

A case usually included the roman or normal font (called medium in sans serif typefaces), *italic*, **boldface**, *bold italic*, and small capitals; and these would be in both uppercase and lowercase. These were arranged in order so that a typesetter could grab exactly the letters needed to make up a line of type in a given font. Sometimes a letter would get into the wrong bin, and the typesetter wouldn't catch it; that happened often enough that "wrong font" has a standard proofreader's symbol.

Type vendors, particularly the newer ones who have appeared since the computer revolution, tend to use the word *font* when they mean *face*; thus, the claim of "12 fonts" usually means three typefaces, each in four faces, but scalable to a

A font of type
is a typeface at
a particular size.

very large number of sizes. Moreover, there are faces other than the traditional ones given above.

MoreFonts uses yet another terminology: MicroLogic Software advertises 17 typefaces. What they mean is 8 typefaces: their versions of Helvetica (Geneva), Times Roman (Tiempo), Letter


Gothic (Financial), Broadway (Showtime), Cooper Black (Burlesque), Coronet (Pageant), University Roman (Opera), and Bodini Bold (Poster). There are the traditional four faces (roman or normal, italic, boldface, and bold italic) of the first three typefaces and one each of the last five.

Alas, like most font packages, MoreFonts doesn't give you a small capital face; but, being a typescaler program, it can generate an almost unlimited number of type sizes of the above, meaning that you can, with a bit of effort, make it generate small capitals to include in text works that need them. This is important to me because I use different faces of type to indicate different activities in my science fiction stories: *Oath of Fealty*, for example, used italic to indicate internal dialogue, block capitals to indicate computer-generated announcements over a loudspeaker, and small capitals to indicate when a computer was "talking" directly to an implanted receiver in a character's head.

The neat things about MoreFonts are that it's simple to use, works with all Windows 3.0 applications, and will also

ABC Flowcharter for Windows

"Simply the easiest way to document procedures."



ABC Flowcharter™ makes drawing and editing flowcharts easier than ever. It's loaded with features that help you make and edit charts in a fraction of the time needed with other flowcharting or drawing programs.

ABC Flowcharter's advanced link feature lets you break complicated procedures into smaller, more manageable steps. Just click on a shape to display a sub-chart or procedure. It's that easy.

Ask your dealer for a demonstration or call 1-800-227-0847 for more information. See for yourself why ABC Flowcharter is quickly becoming the standard flowcharting tool for the Fortune 1000. Retail price \$295.

Roykore™

2215 Filbert St.
San Francisco, CA 94123
415-563-9175

ANNOUNCING

ESIX System V UNIX® Release 4.0

Finally, ESIX System V Release 4.0, the UNIX Operating System of choice is here. Based on AT&T® System V UNIX®, ESIX Release 4.0 is a stable, fully backward compatible and robust operating system with enhanced features and functionalities.

For all the current System V Release 3.2 owners, ESIX offers an easy upgrade path to ESIX Release 4.0. For more information about ESIX System V Release 4.0 product offerings, please call:
1(800) 821-0806 Ext: 2068 or (415) 683-2068

Fax: (415) 651-0728
48431 Milmont Dr.
Fremont, CA 94538, USA

ESIX Computer, Inc. is a subsidiary of Everex Systems, Inc.
All other company names and products are trademarks or registered trademarks of their respective companies.

ESIX
SYSTEM V

Circle 110 on Inquiry Card.

work with some character-based word processors, including WordPerfect, Xy-Write III Plus, and Microsoft Word 4.0 or higher. It prints on most LaserJet, DeskJet, and compatible printers; and the letters that it puts onto a Windows screen are *much* more handsome than the ugly, jagged things that come with Windows 3.0.

Tiempo is handsome in print. It's not so pretty on-screen; at least I've seen better in the sizes I prefer to work with.

However, it's much better than what comes with Windows out of the box; and more important, I can use a character-based editor to create the text and then play around with WYSIWYG by changing over to MoreFonts.

A good typescaler may be one answer to my problems. MoreFonts is the only one I've had a chance to work with so far, so I can't say what others are like; but this one is good enough for much of what I want to do. It's fast, looks pretty good

on-screen, and is easy to install. Although it has a limited number of type-faces, there are enough for me. Recommended.

Whither Networks?

I have a question: Isn't it inevitable that someone will write a good shareware network program? I know, I know, very few people make money from shareware, so there's no incentive to write something so complex; but then consider, there's already a shareware Lotus 1-2-3 clone. LANtastic or something like it can do the hardware. There aren't any secrets to file and record sharing, and real hackers write as much to impress each other as for money.

Add it all up, and you wonder: Why is NetWare so expensive?

Just asking.

Systat 5.0

I've written about Systat before; this is a program I wish mightily I had when I was an undergraduate, or in graduate school, or later in postdoctoral work. Put simply, this program will do everything I was ever taught to do in statistical inference, and then a lot more; and better, it will, studied diligently, teach you when to use it, as well as how.

There is an old canard about lies, damned lies, and statistics; but the fact is that everything we know is based on statistical inference. Some things are so overwhelmingly obvious that we treat them as established facts; but most of what we know isn't quite so clear as all that.

One experiment in a high school physics lab is to take repeated measurements of some object. No matter how carefully the measurements are done, there will be a dispersion, but if enough measurements are taken, an average will be close to the true measure.

Close, but how close? If you're measuring a meter stick in inches, for example, suppose you get an average of 39.36. What are the chances that the true value is 39.37? This is a statistical question, and one quite easily answered. Suppose, though, that you can't measure the meter stick directly because you haven't any reliable measuring tapes. Instead, you have to make some sticks that are as near the length of the meter stick as you can make them and measure them. Then you find that these sticks are made of different materials, and thus respond differently to changes in humidity. Can you still find the chances that the true length is 39.37 inches?

Actually, you can; more important,



Instant Embedded Controller ... Just Add Software

High-level integration makes the MicroFrame 386S the perfect embedded controller. All you have to do is add software and expansion boards specific to your application. All basic system components and peripheral controllers are already on-board:

- 80386SX processor
- 80387SX math coprocessor socket
- Super VGA controller
- IDE hard disk interface
- Dual floppy disk controller
- Two serial ports
- One parallel port
- PS/2 compatible mouse port
- 512KB to 4MB of RAM
- Four AT expansion slots



Building with the MicroFrame 386S greatly reduces your design time. We've engineered in compatibility and reliability using industry-accepted standards. You can concentrate your development efforts on software.

Down time is reduced, too.

Time-consuming troubleshooting is eliminated. One spare is all you need.

Backed by a five-year limited warranty, and Made in America, the MicroFrame 386S is in control.

Call or write today!

1-800-525-7661




Computing Know How

Books to increase your productivity—without the hardware investment

BASIC Programming: Inside & Out

In-depth coverage for all BASIC, QuickBASIC, GW-BASIC and Turbo BASIC programmers. Explains how to use sound and graphics; create help screens and pulldown menus; manage windows in BASIC; use ML with BASIC; create business presentation graphics; print multiple columns and side-ways for professional results and program serial and parallel interfaces. Has dozens of demo programs and routines you can easily adapt to your own programs. 600 pages with companion disk.


#B084 ISBN 1-55755-084-0 \$34.95



PC System Programming

An encyclopedia of PC technical and programming knowledge. Features parallel working examples written in Pascal, C, Assembly and BASIC. Explains how to use extended and expanded memory, hard disks, PC ports, mouse drivers, graphics and sound. Also explains memory layout, DOS operations, fundamentals of BIOS and TSR programs. Includes complete appendices. 920 pages and 2 companion disks with over 1 mb of programs.


#B036 ISBN 1-55755-036-0 \$59.95



Programming VGA Graphics

VGA is becoming the standard display mode for PC applications. Learn techniques for writing by using the flexible and powerful VGA hardware and software. Includes new, unique DOS commands to perform dozens of VGA functions. Turbo Pascal and BASIC extensions for VGA display modes. 670 pages with 2 companion disks.

#B099 ISBN 1-55755-099-9 \$39.95



Upgrading & Maintaining Your PC

Shows you how to turn your PC into a high performance machine. Describes what you'll see when you open the "hood" and how all of the parts work together. You'll see how to add a hard drive, increase memory, upgrade to a higher resolution monitor, or turn your XT into a fast AT or 386 screamer, without having to be an electronics wizard.

#B092 ISBN 1-55755-092-1 \$24.95



PC Assembly Language: Step by Step

Teaches you PC assembly and machine language from the ground up. You'll learn at your own pace using the unique simulator which shows you how each instruction works as the PC executes it. 420 pages with 2 companion disks. Also includes evaluation versions of A86 Assembler and D86 Debugger.

#B096 ISBN 1-55755-096-4 \$34.95



QuickBASIC Toolbox

Packed with powerful, ready-to-use programs and routines to help you write your own programs faster and better. Topics include: complete routines for SAA interfacing; pull-down menus; windows; dialogue boxes and file requestors; BASIC Scanner program for printing completed project listings. Includes companion disk.

#B104 ISBN 1-55755-104-9 \$34.95

Turbo Pascal Internals

Gives you "know how" to program faster, easier, tighter and better. Find out how to use Turbo for: system programming tasks; writing TSRs; performing multi-tasking; using SAA windowing and implementing expanded and extended memory. Learn how Turbo generates machine code, handles the mouse, scans the keyboard, uses UNITS and OOPS, performs fast screen display and more. 750 pages with 2 disks of more than 800K of source code


#B080 ISBN 1-55755-080-8 \$49.95



Batch File Powertools

Boost your computing productivity with this package for making truly powerful batch files. Includes dozens of new batch commands for writing time-saving, easy-to-use "power" batch files. Companion disk contains powerful "Batch BASIC" commands for writing even more useful batch programs. 240 pages with companion disk.

#B102 ISBN 1-55755-102-2 \$34.95



In US & Canada Order Toll free 1-800-451-4319 EXT. 25

For fast delivery Order Toll Free 1-800-451-4319 EXT. 25, or FAX (616) 698-0325

☐ Yes, please rush the following items ☐ Yes, please rush your free PC catalog
Apply to my: ☐ Visa ☐ Master Card ☐ Am. Express / ☐ I have enclosed a check / M.O.

___ Assembly Language Step by Step	\$34.95	___ Programming VGA Graphics	\$39.95
___ BASIC Programming Inside & Out	34.95	___ Turbo Pascal Internals	49.95
___ Batch File Powertools	34.95	___ Upgrading & Maintaining your PC	24.95
___ PC System Programming	59.95	___ QuickBASIC Toolbox	34.95

In US and Canada add \$4.00 Postage and Handling. Foreign orders add \$12.00 postage per book.

Card#: _____ Expires: _____

Signature: _____

Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone#: _____

Available at B Dalton Booksellers, Waldensoftware, and Software Etc. and at other bookstores nationwide. In the UK contact Computer Bookshops 021-706-1188. In Canada contact Addison Wesley 416-447-5101.

Abacus

Dept. B4, 5370 52nd Street SE, Grand Rapids, MI 49512

Orders: 1-800-451-4319 • Phone: (616) 698-0330 • Fax: (616) 698-0325

In US and Canada add \$4.00 Postage and Handling. Foreign orders add \$12.00 postage per book.

We accept Visa, Master Card or American Express. Call or Write for your free catalog of PC Books.

Circle 9 on Inquiry Card (RESELLERS: 10).

ITEMS DISCUSSED

Adventures in Musicland \$79

Dr. T's Music Software
100 Crescent Rd.
Needham, MA 02194
(617) 455-1454
fax: (617) 455-1460
Circle 1156 on Inquiry Card.

After Dark

Windows version \$49.95
Mac version \$39.95
Berkeley Systems
1700 Shattuck Ave.
Berkeley, CA 94709
(415) 540-5535
fax: (415) 540-5115
Circle 1157 on Inquiry Card.

Ami Pro 1.2 \$495

Lotus Development Corp.
Word Processing Division
5600 Glenridge Dr.
Atlanta, GA 30342
(800) 831-9679
(404) 851-0007
fax: (404) 255-9460
Circle 1158 on Inquiry Card.

Atari TT030

2 MB of RAM \$2399.95
4 MB of RAM \$2799.95
8 MB of RAM \$3499.95
PTC1424 Colour Monitor \$549.95
TTM195 Monochrome Monitor \$995.95
Atari Computer
1196 Borregas
Sunnyvale, CA 94088
(408) 745-2000
fax: (408) 745-4306
Circle 1159 on Inquiry Card.

MoreFonts 2.0 \$149.95

MicroLogic Software, Inc.
1351 Ocean Ave.
Emeryville, CA 94608
(800) 888-9078
(415) 652-5464
fax: (415) 652-7079
Circle 1160 on Inquiry Card.

Quicken 4.0 \$59.95

Intuit
155 Linfield Ave.
Menlo Park, CA 94025
(800) 624-8742
(415) 322-0573
fax: (415) 322-1597
Circle 1161 on Inquiry Card.

Spectre Cartridge \$299.95

Gadgets by Small
40 West Littleton Blvd.,
Suite 210-211
Littleton, CO 80120
(303) 791-6098
fax: (303) 791-0253
Circle 1162 on Inquiry Card.

Systat

DOS (version 5.0) \$895
Mac (version 5.1) \$795
Systat, Inc.
1800 Sherman Ave.
Evanston, IL 60201
(708) 864-5670
fax: (708) 492-3567
Circle 1163 on Inquiry Card.

Tracker/ST \$79.95

Step Ahead Software
496-A Hudson St., Suite 39F
New York, NY 10014
(212) 627-5830
Circle 1164 on Inquiry Card.

the case I have described is pretty simple compared with those routinely faced by social scientists, epidemiologists, criminologists, and many others. It may be fashionable to denigrate statistics, but billions of dollars are allocated by statistical inferences.

Statistics is popularly supposed to be a dry and dull subject, and in the old days it was; but a good part of that was due to the sheer tedium of the calculations required. Systat and small computers take the sting out of that.

I can't claim that Systat will make statistical inference as exciting as *Fallen Angels*; but I suspect you would get more out of studying Systat than reading the book. (Actually, I recommend that you do both.) There are very few professions, business or science, that don't have questions that can be answered only by statistical inference.

Winding Down

Well, I'm now in Washington, finishing this up on the Zenith SupersPort SX, which remains too heavy while travel-

ing, but it's still the best machine to use when I get to where I'm going. It's time to get this on the wire.

The two books of the month are reissues: Jacques Barzun's classic *Teacher in America* and Bertrand de Jouvenel's *The Ethics of Distribution*. Both are available from Liberty Fund (7440 North Shadeland Ave., Indianapolis, IN 46250, (317) 842-0880). Liberty Fund has reprinted a number of classics in history and political science, and it's well worth getting their catalog.

The gizmo of the month is After Dark, a screen saver from Berkeley Systems. This has security stuff like optional passwords to get your screen back, but mostly it's just fun: you can put an aquarium, or flying toasters, on your PC's VGA screen. There is supposed to be a Windows version Real Soon Now.

It may be all over in the desert by the time you read this, but if you're curious about the new wizard weapons, the easiest way to learn is a \$10 64-page illustrated book called *Desert Shield Fact Book* (GDW, P.O. Box 1646, Bloom-

ton, IL 61702). I sure wish some of the reporters would read this. They might get fewer things wrong.

The computer book of the month is *Undocumented DOS: A Programmer's Guide to Reserved MS-DOS Functions and Data Structures* by Andrew Schulman, Raymond J. Michaels, Jim Kyle, Tim Paterson, David Maxey, and Ralf Brown. The book, which comes complete with two disks of software, is published by Addison-Wesley. The title says it all. ■

Jerry Pournelle holds a doctorate in psychology and is a science fiction writer who also earns a comfortable living writing about computers present and future. Jerry welcomes readers' comments and opinions. Send a self-addressed, stamped envelope to Jerry Pournelle, c/o BYTE, One Phoenix Mill Lane, Peterborough, NH 03458. Please put your address on the letter as well as on the envelope. Due to the high volume of letters, Jerry cannot guarantee a personal reply. You can also contact him on BIX as "jerry."

Same Day Shipping!

ALTEC TOWERS ABOVE THE REST

Now you can have the power and performance of Altec's fully loaded 486 EISA Tower delivered to your door! Check out these outstanding features:

486 EISA TOWER \$5295

☐ Intel 486-25 CPU ☐ 4 Meg RAM ☐ 1.2 MB 5.25" drive ☐ 1.44 MB 3.5" drive ☐ 150 MB 18ms ESDI hard drive ☐ ESDI controller with 32K cache ☐ 16-bit VGA card with 1 MB ☐ 14" VGA monitor (1024x768) ☐ 2 serial, 1 parallel & 1 game ports ☐ 101-key Keyboard ☐ MS Window 3.0 ☐ Hi-Res serial mouse ☐ MS-DOS 3.3 or 4.01 (486 ISA SYSTEM \$3895)



"AltecZip 386s are solid machines featuring brand-name parts. A good buy, they are clearly affordable"

PC Magazine, May 30 1989

"Computer users should find Altec machine an excellent value with good performance."

PC Magazine, July 1990

Altec sets the standard for the highest quality design and manufacturing of all our products. We're fast, friendly, and ready to help you select the right features for your needs. Take a look at some of our other great systems:

386/33 VGA

\$2695

☐ Intel 386-33 CPU ☐ 64K Cache ☐ 4 Meg RAM ☐ 1.2 MB 5.25" drive ☐ 1.44 MB 3.5" drive ☐ 104 MB IDE hard drive ☐ 16-bit VGA card with 1 MB ☐ 14" VGA monitor (1024x768) ☐ 2 serial, 1 parallel & 1 game ports ☐ 101-key Keyboard ☐ MS Window 3.0 ☐ Hi-Res serial mouse ☐ MS-DOS 3.3 or 4.01

386/25 VGA

\$2395

☐ Intel 386-25 CPU ☐ 4 Meg RAM ☐ 1.2 MB 5.25" drive ☐ 1.44 MB 3.5" drive ☐ 104 MB IDE hard drive ☐ 16-bit VGA card with 1 MB ☐ 14" VGA monitor (1024x768) ☐ 2 serial, 1 parallel & 1 game ports ☐ 101-key Keyboard ☐ MS Window 3.0 ☐ Hi-Res serial mouse ☐ MS-DOS 3.3 or 4.01

386/SX VGA

\$1795

☐ 2 Meg RAM ☐ 1.2 MB 5.25" drive ☐ 1.44 MB 3.5" drive ☐ 40MB IDE hard drive ☐ 16-bit VGA card with 512k ☐ 14" VGA monitor (1024x768) ☐ 2 serial, 1 parallel & 1 game ports ☐ 101-key Keyboard ☐ MS Window 3.0 ☐ Hi-Res serial mouse ☐ MS-DOS 3.3 or 4.01 (20 Mhz version add \$150)

286/12 VGA COMBO

\$1595

☐ 1 Meg RAM ☐ 1.2 MB 5.25" drive ☐ 1.44 MB 3.5" drive ☐ 40MB IDE hard drive ☐ 16-bit VGA card ☐ 14" VGA monitor (640x480) ☐ 2 serial, 1 parallel & 1 game ports ☐ 101-key Keyboard ☐ Serial Mouse ☐ MS-DOS 3.3 or 4.01 ☐ Panasonic 1180 printer W/cable ☐ Surge Protector

286/12 VGA STAR

\$1195

☐ 1 Meg RAM ☐ 1.2 MB or 1.44MB drive ☐ 40MB IDE hard drive ☐ 16-bit VGA card ☐ 14" VGA monitor (640x480, .41 mm) ☐ 2 serial, 1 parallel & 1 game ports ☐ 101-key Keyboard ☐ MS-DOS 3.3



Technology Corp.

ORDER: 1-800-255-9971

Tech Support: 1-800-255-9968



Altec's Guarantee:

- 30 day money-back guarantee
- 2 year warranty for parts and labor
- Free 4 months on-site service
- Lifetime toll-free technical support

Renowned computer columnist. Industry luminary. Best-selling science fiction writer. Ph.D. in Psychology. Chairman of the Citizens' Advisory Council on Space. Dr. Jerry Pournelle has been a successful evaluator of computing trends for so many years that his first computer is on display at the Smithsonian.

So when Dr. Pournelle writes about a "CD-ROM explosion," and about the Pioneer CD-ROM Minichanger as a surprisingly effective way to help manage that explosion, he writes from experience.


One CD-ROM can hold up to 128,000 pages of information. The Pioneer CD-ROM Minichanger holds up to 6 discs at once — more than 3

We did it with the world's first and only CD-ROM Minichanger.

gigabytes of data — in a compact, reliable, easy-loading magazine. And as Dr. Pournelle reports, "it's surprising how fast you can switch back and forth among them" (*Byte*, Jan., '91).

Why lose time searching for the right disc when it only takes seconds to search across discs to the right piece of data? You can even daisy-chain up to 7 Minichangers from the same controller for access to more than 5 million pages of data.

The Minichanger supports standard ISO 9660 file format



through a SCSI interface for IBM, Macintosh, and other platforms. You can also use it as a CD-Audio jukebox.

PIONEER BUNDLES AN UNBEATABLE SIX PACK

Pioneer is currently selling a six pack of CD-ROMs (valued at \$1,256) for only \$395, less than 1/3 suggested retail price: *Countries of the World* (a valuable tool for businesses, libraries, universities and schools, with up-to-date geographic, economic, and demographic information as topical as the war in Iraq, plus detailed color maps); *US History* (more than 100 books); the complete works of *Shakespeare*; the complete *Sherlock Holmes*; Audubon's *Birds of America* (with color illustrations and actual bird calls); and *Software Potpourri* (including major software programs, a Movie Database, and the complete Bible.)


See the list below for the distributor or dealer nearest you, or call Pioneer at 1-800-LASER-ON. To find out whether you qualify to become an authorized reseller, call Kent Ekberg, Director of Marketing, Pioneer Communications of America, at (201) 327-6400.

Let the final word on the Pioneer CD-ROM Minichanger come from Jerry Pournelle himself: "Recommended."

YOU HAVE TO BE PRETTY QUICK TO SURPRISE JERRY POURNELLE.



IDEAS THAT BECOME STANDARDS.




INTRODUCING THE FIRST AND ONLY CD-ROM MINICHANGER.

All product names are trademarks of their manufacturers.

Distributors: **Bureau of Electronic Publishing** Parsippany, NJ contact: Barry Cinnamon 800-828-4766 / **Bytewide** Lachine, Quebec contact: Robert Elman 514-636-5938
Compact Disk Products New York, NY contact: Frank Graziano 800-634-2298 / **Computer Upgrade Corporation** Anaheim, CA contact: Scott Lamb 714-630-3457
FlexSys Corporation Newburyport, MA contact: Steve Mycko 800-533-7756 / **Gentry Associates, Inc.** Orlando, FL contact: Richard Baker 800-688-2223 Ext. 395
Graphics Technologies, Inc. Edina, MN contact: Stephen Harold 800-999-9382 / **Kintronics, Inc.** Elmsford, NY contact: Bob Mesnik 800-431-1658
Optical Access International, Woburn, MA contact: Neil Salamack 800-433-5133 / **Relax Technology, Inc.** Union City, CA contact: John Milich 415-471-6112

Circle 259 on Inquiry Card.



WAYNE
RASH JR.

THE MISSING LINK

I could tell from the despair in the caller's voice that this wasn't going to be a happy conversation. The problem was a LAN installation in a publishing company that had too many standards. Some of the people in the company used IBM PC-compatible computers. Others used Macintoshes for publishing support, while other users had workstations that were linked with Ethernet using TCP/IP. To make matters even more confusing, a few people in the company had a small Token Ring LAN that used LAN Manager, while another group was running Novell NetWare. The company wanted to connect all users together, but it seemed impossible without making a majority of users change to something else.

While a little extreme, the condition that this company found itself in was not all that unusual. Many companies suffer from a LAN implementation strategy that is more accidental than anything. Usually what happens is that some workgroup finds that it needs the services of a LAN badly enough to convince the company to spend money on it. It gets a LAN installed and everything's fine. Somewhere else in the organization, some other group decides the same thing, gets its request funded, and installs a LAN. Since neither group has ever heard of the LAN that the other has, they proceed independently and end up with two systems that are mutually incompatible.

In the end, most large organizations that started out with LANs early ended up with islands of connectivity. People who were in these groups could communicate with each other, but they could not communicate with the rest of the company. Now that LANs have become widely accepted, the organizations involved have begun to move to a corporate enterprise network. The problem is, what do they do about those islands of connectivity that have existed for some time now? Should they find ways to integrate them, or should they make everyone change to a single standard?

Standardization vs. Integration

There are good reasons why some companies opt for standardization instead of working to find a way to integrate a variety of users into an overall heterogeneous LAN. When the Federal National Mortgage Association installed LANs in its headquarters and in its regional offices, for example, the organization chose to go with a Token Ring LAN and to convert any nonconforming LANs to that protocol. Likewise, the company standardized on Novell NetWare. In the case of the

FNMA, this made sense, because relatively few LANs existed, and the cost of conversion was less than the cost of having to manage different kinds of LANs.

Unfortunately, this isn't true in every organization. Sometimes there are good technical reasons to have different LAN standards. Unix machines, such as Sun or Apollo workstations, aren't going to run NetWare. A Mac is going to work best with AppleShare. Some Structured Query Language database servers require that they be on a LAN Manager-based LAN. Other applications require Novell NetWare. In those cases, giving up a particular type of LAN would also mean giving up a service you need. If you'd rather not do that, then you need to find a way to integrate heterogeneous LANs.

Heterophobia

The two most common connections between different types of LANs are between Apple and Novell, and between TCP/IP and Novell. This is because Novell owns approximately 70 percent of the LAN marketplace; consequently, the vast majority of communications with different LANs involves Novell NetWare in some way. Fortunately, most of the means for connecting different LANs are available for Novell NetWare, which works out nicely. A few users also need to connect their LAN Manager LANs to NetWare LANs. For those users, the options list is much shorter.

Apple connectivity is becoming quite common now that Apple has lowered the price of Macs so that they at least approach rationality. In offices where there are only Macs, the choice is simple. All you need to do is connect an AppleTalk network to each machine, and you're in business. If you also have some IBM PC-compatible computers, however, you need to have

Getting LANs of differing pedigree talking to one another is no picnic, but it is possible



something more capable.

There are two good ways to connect a LAN of IBM compatibles to a Macintosh LAN. The first, used by Novell, is simply to support AppleShare within the file server. The second, used by Banyan, is to use a bridge to the Macs. Both choices work well, and both have their supporters. I've never noticed any overwhelming reason to use one approach over the other. You should know, though, that as this is written, you can only use Macs

with Novell NetWare 286. The software for NetWare 386 is still not yet being shipped, although this may change soon. In any case, Banyan's bridge to Apple is available for all its products and has been for some time.

Installation of a bridge to an Apple network requires you to provide a computer and two network interface cards—one for the protocol you're using on the LAN and the other for AppleTalk—and to install the bridge software on that

computer. This means that you must dedicate a computer to the task. With Banyan, this is your only choice; with NetWare 286, you can use a bridge or use the server directly.

Installing the Apple network on the NetWare server requires that you install an AppleTalk card in the NetWare server. This counts as one of the four network interface cards that NetWare can support in the same server. Once you install the card, you have to install a software driver called a value-added process. The VAP allows the Apple network to have access to the NetWare file server. This also means that it can share files with any other computer on the network.

With either Banyan's Vines or with Novell NetWare, the PC-based LAN appears to a Mac user as if it were a standard AppleShare network. Access to the network simply involves clicking on the network's icon. It then appears as if it were any other disk drive. The only real difference is that many of the PC data files cannot be used by Mac software without some conversion. In a few cases, such as with Microsoft Word and with WordPerfect, the conversions are simple.

Uniquely Unix

As the workstation market grows, and as more companies follow the U.S. government's lead into accepting Unix as a standard operating system, the need to connect Unix-based machines to PC LANs grows as well. The government POSIX standard and the GOSIP standard that accompanies it are providing a basis for compatibility that really hasn't been part of Unix before, despite the claims of the Unix believers. POSIX, of course, is really Unix by a different name. GOSIP is the communications standard for POSIX networks, and it includes TCP/IP. The GOSIP standard used to exclude TCP/IP, but users refused to give in, so the standard was changed.

In any case, Unix-based systems and close relatives usually communicate using TCP/IP. Other minicomputer and mainframe systems can also use TCP/IP, as can some wide-area networks. Most LANs, except for those of Unix machines, don't use it. As you can see, these two types of networks are both too important to ignore each other. But right now they do, although a number of vendors have solutions.

As with the Apple networks above, there are ways to connect PC-based and TCP/IP-based networks. These connectivity solutions typically involve bridges, gateways, and routers. When you're connecting with a Unix-based system, you

Q. What do the following three companies agree on:



Groupe Bull

A. ZSTEM Terminal Emulation

AT&T, Unisys and Zenith agree that KEA's ZSTEM is the best VT emulator for their US government contracts* KEA's ZSTEM series of terminal emulation and communication products has been satisfying strict government contract requirements for seven years.

ZSTEM 240 offers full VT241 emulation with VT340 extensions. ZSTEM 240 runs under both MS-DOS and UNIX 386 System V, letting you convert your MS-DOS PCs to UNIX System V without losing access to your VAX. ZSTEM 240 supports all standard video adapters: VGA, EGA, CGA, MCGA, AT&T, Hercules and many extended adapters. No matter what video adapter/monitor combination you use, ZSTEM 240 displays double-high/double-wide characters, 132 columns, and VT340 ReGIS, sixel and Tektronix graphics.

ZSTEM 240 connects to your favorite networks, including Novell, 3COM, TCP/IP, Ungermann-Bass, Excelan, Wollongong, FTP, Sun and DEC's CTERM and LAT.

With KEA's top-notch technical support and documentation, plus a solid warranty, you can be assured of quality products backed by quality people. Call today about KEA's complete line of VT emulation and network products.

KEA Systems Ltd.
Orders: 1-800-663-8702
Phone: (604) 431-0727
Fax: (604) 431-0818

Coming soon:
ZSTEM 320/340
and
KEAterm 420
for MS-Windows



*ZSTEM 240 is available from AT&T on SSMSC. ZSTEM 220 for MS-DOS and ZSTEM 220 for UNIX are available from Unisys on Desktop III. ZSTEM 100 and ZSTEM 240 are available from Zenith Data Systems on GSA schedule.
KEA Systems Ltd., 3738 North Fraser Way, Unit 101, Burnaby, BC, Canada V5J 5G1
Regional Office: 314 East Holly Street, Suite 106, Bellingham, WA, USA 98225.

CSS:STATISTICA

CSS/3™ Complete Statistical System with over 1,000 presentation-quality graphs fully integrated with all procedures and on-screen graph customization ■ The largest selection of statistics in a single system; in-depth, comprehensive implementations of: *Exploratory techniques; multi-way tables with banners; nonparametrics; distribution fitting; multiple regression; general nonlinear estimation; logit/probit analysis; general ANCOVA/MANOVA; stepwise discriminant analysis; log-linear analysis; factor analysis; cluster analysis; multidimensional scaling; canonical correlation; item analysis/reliability; survival analysis; time series modeling; forecasting; lags analysis; quality control; process analysis; experimental design (with Taguchi);* and much more ■ Manuals with comprehensive introductions to each procedure and examples ■ Integrated Stats Advisor expert system ■ Extensive data management facilities (powerful spreadsheet with formulas; relational merge; data verification; flexible programming language) ■ Optimized (plain English menus/mouse) user interface: even complex analyses require just few self-explanatory selections (CSS can be run without manual; Quick Start booklet explains all basic conventions) ■ Macros, batch commands also supported ■ All output displayed in Scrollsheets™ (dynamic tables with pop-up windows and instant graphs) ■ Extremely large analysis designs (e.g., correlation matrices up to 32,000x32,000) ■ Unlimited size of files; extended precision; unmatched speed (Assembler, C) ■ Exchanges data (and graphics) with many applications (incl. Excel®, Lotus 3®, dBase IV®, SPSS®) ■ Highest resolution output on practically all printers (incl. HP, Postscript), plotters, recorders, typesetters ■ IBM compatibles, 640k or more ■ Price: **\$595.**

Quick CSS™ Subset of CSS/3: all basic statistical modules (incl. data management) and the full, presentation-quality graphics capabilities of CSS/3 ■ Price: **\$295.**

CSS:GRAPHICS™ A comprehensive graphics/charting system with data management ■ All graphics capabilities of CSS/3 and, in addition, extended on-screen drawing, 19 scalable fonts, special effects, icons, maps, multi-graphics management ■ Hundreds of types of graphs ■ Interactive rotation and interactive cross-sections of 3D graphs ■ Extensive selection of tools for graphical exploration of data: fitting; smoothing; spectral planes; overlaying; layered compressions; marked subsets ■ Unique multivariate (e.g., 4D) graphs ■ Facilities to custom-design new graphs and add them permanently to menu ■ Import/export of graphs and data, 15 formats ■ Optimized (menu/mouse) user interface; even complex graphs require few keystrokes: all graphs on this page can be produced from raw data in less than 20 minutes ■ Macros, batch/commands also supported ■ Unlimited size of files ■ Highest resolution output on all hardware (see CSS/3) ■ IBM compatibles, 640k or more ■ CSS:GRAPHICS is included in CSS:STATISTICA (available separately for **\$495**).

Megafile Manager™ Comprehensive analytic data base management system ■ Unlimited size of files (up to 32,000 fields or 8 MB per record) ■ Megafile Manager is included in CSS/3 and CSS:STATISTICA (separately: **\$295**).

CSS:STATISTICA™ A fully integrated system that combines all the capabilities of CSS/3 and CSS:GRAPHICS into a single extremely comprehensive data analysis system ■ Price: **\$795.**

Domestic sh/h \$7 per product; 14-day money back guarantee.

Circle 286 on Inquiry Card.

 **StatSoft™**

2325 E. 13th St. • Tulsa, OK 74104 • (918) 583-4149
Fax: (918) 583-4376


Overseas Offices: StatSoft of Europe (Hamburg, FRG), ph: 040/4200347; fax: 040/4911310, StatSoft UK (London, UK), ph: 0462/482822; fax: 0462/482855, StatSoft Pacific (Melbourne, Australia), ph: 613-866-1766, fax: 613-866-3318, StatSoft Canada-CCO (Ontario), ph: 416-849-0737, fax: 416-849-0918 Available From: CORPORATE SOFTWARE and other Authorized Representatives Worldwide: Holland: Lemax BV 02968-94210; France: Conceptel (1) 45669700; Sweden: AkademiData 018-240035; Spain: ADDLINK, SRL: ph: 34-3-459-0722

CSS, CSS/3, CSS:GRAPHICS, Megafile Manager, Quick CSS, STATISTICA, StatSoft, dBase IV, Excel, Lotus, MacDraw, Macintosh, Postscript are trademarks of their respective companies; SPSS is a registered trademark of SPSS, Inc.



STATISTICA/Mac™ A CSS-compatible, comprehensive data analysis and graphics system designed for the Macintosh ■ Large selection of statistical methods fully integrated with presentation-quality graphics (incl. EDA, multiplots, a wide selection of interactively rotatable 3D graphs; MacDraw-style tools) ■ Unlimited size of files ■ Exchanges data with Excel and other applications ■ Price: **\$395.**

Quick CSS/Mac™ A subset of STATISTICA/Mac: all basic statistical modules and the full, presentation-quality graphics capabilities of STATISTICA/Mac ■ Price: **\$245.**



might find yourself using all three somewhere in the scheme.

Part of the reason for the complexity is that Unix systems and TCP/IP normally use Ethernet as the basis for their LAN systems. While it's now possible to run TCP/IP over Token Ring, it's still pretty rare. PC LANs, of course, can use any of several LAN protocols, although Ethernet, ARCnet, and Token Ring are the most common. This means that you need to connect a PC-based LAN that might be running on nearly anything to another LAN that's running on Ethernet. If your PCs are also using Ethernet, that simplifies the solution, but only partly.

If you're not already using Ethernet for your PCs, you will need to use a bridge to Ethernet. I talked about bridges in my March column, so you might want to check there to find out more about those devices. Once you've solved the Ethernet connectivity, you need to get your network operating system to understand TCP/IP.

Two common approaches exist for connectivity between LANs that involve TCP/IP. One approach, used by The Wollongong Group and others, employs a

router. The other, used by Racal-InterLan, uses a gateway. Both approaches work well, although the approach you choose may depend to some extent on what you're already using for a LAN.

The Wollongong approach to TCP/IP

LAN standards have been a moving target for some time now.

connectivity puts a router on the Ethernet that looks for packets addressed to a TCP/IP device and converts them. The router consists of an IBM PC compatible with a network interface card and the company's TCP/IP router software. One

connection to the LAN is required for the Ethernet and another for whatever else you're using. The router also looks for TCP/IP packets destined for a device on the PC LAN and converts them. The Wollongong device will support several types of LANs, although its best performance seems to be with Novell IPX-based LANs.

For LANs that are already based entirely on Ethernet or that are bridged elsewhere, Wollongong makes a product called WIN/TCP for DOS, which allows communications between a DOS workstation and a TCP/IP device. The DOS workstation can then access the TCP/IP device, and the device can send information to the LAN using TCP/IP's file transfer protocol to copy the file to a workstation. Since the file can be transferred to the virtual drive that appears when you're using the LAN, this means that you can move files from a TCP/IP device to the network file server.

Racal-InterLan uses a hardware solution for connectivity between Novell's IPX LANs and TCP/IP. Its latest product, called TCP Server, is a package of two circuit cards and some software that

**Fast,
aggressive,
cheap,
tireless,
impartial,
intelligent,
decisive &
tenacious!**

**EXPERT FOR HIRE
\$495**

KnowledgeSEEKER® — a brainy and tireless information analyst, will help you make sense of your mountains of Lotus®, dBase® or ASCII data. Use its statistical know-how to find significant facts, figures and trends that will help you make better decisions — faster than ever before! Buying this \$495 PC software package will be the last decision you'll ever have to make on your own.

**CALL 1-800-387-7335
NOW... For a FREE
DEMO DISK.**

**Knowledge
SEEKER®**

Database Decision Analyst
from FirstMark Technologies Ltd.
© 1990 FirstMark Technologies Ltd.
All other trademarks acknowledged



Make Any PC A Protocol Analyzer

Model 903 PC Comscope II™
Simplicity, Power & Flexibility

- Async and Bisync
- HDLC and X.25 options available
- Operates in XT/AT/386 or compatibles including laptops
- Split screen display for X.25 and SDLC
- Operator programmable using standard DOS services
- Supports most high level languages

1-800-835-3298

**TELEBYTE
TECHNOLOGY, INC.**

270 E. Pulaski Rd., Greenlawn, NY
11740 • 516-423-3232/516-385-8080
1-800-835-3298 • Fax: 516-385-8184

With LANtastic VoiceTM, talk is cheap...



LANtastic's "Tiny Ram."
LANtasticTM offers the
smallest RAM requirement

and award-winning.

If you're interested in collecting your share of awards, listen to this idea:

Inject sound into the software you develop with the LANtastic Voice Adapter and Voice Programmers InterfaceTM (VPITM). Create educational or training programs that actually speak to students. Transform your LAN's E-mail into voice mail. Develop talking software, music synthesis, or sound effects. The possibilities are as endless as your imagination — and as affordable as a one time-only cost of \$195 for LANtastic VPITM and either \$99 for LANtastic Voice Adapter or \$199 for LANtastic Voice MC

1990
WINNER
PC Magazine Award
for Technical Excellence



CONNECTIONITY
LANtastic Voice Adapter
Artisoft, Inc.

Adapter (for Micro Channel[®] computers). That's a small price to pay for success. LANtastic VPI is a set of simple, straight-forward software routines which use the Voice Adapter to record and play digitized sound. VPI uses a structure called the Voice Control Block (VCB) — similar to an NCB or MCB in the NetBIOS — which contains pointers to blocks of data which can be used for PLAY and RECORD. Commands can be no-wait, so the control returns to the calling program immediately while the VPI works in the background.



When the VPI command completes, your POST routine is called.

So make your software laugh, sob, growl, warble, wail, sing, talk — because the LANtastic Voice Adapter and VPI preserve your sounds in nearly their original fidelity, your software will enter a whole new dimension. LANtastic VPI is sold to developers directly through Artisoft. For more information, call 602-293-6363 or fax 602-293-8065.



ARTISOFT

Revolutionizing Connectivity

must be installed in an IBM PC compatible. It provides full bidirectional connectivity between NetWare 286 or NetWare 386 and any TCP/IP LAN. The two cards include the company's server card and NP600/XL network interface card. You will need to provide another compatible network interface card. The Racal-InterLan product allows users on the TCP/IP network to have complete access to the NetWare LAN, just as if they were NetWare users. This is a more complete solution than the Wollongong approach, which supports mail and file transfer but not full interoperability.

Racal-InterLan also developed a solution to the thorny problem of providing interoperability between NetWare and LAN Manager networks. Using a product called the LMNS, users with NetWare and version 1.x of LAN Manager could have complete interoperability. Unfortunately, Racal-InterLan found that the rapidly shrinking LAN Manager market wouldn't support the product, so it withdrew it, but the company will still sell it to LAN Manager 1.x users on request. If you have version 1.x and a

Novell LAN and have to connect them, LMNS is an excellent solution.

The Novell Approach

When Novell announced NetWare 386, the company said that it would provide support for LANs of many types, including AppleTalk and TCP/IP. While this support hasn't appeared as of this writing, the products are expected to appear along with the release of NetWare 3.11 in late March, so you'll probably be able to find them by the time you read this. The Novell solution is to base everything in the file server. To connect your Macs, for example, you will make sure that you have loaded a software driver called a NetWare loadable module, and the Macintosh connectivity should be transparent. The TCP/IP connectivity is supposed to work the same way.

Complete interoperability is still a ways off for TCP/IP. The standard TCP/IP support that's shipped with NetWare 3.11 simply allows NetWare servers to use a TCP/IP backbone to communicate with each other. The LAN Workspace for DOS gives workstation connectivity to TCP/IP LANs. Because Novell has already pledged to support Open Systems Interconnection and GOSIP, there's a good chance that the level of interoperability will increase as time goes by. Right now, though, you're still restricted to third-party products. Fortunately, some of them, including those from Wollongong and Racal-InterLan, are superb.

Putting It All Together

Now that you've seen that some types of interoperability are indeed possible, it's time to see how you'd make it all work. You've probably gathered that nearly any LAN can find a way to communicate with TCP/IP. In the case of otherwise insoluble problems, it's always possible to use TCP/IP as a way of providing limited communications between one type of LAN and another. Unfortunately, you won't always get the full interoperability that you may want, but you will get E-mail, file transfer, and possibly network management. If this is a sufficient level of support, then connectivity between different types of LANs is possible.

Likewise, most network operating systems have a way to connect with Macs. Now that Apple has announced that Macs will come with Ethernet as a standard, this connectivity may become easier. On the other hand, it may not. Apple, as is frequently the case, was confronted with the option of working within accepted industry standards or finding a way to keep the price to its customers up a little, and it

opted to ignore industry standards and keep the price up. This means that while you will probably be able to connect your new Macs to an Ethernet LAN, it's not clear whether it will do you any good.

If there is one area of enterprise networking that remains more difficult than it probably should be, it's interconnecting different kinds of LANs. Part of the reason for this is that LAN standards have been a moving target for some time now. Another reason is that most vendors of LAN operating systems would prefer that you stay with their products exclusively. While this may be understandable from their viewpoint, it does little to meet your needs unless the LAN vendors provide a total solution. At this point, no vendors provide that kind of solution, unless your needs are quite simple.

Right now, it looks to me as if the LAN business is still in the process of settling out after the shock from 3Com's abandonment of the network-operating-system market. 3Com was a major vendor of LAN Manager, and the company announced in January that it was quitting that market entirely. This and other moves may indicate that LAN Manager is sinking, perhaps permanently. At this point, it's clear that the LAN Manager market share is shrinking in all segments except those users who insist on a true-blue approach to networking. Even this may not last long, as IBM and Novell are already having serious discussions about an IBM move to NetWare as a standard.

If LAN Manager does indeed suffer another blow, users will find their problems suddenly simpler, because there will be fewer players in the market to consider. Essentially, the PC LAN market will belong to Novell and Banyan. Of course, the fact that it's simpler also means that there's less choice and fewer competitors, and that's not likely to help users in the long run. ■

Wayne Rash Jr. is a contributing editor for BYTE and a principal and technical director of the Network Integration Group of American Management Systems, Inc. (Arlington, VA). He consults with federal and private sector clients on microcomputers and communications, and he is co-author of two books for business network users: The Executive Guide to Local Area Networks and The Novell Connection. You can contact him on BIX as "waynerash," or in the to.wayne conference.

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

ITEMS DISCUSSED

LMNS

(price not available)

TCP Server \$5995

Racal-InterLan, Inc.

155 Swanson Rd.

Boxborough, MA 01719

(508) 263-9929

Circle 1221 on Inquiry Card.

Macintosh NLM

20 users \$895

100 users \$1995

250 users \$2995

TCP/IP NLM NSP

(price not available)

Novell, Inc.

122 East 1700 South

Provo, UT 84606

(800) 453-1267

(801) 379-5900

Circle 1222 on Inquiry Card.

WIN/Route for DOS \$149

WIN/TCP for DOS

One user \$395

20 users \$3495

The Wollongong Group, Inc.

1129 San Antonio Rd.


Palo Alto, CA 94303

(415) 962-7100

Circle 1223 on Inquiry Card.

You'll Like What's Inside the CompuAdd 333T. *PC Magazine* Did!

- *PC Magazine* Editor's Choice (December 25, 1990)
- Finalist, *PC Magazine* Award for Technical Excellence, 1990
- CompuAdd's award-winning customer service



Look Inside the "Power User's Dream Machine"

PC Magazine, December 25, 1990

\$2775

Five half-height internal drive bays.

Parallel port and two serial ports built in to system board.

CompuAdd-exclusive "hot slot" designed for maximum performance with the CompuAdd HardCache ESDI controller.

CompuAdd-exclusive "hot slot" designed to maximize performance with the CompuAdd Hi-Res VGA card.

FREE CompuAdd mouse.

"The case features quality construction throughout." (PCM 12/25/90)


Intel™ 33MHz 386 microprocessor, Phoenix BIOS, 64KB cache, math coprocessor socket (supports Intel 80387 or Weitek 3167).

Four half-height front-access drive bays.


Motherboard designed by CompuAdd engineers to stretch the 386 performance envelope with the optional high-speed SRAM card.

Room for up to 16MB DRAM on memory board.

FREE CompuAdd Windows 3.0, FREE CompuAdd MS-DOS 4.01 and FREE Microsoft Working Models preloaded on hard drive models.



CompuAdd's Hot Slots Boost 333T Performance



Look inside the CompuAdd 333T. You'll see what prompted *PC Magazine* to call it "a speed demon" and "a power user's dream machine" in its review of 45 leading 33MHz 386 computers.

You'll see CompuAdd-exclusive "hot slots," two 16-bit expansion slots designed to maximize performance of the CompuAdd HardCache/ESDI controller card and the CompuAdd Hi-Rez VGA card. Each slot still works perfectly with a standard 16-bit expansion card, should you choose that option. And you'll see a motherboard designed by CompuAdd to take maximum advantage of the optional, ultra fast SRAM board.

Now, run the 333T. You'll see the speed that makes it the **fastest 33MHz 386** computer you can buy — as measured by top scores on *seven of nine* PC Labs benchmarks, including the 386 Instruction Mix Text. In its review, *PC Magazine* said the CompuAdd 333T "scored the best time in the group, or close to it, on every test we put it through, boasting the best overall performance in the field."



The CompuAdd 333T is the right choice when you need **full-scale multitasking capabilities** in either a reliable network file server or a powerful standalone workstation.

Compare the 333T. You'll see why *PC Magazine* praised its "top-notch expandability" and its "quality construction throughout," and why *PC Magazine*

concluded that the 333T was the "best value in an intelligently designed PC."

You'll see that in value and performance, **the competition can't touch the**

CompuAdd 333T. With the CompuAdd 333T at the heart of your network, you'll have the power, speed and expandability you need. Speed to keep your work flowing. Power to run today's — and tomorrow's — 32-bit software. Expandability to grow with your business. And the CompuAdd commitment to quality and service.



Call today for a CompuAdd value on the computer *PC Magazine* says "will be hard to beat at any reasonable price."

CompuAdd®

Customer driven, by design.
12303 Technology, Austin, Texas 78727

CompuAdd 333T: Best Overall Performance

CompuAdd 333T

The 333T is a proven winner, picked as Editors' Choice in *PC Magazine*, December 25, 1990! And picked as a finalist for *PC Magazine's* 1990 PC Technical Excellence award! It's the *fastest 33MHz 386 system you can buy* — as determined by top scores on seven of nine PC Labs benchmarks. In selecting the 333T as Editors' Choice, the editors credited the CompuAdd 333T with "the best overall performance in the field."

CompuAdd 333 Full Profile

The CompuAdd 333 Full Profile desktop system has the exact same performance as the 333T. Only the case is slimmed down. The Full Profile model sports three half-height front access and two half-height internal 5.25" drive bays, six 16-bit and one 8-bit expansion slots. So you have plenty of room to add extra drives and option cards.



Whether you use it as a network server or as a powerful standalone workstation for CAD/CAM, database management, spreadsheet applications or desktop publishing, the CompuAdd 333T or 333 gives you the fastest 32-bit computing power you can get in a 33MHz 386 system!

CompuAdd Value

CompuAdd built its reputation on giving you high performance computers at unbeatable values! Don't

just take our word for it. An independent vendor-neutral survey of PC users asked people how satisfied they are with their PC purchases. *CompuAdd received the best endorsement any manufacturer could ask for* — CompuAdd ranked #1 for Value/Price, Quality, Commitment to the Customer and Overall Satisfaction!

The researchers did not use vendor-supplied customer lists. The independent, statistically valid survey ranked 25 leading PC manufacturers, including IBM, Compaq, Apple and Hewlett-Packard.

Call today for more details on CompuAdd's award-winning products and service!



CompuAdd 333T and 333FP Features

- 80386 microprocessor running at 33MHz
- 4MB DRAM expandable to 16MB
- 0 wait-state cache memory
- High-speed cache memory controller with 64KB SRAM cache
- 5.25" 1.2MB or 3.5" 1.44MB diskette drive
- Dual diskette controller
- Six 16-bit and one 8-bit expansion slots
- Four half-height front access and five half-height internal 5.25" drive bays (Full Profile has three half-height front access and two half-height internal 5.25" drive bays)
- One built-in parallel and two serial ports
- 80387 or Weitek 3167 math coprocessor socket
- **FREE** CompuAdd serial mouse \$24.95 value
- **FREE** CompuAdd Windows 3.0 \$149 value
- **FREE** Microsoft Working Models
- **FREE** CompuAdd MS-DOS 4.01 \$89 value

CompuAdd 333T base system

\$2775 - 66656

CompuAdd 333 Full Profile base system \$2595 - 66665

Enhanced 333 systems upgrade base system features with: 150MB ESDI drive, CompuAdd HardCache/ESDI controller with 1MB RAM, 1024 x 768 color monitor, CompuAdd Hi-Res VGA card with 512KB RAM and 640KB SRAM card.

CompuAdd Enhanced 333 Full Profile

\$5395 - 66669

CompuAdd Enhanced 333T

\$5575 - 66660

333 Monitor and Hard Drive Options

	MGA	CVGA
333T 80MB	66658 - \$3575	66659 - \$4055
333T 200MB	66661 - \$3975	66662 - \$4455
333 80MB	66667 - \$3395	66668 - \$3875
333 200MB	66670 - \$3795	66671 - \$4275

CompuAdd®

Customer driven, by design.

 **Call 800-456-6008** Key Code 814

Hours: Monday - Friday 7:00am to 9:00pm CST; Saturday 9:00am to 5:00pm CST
12303 Technology, Austin, Texas 78727



BYTE columnists,
staff, and contributors
debate the issues

IS IT TIME TO TELECOMMUTE?

Roundtable is a forum in which **BYTE** editors, columnists, and contributors debate key issues that affect how you purchase and use hardware and software. The "conversations" take place on BIX.

TOM THOMPSON: The outlook for both the U.S. economy and environment seems grim. According to the Administration, our energy policy is going to promote little conservation.

So we'll still be driving inefficient cars, polluting the air, while domestic oil exploration could damage our environment. But with the network of wires, cables, and fibers, why can't more employees telecommute via modem? If a significant percentage of employees worked via modem out of their homes, we would win in several areas: less oil consumption, less pollution, and less traffic, which would give our crumbling infrastructure a reprieve. But can telecommuting work? Will we miss the synergy of minds meeting around the coffee pot? Will some people simply goof off? Is enough of an "electronic infrastructure" in place for telecommuting to work?

STAN MIASTKOWSKI: From 1982 to 1986, I worked for a company whose entire structure was based on telecommuting. The company had about 150 employees. I was publications manager and had a staff of eight writers and editors scattered across the country.

Telecommuting is tough. Managers have to trust their employees, and the people who work for them have to be those ever-popular "self-starters" who can work independently. I had the most luck hiring people who had spent substantial parts of their careers working as freelancers.

The biggest problem wasn't lack of communication. We had E-mail, daily telephone talks, and weekly conference calls. The biggest problem was being alone in the house most of the time. After a while, you feel incredibly isolated (especially in a rural area). Productivity, however, was very high. People were free from the tyranny of the time clock and could attune their work to their body clocks. Telecommuting also requires top management that's committed to the idea and willing to back it.

BEN SMITH: I spent the year before starting at **BYTE** telecommuting. At least once a day, I would walk to the neighbors' just to see some human beings. My work was solid, though. Unlike working at **BYTE**, my phone rang only when there was something important or a scheduled, daily conversation. I found that I worked an easy 10-hour day, because I was able to mix work with doing the household chores, which provided a nice break from sitting at my desk.

OWEN LINDERHOLM: It does work, but telecommuting isn't a good substitute for human contact. I only get to know all of you by way of the rather impersonal conferencing system on BIX, occasional phone conversations, and rare personal meetings. The personal meetings are extremely important. They allow me to add some real images and insights when I am dealing with you all on BIX. I can understand some of the subtleties, crosscurrents, and undercurrents much better than I can with people I've never met.

It is very important to have a conferencing system like BIX. E-mail doesn't work because it is too difficult for more than one person to access a single message and, hence, whatever ideas and thoughts it contains.

JERRY POURNELLE: Arthur D. Little has for years encouraged senior analysts to stay home at least two days a week, but also insists they come to the office for two days. Everyone is supposed to be there the same two days, as I recall.

FRED LANGA: I recently spoke with some laptop designers toying with the idea of bundling something like PC Anywhere or Carbon Copy with their next round of

DON CRABB
Contributing Editor

FRED LANGA
Editor in Chief

OWEN LINDERHOLM
Senior News Editor

LARRY LOEB
Consulting Editor

STAN MIASTKOWSKI
Senior News Editor

JERRY POURNELLE
Senior Contributing Editor

WAYNE RASH JR.
Contributing Editor

KEN SHELDON
Senior Editor, Features

BEN SMITH
Technical Editor

TOM THOMPSON
Senior Editor at Large

JON UDELL
Senior Editor at Large

PETER WAYNER
Consulting Editor

SUNDAY 10-5

NEC **HP** **HEWLETT** **PACKARD** **PRINTERS**

TOSHIBA **LASER PRINTERS**

EPSON **MONITORS**

COMPUTERS

ALR

Power Flex 386 SX 16 MH 1.2 1.4 40 HD 1394.99

386 SX 20 MH 1794.99

Same As Above

Business Value MOD 101 1.2-1.4 380/33 MH 5 MB 2349.99

80 HD VGA Card

Business Value MOD 101 1.2-1.4 486/33 MH 5 MB 3474.99

110 HD VGA Card

Apple

Macintosh Classic 1209.99

Macintosh IIx 1799.99

Macintosh IIx 2400 2894.99

Discreet M-150P CALL

Canon

NAVIGATOR

HD40 CALL

Packard Bell 386 SX

1-1.2 F/D 1-1.4 F/D 1 MB 1294.99

40 HD VGA MTR 149.99

80 MB HD 179.99

NETWORKING

WD 8 Bit Ether 149.99

WD 8 Bit Bottom Sock 179.99

WD 16 Bit Bottom Sock 199.99

3 Com 3C503 Sps 799.99

3 Com 3504 CALL

Lanette

Ether Star 10M Bps V.30 489.99

Ether Adapter V.30 139.99

2M Bps Serial V.30 94.99

2M Bps Adapter V.30 94.99

S.M.C. PC 500 FS 199.99

Tiara Lanix 8 Bit 244.99

Tiara Arcnet 8 Bit 234.99

Hub 8 Port 329.99

Thomas Control

TC403 299.99

TC404 299.99

TC405 299.99

TC406 299.99

TC407 299.99

TC408 299.99

TC409 299.99

TC410 299.99

TC411 299.99

TC412 299.99

TC413 299.99

TC414 299.99

TC415 299.99

TC416 299.99

TC417 299.99

TC418 299.99

TC419 299.99

TC420 299.99

TC421 299.99

TC422 299.99

TC423 299.99

TC424 299.99

TC425 299.99

TC426 299.99

TC427 299.99

TC428 299.99

TC429 299.99

TC430 299.99

TC431 299.99

TC432 299.99

TC433 299.99

TC434 299.99

TC435 299.99

TC436 299.99

TC437 299.99

TC438 299.99

TC439 299.99

TC440 299.99

TC441 299.99

TC442 299.99

TC443 299.99

TC444 299.99

TC445 299.99

TC446 299.99

TC447 299.99

TC448 299.99

TC449 299.99

TC450 299.99

TC451 299.99

TC452 299.99

TC453 299.99

TC454 299.99

TC455 299.99

TC456 299.99

TC457 299.99

TC458 299.99

TC459 299.99

TC460 299.99

TC461 299.99

TC462 299.99

TC463 299.99

TC464 299.99

TC465 299.99

TC466 299.99

TC467 299.99

TC468 299.99

TC469 299.99

TC470 299.99

TC471 299.99

TC472 299.99

TC473 299.99

TC474 299.99

TC475 299.99

TC476 299.99

TC477 299.99

TC478 299.99

TC479 299.99

TC480 299.99

TC481 299.99

TC482 299.99

TC483 299.99

TC484 299.99

TC485 299.99

TC486 299.99

TC487 299.99

TC488 299.99

TC489 299.99

TC490 299.99

TC491 299.99

TC492 299.99

TC493 299.99

TC494 299.99

TC495 299.99

TC496 299.99

TC497 299.99

TC498 299.99

TC499 299.99

TC500 299.99

TC501 299.99

TC502 299.99

TC503 299.99

TC504 299.99

TC505 299.99

TC506 299.99

TC507 299.99

TC508 299.99

TC509 299.99

TC510 299.99

TC511 299.99

TC512 299.99

TC513 299.99

TC514 299.99

TC515 299.99

TC516 299.99

TC517 299.99

TC518 299.99

TC519 299.99

TC520 299.99

TC521 299.99

TC522 299.99

TC523 299.99

TC524 299.99

TC525 299.99

TC526 299.99

TC527 299.99

TC528 299.99

TC529 299.99

TC530 299.99

TC531 299.99

TC532 299.99

TC533 299.99

TC534 299.99

TC535 299.99

TC536 299.99

TC537 299.99

TC538 299.99

TC539 299.99

TC540 299.99

TC541 299.99

TC542 299.99

TC543 299.99

TC544 299.99

TC545 299.99

TC546 299.99

TC547 299.99

TC548 299.99

TC549 299.99

TC550 299.99

TC551 299.99

TC552 299.99

TC553 299.99

TC554 299.99

TC555 299.99

TC556 299.99

TC557 299.99

TC558 299.99

TC559 299.99

TC560 299.99

TC561 299.99

TC562 299.99

TC563 299.99

TC564 299.99

TC565 299.99

TC566 299.99

TC567 299.99

TC568 299.99

TC569 299.99

TC570 299.99

TC571 299.99

TC572 299.99

TC573 299.99

TC574 299.99

TC575 299.99

TC576 299.99

TC577 299.99

TC578 299.99

TC579 299.99

TC580 299.99

TC581 299.99

TC582 299.99

TC583 299.99

TC584 299.99

TC585 299.99

TC586 299.99

TC587 299.99

TC588 299.99

TC589 299.99

TC590 299.99

TC591 299.99

TC592 299.99

TC593 299.99

TC594 299.99

TC595 299.99

TC596 299.99

TC597 299.99

TC598 299.99

TC599 299.99

TC600 299.99

TC601 299.99

TC602 299.99

TC603 299.99

TC604 299.99

TC605 299.99

TC606 299.99

TC607 299.99

TC608 299.99

TC609 299.99

TC610 299.99

TC611 299.99

TC612 299.99

TC613 299.99

TC614 299.99

TC615 299.99

TC616 299.99

TC617 299.99

TC618 299.99

TC619 299.99

TC620 299.99

TC621 299.99

TC622 299.99

TC623 299.99

TC624 299.99

TC625 299.99

TC626 299.99

TC627 299.99

TC628 299.99

TC629 299.99

TC630 299.99

TC631 299.99

TC632 299.99

TC633 299.99

TC634 299.99

TC635 299.99

TC636 299.99

TC637 299.99

TC638 299.99

TC639 299.99

TC640 299.99

TC641 299.99

TC642 299.99

TC643 299.99

TC644 299.99

TC645 299.99

TC646 299.99

TC647 299.99

TC648 299.99

TC649 299.99

TC650 299.99

TC651 299.99

TC652 299.99

TC653 299.99

TC654 299.99

TC655 299.99

TC656 299.99

TC657 299.99

TC658 299.99

TC659 299.99

TC660 299.99

TC661 299.99

TC662 299.99

TC663 299.99

TC664 299.99

TC665 299.99

TC666 299.99

TC667 299.99

TC668 299.99

TC669 299.99

TC670 299.99

TC671 299.99

TC672 299.99

TC673 299.99

TC674 299.99

TC675 299.99

TC676 299.99

TC677 299.99

TC678 299.99

TC679 299.99

TC680 299.99

TC681 299.99

TC682 299.99

TC683 299.99

TC684 299.99

TC685 299.99

TC686 299.99

TC687 299.99

TC688 299.99

TC689 299.99

TC690 299.99

TC691 299.99

TC692 299.99

TC693 299.99

TC694 299.99

TC695 299.99

TC696 299.99

TC697 299.99

TC698 299.99

TC699 299.99

TC700 299.99

TC701 299.99

TC702 299.99

TC703 299.99

TC704 299.99

TC705 299.99

TC706 299.99

TC707 299.99

TC708 299.99

TC709 299.99

TC710 299.99

TC711 299.99

TC712 299.99

TC713 299.99

TC714 299.99

TC715 299.99

TC716 299.99

TC717 299.99

TC718 299.99

TC719 299.99

TC720 299.99

TC721 299.99

TC722 299.99

TC723 299.99

TC724 299.99

TC725 299.99

TC726 299.99

TC727 299.99

TC728 299.99

TC729 299.99

TC730 299.99

TC731 299.99

TC732 299.99

TC733 299.99

TC734 299.99

TC735 299.99

TC736 299.99

TC737 299.99

TC738 299.99

TC739 299.99

TC740 299.99

TC741 299.99

TC742 299.99

TC743 299.99

TC744 299.99

TC745 299.99

TC746 299.99

TC747 299.99

TC748 299.99

TC749 299.99

TC750 299.99

TC751 299.99

TC752 299.99

TC753 299.99

TC754 299.99

TC755 299.99

TC756 299.99

TC757 299.99

TC758 299.99

TC759 299.99

TC760 299.99

TC761 299.99

TC762 299.99

TC763 299.99

TC764 299.99

TC765 299.99

TC766 299.99

TC767 299.99

TC768 299.99

TC769 299.99

TC770 299.99

TC771 299.99

TC772 299.99

TC773 299.99

TC774 299.99

TC775 299.99

TC776 299.99

TC777 299.99

TC778 299.99

TC779 299.99

TC780 299.99

TC781 299.99

TC782 299.99

TC783 299.99

TC784 299.99

TC785 299.99

TC786 299.99

TC787 299.99

TC788 299.99

TC789 299.99

TC790 299.99

TC791 299.99

TC792 299.99

TC793 299.99

TC794 299.99

TC795 299.99

TC796 299.99

TC797 299.99

TC798 299.99

TC799 299.99

TC800 299.99

TC801 299.99

TC802 299.99

TC803 299.99

TC804 299.99

TC805 299.99

TC806 299.99

TC807 299.99

TC808 299.99

TC809 299.99

TC810 299.99

TC811 299.99

TC812 299.99

TC813 299.99

TC814 299.99

TC815 299.99

TC816 299.99

TC817 299.99

TC818 299.99

TC819 299.99

TC820 299.99

TC821 299.99

TC822 299.99

TC823 299.99

TC824 299.99

TC825 299.99

TC826 299.99

TC827 299.99

TC828 299.99

TC829 299.99

TC830 299.99

TC831 299.99

TC832 299.99

TC833 299.99

TC834 299.99

TC835 299.99

TC836 299.99

TC837 299.99

TC838 299.99

TC839 299.99

TC840 299.99

TC841 299.99

TC842 299.99

TC843 299.99

TC844 299.99

TC845 299.99

TC846 299.99

TC847 299.99

TC848 299.99

TC849 299.99

TC850 299.99

TC851 299.99

TC852 299.99

TC853 299.99

TC854 299.99

TC855 299.99

TC856 299.99

TC857 299.99

TC858 299.99

TC859 299.99

TC860 299.99

TC861 299.99

TC862 299.99

TC863 299.99

TC864 299.99

TC865 299.99

TC866 299.99

TC867 299.99

TC868 299.99

TC869 299.99

TC870 299.99

TC871 299.99

TC872 299.99

TC873 299.99

TC874 299.99

TC875 299.99

TC876 299.99

TC877 299.99

TC878 299.99

TC879 299.99

TC880 299.99

TC881 299.99

TC882 299.99

TC883 299.99

TC884 299.99

TC885 299.99

TC886 299.99

TC887 299.99

TC888 299.99

TC889 299.99

TC890 299.99

TC891 299.99

TC892 299.99

TC893 299.99

TC894 299.99

TC895 299.99

TC896 299.99

TC897 299.99

TC898 299.99

TC899 299.99

TC900 299.99

TC901 299.99

TC902 299.99

TC903 299.99

TC904 299.99

TC905 299.99

TC906 299.99

TC907 299.99

TC908 299.99

TC909 299.99

TC910 299.99

TC911 299.99

TC912 299.99

TC913 299.99

TC914 299.99

TC915 299.99

TC916 299.99

TC917 299.99

TC918 299.99

TC919 299.99

TC920 299.99

TC921 299.99

TC922 299.99

TC923 299.99

TC924 299.99

TC925 299.99

TC926 299.99

TC927 299.99

TC928 299.99

TC929 299.99

TC930 299.99

TC931 299.99

TC932 299.99

TC933 299.99

TC934 299.99

TC935 299.99

TC936 299.99

TC937 299.99

TC938 299.99

TC939 299.99

TC940 299.99

TC941 299.99

TC942 299.99

TC943 299.99

TC944 299.99

TC945 299.99

TC946 299.99

TC947 299.99

TC948 299.99

TC949 299.99

TC950 299.99

TC951 299.99

TC952 299.99

TC953 299.99

TC954 299.99

TC955 299.99

TC956 299.99

TC957 299.99

TC958 299.99

TC959 299.99

TC960 299.99

TC961 299.99

TC962 299.99

TC963 299.99

TC964 299.99

TC965 299.99

TC966 299.99

TC967 299.99

TC968 299.99

TC969 299.99

TC970 299.99

TC971 299.99

TC972 299.99

TC973 299.99

TC974 299.99

TC975 299.99

TC976 299.99

TC977 299.99

TC978 299.99

TC979 299.99

TC980 299.99

TC981 299.99

TC982 299.99

TC983 299.99

TC984 299.99

TC985 299.99

TC986 299.99

TC987 299.99

TC988 299.99

TC989 299.99

TC990 299.99

TC991 299.99

TC992 299.99

TC993 299.99

TC994 299.99

TC995 299.99

TC996 299.99

TC997 299.99

TC998 299.99

TC999 299.99

TC1000 299.99

TC1001 299.99

TC1002 299.99

TC1003 299.99

TC1004 299.99

TC1005 299.99

TC1006 299.99

TC1007 299.99

TC1008 299.99

TC1009 299.99

TC1010 299.99

TC1011 299.99

TC1012 299.99

TC1013 299.99

TC1014 299.99

TC1015 299.99

TC1016 299.99

TC1017 299.99

TC1018 299.99

TC1019 299.99

TC1020 299.99

TC1021 299.99

TC1022 299.99

TC1023 299.99

TC1024 299.99

TC1025 299.99

TC1026 299.99

TC1027 299.99

TC1028 299.99

TC1029 299.99

TC1030 299.99

TC1031 299.99

TC1032 299.99

TC1033 299.99

TC1034 299.99

TC1035 299.99

TC1036 299.99

TC1037 299.99

TC1038 299.99

TC1039 299.99

TC1040 299.99

TC1041 299.99

TC1042 299.99

TC1043 299.99

TC1044 299.99

TC1045 299.99

TC1046 299.99

TC1047 299.99

TC1048 299.99

TC1049 299.99

TC1050 299.99

TC1051 299.99

TC1052 299.99

TC1053 299.99

TC1054 299.99

TC1055 299.99

TC1056 299.99

TC1057 299.99

TC1058 299.99

TC1059 299.99

TC1060 299.99

TC1061 299.99

TC1062 299.99

TC1063 299.99

TC1064 299.99

TC1065 299.99

TC1066 299.99

TC1067 299.99

TC1068 299.99

TC1069 299.99

TC1070 299.99


TC1071 299.99

TC1072 299.99

TC1073 299.99

TC1074 299.99

TC1075 299.99



SUBJECT:
V.P., Engineering

PROBLEM:
Your competitor has
announced the product.
Your Engineering team isn't
even working on it.
Your customers want it now.
What's your answer?

SOLUTION:
MICRONICS

Today, time-to-market is everything. Everyone wants the latest technology. You have to have a product when the demand is hot. And it has to work.


Before investing time and money now, and still miss the window, turn to Micronics for your system board needs.

Dedicated to advanced engineering, Micronics has a full line of 80386 and 80486 ISA/EISA products.

We provide excellent time-to-market and superior design without sacrificing performance or reliability. In fact, we have a proven record with hundreds of thousands of system boards in the field today.

Our own designs, FCC certification, complete compatibility testing and less than 1% field failure rates make Micronics system boards the industry leaders.

Micronics is your answer.
Give us a call today.




MICRONICS
COMPUTERS INC.

The Power

232 E. Warren Avenue
Fremont, California 94539
(415) 651-2300
Fax (415) 651-5666

Rack & Desk PC/AT Chassis

Integrand's new Chassis/System is not another IBM mechanical and electrical clone. An entirely fresh packaging design approach has been taken using modular construction. At present, over 40 optional stock modules allow you to customize our standard chassis to nearly any requirement. Integrand offers high quality, advanced design hardware along with applications and technical support *all at prices competitive with imports.* Why settle for less?



Rack & Desk Models

Accepts PC, XT, AT Motherboards
and Passive Backplanes

Doesn't Look Like IBM

Rugged, Modular Construction

Excellent Air Flow & Cooling

Optional Card Cage Fan

Designed to meet FCC

204 Watt Supply, UL Recognized

145W & 85W also available

Reasonably Priced

*Now
Available*

Passive
Backplanes



INTEGRAND

RESEARCH CORP.

Call or write for descriptive brochure and prices:
8620 Roosevelt Ave. • Visalia, CA 93291

209/651-1203

TELEX 5106012830 (INTEGRAND UD)

FAX 209/651-1353

We accept Bank Americard/VISA and MasterCard

IBM, PC, XT, AT trademarks of International Business Machines.
Drives and computer boards not included.

ROUNDTABLE

meeting in the physical presence of others. A great deal comes from a person's words, but a great deal also comes from people's gestures—their body language if you will—and even how they conduct themselves at a meeting while they aren't speaking. Much of this information cannot be carried over the line on a conference call, much less carried in E-mail. The bandwidth of electronic media is still far too narrow for the communications that people actually use.

The result is that in a telecommuting workplace, those who get ahead will still be those who are physically present at least part of the time, simply because it will be their ideas that are presented most effectively. This will limit telecommuting to certain specialties (like COBOL coding) that can be done by solitary workers, and even those will require some physical presence. In any case, while telecommuting is technically possible, I'm not sure that it's socially possible yet, and I don't think it will be until we get communications that work with more than just what we can currently squeeze through a modem.

PETER WAYNER: Everyone has probably heard the apocryphal urban folklore about the young office star who would come in at 4 a.m., get all the work done by 9 a.m., and then spend the rest of the day chatting with everyone. Pleased his boss and knew everything about the company. Electronics don't work for that.

CRABB: Wow! Telecommuting is only useful for certain specialties like COBOL coding? Give me a break, Wayne! A 1989 Department of Commerce survey showed that almost 28 million people either worked at home as sole entrepreneurs or as part of their office job. Another 10 million are expected over the next two years to do more and more of their office work at home as telecommuters. These figures already indicate that the home office and home workplace are far more than just places where specialty workers are and will be working.

MIASKOWSKI: I see little possibility of full-time telecommuting becoming a reality in the next five years or so. In my experience, the biggest roadblock is old-style management that thinks employees must be watched and controlled. Admittedly, some people do fall into this category. But employees who are trusted and rewarded can give companies incredible productivity. I think telecommuting will ease into reality, with more and more people spending a couple days at home

and a couple at the office.

Another problem with working full-time at home is that there's no easy break between home and work. When I worked at home full-time, I often felt as though I never left work, often going back into my office after dinner. It's a habit that's hard to break. Even though I now spend a full-time week at the BYTE office, I often spend my evenings working at home.

LINDERHOLM: People using E-mail and conferencing systems seem to be rudier than they are in person (perhaps to do with "talking to a machine"). I believe that studies show that frequently the same individual will be a lot rudier in communicating over E-mail than in person or by letter. If it is true, then it is a serious hindrance to telecommuting and will be a social issue for telecommuters.

JON UDELL: On the other hand, it's often noted that E-mail exerts a kind of social leveling effect—that is, it flattens a hierarchy and puts participants on a more equal footing than they would be face to face. Some corporations value that. Others, I suppose, would be threatened by it.

KEN SHELDON: It can work, but it sometimes doesn't. Case in point: I came into the office on Saturday before heading out for a business trip, hoping to get a lot of work done. A lot of the things I had to do involved BIX. Guess what? BIX was down for maintenance for the couple of hours that I was in the office. I was extremely frustrated.

CRABB: The inherent unreliability (because of complexity, overstressed systems, and other reasons) argues for everyone who plans to use electronic communications systems to have several backups ready to go. Something like a macro that lets you step through BIX, MCI Mail, and CompuServe until you make a connection and get through.

This kind of intelligent networking (where a background agent runs through the connection possibilities for you, makes the connection, dumps your messages, downloads new mail, and so on) might help ameliorate the inherent unreliability in each service. Remote systems that accomplish this intelligent connection without any user control (the way a good private-branch-exchange switch automatically selects the cheapest and most reliable outgoing long-distance telephone service for each call it will complete) might be the real breakthrough technology in portable computing. ■

"...simply stunning and incredibly fast!"

"highly recommended" by John Dvorak, Inside Track, PC Magazine, Nov. 13, 1990

PC Magazine's
Editors' Personal Best 1990

Byte's
Best Products of 1990,
Award of Merit

PC World's
Best Buys in
Windows Hardware
Optimal Workstation

Here's what the experts are saying
about the hottest high performance
graphics board available –
the Hercules Graphics Station Card™!

**"At \$1,024, the Hercules Graphics
Station Card is state of the art at
an exceptional price."**

*InfoWorld, Hercules' 34010 Graphics Board
is State of the Art, Eric Azinger, Sept. 3, 1990*

**"...1024 x 768 non-interlaced 256 colour
mode is the only way Windows should
ever be run."**

*Personal Computer World, Guy Swarbrick, Hercules
Graphics Station Card, June 1990, UK*

**"If you do a lot of different kinds of graphics
but don't want to spend too much, the
Graphics Station Card is for you.
Highly recommended"**

CADalyst, Ralph Grabowski, August 1990

**"The Hercules Graphics Station Card combines
an extraordinary set of features designed to handle
your most...well...Herculean graphics tasks."**

PC Magazine, Tom Unger, Best of 1990, January 15, 1991

**"...Hercules will have proved, twice, that you
don't have to be IBM to set standards."**

*Personal Computer World, Guy Swarbrick, Hercules Graphics
Station Card, June 1990, UK*

To find out where you can buy your
Hercules Graphics Station Card,
call 800 532-0600, ext. 745.

For People With High Standards!

Hercules



Hercules Graphics Station Card

**For Windows, CAD, DTP
and Color!**

- Up to 1024 x 768 resolution
- 8, 16, 24 bit color*
- TI 34010 processor-60MHz
- Built-in VGA for compatibility
- 1 megabyte VRAM
- 2 megabytes DRAM
(Model GB1024+2)
- Includes TIGA 2.0, Microsoft
Windows 3.0 (256 colors) and
ADI 4.0/4.1 drivers

Future Documents

Microsoft's OLE technology and HP's New Wave make it easier to combine text and graphics in "compound documents" for Windows

MARTIN HELLER

When I did my Ph.D. thesis "on the computer," more years ago than I care to admit, I was faced with 2 hours of pasteup every time I produced a draft. The thesis was done on the mainframe, all right, but the text was printed out on a line printer while the figures came off a Calcomp plotter.

My thesis was, in fact, a "compound document": It combined materials from several sources on one page. This magazine article is another compound document: It combines text, screen images, and artwork on the printed page. Corporate annual reports are another good example; typically, they combine text, financial statements, photographs, charts, and artwork in a slick package designed to make investors feel good about a company.

One of the goals of the desktop publishing revolution has been to eliminate the pasteup step from the printing process. For very high-quality documents, the goal is technologically unrealistic: You're just not going to get photographic quality from today's scanners and laser printers—certainly not anywhere near the quality of good four-color lithography. But for less demanding documents—an internal memo on fourth-quarter sales, for instance—the technology is more than adequate.

BYTE ACTION SUMMARY


Documents are no longer just static text. HP's New Wave and Microsoft's recently announced OLE are two technologies that let documents contain text, graphics, and spreadsheets that are linked together and automatically update each other.

Out of Data and Missing Links

So why don't more people produce compound documents? Because it's a pain in the neck, that's why. Consider the classic example of a spreadsheet that's used in a word processing document. Say, for instance, that the spreadsheet was produced by Excel and is named SHEET.XLS. You use the Copy command in Excel; then you can either Paste or Paste Link in your word processor, such as Word for Windows.

If you choose Paste in Word, what you'll get is an image of SHEET.XLS as it existed








Figure 1: *Paste Link* uses the Clipboard to tell the application what to link, and it uses DDE to do the transfer. The document acts as a client requesting the information from the server, the spreadsheet. Behind the scenes, there is a conversation between the client and the server that links the data.




Figure 2: With a DDE link, if you move the referenced file, the link will end up pointing to a nonexistent file.

the moment it was created. You can now format the spreadsheet as a table and produce your memo. Pasting doesn't involve Dynamic Data Exchange (DDE); it uses the Clipboard to pass all the information. However, when the spreadsheet changes (e.g., when the new sales numbers come in on the second day of the month), you'll have to Copy the spreadsheet to the Clipboard and Paste it over the old image. If you forget to update the Word document after you update the spreadsheet, you'll have the embarrassing experience of circulating a memo containing last month's numbers.

On the other hand, you could choose Paste Link from Word for Windows. Paste Link uses the Clipboard to tell the applica-

tion *what* to link; the actual linking is done using DDE. After you choose Paste Link, you'll get a little dialog box asking if you want the link to update anytime the sheet changes; if you say yes, Excel will control when updates happen. If you say no, Word will control when updates happen. You'll also see the specification for the link, which may be something like E:\EXCEL\SHEET.XLS. (See figure 1.)

Assuming that the DDE transfer works (and it might or might not, depending on how you've configured your system), you'll see the spreadsheet information appear in your document, and you'll be able to format it as a table and print it. Next month when you bring up the document it should automatically try to reestablish the link and get the updated spreadsheet. The key word here is *should*—the automatic update doesn't always work, either.

Here's why: Suppose you give a copy of your document to someone else in your company. Inside the document, there will be a field with the information DDE "E:\EXCEL\SHEET.XLS." But SHEET.XLS won't be on your colleague's E drive. That person may not even *have* an E drive and, most likely, won't have an E:\EXCEL directory. Even if you give him or her a copy of SHEET.XLS, that person will have to edit the DDE field in Word to point to the directory in which he or she chooses to place the spreadsheet (see figure 2).

It isn't so bad to update one field. But suppose there were 100 fields and each one had to be manually corrected anytime the file was transmitted. It happened to me—once—when I had to edit a manual someone else had written. Suffice it to say I'd rather not repeat the experience.

Clearly, the broken link problem can be serious—even more so than the obsolete image problem. But there are solutions. HP's solution for both problems is New Wave, which has been around for three years. Microsoft's solution, called OLE, is a specification for integrating information from multiple applications in a single compound document. I have a production copy of New Wave 3.0 installed on my machine, and I'm running it now; I have a beta-test copy of the OLE developer's kit and a handful of OLE applications installed as well. In fact, you can run both at once, and if you are a developer, you can make your programs support both.

Microsoft's OLE

OLE, which stands for Object Linking and Embedding, is Microsoft's open, industry-wide specification for compound documents. "Industry-wide" in this case means that Microsoft incorporated input from other major software developers—Lotus, Aldus, WordPerfect, and Micrografx. *Linking* refers to a process very much like DDE—in fact, it's a process currently built on DDE—that lets one document refer to another document that can also update it in real time. *Embedding* refers to a process very much like clipboard pasting—which *isn't* actually clipboard pasting—that lets one application's document contain information created by a second application in the second application's native format.

I mentioned earlier that DDE doesn't always work because of setup problems. OLE takes care of the setup problems by registering all OLE-aware applications in a central database. It takes care of the DDE problem of one application needing to know the details of another by establishing a protocol of standard topics and procedures with which the applications talk to each other.

An example is in order here. Suppose you're working on that same old sales memo—the one with the spreadsheet numbers. And suppose you want to have, in addition to the spreadsheet, an illustrative graphic and a chart based on the spreadsheet. And suppose that you've got a word processor that supports

FUTURE DOCUMENTS

OLE, along with a spreadsheet, a chart maker, and a drawing program that all support OLE. You can set up the compound document with embedding, linking, or both. Since you're going to update the numbers every month, you do the spreadsheet and chart with linking. Since the graphic won't change often, you do it with embedding.

You write your memo. When you come to the spreadsheet, you insert a field that links you to the spreadsheet using OLE—as opposed to the DDE field you used to use. The OLE link is pretty much guaranteed to work, because all OLE applications know how to communicate with each other, and the information needed to start each OLE application is kept in a central database. (That isn't true of DDE applications.)

So you see the spreadsheet figures in your document. Only this time, instead of seeing raw numbers that you have to format in Word, you see the spreadsheet as it would be displayed by Excel. This is because, as part of OLE compliance, Excel has provided a spreadsheet "viewer" for use by other applications.

Now things start to get tricky. You want the chart to be based on the spreadsheet, and the chart in turn to appear in the word processing document. Can you do it? Sure enough: You can create the chart within the spreadsheet as an embedded document (Excel knows enough to update internally linked graphics from data) and then link the chart to the word processing document. When you change the numbers in the spreadsheet, the chart changes automatically, and both change automatically in the word processing document (see figure 3).

Finally, you create and incorporate the graphic. You can use an OLE-compliant version of Windows Paintbrush to create the graphic. How? Either from Paintbrush, or directly from the OLE-compliant version of Word. To do the latter, you'd Insert Embedded Object (or something like that) in Word and then select Paintbrush as your server. Paintbrush would automatically open up and tell you that you were editing an embedded object. You'd draw your graphic and close Paintbrush. Instead of going into a .BMP file, the drawing would go directly into the compound word processing document.

Anytime you wanted to modify the drawing, you'd double-click on it within Word, and Paintbrush would come up with the drawing loaded. Pretty neat stuff, and not that far out: I have versions of Cardfile and Paint modified for OLE that work in just this way. (Obviously, the drawings go on cards rather than on a Word page, but the mechanism is the same.)


One thing that isn't fixed by the current implementation of OLE is the broken link problem. If you create links and then move the documents, the links will break. If you embed rather than link, you don't have to worry about the connection breaking, but you do have to worry about the copy becoming obsolete. So you have to decide in each case whether to embed or link. Embedding gives you a copy of the document that won't get lost but might become obsolete; linking gives you a connection to the document that won't become obsolete but might get broken.

OOFS: Files as Objects, Objects as Files

OOFS is an acronym for Object-Oriented File System. In programming jargon, the combination of some data and a program that knows how to deal with the data is an *object*. This terminology is widely abused and very confusing (since *object* has a much more generic meaning in common usage), but it's what *object* means in this case. The combination of Paintbrush and a bit-mapped image can be an object, for instance, and it is an object that can be *contained* within the OLE specification.


Objects don't necessarily have to be what you'd normally think of in terms of a written document. Given sound-recording


Current Drive Efficiency



$\langle T_{eff} \rangle = 2.0$

Topology of Tokamak Banana Orbits





TM

GraphicC


"gives you all the C language routines you need to write an impressive scientific graphing program of your own. Highly recommended."

— PC Magazine

Versions for
PC and Mac

Fresnel Integrals

$C(z) = \int_0^z \cos(0.5\pi t^2) dt$
 $S(z) = \int_0^z \sin(0.5\pi t^2) dt$



Cornu's Spiral

Scientific Endeavors

508 N. Kentucky St., Kingston, TN 37763
 (615) 376-4146 FAX: (615) 376-1571

Don't Move!

without telling

BYTE

Clip out form below
and mail to:

BYTE Magazine
P.O. Box 555
Hightstown, NJ 08520

At least 8 weeks before you move, please give us your
new address and/or name change

(Please Print)

New address, name

Name _____

Address _____ Apt. _____

City _____

State _____ Zip _____

Print current name and address
(or affix the mailing label from your current issue of BYTE here)

Current address, name

Name _____

Address _____ Apt. _____

City _____

State _____ Zip _____



Uncle Sam Says

WE BUY SAFETY, EXPERIENCED SUPPORT AND SOUNDNESS.

You too can enjoy the same proven safety. Over the past ten years more than 700 of my agencies and their contractors bought computers from Iverson, because of their experienced support and soundness.

Committed!

Iverson is committed to delivering total quality.

Total Quality Control means incoming, in line, test and burn in, cosmetic, packaging, and shipping inspection. Furthermore, individual custom foam packing of each system insures safest shipping.



Supportive!

Iverson offers full integration services.

- Design and Install LANS
- Custom Hardware
- World-wide installation & Training
- Software loaded at plant
- Custom application software and printer drivers

Established!

Iverson has invested in the plant and staff resources to stand behind your IBM® PS/2® purchase.

Iverson operates two huge classified systems integration contracts nationwide, over \$15 million a year for each

Iverson customizes and manufactures computers in the firm's own 48,000-square-foot plant in Clearwater, Florida.

Iverson operates its own full service FCC laboratory at the Florida plant.

Responsive!

Iverson understands the support you need and is committed to providing it.

For only \$99, we will send our technician/trainer to your home or office to provide 90 minutes of instruction for up to four people. This service is available in most cities nationwide.



**Nationwide
Training in
home/office.
Start-up
course,
only \$99.**

Experienced technical support or on-site service is only a phone call away. Iverson support includes 24-hour toll-free technical and service support hotlines. Our 7000-square-foot repair depot supports ten Iverson field service offices and 150 TRW service offices in the U.S. and 100 in Canada with over 4,500 different parts.



IBM and PS/2 are registered trademarks of International Business Machines Corporation

Traded on American Stock Exchange (IVT)
IVERSON TECH



MOST IBM[®] SYSTEMS

- TEMPEST
- Removable Drives
- Ruggedized
- Custom Applications

Over 700 customers world-wide have benefited from ITC's customization of IBM products. From laptops to desktops, micros to mid-range processors, International Technology has an IBM-based solution for your special computing needs. So why risk your critical application on anything less than IBM quality and reliability.

- Specializing in re-engineering of 9370 (9332) DASD to provide removability.




Model 50Z with Removable Hard Disk

Over 500 shipped to date

- Additional customizing and quick delivery.
- Rack mounted PS/2 Model 70s, ruggedized for protection against Vibration, Shock, High and Low Temperatures, Humidity and Dust per MIL-STD-810D, methods 501.2, 502.2, 510.2 and DTB ISL-89-0896.

GSA Contract #: GSOOK90AGS5276

CALL 1-800-388-GSA1



**EXPERIENCED
SUPPORT
FINANCIAL
STRENGTH**

**SINCE
1978**

**CURRENT
ASSETS
(9/30/90)
\$17 million**

P.O. Box 6250 • 1356 Beverly Road
McLean, Virginia, 22106-6250

INT'L TECHNOLOGY CORP
A Subsidiary of
IVERSON TECH

Circle 172 on Inquiry Card (RESELLERS: 173).




Figure 3: With OLE links, the format of the linked documents is automatically applied because there is a central database and a set of "reader" programs for OLE-compliant applications. Here, a word processor document contains links to a spreadsheet and its embedded graph.




Figure 4: The object-oriented file system will resolve the problem of broken links described in figure 2. Any file that is moved leaves a forwarding address.

and playback capabilities, voice, music, and sounds can be objects. Given an animation player, animations can be objects. Given a way to record and play back handwriting, handwritten notes can be objects. Given a videotape or CD-ROM controller, video segments can be objects.

Back to the image object. All of Paintbrush is not carried around inside a Word document. The "object" contained in this case can either be an embedded object (in which case the data is actually inside the Word document) along with a flag that says what program knows how to edit the data, or it can be a linked object, in which case what is inside the Word document is the name of the linked document along with the flag for the program to use to edit the data.

Back to the subject of an "object-oriented file system." What this term seems to promise—and no more than promise, as Microsoft is loath to tell more—is a file system that can track objects and is oriented to, and knows about, the sorts of compound documents and linkages I've been talking about.

You can hope, at least, that the object-oriented file system would be able to remember that your spreadsheet is linked to your word processing document. You can also hope that, when you mail your document electronically across a network to a colleague, the file system recognizes and automatically ships all the linked documents along with the container document, or it maintains the linkages across the network. You can also hope that, when you have a major housecleaning and reorganize your hard disk, the file system will know that the spreadsheet previously in E:\EXCEL\SHEET.XLS is now at G:\EXCEL_DATA\SHEET.XLS. Think of the file system as a telephone exchange; you want the file system to do the equivalent of forwarding your calls when you change offices (see figure 4).

Old New Wave

Unlike OLE, HP's New Wave is well beyond the planning and development stage. It has been running on HP Vectras (and other similar machines) for several years now. It is also about to ship on HP-UX workstations.

New Wave is implemented as a layer on top of Windows. The New Wave Office window is a "root" object that owns all New Wave tools and objects. Tools are resources (e.g., printers), represented on the desktop as three-dimensional icons. Objects are data (e.g., files) of specific types (e.g., applications), which may in turn contain other objects.

People familiar with the Macintosh or the old Xerox Star will find New Wave easy to work with—much more so than Windows itself. You throw things away by dragging them to the trashcan (later, you can root through the trashcan or empty it). You put files in folders by dragging them to the folder icon. You put folders in the file cabinet by dragging them to the cabinet icon. You print a file by dragging it to the printer icon. You open a folder, file, or any object by double-clicking on its icon.

New Wave also has helpful *agents*, which are scripts for automating activities. (The agent icon wears FBI-ish sunglasses, a little pun.) New Wave also has *bridges*, its own version of the .PIF file that contains the information on how to run both DOS and Windows applications. (Bridges are much more complex and important than .PIF files.) And New Wave has *object containment links* (described below).

While OLE requires you to choose between embedding and linking at each step of producing a compound document, New Wave links between parent and child objects with a more integrated strategy: object containment links. These are internal links to external files, the information maintained in a database. As long as you use New Wave (rather than DOS or Windows) to work with New Wave documents, your links are unbreakable, even when you send documents across a network.

New Wave's intelligent database, the Object Management Facility (OMF), maintains linkages using a second *name space*, a second file-system directory that maintains its own list of New Wave-style filenames and the DOS paths to them. (You can convert documents to and from DOS files.) In the far future (with Windows 4.0 and DOS 6.0), Microsoft file systems will maintain linkages in a single name space. Microsoft is not likely to ship such an object-oriented file system before 1992, and in any case, it will require the Installable File System capability scheduled for inclusion in DOS 6.0.

New Wave is reliable with the current DOS file system, and it is fully hierarchical. New Wave objects can be moved into folders, and folders can be moved into the file cabinet. Objects can be contained in other objects, and they can be shared. You can use a single TIFF image in multiple New Wave Write documents and also have the image available from the New Wave Office desktop as an icon.

continued

HIGHEST QUALITY

BEST PRICE- PERFORMANCE

486/33 MHz EISA w/64K Cache	\$4131
486/25MHz w/8Kcache	\$1949
386/33MHz w/64K cache	\$1199
386/25MHz w/64K cache	\$1082
386/25MHz	\$997
386SX/20MHz	\$920
386SX/16MHz	\$669
286/12 MHz	\$499

Features: 1MB w/o wait state, 1.2 or 1.4 MB floppy drive, 1 parallel/
2 serial ports, 101 Keyboard, Floppy/IDE controller & 200W power supply



MOST EXTENSIVE **CUSTOMER SUPPORT** IN PC INDUSTRY

- One-year on-site Warranty
- Toll-free technical hot-line
- 30-day money back guarantee
- On-site maintenance by TRW throughout USA and Canada
- Free Installation of DOS if purchased with system
- Other software loaded at our low hourly rate

**Nationwide
Training in
home/office.
Start-up course,
only \$99.**

- 1 hrs operator training in home/office (up to 4 persons) **\$99**
- Network design and installation
- Two and three year on-site extended warranty
- Driver and Application Software written
- Free Installation video tape

HARD DRIVE OPTIONS

IDE	ESDI w/ controllers
40 MB\$ 257	150 MB\$1,283
80 MB422	340 MB1,770
100 MB569	650 MB2,711
120 MB597	SCSI
179 MB786	1 GB\$5,580
200 MB879	Erasable optical cartridge

DISPLAY OPTIONS (price includes monitor & adapter)

12" Mono TTL, 720 x 350\$135
14" Mono VGA, 640 x 480257
14" Color VGA, 640 x 480	.52384
14" Color VGA, 640 x 480	.41425
14" Color VGA, 1024 x 768	.28519
16" Color VGA, 1024 x 768	.31933
20" Color VGA, 1024x768	.311948

LOW COST PRINTERS

4 PPM	Okidata Laser	\$741
8PPM	Postscript Laser	2,254
9 Pin	NX-1001	149
24 Pin	NX-2420	call
Free 6 Foot Parallel Cable Included		
Other Models Available		

GSA SCHEDULE PRICES FOR ACTIVE/RETIRED MILITARY & FEDERAL EMPLOYEES

Federal/Military/Active/Retired employees, with proper ID, are invited to purchase computers at Iverson's GSA prices...the government's own special prices. GSA price offer limited to GSA schedule products. (Contract prices established by subsidiary, International Technology Corp., with GSA Contract Number: GSOOK90AGS5276. Some configurations not available on GSA contract.) Call to receive GSA quote or to place an order.

ORDER TODAY

1-800-444-PC90

**EXPERIENCED
SUPPORT**

SINCE
1978

**FINANCIAL
STRENGTH**

CURRENT
ASSETS
(9/30/90)
\$17 million

P.O. Box 6250 • 1356 Beverly Road
McLean, Virginia, 22106-6250

IVERSON COMPUTER CORPORATION

A Subsidiary of

IVERSON TECH

If there is a problem with New Wave, it is that relatively few applications are available that fully support it. Why is this the case? For one thing, New Wave was not very practical for end users before Windows 3.0 was introduced. For another, New Wave development has been difficult: Most developers had difficulty getting their applications working as stand-alone applications under Windows, a few hardy souls implemented DDE and Clipboard transfers, and only the bravest went on to support New Wave. Developing a program that is part of a larger system is very different from developing a program that is a "thing unto itself," alone in its own universe.

HP is currently working hard to make New Wave support easier for developers to implement. The company is enhancing New Wave's bridge capability to stay ahead of OLE, but it is hedging its investment by redesigning the New Wave developer's kit so that applications supporting OLE will need very few changes to also support New Wave.

OLE Implementation

As it is currently designed for Windows and Presentation Manager, OLE manages compound documents using the Clipboard and DDE. Copy commands offer multiple formats to the Clipboard in order of their fidelity (the most preferable ones first). Applications that want to use the Clipboard should specify a format as well as content. An application wanting to paste from the Clipboard should take the first object with an appropriate format. (You wouldn't, for instance, paste a picture where text was expected.) Link is one of the possible formats on the Clipboard; it is offered only if the copying application can act as a DDE server.

Along with standard, descriptive formats like Rich Text File and BIFF, applications can use native formats for private data, and OwnerLink formats for embedded objects. Native and OwnerLink data can be handled by object-specific libraries; the "viewer DLL" concept helps to make OLE more object-oriented and extensible than ordinary DDE.

Suppose you are writing an OLE-compliant application that supports compound documents. You have in the middle of your private data format a "foreign" format—the embedded object. Somehow you have to connect this unknown format with a server that knows about this object.

The information on what server handles what formats goes in a central registration database. In the beta-test version of OLE, the registration database is just a few lines in WIN.INI. The final implementation, however, will have a real database to handle registrations, presumably to efficiently look up the hundreds—or thousands—of OLE servers that will become available.

Clients and Servers

An application that wants to receive or contain data from another application is called a *client* or a *container*. An application that can provide the data or edit an embedded object format is called a *server*. This terminology isn't much changed from that of DDE clients and DDE servers. But a few things have been added to make DDE work better; one of these is protocols.

For instance, the standard OLE protocol is called StdFileEditing. If a client has an embedded object that the user has double-clicked, the container sees that MyApp is the server for this object. Then the container checks that MyApp can support StdFileEditing with an OLE library call:

```
if(EcdCreateFromClip("StdFileEditing",
    pStruct,&lpObj,
    option,cfFormat)==ECD_OK) {
    <actually do the editing>
}
```

As you can see from the above code, OLE library calls begin with the prefix Ecd and return a status defined with the prefix ECD_. ECD stands for Extensible Compound Document, which was one of the many early names for OLE.

The OLE interface makes heavy use of a table of function pointers, called a vtbl, and a pointer to this table, called a vptr. The return codes from all the OLE functions are an enumerated type (ECDSTATUS) with values ECD_OK, ECD_ERROR_MEMORY, and so on. A general object structure, struct _ECDOBJECT, is provided for internal use by the libraries; client applications work with a long pointer to the object rather than the object itself.

Client applications provide a callback function so that servers can notify them of events that need action: for instance, notification that the object has changed and must be redrawn. Clients also provide streams that the library can use for loading and saving objects. OLE provides three different rendering options: The client can do all the drawing of objects, it can let the library manage the data, or it can let the library manage both the drawing and the data.

The OLE library includes functions for managing the Clipboard, managing links, doing file I/O, creating and manipulating objects, and rendering objects. *Handlers* specific to each object implement the details of many of these functions; the appropriate handler is called by the OLE library through a function table pointer (the vptr mentioned above).

Most of the library functionality is embodied in *object methods*. An object method has the same arguments as the corresponding application programming interface function; a handler may override any of the method functions. For instance, the API function

```
ECDSTATUS FAR PASCAL
EcdDraw(lpObject,hDC,lpBounds,hFormatDC)
```

has a corresponding method:

```
ECDSTATUS (FAR PASCAL *Draw)
(lpObject,hDC,lpBounds,hFormatDC)
```

whose pointer is kept in a vtbl.

An OLE server has only one API: EcdRegisterServer. For the most part, a server is a supplier of methods. The client application calls the OLE library with requests, and the OLE library in turn invokes methods supplied by the server.

In the current implementation of OLE, links are done with DDE. Since all the client application does is call the OLE client API, and all the server application does is execute methods called by the OLE server library, the client-server implementation details don't matter. If a better communication method than DDE comes along in the future and the OLE dynamic link libraries change, it shouldn't matter at all to applications using the libraries.

FOR MORE INFO

HP New Wave ISV
Support Group
Hewlett-Packard
3410 Central Expy.
Santa Clara, CA 95051
(408) 773-7799
Circle 1081 on Inquiry Card.

Microsoft ISV Support Group
Microsoft Corp.
One Microsoft Way
Redmond, WA 98052
(206) 882-8080
Circle 1080 on Inquiry Card.

New Wave Implementation

In contrast to OLE's reliance on DDE, New Wave relies on the OMF for managing application-data binding, information links, and object integration. The object hierarchy descends from the New Wave Office desktop through office tools (e.g., a file cabinet), container objects (e.g., a file folder), compound objects (e.g., a compound New Wave Write document), and simple objects (e.g., a piece of text, a chart, or an image).

The OMF keeps track of object relationships through *information links*. Each link has a *parent* (the container, corresponding to an OLE client) and a *child* (the contained object). Information links are managed entirely within the OMF; there is no need for DDE in New Wave, nor is there any need to physically copy or embed data, since the OMF information link is quite robust. An information link is both *dynamic* (like OLE linking) and *persistent* (like OLE embedding).

In addition to simple containment links, OMF supports *views*, which are links combined with additional information that the child will pass to the parent on request or when the data is updated. *Visual views* allow the child's application to display information in the parent's window. *Data views* pass the underlying data from child to parent, after which the parent is responsible for displaying the data.

New Wave applications communicate with other New Wave applications, New Wave system services, Microsoft Windows, and the OMF via *messages*. Normally in Windows, messages are passed only to active programs. OMF enhances the Windows message-passing facility by automatically launching inactive programs when they are the recipient of a message. Effectively, a New Wave program can send a message to any object and be sure that the message will arrive whether or not the object's associated code is currently loaded.

New Wave messages are quite general; individual objects need to supply *methods* to implement any appropriate messages. A New Wave object *supports* each message for which it has a method. Messages are sent among applications via the OMF's interobject message facility; interobject messages are addressed using the sender's reference name for the recipient, the message type, and message parameters. The OMF returns the status to the sender after the message has been delivered and the appropriate action taken.

In addition to the OMF, New Wave has APIs for *agents* (a systemwide task-automation facility) and CBT (computer-based training), as well as for context-sensitive help. Agent Tasks in particular offer a high level of flexibility and automation to the end user.

There is no question that, because of Microsoft's influence on PC users, OLE will achieve acceptance. But HP's New Wave is tried and true and will always offer users at least one more feature than OLE. With HP finally delivering New Wave for Motif, the company is offering its design to the largest growing base of new systems as well. Both OLE and New Wave are winners.

New Wave adds a lot of useful functionality to Windows, at the expense of some extra overhead. OLE will add some of the same features as New Wave, primarily compound documents. But even if OLE is widely implemented, New Wave will offer extra features: object management, agent scripts, and so on. The ideal strategy for developers wishing to play in the new "information at your fingertips" arena is to write applications to fully support both OLE and New Wave. ■

Martin Heller, a contributing editor for BYTE, is a software developer. He is currently writing an advanced Windows programming book. You can reach him on BIX as "mheller."

Make Your Best Work Look Its Best!

Name	Definition
Gamma	$\Gamma(z) = \int_0^{\infty} t^{z-1} e^{-t} dt$
Sine	$\sin(x) = \frac{1}{2i}(e^{ix} - e^{-ix})$
Error	$\operatorname{erf}(z) = \frac{2}{\sqrt{\pi}} \int_0^z e^{-z^2} dz$
Bessel	$J_0(z) = \frac{1}{\pi} \int_0^{\pi} \cos(z \sin \theta) d\theta$
Zeta	$\zeta(s) = \sum_{k=1}^{\infty} k^{-s} \quad (\Re s > 1)$

PCT_EX Typesetting Software

For professional publishing and the power to produce high-quality technical documents, scientific notation, mathematical formulas, and tables, rely on PCT_EX to make your work look its best.

The next step beyond standard desktop publishing, PCT_EX is the difference between average and expert. You'll get professional typesetting at amateur prices.

PC MAGAZINE wrote: "(With PCT_EX)... you can achieve incredible precision in formatting text, especially mathematical expressions."

INFOWORLD said: "No non-T_EX-based program has such typographical aesthetics... enormously flexible..."

New PCT_EX 3.0, with double the page-building capacity, is now available. For 386 computers, there's PCT_EX/386 and Big PCT_EX/386.

For a free product catalog and demo diskette call 415/388-8853. See the best for yourself!

Europe: (31) 703237241 • (49) 24167001 • (49) 80248011
(49) 73126932 • (44) 742351489 • (39) 290091773
Asia: (886) 35265521 • Australia: (61) 34599671

PERSONAL
T_EX
INC

12 Madrona
Mill Valley, CA 94941
Fax: (415) 388-8865

PCT_EX is a registered TM of Personal T_EX, Inc. T_EX is an American Mathematical Society TM. Site licenses available to qualified organizations. Inquire about PTI distributorships. This ad was typeset using PCT_EX and Bitstream fonts.

Discover Parallel Processing

Quadputer™

The Microway Quadputer is the world's most popular PC Transputer development environment. It can be purchased with two to four Transputers and one to four megabytes of RAM per processor. The Quadputer runs all the popular Transputer development software, all of which is available from Microway. It is compatible with our Monoputer™ which provides 1 to 16 megabytes of RAM and a single T800, our Videoputer™ which comes in VGA and higher resolution versions and is powered by a memory mapped pair (T800 and 34010), and our Linkputer™ whose cross bar switching network can dynamically link up to 32 Transputers. Finally, all Microway Transputer products can be used with our Number Smasher-860 to provide out-of-this-world numeric performance!

For more information, please call 508-746-7341.

Microway

The World Leader in PC Numerics

Corporate Headquarters, Research Park, Box 79, Kingston, MA 02364
TEL 508-746-7341 • FAX 508-746-4678
U.K. - 32 High St., Kingston-Upon-Thames, 081-541-5466 • Italy 02-74.90.749
Holland 40 836455 • Germany 069-75-2023 • Japan 81 3 222 0544

Number Smasher® 860

The highest performance coprocessor card to ever run in a PC, Number Smasher-860 delivers up to 80 million single precision floating point operations per second at 40 MHz and produces over 10 Linkpack megaflops. The board comes standard with an ISA interface, two Transputer Link Adaptors that allow it to interface with a Microway Quadputer or Videoputer, your choice of our NDP Fortran, C or Pascal for the 80860, plus 8 megabytes of high speed memory.

NDP Fortran-860, C-860 and C++-860

Microway NDP 860 Compilers make it easy to recompile your favorite mainframe, 80386 or PC application for the 80860. The resulting code runs on our XTEND-860™ environment under DOS, UNIX or XENIX.



Desktop Prototyping

Amazing new technologies make building solid 3-D models as easy as printing out a document—using personal computers

Lamont Wood

If you're involved in industrial design, your CAD files may be your bridge to the future. Or they may anchor you to the past.

That's because new technology is emerging that lets you create objects on-screen. Once your design is finished, you can produce a three-dimensional physical model of the object (up to a cubic foot in size), much the same as you use a laser printer with desktop publishing software to create a facsimile of a printed page.

All you have to do is transmit the CAD data in a special format to a *rapid automated prototyping* or *toolless model-making* machine (the field is so new that the terminology is still not settled). Using one of several processes, this machine will "grow" your model from raw material, untouched by human hands.

So far, the new technology is used mostly for making industrial design models (or *prototypes*) out of plastic or investment casting wax (i.e., wax that is melted away to create a mold). Such models are integral to the industrial design process, either for "form, fit, and function" testing or just for aesthetic visualization.

Making a complex model by hand or by numerical-control (NC) milling machines can take weeks and may have to be redone for each stage of the design process. Rapid automated prototyping, however, allows even the most complex prototypes to be made overnight—an advantage so compelling that this process is already being widely used in the automotive, aerospace, and medical fields. Experts agree that anyone in the design field is likely to encounter this technology in the next few years.

That also means that many industrial design organizations will have to update their methods, since 2-D CAD is not adequate for the process of rapid automated prototyping. Even 3-D wireframes are usually not adequate. Generally, you need 3-D surface models, and solid-object models are still better, if only because you don't have to worry about whether the surfaces of the models have gaps in the corners. (Solid-object models contain information about what's in-

side an object, rather than just what appears on the surface of the object.)

From Screen to Reality

There are several approaches to toolless model-making, but generally, the process starts with a workstation CAD design that is output to a file using a special format. This format, called STL (for *stereo-lithography*, a technology used to produce models), is supported by over 40 CAD packages.

Using an approach similar to one that many CAD packages use to draw surfaces of on-screen images, an STL file defines the surface of an object as a set of interfacing triangles. Each triangle is defined with three vertices and a *normal*, which identifies which side faces out and which faces in. The STL file can use any unit of measure as long as there are no zero or negative coordinates.

The file is then fed to the toolless model-making machine, which generally has a powerful microcomputer for its controller. The controller uses special software to "slice" the object described by the STL file into cross sections, or layers. The machine then uses one of several techniques to deposit a material in a container in a precisely controlled manner, building the defined object one layer at a time (see the figure).

If cross sections of an object are taken at random points in the process, they may produce unconnected "islands." Therefore, some techniques will require that you add thin webbing to a design to keep the object

BYTE ACTION SUMMARY

Now you can create small 3-D models from a personal computer, just as you can use a printer to create 2-D images—but the units aren't cheap, and it's best to have a CAD system that uses solid-object modeling.


together during construction. You peel off the webbing later in the process.

Aside from the size restriction and the limited range of materials that can (so far) be used, the main limitation of toolless model-making is the tolerances that can be achieved. A model that will be used for a production mold will typically require tolerances of $\frac{1}{1000}$ inch or better. Tolerances claimed for toolless model-making machines, meanwhile, average about $\frac{1}{200}$ inch. Skilled operators, however, have been known to produce small models that could go straight into production.

Stereo-Lithography: Printing in 3-D

The leading technology in the field of rapid automated prototyping is stereo-lithography. This process was pioneered in 1987 by 3D Systems (Valencia, CA)—the company that created the STL file format.

In stereo-lithography, an ultraviolet laser scans the first layer of a sliced object onto the surface of a vat of a special resin. The resin polymerizes (solidifies) when it is hit by the ultraviolet light. The system then lowers the model slightly into the tank and scans the next layer. This process continues, adding layer



Rapid automated prototyping, a technology that is now available on microcomputers and workstations, lets you build prototypes from solid-model CAD drawings—just as you use a printer to create 2-D printouts of screen images.

NO CHARGE!

We Added...to DesignCAD 3D version 3.1: A Basic-like programming language entitled BasicCAD. We added new commands. We added hardware support for dozens and dozens of new devices. We made hundreds of overall internal enhancements!

We improved the manuals, the packaging and the speed.

How much extra did we charge? Nada. Nothing. Zip. No extra charge at all.

Oh, sure...our accountant said we could increase the price. Our lawyer said there was no legal reason not to charge more. A minister said we had no moral obligation to keep the same price!

So, why didn't we raise the price for DesignCAD 3D version 3.1?

Because...in the Great American Tradition we said

"Aw...What the Heck. Let's see the other guys beat this price!"

DesignCAD 3D version 3.1 sells for \$399.

Does this include everything? Yes. We include everything! The programming language, the hardware device drivers (more than 450), built-in shading capability, hidden line removal capability, solid-object modeling capability, translators to-and-from other file formats, are all included!

How can you afford to sell a program like this at such a low price?


This is our most often asked question. We have a simple answer. Volume. We sell thousands of these programs each month! If we were to charge thousands of dollars per copy (like our competitors) we would restrict our sales to the professional trades only.

By lowering our price we sell to professional architects and engineers as well as the ordinary individual! Many ordinary individuals purchase DesignCAD 3D for personal projects. Many people purchase DesignCAD 3D and perform CAD

Drafting at nights and on weekends as a second job!

People design "dream homes" and "widgets".

The uses are limited only by YOUR imagination!



If there ever was a CAD program out to prove that AutoCAD, CADKEY, VersaCAD, and other \$3000 programs are overpriced, it's DesignCAD!

(MicroCAD News review)

**DesignCAD 3D
\$399**



December 11, 1990
DesignCAD 3D, Version 3.1



American

Small Business Computers, Inc.
327 South Mill Street • Pryor, Oklahoma 74361
(918) 825-4844 • FAX (918) 825-6359

Remember - American Small Business Computers also sells a 2D version of DesignCAD. It costs only \$299! Write or call for FREE brochures that will help you determine which program best suits your need.

Circle 24 on Inquiry Card.





Photo 1: Selective laser sintering, a process developed by DTM, starts with a surface model CAD design (a). A laser then "welds" together particles of wax or plastic (b) to create a single cross section of the model. The system builds layer upon layer to create a model, which is used to make the finished object—in this case, a gear (c).

upon layer, until the model is finished. You must add webbing to your design to keep parts from floating away, and the object has to be cured after the modeling is finished. 3D's machines range in price from \$95,000 to \$385,000 and use 386 computers as system controllers.

Another stereo-lithography machine uses a slightly different technique: Instead of lowering a model into a vat, it raises the resin level. This \$195,000 system from Quadra Laser Technologies (Portsmouth, RI) uses a more powerful visible-light

Prototyping service bureaus still receive design files in every conceivable format, including on the backs of envelopes.

laser that partially cures each layer as it goes along. The system also controls the diameter of the laser beam, making it thinner for drawing a perimeter and thicker for filling an interior. The Quadra unit is controlled by an i486 CPU and accepts STL input as well as input directly from I-DEAS, a solid-object modeling CAD software system from Structural Dynamics Research Corp. (SDRC) in Cincinnati, Ohio.

Another, more elaborate version of stereo-lithography is available from Cubital (Herzlia, Israel). The company's \$490,000 Solider 5600 makes models with the "solid base" curing process. This process exposes each layer of polymer resin to powerful but conventional ultraviolet light through a photomask. The system makes a new mask for each layer using electrostatic toner. The ultraviolet light is powerful enough to cure each layer of polymer immediately. After curing, the system removes the unpolymerized resin and replaces it with molten wax. It cools the new polymer-wax layer and mills it to the correct thickness. Then the next layer of polymer is deposited, and that new layer is treated the same as the one before. When the model is finished, the wax is washed or melted away.

Despite the number of steps in this process, the Cubital machine can deposit 60 to 100 layers per hour, each with an average thickness of 0.15 millimeter. The unit is controlled by a VAXstation 3100 over an Ethernet connection. Cubital accepts STL, SDRC, and other CAD formats but converts them to its proprietary Cubital Facet Language format. Because the wax supports any floating pieces until they are attached, designs do not need webbing.

Sintering and Plotting

An entirely different approach, called *selective laser sintering*, comes from DTM (for *desktop manufacturing*) of Austin, Texas. This technology involves depositing a layer of fine powder (usually investment casting wax or plastic) in a container and heating it nearly to the powder's melting point. A powerful laser then *sinters* the powder—welds the particles together without melting them—to produce a cross section of the desired object. Another layer of powder is then deposited, and the next cross section is produced (see photo 1). This is followed by

How to make the work go faster
and the money go slower.



NEC PowerMate 386/25S. The affordable entry to high performance 386 processing.

For advanced applications like CAD/CAM, presentation graphics or financial modeling, you can't go wrong with the PowerMate® 386™/25S.

For far less than comparable 386 systems, you get 25MHz speed, 2MB of RAM (easily expandable to 16MB via SIM modules) and a 32K memory cache. You also get something you can't get from anyone else at any price:

NEC. For more information call 1-800-NEC-INFO.

© 1990 NEC Technologies, Inc.

C&C
Computers and Communications

NEC

Circle 224 on Inquiry Card.



Photo 2: The 3D Modeler from Stratasys deposits a filament of melted plastic—much as a pen plotter creates a 2-D drawing—of objects as simple as the head of a golf club (top, model on left, finished club on right) or as complex as a turbo fan (bottom).

more layers until the object is complete.

Since the unused powder supports overhangs, the system needs no webbing. But the major attraction of the process is that it could conceivably be used with metal as well as plastic and wax, allowing you to make working parts on demand. That, however, appears to be several years away.

The DTM unit is controlled by a 386 microcomputer running Unix, and it accepts input in the STL format. DTM hopes to be selling end-user machines next year.

Meanwhile, a start-up company has entered the field—with a technology that has attracted immediate attention because of its comparatively low price and because it does not use exotic chemicals or heat. The 3D Modeler from Stratasys (Minneapolis, MN) is basically a pen plotter that deposits a filament of melted plastic or investment casting wax instead of ink (see photo 2). The device moves at 15 inches per second, building a model of up to 1 cubic foot through successive laminations.

The Stratasys Unix-based slicing software is a subset of the CAM system marketed by CAMAX Systems of Minneapolis and can accept standard NC codes, IGES files, and STL files. Due to the way the unit deposits material, you don't need a surface model; 3-D wire-frame CAD models will suffice. The 3D Modeler does, however, require webbing for unsupported subsections.

Stratasys is offering its 3D Modeler with a base price of \$130,000. The unit's software can run on Sun Microsystems, Silicon Graphics, Hewlett-Packard, or IBM RISC System/6000 workstations, or it can be purchased with its own Silicon Graphics Iris workstation for \$178,000.

Prototyping the Future

In the days to come, vendors of rapid automated prototyping equipment will be shooting for better tolerances, lower prices, and a larger market. Another likely major development in the field is an enhancement or replacement of the current STL file format. That's because STL is too limited for the things manufacturers would like to do.

"The approximations it uses keeps us from hitting the tolerances we are working toward," says Ray Hill, general manager at Quadrix. Hill notes that curves are often hard to fit with triangles. Also, for the purpose of adding "offsets" to various curves (to compensate for expected shrinkage during curing), it would be nice if the file description could divide the object into its geometric components. "But with STL, a cross section of an object looks like one entity—a cross section of a box is seen as one line instead of four." Quadrix is working on a replacement for STL but hasn't released details.

Others feel that STL, while not perfect, is better than nothing. Kent Nutt of DTM says, "I agree that STL is not adequate, but it's a good first step, and we need an industry standard right now." Nutt noted that most CAD packages that support STL let you set the resolution, allowing you to use more and smaller triangles for complex surfaces. Of course, this takes more disk space and processing time.

Another change that will need to occur is among users, who do as much as three-fourths of all design work with 2-D CAD systems. (Operators of rapid prototyping service bureaus report that they still receive design files in every conceivable format, including on the backs of envelopes.)

Al Cassista, principal engineer at DEC in Maynard, Massachusetts, says, "Rapid prototyping is only a small part of the things possible because of solid-object modeling CAD. Thanks to the volumetric information it gives you, you can do tolerance analysis, play what-if games for manufacturing, or try different materials before making the part."

Cassista admits that DEC was markedly unsuccessful in promoting solid-object modeling until they were able to demonstrate these other types of analyses. Once they did, they saw a migration to solid-object modeling.

Today, you can actually have a 3-D prototype of your CAD creation on the table the day after you design it, while someone without a rapid automated prototyping system may work for months to get their design off paper. That's why, according to Structural Dynamics' Chuck Kuess, "we see a tremendous need among our customers for rapid prototyping, and we have to believe that the customers of other CAD vendors are similar to ours. It's a small field today, but we think it will become big. It will be something you encounter more and more often in the design field." ■

Lamont Wood is a freelance writer specializing in high technology. He can be reached on BIX as "lwood."

"With on-site service included, these Zenith Data Systems PCs give me total confidence for the future."



ZENITH DATA SYSTEMS INNOVATES AGAIN™

Now the Total Performance • TotalCare Bonus gives you on-site TotalCare™ Service with eligible Zenith Data Systems PCs!

Today, you need confidence that the PCs you choose can carry your business into the future and stay up and running when you need them. That's why some of our most advanced desktop PCs are now available with a very special feature—one full year of on-site TotalCare Service* at no additional charge.

TotalCare protects your PC investment. Just one toll-free call to our 24-hour National Response Center puts you in touch with a North American network of over 2000 employees. And if you need on-site service, an experienced Customer Service Engineer will travel to your business to make things right—the next day in most cases! You can even purchase TotalCare contracts to cover other manufacturers' products.

This special offer includes hard drive models of the Z-386SX/20™ PC, the Z-386/20™ and Z-386/25™ Workstations, the Z-386/33E™ File Server and the Z-486/25E™ Personal Workstation. All come with MS-DOS® 4.0 and Microsoft® Windows™ version 3.0 pre-installed, plus a Microsoft Mouse.




Add our award-winning Flat Technology Monitor, or our advanced 16" (15" v) high-resolution monitor for our Z-486/25E, and you've got *The Seamless Solution*—our formula for total performance in today's graphical computing environment.

But you'll have to hurry to take advantage of the *Total Performance • TotalCare Bonus*—offer ends May 24, 1991.

For more information and the name of your Zenith Data Systems Representative, call 1-800-523-9393.

Z-386SX/20 PC



ZENITH
data systems



Groupe Bull

*See TotalCare Service agreement and call your Zenith Data Systems representative for details. One year on-site service also good on monitor when purchased with eligible PC. A predetermined cash amount may be substituted for one year on-site service. Graphics simulate Microsoft Windows version 3.0, a product and trademark of Microsoft Corporation. Intel 386SX, 386 and i486 are trademarks of Intel Corporation. MS-DOS is a registered trademark of Microsoft Corporation. TotalCare is a trademark of Bull HN Information Systems, Inc. Copyright © 1991, Zenith Data Systems Corporation.

Circle 346 on Inquiry Card.

Objective dBASE programmers try C++


Use CodeBase++ with C++ to build multi-user, dBASE compatible programs. Take advantage of object orientated programming to quickly create maintainable, readable software.

dBASE Compatible

Use CodeBase++ classes to access and change the data, index and memo files of dBASE IV and III. Use other classes to manipulate strings, sort at high speed, perform date arithmetic, evaluate dBASE expressions, manipulate linked lists and manage memory.

Portable

Port your programs between DOS, Microsoft Windows, and OS/2. Keep all the profits as you distribute your programs royalty free.



Fast

Watch as your C++ programs execute much faster than corresponding dBASE, Clipper or FoxPro programs. Be surprised at the small executables and low memory requirements. Examine the C++ source code, which is completely included, to learn good object orientated programming techniques.

Order Today

Order today at \$295 and discover why Sequiter Software Inc. and most dealers offer a 60-day money back guarantee.

SEQUITER
SOFTWARE INC. 

Call (403) 448-0313

Fax (403) 448-0315

P.O. Box 5659, Station L, Edmonton, Alberta, Canada T6C 4G1

Data Acquisition: PCs on the Bench

Data acquisition tools have migrated from specialized test equipment
to general-purpose personal computers

NICHOLAS BARAN

Measuring and analyzing real-world conditions has always been a major component of research, design, testing, and manufacturing. Whether you are measuring voltage, temperature, pressure, or other physical phenomena, data acquisition is the process of converting sensor or transducer signals into data that can be processed and analyzed on a computer (see figure 1).

While data acquisition can be broadly defined as including sound and image processing, these categories of data acquisition have become separate technologies in their own right and were covered in detail in the In Depth section of the December 1989 BYTE. Here, I'll focus primarily on data acquisition using personal computers and workstations—that is, data acquisition in the laboratory as it applies to physical phenomena other than sound and images.


Before the advent of the personal computer, data acquisition was primarily the domain of expensive and specialized test equipment, as well as minicomputers and mainframes. But the personal computer has changed all that. While early 8-bit personal computers had limited data acquisition capabilities, today's 16-bit and 32-bit machines offer the power and flexibility to handle the great majority of data acquisition tasks. Chart recorders and oscilloscopes are giving way to graphical displays on personal computers connected directly to the physical experiment or environment, displaying the physical data in real time.

The photo shows a real-time measurement system using a Mac IIx running National Instruments' LabView software. The system monitors and controls furnace temperatures aboard a NASA KC-135 aircraft to test near-zero-gravity high-temperature superconductor materials. A video image of the material inside the furnace is displayed, as are the voltage being applied to the

furnace, the temperature of the specimen, and the gravity level during the experiment.

Data acquisition boards are available for all types of personal computers and workstations. Dozens of manufacturers make boards for all major bus architectures, including the XT and AT, Micro Channel, NuBus (Macintosh), Multibus, VME, and SBus.

Boards vary greatly in performance and capability; they range from simple 8-bit boards for XTs to 32-bit boards with coprocessors or digital signal processors (DSPs) and digital I/O capabilities. You can obtain data acquisition boards that not only acquire data but also control equipment depending on the data readings. External data acquisition instruments







Figure 1: Data acquisition involves measuring some physical phenomena, such as temperature, pressure, or voltage (left), using sensors or transducers. The captured signals must then be conditioned, either by a separate unit (top) or by one built into a stand-alone data acquisition unit (bottom). The signal is then converted to digital form, and the data is manipulated and displayed on a computer equipped with data acquisition software.



A Mac IIx running National Instruments' LabView monitors and controls furnace temperatures aboard a NASA KC-135 aircraft used to test near-zero-gravity high-temperature superconductor materials. (Courtesy of National Instruments)

that connect to the personal computer or workstation are also available.

The appropriate data acquisition system depends on the desired type of application. For a simple temperature-measurement application, you can make do with an 8-bit XT board, while for a high-frequency vibration analysis, you need a high-performance 32-bit system.

Some applications require an external data acquisition instrument that connects to the host computer instead of an internal plug-in board. I'll discuss performance requirements and the pros and cons of internal versus external data acquisition systems in more detail later.

There are many methods of transmitting information from a physical system; for example, a simple electromechanical relay

can indicate an open or closed circuit. But, regardless of the application, a data acquisition process is composed of four basic components:

- measurement of the physical conditions using sensors or transducers
- conditioning the signal (e.g., amplification, linearization, and buffering)
- A/D conversion of the signal
- interface to the computer (usually includes both hardware and software)

Sensors and Transducers

Although there is a wide variety of sensors on the market, most fall into a few major categories. Probably the oldest and one of the most common types of sensors is the *thermocouple*. A thermocouple is a junction of two dissimilar metals that produces a voltage dependent on temperature.

In a thermocouple, the relationship between output voltage and temperature is nonlinear and is dependent on the cold-junction temperature of the thermocouple. *Cold-junction temperature* is a baseline temperature from which all measurements must be taken. Therefore, thermocouple manufacturers provide specifications for linearizing their output. Many data acquisition systems are set up to automatically perform the linearization for particular thermocouple types. Standard industry thermocouples (e.g., types J, K, and T) are available that operate within various temperature ranges.

Variable resistance sensors include strain gauges, resistance temperature detectors, and voltage, current, or frequency detectors. As their name suggests, variable resistance sensors measure a specific physical quantity (e.g., temperature or pressure) by changing their resistance. For example, you can use strain gauges to measure pressure, force, or displacement—they measure the resistance (or output voltage) as a function of the applied load. The strain gauge is calibrated so that a particular voltage reading corresponds to a particular displacement. Once the displacement is known, other quantities, such as force or pressure, can be calculated.

Signal Conditioning and A/D Conversion

Transducers or sensors generate an electrical signal that usually requires some form of conditioning before it can be processed by the A/D converter and other processing components of the data acquisition hardware. The most frequent type of conditioning involves the amplification of the signal (which is usually accomplished by means of a gain amplifier), so that the voltage of the signal is within the voltage sensitivity range of the ADC.

For example, an ADC may have a sensitivity range of 2.44 millivolts; that would indicate that the ADC can detect a voltage change of 2.44 mV. However, the signal from the transducer may transmit a voltage change of only 0.025 mV. In that case, the programmable gain amplifier in the data acquisition system would be set to 100 to amplify the signal enough for the ADC to detect it.

As I mentioned earlier, conditioning can involve the linearization of the signal as well as isolation, buffering, or attenuation. For example, signals from the transducer could change more rapidly than the ADC can process them. In this case, a sample/hold (S/H) circuit would be employed to buffer the signal and hold it to a constant value until the A/D conversion is complete.

The ADC's job is to take the analog output from the signal conditioner and transform it into binary code that the computer

can process. Signal conditioning is a process that is tightly coupled with the ADC, which is the heart of the data acquisition system. In other words, conditioning components such as the gain amplifier and the S/H circuit are designed to work with a specific ADC.

The ADC's the Key

The ADC specifications largely determine the performance and accuracy of the data acquisition system. These features include the resolution (number of bits), sampling rate (speed), accuracy, input and dynamic range, linearity, and noise rejection capability. Obviously, these factors determine the cost of the ADC. Covering all these factors in detail is beyond the scope of this article, but I'll take a brief look at resolution, sampling rates, and noise rejection.

The resolution is the number of bits (usually 8, 12, or 16) used to represent the analog signal. It determines the voltage sensitivity, also called the least significant bit, or the code width of the ADC.

You can determine the voltage sensitivity by dividing the voltage range by the total binary range (represented by the number of bits). An 8-bit resolution represents a range of 256 (2^8), while a 16-bit converter has a binary range of 65,536. If, for example, a converter's voltage range is 0 to 10 volts, an 8-bit converter would have a sensitivity of 10 divided by 256, or 0.0391 V (39.1 mV). A 12-bit converter would have a sensitivity of 2.44 mV, while a 16-bit converter would have a sensitivity of 0.2 mV.

Coupled with a gain amplifier, the gain factor increases the sensitivity proportionally. For example, a gain of 100 would allow the 12-bit converter to pick up a signal of 0.0244 mV. Clearly, the type of signal that is being processed dictates the required sensitivity. You can handle most data acquisition tasks with either 8-bit or 12-bit converters and appropriate gain amplifiers.

The sampling rate, also called the throughput rate, determines how frequently the ADC can convert signals. The greater the sampling rate, the more accurately an analog signal can be represented. The Nyquist Sampling Theorem states that the sampling rate must be more than twice the rate of the maximum frequency of the signal being acquired. For example, audio signals can have frequencies as high as 20 kHz, requiring a sampling rate of at least 40 kHz. However, most laboratory applications require a sampling rate of under 25 kHz. The sampling rate is usually given for one channel; using multiple channels reduces the sampling rate proportionally. For example, a 20-kHz data acquisition board with two channels yields a sampling rate of 10 kHz per channel.

Noise rejection is another important factor in data acquisition applications. If the noise level in the system approaches the minimum voltage sensitivity of the ADC, the converter cannot

distinguish between noise signals and the actual signals that are being acquired. This condition results in errors and is more of a problem for plug-in data acquisition units than for external systems. The proximity of other boards, such as graphics and modem cards, can generate noise interference.

continued

BYTE ACTION SUMMARY

If you need to analyze or experiment with quantitative conditions, personal computer-based data acquisition boards may be for you.

Introducing a completely different way to create business applications:

GIVE YOUR COMPUTER A BRAIN.

The Brain is an incredible new system that will save you hours and hours of time and trouble in the creation of DOS business applications. Now you can forget about using high level languages in development and execution. With the Brain, you simply use plain, everyday English with no need for complex codes, testing, debugging or modifying. Programmers and non-programmers alike will be amazed at how much more your computer will do for you once it has a Brain. Call, write or FAX Ingenio today at (404) 441-1547 (FAX 404 441-1703) for a demo disk.

BRAIN

INGENIO

6025 The Corners Parkway, Suite 205, Norcross, GA 30092




Figure 2: The block diagram of a 12-bit data acquisition board for IBM PC compatibles. This is a plug-in board with four measurement input channels and a sampling rate of 1 million samples per second. (Courtesy of Keithley Metrabyte)

Putting It All Together

Acquiring the signal, conditioning it, and converting it from analog to digital are functions common to all data acquisition systems. Beyond these features, data acquisition systems vary considerably.

As you have already seen, the resolution, sampling rate, and number of channels can vary. In addition, some systems include additional circuitry such as counter/timers and digital and analog output functions, as well as on-board DSPs that provide floating-point operations independent of the host computer system. These features add flexibility and power to the data acquisition system.

Personal computer- and workstation-based data acquisition systems can be either internal add-in or plug-in boards. They can also be external front ends—such as those provided by John Fluke Manufacturing (Everett, WA). Among the manufacturers of personal computer-based internal boards are Contec Microelectronics (San Jose, CA) and Data Translation (Marlborough, MA). External front-end data acquisition systems are stand-alone devices connected to the personal computer via the RS-232 serial line. They can also be connected via a special

interface called the General Purpose Interface Bus (GPIB) or IEEE 488 bus (a major supplier of this device is IOtech, Cleveland, OH).

The IEEE 488 or GPIB has become the standard interface for data acquisition systems. This parallel interface provides a transfer rate of 1 megabyte per second and can support up to 15 devices simultaneously.

The RS-232 interface is a serial interface with a maximum transfer rate of 19,200 bps, and it can support only one device per port. However, it has the advantage of being built into virtually all personal computers and workstations, while an IEEE 488 board must be purchased separately.

Front-end systems usually have built-in signal conditioning and can support a large number of measurement channels. In addition, they have better isolation and noise rejection characteristics than internal plug-in boards. As a result, they can be used in higher-frequency applications. Another advantage to external devices is that you can access them remotely from the host computer; with plug-in boards, you must locate the host computer in the immediate vicinity of the physical experiment or test.

DATA ACQUISITION

While not as versatile as external front ends, internal plug-in boards are suitable for many applications. In general, plug-in data acquisition boards cost less than external devices, since they don't require separate power supplies and cabinets and support fewer channels and instrumentation. Figure 2 shows the block diagram of a data acquisition board for IBM PC compatibles with 12-bit resolution, four measurement channels, and 1 million samples per second.

Most internal data acquisition boards require separate signal-conditioning modules. Although some boards have built-in signal-conditioning modules for particular sensors or transducers, most users select separate signal-conditioning modules, depending on the application, to allow greater flexibility.

If you decide to use an internal data acquisition board for a specific application, make sure you carefully weigh the pros and cons, since such boards do have limitations. The physical size of the board's connection interface limits the number of measurement channels. In addition, when you run high-frequency applications, there may be crossover noise from other boards in the system.

Internal plug-in data acquisition boards are ideal for a specific application that is not expected to change over time and for which the internal board produces reliable and accurate results. External devices may be a better choice if you frequently change the measurement application—a situation that requires continual reconfiguration of the transducers and signal-conditioning modules.

The Software

The final component of the data acquisition system is the software. Traditionally, many engineers and scientists have written their own programs, in a high-level language such as BASIC or C, to interface with the test equipment. The IEEE 488 interface supports an ASCII command set, and there are operating-system commands for the RS-232 port that you can use to set up a software interface.

Nevertheless, the trend today is toward commercial software applications that manage the entire data acquisition process. Applications like LabWindows from National Instruments (Austin, TX) or ViewDac from Keithley Metrabyte (Taunton, MA) provide a full graphical interface with "virtual instruments" for simulating actual instrument control panels on the screen.

Most software applications include a development language for designing custom data acquisition interfaces. Commercial software applications generally support a wide variety of data acquisition boards and external devices with either RS-232 or IEEE 488 interfaces.

Data Acquisition: A Growth Market

The growth of the personal computer has mainly focused on personal and office productivity. But data acquisition in the laboratory is a rapidly growing technology that is ideally suited for personal computers and workstations, particularly as they gain processing power and graphics capability.

The combination of live video, sound, and real-time data acquisition offers enormous possibilities in many areas of scientific research and development. While not for everybody, data acquisition is an exciting field that should produce some dazzling applications in the next few years. ■

Nicholas Baran is a contributing editor for BYTE. He is also the editor of Baran's Tech Letter (Sandpoint, ID), a newsletter covering Next computers. You can contact him on BIX as "nickbaran."

To Computer Users Smart Enough to Protect Their Investment

Tripp Lite offers the **widest choice in reliable power protection**, from the new TRIPP LITE/UNISON on-line UPS to the more economical stand-by battery backups. Choose the level of protection that's right for your computer and your budget to keep your investment safe from blackouts, brownouts, spikes, surges, and line noise.

- All Tripp Lite Battery Backups have a two year warranty!
- UNISON under-monitor and upright on-line units, network compatible (450 to 1500 VA)
- OMNIPOWER® units with voltage regulation (450 to 2000 watts)
- Stand-by units (275 to 4000 watts)
- LAN compatible units offer unattended network shutdown
- ISOBAR® Surge Suppressors from 2 to 14 outlets
- Line Conditioners for affordable brown-out protection

Call Tripp Lite today for the Power Protection Dealer nearest you.



TESTED AND APPROVED
BY THE
PC
INDUSTRY
CHOICE



500 N. Orleans, Chicago, IL 60610-4188
(312) 329-1777 Fax (312) 644-6505

Laptop Computers External SCSI Hard Drives using the parallel port


Half Shell 1.4"x5.5"x7.5" 2.25 lb
Hermit Crab 2.8"x5.5"x7.5" 4 lb shock protect
Hard Drives low power 20MB to 120MB

A-Hive Jr 2.2"x7.1"x7.1" 6 lb
A-Hive 4.3"x9.6"x9.9" 11 lb

Fast SCSI Drives

Hard Drives 20MB to 1GB
Tape Drives 50MB to 1.3GB
Cartridge Drive 44MB
Floppy Drives 720K to 3MB

Workstations SCSI Drives



Tulin

2156H O'Toole Ave., San Jose, CA 95131

Tel: 408-432-9025

Fax: 408-943-0782



MANAGING GIGABYTES

Daily, the mountain of data to be processed into useful information grows. Larger and larger, it looms with no end in sight. The more reports we receive, the more we need. The more we read, the more we need to read, and the more we get eyestrain.

Between the almost-paperless office and networking, managing all this computerized data is a monumental task. We must find ways to make sense of it all. I mean, how many gigabytes can *you* read and make sense of in a day?

The Information Age may be here, according to the pundits, but most companies are still trying to handle all that data. Hardware and software aids are appearing at an increasing rate. In "The Data Swamp," Bob Ryan discusses different approaches to managing large amounts of data and turning it into useful information in a business environment.

BYTE columnist and noted science fiction author Jerry Pournelle says that by the year 2000 anyone will be able to get the answer to any question. If that's true—and, knowing Jerry, it probably is—wide-area information servers may contribute many of those answers. Imagine having access to the Library of Congress—on-line! In "Browsing Through Terabytes," Richard Marlon Stein looks at WAISes—what they are and how they work.

But to turn data into useful information, you need a means of judging what is useful. How do you prioritize the various forms of data? What criteria do you use to determine that one piece of data is more or less important than another? In "Prioritizing Information," Rear Adm. Grace Hopper, USN, Ret., expounds on a subject that has interested her for many years: how to assess the value of data.

An MIT research project has taken this assessment a step further in one particular application: E-mail. The Information Lens constructs intelligent filters that can determine what mail you must see right now and what can wait. In "Through a Lens Smartly," Mike Robinson describes this intelligent assistant, which is beginning to show up in products, and the tasks it can handle. You'll be amazed at how "intelligent" this system really is.

Another concern of data management is the security of your data. When you add the complexities of networked systems—and heterogeneous ones at that—to the personal computer environment, the permutations of possible problems grow exponentially. In "From Pyramids to Peers," Tom Toperczer looks at data management applications and the

facilities they provide so that you can examine and manipulate data and make it safe in a distributed, networked environment.

No section on managing gigabytes would be complete without talking about physical storage and the media that can hold gigabytes of information. In "Giga-Storage," Richard A. Peters describes primary and secondary storage with capacities in this range. And in a related text box, "Native or Compressed?" Grant Wilcox talks about how data compression can increase storage and how much you should—or should not—rely on it.

The management of huge amounts of data is a subject that spans many topics, some concrete and some more esoteric. The concrete aspects have been dealt with quite successfully, between massive-capacity backup tapes and optical jukeboxes, but the more esoteric aspects are more elusive, in definition and in solution.

Grace Hopper says, "For a couple of decades now, I've been asking people how they value their information. I haven't received any answers, but I have received a really great assortment of blank stares." Well, the time for blank stares is over. If we don't get a handle on what's important in all this data, that mountain will bury us—and our businesses—in trivia.

—Jane Morrill Tazelaar
Senior Editor,
State of the Art

The Data Swamp

BY BOB RYAN
153

Browsing Through Terabytes

BY RICHARD MARLON STEIN
157

Prioritizing Information

REMARKS OF GRACE HOPPER
COMPILED BY JANET BARRON
169

Through a Lens Smartly

BY MIKE ROBINSON
177

From Pyramids to Peers

BY TOM TOPERCZER
191

Giga-Storage

BY RICHARD A. PETERS
201

Resource Guide: Massive Mass Storage



213



Bend Us. Shape Us. Any Way You Want To.

As long as you love us, it's all right. And love us you will. Statistical software from SPSS is designed to work the way you work. By giving you the power to enter, edit, manage, analyze and present data on virtually every type of PC, workstation, minicomputer and mainframe. By giving you better decision-making ability through the most comprehensive set of statistical procedures available. And by giving you a choice of options to meet your specific data analysis needs. So if you're thinking about statistical software, think about flexibility. Because flexibility means value. And when it comes to value, we top the charts.


The Accessibility of SPSS makes it ideal for beginners and advanced users alike. With its straightforward menus and context-sensitive help and statistical glossary, SPSS gets you started fast. And with the help of our time-saving programming facilities, including macros and a matrix language, you'll have the power to go deeper even faster. And regardless of your experience with statistics, you'll be supported by the documentation and training that's set the industry standard for over 25 years. Documentation that INFOWORLD calls "The Best in the Business."



The Statistical Procedures in SPSS give you the power to examine data more thoroughly, revealing patterns that might otherwise go unnoticed. We offer the most in-depth group of statistical procedures available, including univariate and multivariate descriptives, model building, hypothesis testing, clustering and classification, survival analysis, time series and perceptual mapping. No matter what your question, SPSS provides the flexibility to find the answer.

The Data and File Management capabilities of SPSS give you unparalleled flexibility when preparing data for analysis. With SPSS, information can be quickly reorganized, cleaned and transformed, regardless of size or structure. Multiple missing values for nonresponses can be defined and labeled according to your specifications, while built-in controls easily manage information stored in complex file formats, including custom file formats. Self-documenting portable files give you the freedom to move your analysis from one computing environment to the next, saving time and resources. And because SPSS supports most popular microcomputer file types including Lotus®, DBF and SYLK, and offers free interfaces to such leading SQL-based database management systems as Informix®, ORACLE® and Sybase®, there's no need to re-enter data or write out intermediate files.

The Choice of Options offered by SPSS provides the flexibility to meet both your immediate and future data analysis needs. Unlike other statistical packages, we give you more than just the ability to choose between the options you may or may not need. We give you a choice of options designed to work together. Options that work as a system, providing the best possible software solution. Options for data entry and editing. Or producing publication-ready tables and reports. Options to analyze the past and help predict the future. Or to present your results with over 40 high-impact color displays, including a variety of charts and maps. No matter what you do, SPSS can help you do it better.



So if you're in the market for statistical software, keep an open mind. Go with the value of SPSS, suppliers of statistical solutions to over 2 million users worldwide. Because when you have the advantage of flexibility, the chances are you'll still be a hit tomorrow.

Call 1(800)543-5835 or FAX (312)329-3663

SPSS

We're Making It Easier To Decide.



THE DATA SWAMP

Bill Gates talks about *Information at Your Fingertips*, but what about that slime on your boots?

BOB RYAN

Futurists, commentators, megatrendists, and other darlings of the best-seller lists have been saying for some time that humankind has entered a new age—the Information Age—where the basis of all wealth, power, security, and good manners is access to information. Welcome to the information society, where knowledge is power, the service economy is king, and a good agent can get you a \$300,000 advance.

Spend a few days in this brave new world, however, and you come away with a markedly different perspective. Rather than inaugurating the Information Age, computers have just mired us in the data swamp. They give you access to mountains of data, but in many cases they have not made it easier to glean useful information from all that data. Some call this condition information overload, but it is really data overload. Until you can get a handle on all the data available to you, the Information Age will remain little more than a blurb on a dust jacket.

Managing a large amount of data in a business environment—and extracting useful information from it—is a hardware and software function. As with most areas of computing, the hardware is well ahead at this point. Powerful data-handling software is available, but primarily in structured environments, such as DBMSes.

Storage and Delivery

The hardware side of managing data concerns storage and delivery. Although magnetic storage systems provide faster access and higher data transmission rates than do optical systems, the cost per



megabyte of such storage is much greater. In fact, given the removable nature of optical media, its cost advantage over magnetic media can border on the ridiculous. Even without considering removable cartridges, the advantage is significant.

The latest advances in optical storage concern multidrive systems and multiple-media systems (not to be confused with multimedia). Multidrive systems, known as jukeboxes, let you store incredible amounts of data on-line. For example, the Hitachi OL321 Optical Library Unit stores nearly a half a terabyte (500 gigabytes) on 64 WORM disks and can mount any disk in less than 10 seconds. Multiple-media systems, available from many companies, let you use different types of optical media in the same drive. These are a godsend if you need to access CD-ROM, WORM, and rewritable optical disks.

In the past five years, optical storage costs have enabled applications that were not economically feasible with magnetic disk drives. At Children's Hospital in Boston, Stephen Wertheim uses an image database to store full-color neural images acquired with a 35mm scanner and a video frame buffer attached to a microscope.

BYTE ACTION SUMMARY

The Information Age has been touted for quite some time. However, the reality is that computers have buried us under mountains of data. How do you turn all that data into useful information, and how do you manage it all? Rather than information overload, we are suffering from data overload. Depending on your environment, a number of different approaches, combining hardware and software, exist to help you glean useful information from very large amounts of data.

The images are used in research and in teaching neuroanatomy to second-year Harvard medical students, with different Supercard stacks (Silicon Beach Software, San Diego, CA) providing different interfaces to researchers and students. The images are stored on two Sony rewritable optical disks and accessed via a database running on Mac IIs.

Requiring between 3 and 4 gigabytes of storage, the system would be prohibitively expensive using magnetic media. Thus, optical media not only increases the amount of storage available to you, but also enables new applications.

On the Move

Providing storage is only half the battle. It is also important to move the data from the storage device into memory—where it can be massaged into information—as expeditiously as possible. The limiting factor here is the communications bandwidth between the storage subsystem and the memory of your personal computer or workstation. More and more, you find that mass-storage subsystems are shared by many users in a network.

Communications bandwidth is dependent on many factors. Beyond the storage subsystem's latency, you have to deal with the interconnects between the subsystem and the memory. These can include the server's bus system, the network connectors and media between your machine and the server, the bus in your own system, and the software that controls all these disparate pieces of hardware.

Interestingly, with the sudden rise in network connections, the expected battle royal between the Micro Channel and EISA bus systems has failed to materialize. Given that the network medium is the slowest link between your largest mass-storage devices and memory, the speed of the bus in the end-user system is not very relevant. What *is* relevant is the bus in the server, which handles many requests simultaneously and moves data out to the network as quickly as possible. While 32-bit buses have not had a big impact on the desktop, they are critical in the LAN closet.

The emergence of the network server as the prime data depository has led to a new class of server personal computers. Included in this class are machines, such as the NetFrame from NetFrame Systems (Milpitas, CA), that are built around a proprietary architecture and those, like the Compaq Systempro, that are built around an open architecture.

Perhaps the biggest change brought about by networks is the ongoing trans-

formation of minicomputer and mainframe platforms from the primary computational devices on a network to big, fast servers. As desktop computers become more and more powerful and cost-effective, it is inevitable that they will replace larger systems as your company's primary computational resource. Minicomputers and mainframes will continue to do what they do most effectively: move tremendous amounts of data rapidly.

Given fast servers—whether microcomputer-, minicomputer-, or mainframe-based—the current bottleneck in transmitting large amounts of data is the network. While fast networks, such as the Fiber Distributed Data Interface, have appeared as backbones, most network nodes are still serviced by media that range from AppleTalk's 230,000 bps to Token Ring's 16 megabits per second. As more and more data comes in graphical format, the need for a mechanism to economically bring FDDI-level speed (100 Mbps) to the desktop increases.

In response to this need, a number of companies are working on FDDI implementations over twisted-pair wiring. Currently, the ANSI standard specifies an interface that supports wiring distances up to 2 kilometers, and only optical cabling meets this standard.

However, the vast majority of network nodes are much closer than that. Realizing this, companies such as SynOptics (Santa Clara, CA) and Cabletron Systems (Rochester, NH) are working on delivering FDDI over twisted pair. Without the requirement for optical cabling, FDDI could soon be an economical option for many desktops.

With the enormous volume of storage available with optical and high-capacity magnetic media, and with the platforms and networks available to deliver it, the crunch in managing large amounts of data is not on the hardware side, but in software. After all, only software is capable of helping you transform data into information.

Structured Data Management

You can classify computer data according to the degree it is structured. The most common example of highly structured data is a DBMS, where individual items are assigned to two-dimensional relational tables. Highly unstructured data is best exemplified by the text files you create with a word processor, which may consist of little more than variable-length paragraphs separated by carriage returns.

The management of structured data is as old as computing and is still the prime task of computers at most companies. Database systems, spreadsheets, and accounting packages all work with data whose structure is well defined; each data item is a specific type that determines how the software processes it.

Most companies manage their structured data using a relational DBMS and will continue to do so for the foreseeable future. With networks taking over, the chief database management concern is providing access to the data without compromising its integrity.

In the past few years, client-server database implementation has been ascendant. This model divides the database function into two parts: front-end client software that generates data queries and back-end server software that processes queries and returns the resultant data to the client. The server handles all data management functions, including security, file and record locking, and atomizing transactions.

The advantages of the client-server model are twofold. First, it is much easier to manage the database if all data is stored in one location. Second, the separation of the data engine from the front end lets any type of application access the database, including spreadsheets, business graphics programs, and accounting packages. Any application that generates acceptable queries can access the database.

While wonderful in theory, client-server implementations are less than ideal. A server can only handle queries that conform to its specifications, yet there is no single standard for generating queries. The closest we have to a standard is Structured Query Language.

The problem with SQL is that you rarely find an ANSI standard implementation of the language. Different database vendors extend the language in different ways, making it difficult for those who supply client software to know what version of the language to implement. Thus, you can have situations where a spreadsheet client might support Gupta's server engine but not Sybase's or IBM's DB2.

The problem is not technical, but one of politics and marketing. The best hope is that one of the engines will gain a large enough market share that it becomes the de facto standard.

The second problem that is engendered by the client-server model is technological. By its very nature, a database server will be the busiest node on any network, and it will therefore be the big-

gest bottleneck in the network.

Faster network cabling will help, as will schemes that give the server more packet buffers and greater access to the network. With token-passing implementations, this latter might mean that the server node will get the token more often. In collision-detection schemes, such as Ethernet, this may mean giving the server node a shorter time-out on average than other nodes.

Eventually, if hundreds or thousands of users need to share your database, it may be necessary to distribute the database over different servers. This introduces myriad consistency problems and negates the virtues of a centralized server, but it may be the only way to make data available to clients without saturating a network segment.

Handling Multimedia Data

Over the past few years, one of the major themes in computing has been the explosion of applications that rely on data that can't be structured the way an address list can. Computers now regularly access pictures, animations, sounds, music, and other types of data that aren't well suited to a tabular structure. As a result, researchers are looking at different ways of handling unstructured data.

Two major concepts of how masses of irregular data should be dealt with have emerged. The first is to provide extensions to the current relational model; the second is to create object-oriented databases by enabling the storage and retrieval of persistent objects.

The object-oriented database is more radical and more reactionary than the extended relational model—radical because it seeks to store data and the methods used to access the data together rather than keeping data and methods segregated, and reactionary because in many ways it harkens back to the CODASYL-network-database model that was supplanted by the relational model in the early 1980s.

At present, the relational model remains unsurpassed for handling the most common types of data you encounter in a business environment. Object-oriented databases, however, seem better suited to handling less traditional data, such as CAD drawings, image files, and other types of data normally associated with multimedia applications.

For the time being, a multimedia database that can handle traditional and non-traditional data with equal facility is not in the cards. Businesses that use multimedia applications require specialized storage systems that cannot be easily

Circle 46 on Inquiry Card (RESELLERS: 47)

GenSTAR™ 2000



A CD-ROM Drive with all the desired features, a Full 12-Month Warranty and complete Drive Kit.

\$499

Other Multimedia Products Available

Toshiba Model XM3201B Kit Internal CD-ROM	\$827
NEC Model CDR82 Kit Internal CD-ROM	\$849
Future Domain 1680 16-Bit SCSI I/F	\$235
IDE Jukebox, 10 disk, 9 GB	\$5195
Pioneer Model DD-U5001 Internal WORM Drive, 650 MB	\$2299
Pioneer 650MB WORM Cartridge	\$129
Corell Driver I/F Kit - WORM/Erasable	\$399
Pioneer 5.25" Multifunctional WORM/Erasable	\$3999
Sony M.O. SMO-D501 DOS Kit	\$3795
Media Engine™ Audio Studio	\$599

Call for Catalog of
CD ROM Titles

BOFFIN
LIMITED

THE MULTIMEDIA SOURCE

2500 W. COUNTY RD. 42 • #5
BURNSVILLE, MN 55337
612/894-0595

GenSTAR™ is a trademark of Genesis Integrated Systems, Inc. Media Engine™ is a trademark of Genesis Development Corporation

integrated with the company database. This situation will only improve if market pressure for such integration increases markedly.

The Text Dilemma

Ironically, the greatest impediment to realizing the Information Age is how computers handle—or fail to handle—good old text files. Much of the information you need to work effectively can't be reduced to a relational table or encapsulated in a simple object. This information comes to you in the form of memos, E-mail, newspapers, wire-service news copy, journal articles, and so on.

Between E-mail services, on-line databases, and CD-ROM products, you have trillions of bits of relatively free-form data available to you at any time. So, the problem is one not of access but of culling significant bits from all those floating around in the ether.

The problem of getting the information you need—and only the information you need—appears in two primary aspects. The first involves the difficulty of obtaining just the information you need by searching electronic sources. The second involves dealing with all the information that just naturally comes your way in the course of the day. (This second area is discussed in "Through a Lens Smartly" on page 177.) I'll concentrate on the problems of information retrieval from external databases.

Searching for Answers

If you've ever tried to research a topic using an on-line information service, you know the frustration of data overload. You must first decide which databases to search and then construct queries that not only garner the information you need but also weed out extraneous material. Of these two situations, the latter is usually far more serious than the former. A simple search of a news wire can result in thousands of "hits," which is only marginally better than a query that results in no hits at all.

The basic problem is that, unlike the structured data in a relational database, there are no fixed keys for searching through text documents. Effective indexing of unstructured data requires that someone read the document and provide keys that permit it to be retrieved when and only when it fits the search profile. (See "The Dark Side of DIP" in the April BYTE for more information about the process and problems of indexing.)

Currently, due to the great number of information providers and the different indexing schemes and vocabularies used

by them, it is extraordinarily difficult for an individual to effectively use more than a few data sources. For example, in researching the topic of indexing for this article, I had to try various combinations of terms, such as *indexing*, *searching*, *retrieval*, *text retrieval*, *text databases*, *information bases*, *on-line information*, *queries*, *on-line queries*, *trends*, *technology*, *artificial intelligence*, *information filters*, *information refineries*, and *agents*, as search keys on a popular on-line database.

The process was only partially successful, because I didn't know the exact vocabulary the indexers used to describe the relevant stories (and the indexers were apparently less than consistent in applying their vocabulary, if they had one at all). I wound up going through a lot of irrelevant material because I wasn't used to the quirks of that particular database.

That's just one database. The problem becomes magnified when the information you need is in several databases. You could spend so much time finding what you need that you have no time to read it!

Solutions to this type of data overload are continually evolving. Some are commercial realities; others are university-based research projects. The best will eventually usher in that oft-proclaimed Information Age.

Golden Retrievers

One way to deal with information retrieval is to have someone else deal with it. Individual Incorporated (Cambridge, MA) is an "information refiner." The company captures data from dozens of on-line news feeds and provides you with information relevant to your needs, using a sophisticated information filter. By continually querying you about the effectiveness of the refined information you receive, Individual can closely tailor a filter to your needs. Once a day, the company sends you the filtered information via E-mail or fax.

NewsEdge/PC from Desktop Data (Waltham, MA) is useful if you require near-real-time information. Attached to an FM receiver, it can run in the background on your personal computer, notifying you of stories matching a keyword profile you've specified. At NetWorld '91 in Boston, Desktop Data showed products that work with LANs and corporate E-mail systems.

Another significant information-retrieval product is Topic Real-Time from Verity (Mountain View, CA). Instead of relying on keywords, Topic Real-Time uses concept-retrieval technology, using

multilevel queries, where you assign different weights to different subjects. This approach can be much more effective than Boolean searches, which treat each keyword equally. In addition, Topic Real-Time can refine its results by taking advantage of the structure that some publishers use in delivering information.

A drawback to using these information-retrieval systems is that, although they can greatly increase the relevancy of the information you download, you must still read the information to extract the meaning. Logically, the next step is to automate that process, too.

Cut to the Quick

The System for Conceptual Information Summarization, Organization, and Retrieval is a project at the GE Research and Development Center (Schenectady, NY). Unlike many retrieval products, SCISOR operates in a limited domain—specifically, it culls information concerning mergers and acquisitions from Dow Jones News/Retrieval—and it is able to do more than simply flag interesting stories.

Written in Common Lisp and running on a Sun workstation, SCISOR employs different techniques to retrieve relevant stories and extract information. Among these are many from the AI field, including natural-language processing and knowledge representation, and other more prosaic techniques (e.g., lexical analysis and word searches).

Using these techniques, SCISOR retrieves the stories and extracts information, such as the names of the companies involved in an acquisition and the per-share and total price of their offers. In addition, SCISOR can answer natural-language questions about the information that it collects with natural-language responses.

Information from Data

SCISOR and the other examples above demonstrate ways you can use computers to deal with the very problem computers made possible—data overload. By making it easier to find what you want and, as with SCISOR, by performing some basic analysis of the data for you, products like these can keep you on top of developments critical to your business.

Together, hardware and software developments are making it easier to handle massive amounts of data. We have yet to be extricated from the data swamp, but the wading sure is a lot easier. ■

Bob Ryan is a BYTE technical editor. You can reach him on BIX as "b.ryan."

**All
The Space
You'll
Ever Need...**




All The Power

MICROPOLIS. The Name for High-Capacity Disk Drives.

For over a decade, Micropolis has been dedicated to designing, developing and perfecting high-capacity, high performance disk drives. Drives that most of the biggest names in the computer industry put their names on. Employing rigorous testing regimens, our OEM customers have been the most demanding and unforgiving. So it's no accident that these hardest-to-please professionals have made Micropolis their supplier of choice for high-capacity storage.

In keeping with this tradition of technological leadership, Micropolis recently introduced the world's first two-giga-byte (GB) 5 1/4 inch disk drive*. This powerhouse provides mainframe-class capacity and performance levels at the lowest price per megabyte (MB) of *any* disk drive. With models ranging from 180 MB to 2.0 GB, including the most extensive "over 1 GB" product offering available, it's easy to see why Micropolis is truly the name for high capacity.

*Currently available for evaluation.



MICRO

You Can Handle.

MICROPOLIS. The Name For High-Performance Disk Drives.

High-capacity storage demands higher performance. In other words, faster is better . . . and much faster is a lot better. With effective access times as low as 3.9 milliseconds, Micropolis high-capacity HS Series Drives are easily the fastest in the world. In fact, BYTE magazine, Nov. 1990, reports: "The Micropolis 1684 combined exemplary sequential write numbers and killer results on the tree-copy tests, to earn first place overall."


Results like these don't happen by accident. They happen by design. Unique design and engineering subtleties that make for dramatic differences. Our patented spindle design and one-piece balanced actuator provide greatly increased drive reliability and data integrity.

Add to that some of the highest data transfer rates for 5¹/₄" disk drives, and it's no wonder Micropolis is the name for high performance.



OPOLIS

The Ultimate Fusion Of Capacity And Speed



The HS (High-Speed) Family of Fast SCSI Drives

It's a fact: Even the most powerful computer systems and networks can be bottlenecked by slow disk drives. As applications get more complex, files get larger, and network traffic increases, disk drive speed becomes more critical to overall system performance. That's why a Micropolis HS Series drive, boasting an unprecedented effective access time as low as 3.9 milliseconds, should be the next drive you install. With drive performance up to 300% faster, you'll see the difference.

And after testing 15 high-capacity disk drives, BYTE magazine agrees: "Based on performance alone, we chose the Micropolis 1684 (HS Drive) as the top drive..."

NetWare Ready™

Now you can enjoy the assurance of being Novell® NetWare Ready on Micropolis HS Series drives at no additional cost. Our 180 MB and 380 MB (and soon our 760 MB, 1.2 GB and 2.0 GB) SCSI drives are all 100% NetWare Ready — right out of the box.

Micropolis PC PAKs™: The Performance Advantage

As a professional installer, you'll appreciate the convenience and cost advantage of our exclusive, pre-tested Performance Advantage Kits (PC PAKs) for PCs. Each PC PAK contains all you need to give your system the Micropolis power and performance edge, including SCSI host adaptor or ESDI controller, documentation, software, everything right down to the cables and mounting rails. And, of course, worldwide installation and applications support are included.

Micropolis. A Tradition of Quality
In 1983, we introduced our first high-

capacity 5 1/4 inch disk drive. Since then, we've shipped over 1,000,000 300+ MB drives, and our customers have come to rely on us for making fast, high-capacity drives that are known for their reliability. Backed by a full FIVE

YEAR warranty* and a team of dedicated technical support experts, our drives simply store more data, run faster and last longer than anyone else's.

To find out more about the Micropolis line of high-capacity, high-performance disk drives, or to locate the reseller nearest to you, please call:

1-800-395-3748
1-800-395-DRIVE

MICROPOLIS
For the Ultimate Fusion of Capacity and Speed

21211 Nordhoff Street, Chatsworth, CA 91311
818/709-3300 FAX 818/709-3396

*Limited warranty, restrictions apply, contact Micropolis for details. All trademarks and registered trademarks are the property of their respective owners.

BROWSING THROUGH TERABYTES

Wide-area information servers open a new frontier in personal and corporate information services

RICHARD MARLON STEIN

The Library of Congress archives roughly 25 terabytes in its collection. To browse through this volume on your own would be nearly impossible. Wide-area information servers supply the means to achieve this goal by providing the user-interface structure and underlying information-retrieval protocol necessary to automatically collate, collect, and integrate diverse data streams. WAISes can distill the contents of vast archives into neatly manageable and browsable folders.

On-line information services, such as BIX and CompuServe, attest to the need for this kind of technology. Information has acquired a commodity-like status. While not on a par with wheat, pork bellies, or gold futures, the information-service industry fills a vital role. The next phase of information commerce will add WAIS capabilities to existing on-line services, opening a new frontier in personal and corporate information services.

Intentions and Goals

Initiated in early 1989, the WAIS engineering effort is spearheaded by Thinking Machines (Cambridge, MA), the manufacturer of the Connection Machine, a massively parallel supercomputer (see reference 1). The principal goal of the research project is to demonstrate "how current technology can be used to open a market of information services that will allow a user's workstation to act as librarian and information collection agent from a large number of sources." (See reference 2.) WAISes aim to enhance existing information services and provide a utilitarian mechanism for the industry.

continued



Information servers already provide direct access to many databases and archive structures. You can easily check the local weather, make travel reservations, obtain entertainment schedules, or browse through the latest stock-market quotes on-line. These services are highly interactive, charging users on the basis of minutes spent on-line, and each has a unique user interface.

WAISes alleviate unnecessary user interaction through a predominantly computer-to-computer approach to remote information retrieval. By minimizing human interaction with a remote information server, they handle requests for information expeditiously and inexpensively. WAISes also alleviate unnecessary complexity by moving all user interaction to the local workstation and by having WAIS software handle all transactions with the remote server.

On-line servers are limited in their connectivity. While many services, such as BIX, CompuServe, and AppleLink, incorporate wide-area network structures, sharing information between different services is not a wholly transparent option. This restriction constrains information commerce and hampers the circulation of potentially useful ideas.

WAISes circumvent this barrier with a standard information-exchange protocol

that offers unlimited connectivity and retrieval functionality. All servers can apply the WAIS protocol to their archive structures to conduct information retrieval. (Unlimited connectivity also raises concerns of security and privacy. See the text box "The Right to Privacy" on page 160.)

Organized and coherent information of topical importance has value. Individuals and companies should be able to market their information to the widest possible audience. Current on-line services can't easily accomplish this, since their connectivity is restricted.

To direct your information to the best marketplace, you could subscribe to multiple on-line sources and post the same message on all of them. But it would be more efficient to post the data on one server and have the data, or an abstract of it, broadcast to the others. Using the WAIS protocol, WAISes facilitate this server function.

Suppose, for example, you have reviewed the latest set of RISC microprocessor benchmarks, taking note of specific architectural advantages, and you wish to make this information available to others. The benchmark review is kept on your home computer (i.e., the local WAIS), which is equipped with WAIS technology. The nearest remote WAIS, a hub within a network of servers, also has a folder for RISC microprocessors. So you make a posting to the nearest hub server that inserts a pointer to the review on your home computer.

Everyone with a computer running the WAIS user-interface software can present information to a server and receive compensation for whatever portion of it other WAIS subscribers access. The compensation can be monetary, or you can barter your information for someone else's.

Even publishers of books, magazines, newspapers, and music can participate and profit from WAISes. For example, how much money could a newspaper save in circulation costs if you received the morning paper electronically instead of printed on paper? Similarly, how much money could a book publisher save if you purchased a new best-selling novel electronically instead of at a bookstore?

Traditional information delivery is expensive, and costs are rising. The U.S. Postal Service frequently raises its fees to cover increases in the cost of handling and transporting information. Traditional information transport also represents a significant fraction of transport volume and collateral energy consumption. Moving information electronically can

result in enormous savings.

Computer networks such as Internet are conduits of information transport. To replace manual transportation methods, the existing electronic infrastructure must accommodate the newly anticipated volume of traffic. Plans for "a national network of data superhighways," which will be installed within the next few years, are under way (see references 3 and 4).

A principal motivation for WAIS technology is to be able to retrieve topical information for research or investigation, not just to deliver consumable items like newspapers or books. Toward this end, WAISes rely on a novel structure for information retrieval, the *dynamic folder*.

To use a WAIS, you formulate a question (see figure 1), find the information servers that provide satisfactory responses, and create a dynamic folder. The purpose of the dynamic folder is to constantly or periodically update its contents with new material on the subject.

Formulating a question is natural to us all. The difficult part is locating the pertinent information to answer it. Manually locating the information can be laborious and tedious. WAISes automate the search-and-retrieval process. To determine which servers hold the information most pertinent to your question, and where you should submit dynamic folders, you may want to consult *server directories*.

Server Directories

WAIS directories are servers that support a directory-services function. They are indexes to other services within the WAIS network and are organized to help you locate information. Like telephone-directory services, WAIS directories list pointers to servers, which are grouped according to content and function.

A *directory-entry header* contains sufficient data to describe the service, such as an English-language description of the server, the parent server (if the server is a subsidiary of a larger one), related servers, contact information (including networks and human-interface points), and cost information.

The local workstation, when equipped with a WAIS, should maintain a directory entry that includes the directory-entry header, a locally determined rank, subscription information (if any), user comments, and the time of last contact. You can use this information to decide whether to contact the server and how to handle the responses.

By using content navigation, you can find the most appropriate server to

BYTE ACTION SUMMARY

The next phase of information commerce will add wide-area information server capabilities to existing on-line services. WAISes provide the user-interface structure and the underlying information-retrieval protocol necessary to automatically collate, collect, and integrate information from various sources. When these are implemented, you should be able to directly access such sources as the Library of Congress and the myriad of newspapers, journals, and books.







Figure 1: (a) You initiate a WAIS session by selecting *New Question* from the menu, and then (b) you select a source server to target the questions.



(c) Next, you type a description of the subject matter under investigation. The WAIS retrieves from the source those documents that are relevant to the subject search. This example shows a match for documents on recent developments in personal computers. (d) Finally, you might call up a document on computer technology with a focus on notepad computers to look for topical data. (Figures courtesy of Thinking Machines Corp.)

The Right to Privacy

WAIStation, a prototype user interface developed by the Thinking Machines wide-area information server project staff, embodies many functional aspects of WAIS technology. Forming and refining queries via relevance feedback, server selection, and dynamic folders are the principal features that this prototype supports. These assets provide a powerful tool set for information retrieval. While WAIStation achieves several desirable technical goals, the security and privacy issues have not yet received serious attention and need refinement.

Security and privacy issues are not specific to WAIStation or WAISes in general, but are endemic, topical concerns of the information-retrieval industry as a whole. WAIS technology seeks to extend connectivity through the WAIS protocol, thus intensifying the urgency of security measures and standards. Greater connectivity promotes information commerce, but it also adds to the risk of compromising the privacy and confidentiality of electronic transactions.

Individuals and corporations that subscribe to WAISes must safeguard proprietary information. The tendency to organize information within a computer for ease of access or to act as a convenient archive creates a security

and privacy dilemma. And if the sensitive data is located on a machine with high connectivity, the risk is multiplied.

A WAIStation that holds personal information, such as tax forms, diaries, business transactions, medical records, or bank accounts, must be protected from intrusion by unauthorized individuals. A computer system storing this information "knows" more about you than you can instantly recall. Access to this personal data must be protected, controlled, and limited to authorized individuals.

The WAIS protocol is an application-layer protocol that runs over X.25 communications, modems, or IEEE 802.3 (Ethernet) backbones. Residing beneath this protocol is the WAIStation host computer and operating system. Extracting information from the server depends on access granted through a recognition and authentication system that the host computer operates. Only authorized subscribers can access information from the server.

The WAIS protocol is stateless, so each transaction, whether a query or document-retrieval process, exists in a separate context at the server. Subversion of the WAIS protocol, whether intentional or accidental, might unlock or bypass a server's native file-system protection structure. If it did, the entire

archive contents would be available to the intruding party.

The WAIS protocol should be noncorruptible and should detect privileged transactions (i.e., those data streams that possess restricted command sequences). However, to be effective as a noncorruptible application-layer protocol, the underlying computer system must also be unbreachable.

Unfortunately, you cannot always guarantee protection. In 1988, a virus introduced through a known port assaulted computer systems attached to Internet. Subsequent sleuthing discovered that a remote system could activate the debug mode of the Unix mailer, forcing the instigator into a privileged state. The debug mode then permitted the virus to propagate and multiply.

Can a rogue dynamic folder, fashioned after the Internet virus, intentionally access information from strategic servers running WAIS software? How will WAISes safeguard information against illegal intrusion?

The right to privacy is inalienable, and WAIS technology or any enabling system that promotes information commerce must preserve it. A cautionary approach toward implementing WAIS technology is necessary and appropriate. Several legal issues must be addressed to secure both privacy and fair business practice.

handle a query. For example, a question on RISC microprocessor benchmarks would list directory entries for servers as well as pointers to articles on the subject. When you retrieve a document, the directory entry is also provided. Thus, you obtain ranking information for questions of similar content.

Each server, then, contains information of value to certain subscribers. The dynamic folder can continuously poll newspaper servers for new articles as they arrive from the news wires, while it would probably query a dictionary or encyclopedia server only once, since the content changes much less frequently.

Policing the large number of anticipated servers (in the tens of thousands) requires an independent quality-control

mechanism. An audit of the server directory would reflect any server that frequently returns erroneous information or does not perform. An independent agency like *Consumer Reports*, the Better Business Bureau, or other watchdog groups could create *rating servers*, which monitor and rate other servers in the directory.

These rating servers resemble movie and TV critics. Consumers acquire confidence in the reports and reviews that certain critics issue because they share similar tastes. Just as moviegoers start to trust a particular reviewer who has agreed with them on past movies, WAIS users will begin to trust the specific rating services that agree with them.

A subscriber base generates income


for a server. The rating servers will attract subscribers as well, for they direct trends in the information marketplace. In fact, they may become the first "information speculators" as a by-product of WAIS technology.

Dynamic Folders

A folder, like those found on the Macintosh, provides the WAIS framework for organizing questions. A folder is a repository for documents. A file system, in the Macintosh sense, is full of folders organized in a tree structure that supports an efficient document-location mechanism.

To find a document within a file system, you typically use the `find` command under Unix or `Finder` on the Mac.

Finally, a fast, powerful text editor that integrates your favorite programming tools and uses no memory!



The new VEDIT family of text editors offers stunning performance, versatility and ease of use. Completely written in assembly language, they are small and lightning fast. (3 to 30 times faster than other editors on large files where speed really counts.) Edit text and binary files of any size, even 100+ megabytes. Installation is trivial; VEDIT.EXE and an optional help file are all you need - no overlays, no configuration files, no environment variables.

For programmers, the new compiler support in VEDIT and VEDIT PLUS is a breakthrough. Run not only popular compilers, but debuggers and your favorite tools from within the editor. When switching to DOS, VEDIT swaps itself and any desired TSRs out of memory to give you more memory than when you entered VEDIT. Only VEDIT offers you the advantages of a powerful editor without giving up the convenience of an integrated environment.

Call for your free, fully functional, evaluation copy today. See why VEDIT has been the choice of 100,000 programmers, writers and engineers since 1980.

VEDIT Jr. - Unmatched performance for only \$29.

All VEDIT editors include a pull-down menu system with "hot keys", context sensitive help, pop-up status and ASCII table, a configurable keyboard layout and flexible, unlimited keystroke macros. Perform block operations by character, line, file or column. Undo up to 1000 keystrokes - keystroke by keystroke, line by line, or deletion by deletion. Automatic indent, block indent and parentheses matching speed program development. Word wrap, paragraph formatting, justification, centering, adjustable margins and printing for word processing. Run DOS programs.

VEDIT - A best value at only \$69.

VEDIT can simultaneously edit up to 36 files and split the screen into windows. Search/replace with regular expressions. The most integrated compiler support available. Run VEDIT PLUS macros.

VEDIT PLUS - Ultimate programmer's tool for only \$185.

VEDIT PLUS adds the most powerful macro programming language of any editor. It eliminates repetitive editing tasks and permits creating your own editing functions. The macro language includes testing, branching, looping, user prompts, keyboard input, string and numeric variables, complete control over windows plus access to hardware interrupts, memory and I/O ports. Source level macro debugging with breakpoints and tracing.

VEDIT PLUS - \$185 for DOS, \$285 for UNIX/XENIX. 30 Day Money-back guarantee. Discount pricing for multiple users, schools and OEMs. VEDIT Jr. site licenses start at only \$250.



- Mouse Support
- Pull-down menus
- Columnar blocks
- 1000 Level Undo
- Regular expressions
- Small 70K size, fast

FREE
Fully Functional
Evaluation Copy
Call 1-800-45-VEDIT

- Emulate Wordstar, Word Perfect, Brief, vi, others
- Edit text and binary files of any size and line length
- Powerful macro programming language for instant "off-the-cuff" macros

DOS XENIX UNIX QNX FlexOS



An intuitive user interface with pull down menus, hot keys, mouse support and context sensitive help make VEDIT easy to use, easy to learn.



Point and shoot file selection makes it a snap to edit new files, merge and split files, run macros and much more. Select files with the cursor keys or the mouse.



Just about everything about VEDIT is configurable, from the keyboard layout, to the screen colors, to the way control characters, tabs and the end of lines are displayed. Configure VEDIT with easy to use menus.

BENCHMARKS IN 3 MEG FILE

	VEDIT	BRIEF	Sage	QEdit
Simple search	57 sec	1:17 min	28 sec	Cannot
Save and continue	52 sec	3:52 min	1:47 min	Cannot
Load, modify, save, exit	21 sec	49 sec	1:38 min	Cannot
Block-column copy (40x200)	2 sec	30 sec	2 sec	2 sec
Delete one column in file	9:58 min	1:50 hour	1:03 hour	Cannot
60,000 replacements	3:18 min	1:44 hour	1:32 hour	Cannot

VEDIT is a registered trademark of Greenview Data, Inc. BRIEF is a trademark of UnderWare, Inc. Sage Profession Editor is a trademark of Sage Software Inc. QEdit is a trademark of SemWare.

* DOS version also supports Concurrent DOS, DESQview, Microsoft Windows, PC-MOS/386 and more networks. Special CRT terminal version runs over serial lines and modems.


* Free evaluation disk is fully functional and can edit small files.

Greenview Data

P.O. Box 1586, Ann Arbor, MI 48106
(313) 996-1299, Fax (313) 996-1308

RECOGNITA PLUS

SPEED, ACCURACY AND FLEXIBILITY!



The fastest omnifont OCR Software
operating in MS-DOS and Microsoft
Windows environment

Dealers are welcome

Call for your demo diskette today:
(1-800-255-4-OCR), P.O. Box 0218 Los Angeles, CA
90048 Tel: (408) 749-9935 Fax: (408) 730-1180

Distributors:

AUSTRALIA

•Datserv
Tel: 61-2/957-2066

AUSTRIA

•Artaker
Tel: 43-222/588-05-0

BELGIUM

•Maxcom
Tel: 32-2/526 9411
•Tritech
Tel: 32-2/466-7535

CZECHOSLOVAKIA

•IV-Agency
Tel: 42-2/840970

DENMARK

•Torsana-dtp data
Tel: 45-43/43-35-99

FINLAND

•CommNec
Tel: 358-0/493100

FRANCE

•Apsyllog
Tel: 33-1/40 26 22 32

GERMANY

•Computer 2000
Tel: 49-89/780-40-0

•Frank Audiodata
Tel: 49-7254/4091

•Macrotron
Tel: 49-89/42-08-0

•Recognita
Büroautomatisierung
Tel: 37-41/7957-256

GREECE

•Electel
Tel: 30-1/3607-521

ICELAND

•Höfudlausn
Tel: 354-1/687033

IRELAND

•Saunders Acquisition
Systems
Tel: 353-1/366-522

ITALY

•Vecomp
Tel: 39-45/577500

JAPAN

•Suehiro Koeki
Kaisha, Ltd.
Tel: 81-52/251-3721

LUXEMBOURG

•Burovision
Tel: 352-470951

MEXICO

•Misermi
Tel: 52-5/207-05-02

NORWAY

•ICT Databolin
Tel: 47-2/79-58-80

POLAND

•FX Przedz. Inf.
Tel: 48-12/56-57-76

SPAIN

•Computer 2000
Espana
Tel: 34-3-473-16-60

CSEI SA

Tel: 34-3/336-33-62

STI

Tel: 34-1/45-869-45

SWEDEN

•Isogon AB
Tel: 46-8/732-57-37

SWITZERLAND

•ScanSet
Tel: 41-56/96-49-83

TURKEY

•EKSPA
Tel: 90-4-139-66-11

UNITED KINGDOM

•Intac Data Systems
Tel: 44-709/547-177

•MSL Dynamics

(for Africa)
Tel: 44-293/547-788

YUGOSLAVIA

•LTS
Tel: 38-11/190-572

OEM Partners:

•Accret

SWEDEN
Tel: 46-766/355-30

•Deutsche Nichim
GERMANY
Tel: 49-211/3551-202

•EHH

GERMANY
Tel: 49-7451/7051-2

•Future Technology
AUSTRIA
Tel: 43-222/866350

•Getronics
HOLLAND
Tel: 31-20-5861509

•Howlett-Packard
AUSTRIA
Tel: 43-222/25-00-0

•Microtek Electronics
Europe
GERMANY
Tel: 49-211/52607-0

•Microtek International
TAIWAN
Tel: 886-35/772155

•Mitsubishi Electric
Europe
GERMANY
Tel: 49-2102/486359

•Pentax Europe
BELGIUM
Tel: 32-2725 0570

•Ricoh Europe
GERMANY
Tel: 49-211/5285-0

BROWSING THROUGH TERABYTES




Figure 2: The similar to function lets you retrieve more documents on notepad computers using relevance feedback. You then might initiate a search for additional documents with similar content. Selecting text from a section of a retrieved document helps to refine subject-matter searches or locate collateral information. You can also use the selected text to execute a new query. (Courtesy of Thinking Machines Corp.)

With one of these tools, you can locate the position of a file and gain access to its contents. Path-driven locators search an information base for a document's name, but they do not provide a means to examine its contents.

Retrieving documents pertinent to a specific question requires *content navigation* (i.e., examining the contents of a document, or a representative abstract or index for the document, for its relevance to the question). The similarity between the question and the document's index determines a retrieval score, an indication of the likelihood that the document is pertinent.

WAISes rely on the dynamic folder to encapsulate a question. In its most passive form, it contains a question and a set of servers to target. The WAIS posts the dynamic folder to servers of known quality and functionality, and then query processing begins.

The dynamic folder executes a remote query that sends questions to the remote servers. There the questions find relevant information and return a list of document titles (document pointers) encapsulated within the originating folder to the local WAIS system. The results from

the query may initially include a list of documents with fair, good, or high similarities.

Now you can refine your query strategy by perusing the document titles to determine which are the most appropriate documents. WAIS technology, in the form of the WAISStation user interface (see reference 5), assists this process through a content-associativity function known as *similar to*.

The *similar to* function informs the WAIS user interface that a document is "interesting." The server uses this information to find other documents that are similar to the one you have chosen. This search strategy, an embedded component of WAISes, represents a significant improvement over traditional database methods, such as Structured Query Language (SQL) and Boolean search.

This form of query execution is known as *relevance feedback*. It lets you extend the query to incorporate a "more-like-that-one" functionality and lets you retrieve documents that have similar contents. The WAIS user interface is organized around the English language, and English-language-oriented query structures are easier to use than SQL.

The similar to function is like working with a reference librarian. First, you state the topic of your research, which the librarian translates into queries. After you examine the results of the queries, you indicate which results were on the mark; thus, the librarian gains a better understanding of your needs and can improve the search.

With relevance feedback, WAISes can retrieve documents with greater ease and speed. You no longer need to alter a SQL Boolean operator to adjust the query filter; instead, you can ask for "more documents like this one."

Dynamic folders can also possess vitality, which gives the folder a continuous charter to execute queries periodically and update its contents with new material. A folder's charter expresses purpose, intent, and the goal that you want the query to accomplish. You can build the folder to periodically poll servers known to receive frequently updated material that matches its charter.

If the search retrieves an interesting document, WAISes let you select a portion of the text and use it as an adjunct to the initial query. Selecting text from a portion of a document that may contain some particularly topical or relevant information and using it to refine the search is an innovative approach for exploring subjects (see figure 2).

WAISes also let you chain questions by taking the results of a previous search, starting a new question with different subject matter, and dragging the previous results into the similar to menu box (see figure 3). Chaining questions can either broaden or narrow a search, depending on the relevance-feedback results.

The recursive capacity of dynamic folders to initiate "sibling" folders demonstrates the WAIS potential to harness and refine subject matter. Query refinement alters the charter of a dynamic folder. Sibling dynamic folders execute directed searches and can have an autonomous authority to broaden the range of server choices.

Controlling the extent of search expansion is a critical issue. For individuals, cost can be an overwhelming concern. WAIS technology does not yet contain an accounting system to govern search criteria. Participating information services will have to engineer this element of the technology themselves.

WAIS Protocol

WAISes promote connectivity and access to remote electronic-information sources through a standard protocol, the WAIS

With relevance feedback, WAISes can retrieve documents with greater ease and speed.

protocol. This protocol is an extension of the National Information Standards Organization (NISO) Z39.50-1988 specification, which defines an interface to remote information-retrieval services

and library-protocol applications. The Z39.50 standard is the backbone of the WAIS protocol and the foundation for WAIS applications development.

Incorporating the Z39.50 standard into the WAIS protocol frees developers to build articulated user interfaces for WAIS applications. The interface standard isolates the server's text-retrieval method, such as SQL, giving the application a transparent access mode. The particulars of database queries are hidden beneath the interface. A developer only needs to be sure that the server possesses an equivalent functionality to conduct remote information-retrieval transactions from a local WAIS workstation.

Concealing the server's implementation through the WAIS protocol is important in another respect as well. Isolating the implementation implies that you can specify a single, more palatable query language. The WAIS protocol also lets you use an English-language-style query




Figure 3: Chaining questions permits you to use a query on multiple information sources by opening a new question and dragging previous query results into the similar to field. You can also apply the similar to operation to invoke a new document search, as in this example. (Courtesy of Thinking Machines Corp.)

lexicon instead of cryptic SQL or fourth-generation languages. When you find a document that is appropriate, the WAIS protocol automatically handles the download process from the server. This is quite different from existing services, where manual file-capture mechanisms require vigilance. With the WAIS protocol, all documents look like they are local to your system.

The WAIS protocol incorporates two important modifications that the NISO Z39.50 standard does not address. First, it permits hypermedia document transport. Most documents today are com-

While still a research project that is undergoing development and refinement, the WAIS holds immense promise.

posed primarily of ASCII text codes and sequences, but the next generation of documents, constructed from hypermedia and multimedia sources, integrates images and fully formatted text. These media forms are rapidly becoming popular and conventional.

Second, the WAIS protocol is stateless for the server. It does not have to keep any information about the client between transactions, because the user's state is kept on the local workstation. Every search or retrieval operation is a separate process. The contexts are decoupled under the statelessness of the protocol. This decoupling lets you make a search, store away the document pointer, and retrieve it later.

Further, you can use a dynamic folder to pass one of these document pointers to someone else who can also retrieve the document. A document pointer is like an International Standard Book Number for the electronic age. (The ISBN is a unique identification assigned to each publication.) Passing a document pointer conforms with copyright law and lets you

easily return to the document source instead of making copies.

The WAIS protocol is designed to transport information through modems, X.25 communications, or network backbones. This flexibility provides an enormous framework within which to conduct retrieval transactions. For example, with a portable computer, you could connect with a WAIS hub through a modem and post dynamic folders, directing the query results to be routed to your office system for later examination.

Retrieval Technology

The computing infrastructure needed to implement WAISes varies with a server's functionality. A Library of Congress WAIS, with 25 terabytes of data, could not expeditiously dispatch queries and function if a serial computer were used to process the information. For a problem of this magnitude, massive parallelism is needed. The Connection Machine's Text-Retrieval System is a viable information-retrieval system for gigabyte-size databases.

The DowQuest service from Dow Jones runs on the Connection Machine. The service incorporates approximately 1 gigabyte of original text derived from over 400 sources. The *Wall Street Journal*, the *Washington Post*, *Barron's*, *Fortune*, *Forbes*, and several regional business and technical journals are included, covering the previous eight calendar months. The search time with a 100-word query composed of typed English and relevance feedback (e.g., "more like that one") is less than half a second. The system can provide access to many gigabytes of text and to thousands of users interactively.

The projections for the Connection Machine system indicate that when it is scaled to a 1-terabyte database with 10-word queries, obtaining an answer within 10 seconds or less is highly probable. This performance is accomplished by harnessing the Connection Machine's 65,536 separate processors to execute a parallel index algorithm (see reference 6). These estimates are phenomenal and truly indicative of the computing power manifest in parallel systems. No serial machine can even come close to this level of performance.

The Connection Machine system generates these results by searching the entire contents of an archive, not a representative abstract of a keyword frequency table. Each document within the archive is used to determine a match. This is not typical for systems organized around serial computers, and it is another dra-

matic demonstration of parallel-computing technology.

The cost of a system like the Connection Machine runs in the millions of dollars. But a Macintosh with a 100-megabyte hard disk drive or a 386-based PC can serve the typical WAIS user.

Immense Promise

The prototype WAIS user interface and protocol are currently being beta-tested at Thinking Machines, Apple Computer, and Dow Jones News/Retrieval. Thinking Machines, the principal developer of the WAIS architecture and software, plans to share the WAIS protocol free of charge and hopes to help user-interface developers build interfaces to WAIS servers.

While still a research project that is undergoing development and refinement, the WAIS holds immense promise. Information commerce, buoyed through the widespread acceptance of computer systems and networks, forces individuals and companies to expedite transactions and simplify activities. These coveted sources of efficiency stand out as prominent allies of competitive advantage. ■

ACKNOWLEDGMENT

I'd like to thank Annie Komanecky, Franklin Davis, Ben Lewis, and Brewster Kahle of Thinking Machines for their assistance during the preparation of this article.

REFERENCES

1. Hillis, D. *The Connection Machine*. Boston, MA: MIT Press, 1985.
2. Kahle, B. "Wide Area Information Server Concepts." *Thinking Machines Technical Memo DR89-1*. Cambridge, MA: Thinking Machines Corp., 1989.
3. Markoff, J. "Computer Project Would Speed Data." *New York Times*, 8 June 1990, sec. A, p. 1.
4. Markoff, J. "Creating a Giant Computer Highway." *New York Times*, 2 Sept. 1990, Part III, p. 11.
5. "WAISStation: A User Interface for Wide Area Information Servers (User Guide, Prototype Version)." Cambridge, MA: Thinking Machines Corp., 1990.
6. Stanfill, C., R. Thau, and D. Waltz. "A Parallel Indexed Algorithm for Information Retrieval." *Thinking Machines Corp. Technical Report DR 90-2*. Cambridge, MA: Thinking Machines Corp., 1990.

Richard Marlon Stein is a software consultant and freelance writer from Van Nuys, California. He has a B.S. in physics from the University of California at Irvine. You can reach him on BIX c/o "editors."

The Keys To Your Success



No matter where in the world you sell your software, Rainbow Technologies' Software Sentinel™ family of hardware keys will protect your investment and revenues.

Rainbow keys offer virtually unbreakable security against unauthorized software use. Custom-designed with ASIC technology, they are easy to install and totally transparent in operation. More than 100 high-level language interfaces are available for most operating environments, including

DOS, OS/2, Windows, Unix, Xenix, Novell and the Apple Macintosh.

With 1.5 million keys protecting more than \$2 billion worth of software, Rainbow Technologies leads the world in Execution Control, Revenue Protection and Information Security. You're assured of first-class support, service and supply from world-class distributors around the globe.

For additional information or an evaluation package, contact your nearest Rainbow representative today.



GLOBAL SALES AND SERVICE:

Rainbow Technologies Ltd.
Shirley Lodge, 470 London Road
Slough, Berkshire SL3 8QY
United Kingdom
Tel: (44) 0753 41512
Fax: (44) 0753 43610

Rainbow Technologies GmbH
Oskar-Messter-Strasse 16
Postfach 1243, D-8045 Ismaning
Germany
Tel: (49) 89 961 3051
Fax: (49) 89 961 2617

Rainbow Technologies SARL
2 Rue du Gué
78120 ORCEMONT
France
Tel: (33) 1 34 85 9980
Fax: (33) 1 34 85 9142

Rainbow Technologies, Inc.
9292 Jeronimo Road
Irvine, California 92718
USA
Tel: (1) 714 454 2100
Fax: (1) 714 454 8557

SOFTWARE DEVELOPERS

Protect your sales and profits with Rainbow's Software Sentinel keys...

- **SentinelPro™**
Rainbow's flagship key uses an algorithm technique for maximum security.
- **Sentinel-C™**
Protects multiple packages, contains 126 bytes of developer-programmable memory.
- **SentinelScribe™**
Version of Sentinel-C which can be dynamically alterable in the field.
- **SentinelShell™**
Protects without requiring access to the source code.
- **NetSentinel™**
Site license revenue protection of LAN applications (NetPro & Net-C versions).
- **EvE™**
For Apple Macintosh SE models and above, protects multiple packages.

■ **NORTHERN EUROPE:** United Kingdom: Rainbow Technologies Ltd., Tel: (44) 0753 41512. Benelux: IntroCom Electronica, Tel: (31) 74 430 105. Scandinavia: PERICO A/S, Tel: (47) 2 49 1500.
■ **CENTRAL EUROPE:** Germany: Rainbow Technologies GmbH, Tel: (49) 89 961 3051. Switzerland: TCD Technology AG, Tel: (41) 56 91 3434. IBVAG, Tel: (41) 1 737 0176. ■ **SOUTHERN EUROPE:**
France: Rainbow Technologies SARL, Tel: (33) 1 34 85 9980. Aetis, Tel: (33) 93 53 09 87. Spain: MECCO, Tel: (34) 3 422 7700. Italy: FAST-Italia, Tel: (39) 63 33 0465. BFI IBEXSA SPA, Tel: (39) 2 331 00535.
Greece: Byte Computer Applications, Tel: (30) 1 923 2335. Turkey: Bimek Limited, Tel: (90) 1 346 9000. Middle East & North Africa: CDG Engineering, Tel: (962) 6 818 360. Israel: PC Soft, Tel: (972) 3 664 535.
■ **PACIFIC RIM:** USA: Rainbow Technologies, Inc., Tel: (1) 714 454 2100. Japan: Giken Shoji Co., Ltd., Tel: (81) 52 972 6544. Australia: FMS Pty. Ltd., Tel: (61) 3 699 9899. Korea: Genesis Trading Corp., Tel: (82) 2 587 1475. India: Threshold Technologies, Tel: (91) 11 727 3820. Thailand: BCS International, Tel: (66) 2 319 4451. Taiwan: Lehightek, Tel: (886) 2 312 2145. Hong Kong: Beta Trading, Tel: (85) 2 544 8963. ■ **LATIN AMERICA:** USA: Rainbow Technologies, Inc., Tel: (1) 714 454 2100. Mexico & Central America: Impex Computacion, S.A. De C.V., Tel: (52) 66 21 0291. Venezuela: MicroMega, (58) 2 920 418. Argentina: Agri-Aid, Tel: (54) 1 46 8364. Chile: Halcon S.A., Tel: (56) 2 333 536. ■ Copyright © 1991 Rainbow Technologies, Inc.

Circle 267 on Inquiry Card (RESELLERS: 268).

Now That You Know Which Laptop or Notebook to Get, We Think You Ought to Know Where to Buy It.

Competitive Price Must Be Presented To Us Prior To Purchase From Us.

AST

Premium® Exec™

286/20MB with		286/40MB with	
1MB	N/A	1MB	N/A
2MB	\$1948.00	2MB	\$2228.00
4MB	\$2328.00	4MB	\$2608.00
5MB	\$2428.00	5MB	\$2708.00
8MB	\$2908.00	8MB	\$3188.00
386SX/20MB with		386SX/40MB with	
2MB	N/A	2MB	N/A
4MB	\$2678.00	4MB	\$2958.00
5MB	\$2778.00	5MB	\$3058.00
8MB	\$3258.00	8MB	\$3538.00

EVEREX

Tempo LX 386SX/20MB with	
1MB RAM	\$2098.00
3MB RAM	\$2448.00
5MB RAM	\$2798.00

TEXAS INSTRUMENTS TRAVELMATE

TM2000/20MB w/2MB	\$2208.00	TM3000/40MB w/2MB	N/A
TM2000/20MB w/3MB	\$2348.00	TM3000/40MB w/4MB	\$3788.00
TM3000/20MB w/2MB	N/A	TM3000/40MB w/6MB	\$4078.00
TM3000/20MB w/4MB	\$3498.00	TM3000/60MB w/2MB	N/A
TM3000/20MB w/6MB	\$3788.00	TM3000/60MB w/4MB	\$4078.00
		TM3000/60MB w/6MB	\$4368.00

Panasonic

CF-170/20MB w/640K	N/A
CF-170/20MB w/1.6MB	\$1738.00
CF-270/20MB w/3MB	\$2198.00
CF-270/20MB w/5MB	\$2428.00

TOSHIBA

T1000SE with		T1600SX/20MB with		T3200SX/120MB with		T5200/100MB with	
2MB	\$1138.00	3MB	\$2368.00	3MB	\$3858.00	4MB	\$4928.00
3MB	\$1278.00	5MB	\$2548.00	5MB	\$4038.00	6MB	\$5108.00
5MB	CALL	T5100e/40MB with		7MB	\$4288.00	8MB	\$5288.00
9MB	CALL	3MB	\$2488.00	9MB	\$4458.00	12MB	\$5718.00
T1000XE/20MB with		5MB	\$2668.00	11MB	\$4708.00	14MB	\$5888.00
2MB	\$1378.00	T2000SX/20MB with		13MB	\$4948.00	T5200/200MB with	
3MB	\$1518.00	2MB	\$3218.00	T3100SX/80MB with		4MB	\$5338.00
5MB	CALL	3MB	\$3358.00	3MB	\$3858.00	6MB	\$5518.00
9MB	CALL	5MB	\$3558.00	5MB	\$4038.00	8MB	\$5698.00
T1000LE/20MB with		9MB	\$4048.00	7MB	\$4288.00	12MB	\$6118.00
2MB	\$1738.00	T2000SX/40MB with		9MB	\$4458.00	14MB	\$6298.00
3MB	\$1878.00	2MB	\$3318.00	11MB	\$4708.00	T5200C/200MB with	
5MB	\$2078.00	3MB	\$3658.00	13MB	\$4948.00	4MB	\$5983.00
9MB	\$2568.00	5MB	\$3858.00	T3200/40MB with		6MB	\$6118.00
T1200XE/20MB with		9MB	\$4248.00	4MB	\$2748.00	8MB	\$6298.00
3MB	\$2188.00	T3100SX/40MB with		T3200SX/40MB with		12MB	\$6718.00
5MB	\$2368.00	3MB	\$3678.00	3MB	\$3258.00	14MB	\$6898.00
T1200XE/40MB with		5MB	\$3858.00	5MB	\$3438.00	T5100/100MB with	
3MB	\$2548.00	7MB	\$4108.00	7MB	\$3688.00	4MB	\$3488.00
5MB	\$2728.00	9MB	\$4268.00	9MB	\$3858.00	T5200/40MB with	
		11MB	\$4528.00	11MB	\$4108.00	4MB	\$4568.00
		13MB	\$4768.00	13MB	\$4348.00	6MB	\$4748.00
						8MB	\$4928.00
						12MB	\$5358.00
						14MB	\$5528.00

"If the laptop or notebook you're considering isn't on this list, then maybe it's not worth considering!"

TOSHIBA T8500 Power Desktop
14MB RAM, 100MB Hard Disk, VGA Display
Windows 3.0, Excel, Dbase, WP5.1, etc
ONLY \$4188.00

TOSHIBA T1200F
2-Floppies, Windows 3.0, 1MB RAM, 2400B Den. Modem
ONLY \$1268.00

10% better than the best current advertised price you find on memory upgrades, modems & fax/modems
We want to make your life simpler. Instead of wasting valuable time and effort haggling with various dealers over the phone, we suggest you simply look for the lowest current advertised price you can find on memory upgrades, modems and fax/modems. And that applies to ANY PUBLICATION! Take 10% off that price, and that is what you'll pay us. You see, when you buy memory upgrades from us you're doing business direct with the factory. And everybody knows that nothing beats that. Remember, time is money!!

All prices subject to change without advanced notice.
We are not liable for typographical errors.

tote-a-lap
"Experts in portable intelligence"

(415) 578-1901, ext. 924 • FAX (415) 578-1914

Limited to stock on hand. All prices reflect cash discounts.

Always call for most current price before ordering.
All listed prices reflect cash discounts.

Guaranteed 10% lower than the best advertised price you find on memory upgrades, modems, and fax/modems

All orders are now shipped via Federal Express at UPS rates. No will-calls please.

AST RESEARCH

512K for AST Bravo 286, Premium/286 FASTRam, RampagePlus/286, Sixpak/286	\$ 38.00
1MB for AST Premium 286 FASTRam, 386/25, 386/33/33T/33TE, 386SX/16, 486/25/25E/25T/25TE, 486/33/33E/33TE	\$ 68.00
1MB for AST Premium 286 Advanced FASTRam, Premium/386, Premium/386C	\$ 78.00
4MB for AST Premium 286 Fastboard/386, Premium/386, Premium/386C	\$ 268.00
1MB Write/Bit for AST Premium 386/25/33/33TE, 386SX/16, 486/25/25E/25T/25TE, Premium II 386SX/20	\$ 88.00
2MB for AST Bravo 286/386SX, Premium/286 Advanced FASTRam, RampagePlus 286, Sixpak 286	\$ 118.00
2MB Write/Bit for AST Bravo 486/25	\$ 288.00
4MB Write/Bit for AST Premium 386/33TE, 386SX/16, 486/25/25E/25T/25TE/33/33E/33TE, and Premium II 386SX/20	\$ 358.00
8MB Write/Bit for AST Premium 386/33TE, 386SX/16, 486/25/25E/25T/25TE/33/33E/33TE, and Premium II 386SX/20	\$ 698.00
1MB/4MB/8MB for AST Premium Exec Notebook	CALL

APPLE MACINTOSH

2MB for Apple Macintosh Classic/Plus/SE	\$128.00
4MB for Apple Laser Writer II/NTX	\$248.00
1MB for Apple Macintosh II/IIx/IIcx/IIfx/IIx/Plus/SE/SE30	\$ 68.00
4MB for Apple Macintosh II/IIx/IIcx/IIfx/IIx/Plus/SE/SE30	\$248.00
16MB for Apple Macintosh IIfx	\$998.00

COMPAQ

1MB for Compaq DeskPro 286N, 386/20, 386N, 386SX	\$ 68.00
2MB for Compaq DeskPro 386/20, 386N, 386SX	\$128.00
4MB for Compaq DeskPro 286c, 386/20, 386/20c, 386/25, 386/25c	\$288.00
For Compaq SLT/286	
1MB	\$148.00
2MB	\$288.00
3MB	\$428.00
4MB	\$588.00

IBM

1MB for IBM PS/2 Model 70-E61, 121, 55SX, 55LS, 65SX, & 65LS	\$ 68.00
1MB for IBM Adapter Board 6450605, 6450609, 34F3077, & 34F3011	\$ 68.00
2MB for IBM PS/2 Model 70-E61, 121, 50Z, 55SX, 55LS, 65SX, & 65LS	\$128.00
2MB for IBM Adapter Board 6450605, 6450609, 34F3077, & 34F3011	\$128.00
2MB for IBM PS/2 Model 70-A21, A61, B21, & B61	\$138.00
2MB for IBM PS/2 Model 30/286	\$168.00
2MB for IBM Adapter Board 1497259	\$168.00

SUN MICROSYSTEMS

4MB for Sun Microsystems 3/60, 3/80, Sparc 1, Sparc 1 Plus Sparc 4/60	\$238.00
4MB for Sun Microsystems 386i & SLC/420	\$328.00
8MB for Sun Microsystems 4/330 & 4/370	\$518.00
16MB for Sun Microsystems 386i 16MB, 4/110, 4/330, 4/370, Sparc 1/Plus/460	\$998.00

TANDY

1MB for Tandy 1500-HD	\$148.00
2MB for Tandy 2810-HD	\$298.00
4MB for Tandy 2810-HD	\$588.00

TOSHIBA

1MB for T1000LE/SE/XT/T2000SX	\$ 138.00
2MB for T1000LE/SE/XT/T2000SX	\$ 228.00
4MB for T1000LE & T2000SX	\$ 458.00
8MB for T1000LE & T2000SX	\$ 878.00
2MB for T1200XE/T1600/T3100e	\$ 128.00
4MB for T1200XE/T1600/T3100e	\$ 248.00
2MB for T3100SX/T3200SX (Uses 1 slot)	\$ 148.00
4MB for T3100SX/T3200SX (Uses 2 slots)	\$ 288.00
4MB for T3100SX/T3200SX (Uses only 1 slot)	\$ 428.00
6MB for T3100SX/T3200SX (Uses 3 slots)	\$ 438.00
8MB for T3100SX/T3200SX (Uses 3 slots)	\$ 708.00
8MB for T3100SX/T3200SX (Uses 2 slots)	\$ 848.00
10MB for T3100SX/T3200SX (Uses 3 slots)	\$ 998.00
12MB for T3100SX/T3200SX (Uses 3 slots)	\$1,278.00
3MB for T3200	\$ 268.00
2MB for T5100	\$ 148.00
2MB for T5200/T5200C/T8500 (Uses 1 slot)	\$ 148.00
4MB for T5200/T5200C/T8500 (Uses 2 slots)	\$ 288.00
6MB for T5200/T5200C/T8500 (Uses 3 slots)	\$ 428.00
8MB for T5200 (Uses 1 slot - You must first have 4MB)	\$ 688.00
10MB for T5200/T5200C/T8500 (Uses 2 slots)	\$ 828.00
12MB for T5200/T5200C/T8500 (Uses 3 slots)	\$ 968.00

PANASONIC

1MB for Panasonic CF-150/CF-150B	\$338.00
1MB for Panasonic CF-170	\$188.00
2MB for Panasonic CF-270	\$368.00
4MB for Panasonic CF-270	\$688.00
1MB for Sharp PC-5541 & TI LT286 Models 25 & 45	\$448.00
3MB for Sharp PC-5541 & TI LT286 Models 25 & 45	\$728.00
For Compuadd Companion, Sharp PC-6220, TI TravelMate TM2000	
1MB	\$128.00
2MB	\$248.00
For Compuadd Companion/SX, Sharp PC-6641, TI TravelMate TM3000	
2MB	\$298.00
4MB	\$588.00

LASER PRINTERS

AT&T 593 Laser Printer 2MB	\$188.00
Epson EPL-6000 Laser Printer 2MB	\$188.00
Facit P6060 Laser Printer 2MB	\$188.00
Mannesmann Tally MT905 Laser Printer 2MB	\$188.00
NCR 6435 Laser Printer 2MB	\$188.00
Packard Bell PB9500 Laser Printer 2MB	\$188.00
Toshiba PageLaser6 Laser Printer 2MB	\$188.00
AT&T 593 Laser Printer 4MB	\$288.00
Epson EPL-6000 Laser Printer 4MB	\$288.00
Facit P6060 Laser Printer 4MB	\$288.00
Mannesmann Tally MT905 Laser Printer 4MB	\$288.00
NCR 6435 Laser Printer 4MB	\$288.00
Packard Bell PB9500 Laser Printer 4MB	\$288.00
Toshiba PageLaser6 Laser Printer 4MB	\$288.00
HP LaserJet II/IIID	
1MB	\$118.00
2MB	\$168.00
4MB	\$268.00
HP LaserJet IIP/IIID	
1MB	\$118.00
2MB	\$168.00
4MB	\$268.00
IBM 4019/4019e Laser Printer	
1MB	\$128.00
2MB	\$178.00
3.5MB	\$248.00
Panasonic KX-P4420/KX-P4450i	
1MB	\$138.00
2MB	\$188.00
3MB	\$238.00
4MB	\$288.00
For TI Microlaser & Microlaser/XL	
1MB	\$ 88.00
2MB	\$168.00
3MB	\$248.00
4MB	\$328.00

LAPTOPS

Toshiba		
T1000XE/20MB with 3MB		\$1,518.00
T1200XE/20MB with 3MB		\$2,188.00
T1200XE/20MB with 5MB		\$2,368.00
T1200XE/40MB with 3MB		\$2,548.00
T1200XE/40MB with 5MB		\$2,728.00
T1600E/20MB with 3MB		\$2,368.00
T1600E/20MB with 5MB		\$2,548.00
T3100e/40MB with 3MB		\$2,488.00
T3100e/40MB with 5MB		\$2,668.00
T2000SX/20MB		
w/2MB	\$3,218.00	w/3MB \$3,358.00
w/5MB	\$3,558.00	w/9MB \$4,048.00
T2000SX/40MB		
w/2MB	\$3,518.00	w/3MB \$3,658.00
w/5MB	\$3,858.00	w/9MB \$4,248.00
T3100SX/40MB		
w/3MB	\$3,678.00	w/5MB \$3,858.00
w/7MB	\$4,108.00	w/9MB \$4,268.00
w/11MB	\$4,528.00	w/13MB \$4,768.00
T3100SX/80MB		
w/3MB	\$3,858.00	w/5MB \$4,038.00
w/7MB	\$4,288.00	w/9MB \$4,458.00
w/11MB	\$4,708.00	w/13MB \$4,948.00
T3200/40MB with 4MB		\$2,748.00
T3200SX/40MB		
w/3MB	\$3,258.00	w/5MB \$3,438.00
w/7MB	\$3,688.00	w/9MB \$3,858.00
w/11MB	\$4,108.00	w/13MB \$4,348.00
T3200SX/120MB		
w/3MB	\$3,858.00	w/5MB \$4,038.00
w/7MB	\$4,288.00	w/9MB \$4,458.00
w/11MB	\$4,708.00	w/13MB \$4,948.00
T3200SX/120MB		
w/3MB	\$5,638.00	w/5MB \$5,818.00
w/7MB	\$6,068.00	w/9MB \$6,238.00

AST PREMIUM EXEC NOTEBOOK

286/20MB	w/1MB	N/A
w/2MB	\$1,948.00	w/4MB \$2,328.00
w/5MB	\$2,428.00	w/8MB \$2,908.00
286/40MB	w/1MB	N/A
w/2MB	\$2,228.00	w/4MB \$2,608.00
w/5MB	\$2,708.00	w/8MB \$3,188.00
386SX/20MB	w/2MB	N/A
w/5MB	\$2,778.00	w/8MB \$3,258.00
386SX/40MB	w/2MB	N/A
w/5MB	\$3,058.00	w/8MB \$3,538.00
386SX/60MB	w/2MB	N/A
w/5MB	\$3,338.00	w/8MB \$3,818.00

TI TRAVELMATE

TM2000/20MB		
w/2MB	\$2,208.00	w/3MB \$2,348.00
TM3000/20MB		
w/4MB	\$3,498.00	w/6MB \$3,788.00
TM3000/40MB		
w/4MB	\$3,788.00	w/6MB \$4,078.00
TM3000/60MB		
w/4MB	\$4,078.00	w/6MB \$4,368.00

TOSHIBA

T1000SE		
w/2MB	\$1,138.00	w/3MB \$1,278.00
T1000LE/20MB		
w/2MB	\$1,738.00	w/3MB \$1,878.00
w/5MB	\$2,078.00	w/9MB \$2,568.00
T1000XE/20MB w/2MB		\$1,378.00
T3200SX/120MB		
w/11MB	\$6,488.00	w/13MB \$6,728.00
T5100/100MB w/4MB		\$3,488.00
T5200/40MB		
w/6MB	\$4,748.00	w/8MB \$4,928.00
w/12MB	\$5,358.00	w/14MB \$5,528.00
T5200/100MB		
w/6MB	\$5,108.00	w/8MB \$5,288.00
w/12MB	\$5,718.00	w/14MB \$5,888.00
T5200/200MB		
w/6MB	\$5,518.00	w/8MB \$5,698.00
w/12MB	\$6,118.00	w/14MB \$6,298.00
T5200C/200MB		
w/6MB	\$6,118.00	w/8MB \$6,298.00
w/12MB	\$6,718.00	w/14MB \$6,898.00
Everex Tempo LX 386SX/20MB	w/1MB RAM	\$2,098.00
w/3MB RAM	\$2,448.00	w/5MB RAM \$2,798.00
Panasonic CF-170/20MB with 164MB		\$1,738.00
Panasonic CF-270/20MB with 3MB		\$2,198.00
Panasonic CF-270/20MB with 5MB		\$2,428.00

We are not brokers. We manufacture each memory upgrade ourselves, which is why we can offer such low prices.

Our guarantee is simple: We won't just meet any advertised price, but will beat any competitor's current advertised price on memory upgrades you find

BY A WHOPPING 10%!

Nothing beats doing business direct with the factory.

(Note: This guarantee does not apply to closeouts and the like.

Competitive price must be presented prior to purchase from us.)

Please note that each memory card/module is fully tested and comes with a lifetime warranty and a 24 hour exchange guarantee.

All prices subject to change without advanced notice. We are not liable for typographical errors.

So You Can See,
Our Closest Competition
Doesn't Even Come Close

tote-a-lap
"Experts in portable intelligence"

(415) 578-1901, ext. 924 • FAX (415) 578-1914

Limited to stock on hand. All prices reflect cash discounts.

Circle 312 on Inquiry Card.

Call today and we'll fax you our most current and most comprehensive price list for laptops and peripherals.

All prices quoted are in U.S. dollars, and are based on cash purchases. No penalty for Visa/Mastercard.



Finding the four best
laser printers is easy.
Choosing *which* Canon
to buy is a little tougher.



Come on, now—we can't do *everything* for you. We've produced a complete line of Canon Laser Beam Printers for crisp text and stunning graphics. We've given them features unmatched in their price range—such as built-in scalable typefaces that look great from the finest fine print to poster-sized headlines—with legendary Canon quality.

But we can't tell you that what you need is the compact size (and compact price!) of the 4-page-per-minute LBP®-4. You're the only one who knows how convenient its 14" x 16" size and quiet operation would be on *your* home or office desktop. And how can we even guess what you'd do with the standard video interface for fast, high-resolution applications?

We're not going to insist that you should get the LBP-8 Mark III™ for its 8-ppm speed, or for the ability to boost its standard 1.5MB all the way to 4.5MB. Sure, it can accept our IC cards for additional typefaces and capabilities, but so can the others.

Maybe you never need to print letterhead plus second sheets, or long unattended jobs. So why should we brag about the Mark III T™, with dual paper cassettes that can hold up to 400 sheets? Just because it can combine portrait and landscape text? Big deal—that's standard for Canon Laser Beam Printers.

And unless you want the ultimate in capability and convenience, you'd have no interest in the Mark III R™, with dual cassettes and duplex printing for newsletters, and lengthy reports. Even though, like the others (yawn), it supports all popular word-processing and DTP software.

Visit your Canon dealer—call us toll free at 1 (800) 848-4123 for the one nearest you. We've done our part, with four Canon Laser Beam Printers that set a new standard.

But the hard part is up to you.

Genuine Adobe® PostScript® is now available for the LBP-4 and the LBP-8 Mark III Series printers.



A printer driver kit is provided free with each printer containing all printer definition files currently available on diskette, plus complete installation instructions.

Canon is now available on CompuServe®. Type Go Canon at any "!" prompt to access the Canon Forum.

Canon
LASER BEAM PRINTERS

Working To Improve Your Image

From Top To Bottom: LBP-4, LBP-8 Mark III, LBP-8 Mark III T, LBP-8 Mark III R. Canon® and LBP® are registered trademarks and Mark III, Mark III T and Mark III R are trademarks of Canon Inc. • Adobe® PostScript® and the PostScript logo are registered trademarks of Adobe Systems Inc. in the U.S.A. • CompuServe® is a registered trademark of CompuServe Inc.

Circle 60 on Inquiry Card.

PRIORITIZING INFORMATION

Rear Adm. Grace Hopper, USN, Ret., speaks out on how we must analyze, evaluate, and use the various kinds of data that we input into computers

Compiled by JANET J. BARRON

Model Ts totally changed the world of transportation. They cost between \$300 and \$600, and all of a sudden, people could afford to buy and own cars. The whole world changed because of the Model T, and yet, somehow, we totally neglected the underlying concept—*transportation as a whole*. Because we didn't look at transportation as a whole, today roadbeds and railroads are falling apart all over the U.S.

Now we're at the real beginning of a relatively new industry [the computer industry] that will eventually be the largest in this country. And I am very much afraid we'll make the same mistake all over again. I'm afraid we'll continue to go out and buy pieces of hardware with flashing lights and lovely "user-unfriendly" software and totally neglect the underlying subject—the total flow of *information* through any organization, activity, company, and so forth. We should be looking at the information flow and then selecting the equipment to implement that information flow.

Of course, to use our best equipment for handling the most valuable information, the first thing we need to know is which is the most valuable information. For a couple of decades now, I've been asking people how they value their information. I haven't received any answers, but I have received a really great assortment of blank stares. Some people even question that there's a difference in the value of information.

I know of an oil refinery that's operated by computer. Information comes in from marketing and goes to the computer, which opens valves and pushes



stuff through pipes and tells inventory how much of the finished product has been made. The computer puts out payroll reports and makes out the checks, as well as generating reports on all the activity that occurs.

Let's suppose that two pieces of data simultaneously enter that flow. One comes from a valve out in the plant and says, "If you don't open me, the plant's going to blow up. You have 45 seconds to act to save 78 lives and a \$120 million plant." At the very same instant, from another part of the system, comes the fact that Joe did 2 hours of overtime. Which is the more valuable piece of information? And what are our criteria?

Finding the Value of Data

Most large companies insure their databases against damage, inability to access them, and other perils. What happens when the insurance company or the FBI asks, "How much is it worth?" Probably one of the biggest jobs we have ahead of us is to determine that value.


We have totally failed to consider the criteria for the value of information. We haven't even defined our criteria. And yet we must know something about the value of the information and data we are processing.

I think we must create several priorities: the time you have to act on the data and the number of lives and the number of dollars at stake. But there's another one—the importance of that piece of data in making decisions.

BYTE ACTION SUMMARY

The total flow of information through any organization, activity, company, and so forth is what matters. Look first at the information flow, and then select the right equipment to implement that flow. To use the best equipment to handle the most valuable information, you need to know which is the most valuable information. That's the hard part. How do you value your information?

We have totally failed to consider the criteria for the value of information.



We have completely failed to analyze the raw material that we are processing. We've spent almost half a decade talking about the process, the system, and the training. We've forgotten to look at the data or at the information we are producing. We've also neglected to notice something about information: Information is totally inert; it never does anything. It's something you see on the printed page, or you may see it on a computer screen, or you may hear it over a telephone. Although it never does anything, it still has to be fed through another process.

We have a raw material that is called data. We feed it into a process. In this case, the process consists of hardware, software, communications, and trained people. Hopefully, the output product is information. Equally hopefully, this process is under some form of control and there's a feedback loop from the information to the control to improve the quality of the information.

This process consists of a human being who analyzes, correlates, relates that information and turns it into something we can call knowledge, or intelligence—that we can make decisions on. But since we've added another process, we have to have another means of control and another feedback loop to improve the quality of the knowledge.

Take the example of a manager of a

service business. Say he has 150 computers in his company, all providing data to him. He tells you, as his office manager, that he wants to know how much the firm has spent on gasoline for its fleet of vehicles. You can tell him how much it has spent on gasoline, but that's an insufficient answer.

Noting how many months there are left in the fiscal year, you should tell him how many gallons of gasoline the fleet has used so far and how many miles each vehicle travels on average per month. Considering the possibility of an oil shortage, you can also project how much each gallon of gasoline could end up costing and, with some what-if scenarios, give your manager a rundown, in both figures and charts, of several possibilities of what the firm may have to spend on gasoline for the rest of the fiscal year.

We have got to give people better answers—more complete answers. This is where we're going to need the little expert routines—not the great big ones, the little ones—and we're going to need them very badly. One of the biggest jobs for these applications will be to find out what people need to know. What does the manager of a business need to know? We've got a tremendous job ahead of us.





There's something else that is important about this information business. Information has an actual value to a

The best got better.

SYSTAT 5.0's new menus make the top-rated statistical program even easier to use.



SYSTAT is the *only* package to receive these three awards.



New Features Menus or commands — your choice • Rewritten documentation includes statistics tutorials • Fast, built-in drivers for SYGRAPH • Global mapping and many new plots • Multi way repeated measures • Means model for missing cells designs • Post-hoc tests • Interactive stepwise regression.

Statistics Basic statistics, frequencies, *t*-tests, post-hoc tests • Multi way crosstabs with log-linear modeling, association coefficients, PRE statistics, Mantel-Haenszel, asymptotic standard errors • Nonparametric statistics (sign, runs, Wilcoxon, Kruskal-Wallis, Friedman two-way ANOVA, Mann-Whitney U, Kolmogorov-Smirnov, Lilliefors, Kendall coefficient of concordance) • Pairwise/listwise deletion of missing values, Pearson correlation, SSCP, covariance, Spearman, Gamma, Kendall Tau, Euclidean distances, binary similarities • Linear, polynomial, multiple, stepwise, weighted regression with extended diagnostics • Multivariate general linear model includes multi way ANOVA, ANCOVA, MANOVA, repeated measures, canonical correlation • Principal components, factor analysis, rotations, components scores • Multidimensional scaling • Multiple and canonical discriminant analysis, Bayesian classification • Cluster analysis (hierarchical, single, average, complete, median, centroid linkage, k-means, cases, variables) • Time series (smoothers, exponential smoothing, seasonal and nonseasonal ARIMA, ACF, PACF, CCF, transformations, Fourier analysis) • Nonlinear estimation (nonlinear regression, maximum likelihood estimation, and more).

Graphics Overlay plots • Drivers for most graphics devices • *Two-dimensional:* Error bars • Scatterplots • Line and vector graphs • Vector, dot, bubble and quantile plots • Bar graphs (single, multiple, stacked, range) • Box plots (single and grouped) • Stem-and-leaf diagrams • Linear, quadratic, step, spline, polynomial, LOWESS, exponential smoothing • Confidence intervals and ellipses (any alpha value) • Smooth mathematical functions • Rectangular or polar coordinates • Log and power scales • ANOVA interaction plots • Histograms (regular, cumulative, fuzzy) • Stripe and jitter plots • Gaussian histogram smoothing • Scatterplot matrices • Voronoi

tessellations • Minimum spanning tree • Maps with geographic projections (U.S. state boundary file included, county and world boundary files available) • Chernoff faces • Star plots • Fourier plots • Pie charts • Contour plots on regularly and irregularly spaced points • Control charts and limits • *Three-dimensional:* Data plots • Smooth function plots • Vector plots • Linear, quadratic, spline, least squares surface smoothing • Typefaces that print in perspective.

Data Management Import/export Lotus, dBase, and DIF files • Full screen data editor • Full screen text editor • Unlimited cases • Missing data, arrays, character variables • Capability to process hierarchical, rectangular or triangular files, irregular length records • Character, numeric, and nested sorts • Merge and append large files • Unlimited numeric and character variable transformations • Subgroup processing with SELECT and BY • Value labels and RECODE statements • Macro processor with programming language, screen control, file manipulation, applications generation, and report writing.

SYSTAT operates on IBM PC's® and compatibles, MS-DOS®, VAX®/Microvax and Macintosh®. Site licenses, quantity prices and training seminars available. No fees for technical support.



SYSTAT. Intelligent software.

For more information call or write: SYSTAT, Inc. 1800 Sherman Avenue, Evanston, Illinois 60201-3793 Tel: 708.864.5670 Fax: 708.492.3567
For international representatives call: **Australia** 61.3.4974755, **Canada** 416.424.1700, **Finland** 358.0.6923800, **France** 33.1.40935000,
Germany 49.61.265950, **Italy** 39.587.213640, **Japan** 81.3.5902311, **New Zealand** 64.71.562675, **Norway** 47.3.892240, **Sweden** 46.8.110620,
Switzerland 41.31.416611, **The Netherlands** 31.3402.66336, **UK:** Letchworth 44.462.482822, London 44.81.6926636, London SE 44.0753.841686

REPORT CARD					
Text Retrieval Software					
	(InfoWorld weighting)	(Your weighting)	Ash Sam Version 4.2	Folio Views Version 2.0	Lotus Magellan Version 2.0
List price			\$295	\$495	\$139
Performance					
Capacity	(75)	()	Satisfactory	Excellent	Excellent
Record processing	(100)	()	Good	Very Good	Very Good
Search capabilities	(100)	()	Good	Excellent	Good
Speed	(150)	()	Good	Excellent	Excellent
Documentation	(75)	()	Poor	Satisfactory	Very Good
Ease of learning	(100)	()	Poor	Very Good	Good
Ease of use	(75)	()	Satisfactory	Very Good	Very Good
Error handling	(75)	()	Poor	Very Good	Very Good
Support					
Support Policies	(50)	()	Good	Very Good	Very Good
Technical support	(50)	()	Satisfactory	Satisfactory	Very Good
Value	(150)	()	Good	Excellent	Very Good
Final scores			5.0	8.3	7.6

INFO
WORLD

and Windows!

Rated #1

... it's easy to find exactly what you're looking for with **ZyINDEX™**

ZyINDEX lets you simultaneously search all your documents, 20,000 pages or more, even entire networks, providing search results in under 3 seconds!

The search technique is easy. To find a word, just enter it. All instructions are in plain English on the screen, when you need them.

Versatile. Powerful. ZyINDEX provides the full set of search techniques not found in utilities:


- Boolean Logic Searches
- Thesaurus
- Phrase Searches
- Comments
- Proximity Searches
- Super Wildcards
- Conceptual Searches
- Field Searches

ZyINDEX simultaneously searches text located across multiple subdirectories and drives, regardless of the format.


Prepare your entire drive for searching with just one keystroke. Ideally suited for networks and frequently changing text.

Select any document for viewing. Browse or jump from document to document or "hit" to "hit." Scroll through entire documents at will.


ZyINDEX displays every occurrence of your search request and highlights the word, phrase or date you're looking for. Once found, you can copy and paste, print, and/or report.



Type in query.



Listing of documents found.



View document with query highlighted.

corporation. Someday, under "Other Assets," there's going to be an entry on the corporate balance sheet—"Information"—with a value on it. I asked the IRS how they plan to depreciate the value of information. They didn't answer me.

A Question of Accuracy

There are some other issues regarding information that we need to address, such as accuracy—correctness of the information that comes from your computer. One year I turned in my budget, and even though it added up right and had beautiful charts in it, it was rejected for inaccuracy. I put it through my computer again, and it came up with the same answers. *Certainly*, it was correct because it came from the computers. We've gone that way for too long.

When one of my supervisors heard about this situation, he decided to find out the possible costs of incorrect information in a data-processing system. He found a section of the privacy law applying to government employees in the military that dealt with this issue.

It states that if there is inaccurate data in a personnel file and, because of it, someone is denied a raise or a promotion or otherwise treated improperly, they have a right to sue the federal government. The fact this law is on the books shows how serious a situation the military considers the possible consequences of inaccurate information. There are few cases an individual is given the right to directly sue the federal government.

This officer decided to analyze the possible costs to the government of inaccurate information in a personnel file. He used a hypothetical case and extrapolated, using statistical probabilities, and estimated the damages in a best-case scenario.

He came up with the fact that in just one possible situation, inaccurate information in a few personnel files could cost an organization in the range of \$500,000. Now, this half-million-dollar projection was just for one not-so-bad case of incorrect data unintentionally finding its way into a small percentage of one department's personnel files.

You can use your imagination and multiply that figure by a factor of *n*. Then you can see for yourself how many millions of dollars of damage (not to mention the grief of those who get turned down for jobs, raises in salary, and so forth) that inaccurate computer information can cause. And the issue can't be resolved by going to your boss and asking for hundreds of thousands of dollars to correct the files and save the company

Demo disk available.

1-800-544-6339

ZyLAB
CORPORATION

**LIKE MAGIC, CREATE
SIGNS, LABELS AND
STICKERS INSTANTLY!**

Introducing the magic of STIKA!

STIKA is the revolutionary, compact and simple sign-making system from Roland Digital Group!

You can use STIKA with or without a computer. The built-in scanner allows you to easily scan and cut artwork (from any original, clip-art or printed piece) to create your own signs, labels, stickers and reverse iron-on transfers from



either vinyl or flock material measuring up to 3" x 23"!

With a wide variety of colors you can apply your creations permanently to walls, windows, cars, RV's, boats, cycles, shirts, hats and a lot more!

The magic of STIKA!

Now the power to cut graphics and text from vinyl and flock rests directly in the palm of your hand.

Experience the Wizardry of STIKA!

1. Scan and Cut.
With STIKA's built-in scanner, simply scan the original art or text. Then with one push of a button, STIKA will cut your design in vinyl or flock.

2. Apply.
Your design is easily applied to just about any surface with pressure-sensitive vinyl or iron-on flock material.

3. It's finished!
Signs, labels or stickers are now ready for permanent display!




STIKA™
Intelligent Cutting Machine™

INTERNATIONAL DISTRIBUTORS: U.S.A.: Roland DGA Corporation 1961 McGraw Avenue, Irvine, CA 92714 Phone: (714)975-0560 Fax: (714)975-0569 • CANADA: Roland DG Canada Inc. Phone: (604)270-6552 • AUSTRALIA: Roland DG Australia PTY Ltd. Phone: (03)818 0633 Fax: (03)818 0433 • NEW ZEALAND: Roland Corporation (NZ) Ltd. Phone: (09)398 104 Fax: (09)391 065 • ENGLAND, IRELAND: Roland (UK) Ltd. Phone: (0181)81181 Fax: (0252)812692 • SCANDINAVIA: Roland Scandinavia A/S Phone: (31)95 36 22 Fax: (31)95 61 11 • BENELUX, FRANCE, GERMANY, AUSTRIA, SWITZERLAND & PORTUGAL: Roland DG Europe N.V. Phone: 32/14-57 59 11 Fax: 57 59 12 • SPAIN: Roland Electronics de Espana, S.A. Phone: (93)308 1000 Fax: (93)307 4503 • HUNGARY: Intermusica Ltd. Phone: (361)186 8905 Fax: (361)185 1117 • JAPAN: Roland DG Corporation Phone: (053)485-3177 Fax: (053)485-3177

Roland
DIGITAL GROUP

Space-Saver Keyboard



Save an amazing 60% of the desk or counter space now taken by a standard keyboard and enjoy improved functionality at the same time. Actual size is 273 x 152mm (10.75" x 6.0"). The new MICROTYPE Keyboard is rapidly gaining acceptance as a truly advanced alternative to the original IBM layout for many applications. Reliability of the MICROTYPE has been amply proven through extensive use in trading areas of several major stock exchanges as well as in many banks, brokerages, stores and at factory work stations.

Space is saved by compressing rows (not columns) and eliminating wide borders. Re-arranging and elevating the auxiliary key clusters also saves space while improving accessibility with reduced eyescan and head movement. Keys have full travel with a light tactilly responsive touch. All standard features such as auto-repeat, caps, num and scroll lock are included on the MICROTYPE.

PC XT/AT, PS/2 IBM and clone compatibility. Available in US and most European language versions. Made in USA with 1 year warranty.

Order direct from stock with 15 day full return privileges. VISA, MasterCard, Eurocard charges and COD accepted.

USA	1-800-DATALUX	Fax 703-662-1682	\$124.50 + 6.00 s/h
EUROPE	44+306-76718	Fax 44+306-76742	£99.00 + VAT + P&P
CANADA	514-694-0870	Fax 514-694-0871	\$189.00 Cdn + s/h

OEM and reseller volume discounts available. Keytop legend and color customization offered.



A new Space-saver product from DATALUX — Microtype keyboard and LCD monitor combination. VGA resolution, backlit, supplied with adaptor card. Call for price and availability.

"...beautifully sensitive and handles both typists with light touch and those who really bang away..."

COMPUTER BUYER'S GUIDE

"...This could be the perfect layout for an enhanced keyboard that must fit into a small area..."

COMPUMAG

DATALUX

DATALUX Corporation
2836 Cessna Drive
Winchester, Virginia 22601

DATALUX INTERNATIONAL LTD.
Euro House
Curtis Road, 11 Old Water Road
Dorking, Surrey, UK

PRIORITIZING INFORMATION

money. We've got to find out something about, and analyze, the cost of incorrect information, and it's a subject we've totally failed to address.

The Flow of Information

Consider the concept of a river. It starts with little tiny rills, tiny drops of water going downhill. These drops coalesce into a small brook. That process continues on and on until somebody decides to use some of that water. So, they build a little dam and create a small pool. They use the water there. Then it coalesces again and runs on down and finally gets to be quite a good-size brook, and the brook runs into another dam before it enters a lake.

People use the lake water locally before they send it into the lake itself, from which some of the water flows out into a main river, which goes into some part of the state. Everywhere along the way, there are dams and reservoirs, and the water's used, coalesced, and sent in a broader stream on down until it finally reaches the sea.

I think data ought to behave this way. It should be collected locally at a branch office or somewhere and used there. Then it ought to be coalesced and forwarded to a regional office and used there, coalesced, and finally end up at a headquarters. Then there also would be a reverse flow that matches the river flow.

Telephone lines parallel rivers. When headquarters decides that something needs to be done, it sends orders back out to all these parallel branches, out to the branch office. That's a real flow of information, where the data goes both ways, and it's used locally before it's sent on down to headquarters. It's not centralized. There's no sense in sending every detail that concerns the branch office into Washington, D.C.

It makes sense that when the data-processing and MIS departments within a company look only at the computers and the telephone lines that they control, they're not doing their jobs. They're not looking at the information itself, at the value of that information, or at who uses it and why. We have to learn to manage information and its flow. If we don't, it will all end up in turbulence. ■

ACKNOWLEDGMENT

The information in this article is from a speech by and an interview with Grace Hopper.

Janet J. Barron is a BYTE technical editor. She can be contacted on BIX as "neural."

Light in weight. Light in price. Heavy in features.



The race is on to see who could make the smallest computer. Only problem is you're the one who ends up losing. Because as computers get smaller, features become fewer.

That's why Altima created the NSX computer. It provides you desktop features in a notebook package. All at a price you can afford.

Large VGA display. The NSX offers a large size, 10.4" screen with paper-white VGA display. The result is a screen size that delivers up to 50% more viewing area than most other notebooks.

Full size keyboard and keys. Unlike other notebook computers that cause you to use a pencil eraser when pushing extremely small keys, NSX provides a full size keyboard and normal size keys. That means working with the NSX is as easy as working with a desktop computer.

Features that make the difference. You'll appreciate that the 2 megabytes of RAM, the 2400 baud modem, and NSX's send fax capability are all included in the price. And while you're saving money, you'll be able to save something else: DATA. Because thanks to exciting data compression software that's included with every NSX, you can save up to 30 MB* of information.

Why pay more for less? Check out the Altima NSX. It was made to be small. But not to short you on features.



Unlike many other notebooks, NSX offers normal size keys and key spacing. Keys shown are actual size.

altima

For the dealer in your area
call 800/356-9990

*Data compression software increases the capacity of the Altima NSX 20MB hard drive as much as fifty percent.

Circle 19 on Inquiry Card.



Mitsubishi Monitors Open More Windows Of Opportunity.

Windows™ 3.0 enables you to push your PC to new levels of performance and productivity. To take full advantage of its application versatility and powerful features, upgrade your monitor to the Diamond Scan 16L from Mitsubishi Electronics.

With a 16" CRT, the Diamond Scan 16L provides 42% more display area than conventional 14" monitors but without taking up additional desktop space. This larger screen size enables you to see more of the Windows™ graphical environment and work more easily with a variety of on-screen applications at the same time. With the Diamond Scan 16L and Windows 3.0, opportunities are unlimited!

In addition, the Diamond Scan 16L supports today's high resolution graphic standards.

From VGA™ through 1024 x 768, this microprocessor-enhanced monitor is compatible with any Windows 3.0 application resolution.

The Diamond Scan 16L—and Diamond Scan 20L (the larger 20" model)—are both engineered with the latest technology and manufactured using only the finest materials and components available. It's the

reason why Mitsubishi® continues to be the proven leader in monitor quality, performance and value.

Call or write Mitsubishi Electronics today and we'll show you how our high performance 16" and 20" color display monitors can help you open more windows of opportunity. For more information on these or other models in Mitsubishi's comprehensive monitor product line, call 1-800-843-2515.

**Bring Out
The Best In
Windows 3.0.**



Mitsubishi Electronics America, Inc., Information Systems Division, 991 Knox Street, Torrance, CA 90502
Mitsubishi Electric Sales Canada, Inc., 8885 Woodbine Avenue, Markham, Ontario L3R 5G1

© 1991 Mitsubishi Electronics America, Inc. Mitsubishi is a registered trademark of Mitsubishi Electric Corp., Tokyo. Windows is a trademark of Microsoft Corp. VGA is a trademark of International Business Machines Corp. Actual unretouched screen images produced from the following companies (trademarked software package name follows company name): Microsoft Corp. (Windows 3.0 and PowerPoint); Autodesk, Inc. (AutoCAD - Release II); Computer Support Corp. (Arts & Letters).

Circle 211 on Inquiry Card (RESELLERS: 212).



THROUGH A LENS SMARTLY

MIT's Information Lens project has laid the foundation
for intelligent assistants for your E-mail system

Mike Robinson

Information overload is something like the weather, only a bit better: Yes, everyone complains about it, but some people are trying to *do* something about it.

Consider E-mail. Almost every company already has some form of E-mail, and information overload is often as much of a problem with such systems as it is with in-boxes; many users receive anywhere from 30 to 100 messages daily. Handling that amount of mail, especially when you have been away for a day—not to mention several days or a week—is daunting, to say the least.

What's more, the problem will grow worse. The number of electronic mailboxes will soar from 17.4 million in 1990 to 64.7 million in 1995, according to International Data Corp. (Framingham, MA). E-mail systems will increasingly be interconnected, a trend that's already well under way. And beyond the messages themselves lies all that information you may want to find, made available electronically by on-line news, stock quotations, and a host of other services.

Enter Information Lens

Information Lens, a research project at MIT's Sloan School of Management, addresses electronic information overload by attacking not just the problem of dealing with the sea of messages many people receive, but also the problem of finding the information people need or want.

Dubbed an *information-sharing system*, Information Lens uses concepts from AI and graphical-user-interface (GUI) design to create a kind of secretary or "intelligent assistant" that can sort incoming messages into meaningful



From Information to Objects

The Information Lens project ended in 1989, when it was, in effect, transformed into the Object Lens project. Called "the second generation" of the Information Lens system, Object Lens builds on the experience Malone and his team had in using and enhancing the Information Lens. It therefore contains a large number of enhancements suggested for the original project.

These changes created a "significant generalization" of the Information Lens, so that the Object Lens can far exceed it in the kinds of knowledge that can be represented and the ways that information can be manipulated. The result is a knowledge-based system for developing cooperative work applications. Another way its developers look at the system is as a user interface that integrates hypertext, object-oriented databases, electronic messaging, and rule-based intelligent agents.

Like the Information Lens, the Object Lens relies on semistructured templates and rule-based processing, as well as a consistent graphical user interface and an inheritance network. But it goes beyond the Information Lens in that you can represent information not only about messages, but also about many other types of information—for example, people, tasks, and products. Such representation is possible because of the Object Lens's object-oriented database.

Objects and Agents

You create objects using semistructured templates and matching editors. These templates and editors are also based on fields and resemble familiar forms. You can group the objects into customizable folders, which are themselves special kinds of objects. (You can also customize the way a summary of the contents of a folder is displayed, as well as how the objects themselves are shown.)

Finally, the Information Lens's concept of rule sets has been extended to one of rule-based intelligent agents. The agents are semiautonomous: You are in control in that you specify what they do to what, and when, and you can always change or delete them. (You can also have them refer an object to you for action.) They are, however, autonomous in the sense that once you have created them, they can act without your doing anything further if you so specify.

The ability to specify "when" is an important addition to the Object Lens. Not only can you have rules trigger, or "fire," when mail arrives, but you can also specify a time or times for them to fire instead.

Coming Attractions

MIT is making the Object Lens technology (for which it has several patents pending) available for a modest fee. In fact, Beyond and DEC have licensed the technology. In addition, Agility Systems is considering signing a licensing

agreement.

Beyond has incorporated some elements of the Object Lens system into BeyondMail (see the text box "Going to Market" on page 182), but it is unwilling to discuss them. Some aspects are, in effect, present now; others are included in the system architecture as a basis for enhancements in later versions of the product.

With its emphasis on managing other kinds of information, Agility Systems' WiJit looks more like the Object Lens than like the Information Lens (see the text box "From Rules to Agents" on page 186). Perhaps more important, it borrows from the Object Lens in its use of intelligent agents instead of mere rule sets and in its ability to have the agents act at particular times.

DEC has several research projects based on both the Information Lens and the Object Lens. The projects, conducted by the Advanced Development group of the Business Office Systems Engineering division, are in two main areas—advanced information management and interpersonal computing. More specifically, they deal with such areas as the management of mail, news feeds, and other information, and the use of agents to maintain things like appointment calendars and travel itineraries. And last summer at DECWorld in Boston, DEC showed mail filtering and context-based retrieval of information as part of its "Office of the Future."

categories (or *folders*), prioritize the messages based on importance and urgency, and even go out and find specified kinds of information. In addition, it can automatically respond to certain kinds of messages, and it can suggest actions you may want to take once you have read other kinds of messages.

The project, which ran from 1985 through 1989, was conceived and directed by Thomas W. Malone, Patrick J. McGovern Professor of Information Systems at Sloan and director of MIT's Center for Coordination Science. Earlier, Malone had worked at Xerox's Palo Alto Research Center, where people were heavy users of E-mail. There, Malone

experienced the flood of electronic messages many years before most people. In fact, he helped develop a prototype mail-sorting system at Xerox PARC to help its E-mail users.

While this development was going on at Xerox PARC, people active in organization theory were predicting that the internal structure of large organizations would evolve into a conglomeration of temporary groups requiring lots of lateral communication (a structure first described by Alvin Toffler in *Future Shock* and known as *ad-hocracy*). One of Malone's interests was trying to figure out what might help serve such a need.

At MIT, Malone worked on the prob-

lem of information overload that E-mail users encounter, but general issues of group communication and coordination were always part of his concerns. With his preliminary ideas centered on two fundamental technologies of AI—rule-based processing and frames—he initiated the Information Lens project.

Lens Elements

Malone's ideas coalesced into a system built on five elements: semistructured message templates (*frames*, in AI parlance); sets of rules to process messages (AI's production rules); a consistent set of display-oriented (graphical) editors for composing messages, creating rules,



BEYOND TURBO

ANNOUNCING **PASCAL⁺**TM

A High Performance Option For Turbo Pascal Users

We agree that Borland Turbo Pascal® is a great street machine. But when your applications demand the ultimate in performance, the **Stony Brook Pascal⁺** optimizing compiler has the extra power you need — and an unbeatable list of standard features.

DON'T CHANGE A LINE OF YOUR CODE

It couldn't be easier to trade up to Pascal⁺. We're 100% language-compatible with Turbo Pascal V6. **You don't change your Turbo Pascal programs at all.** Just compile with Pascal⁺ and get:

Execution speeds up to 100% faster

Code size up to 30% smaller

You get fully optimized code with **NO** difference in your program's operation!

ELIMINATE ROADBLOCKS

Pascal⁺ comes fully equipped to handle ANY programming problem you encounter. Unlike Turbo Pascal, we produce standard Microsoft® objects, support all memory models, and give you complete control over procedure-calling and parameter passing conventions.

INSTANTLY LINK TO OTHER LANGUAGES

With Pascal⁺ it's easy to interface with code written in any other language. This means, for instance, that you can have immediate access to millions of lines of commercial library code written by and for C programmers.

Turbo Pascal and Turbo C are registered trademarks of Borland International, Inc. Microsoft and Windows are registered trademarks of the Microsoft Corporation. Stony Brook Software and Pascal⁺ are trademarks of Gogesch Micro Systems, Inc.

AND WE DO WINDOWS!
Stony Brook Pascal⁺ comes with full support for Microsoft Windows 3.0. We provide the interface units, and you use the windows API exactly as you would with Microsoft C.

In fact, anything you can do with Microsoft® C or TurboC®, you can do with Stony Brook Pascal⁺!

So get on the track with Stony Brook Pascal⁺. You'll qualify for races you never could enter before.

CALL NOW OR WRITE FOR INFORMATION
800/624-7487 • 805/496-7429 Fax • 805/496-5837 Outside U.S.

Stony Brook
SOFTWARE

187 E. Wilbur Rd., Suite 9, Thousand Oaks, CA 91360
Makers of Stony Brook Professional Modula-2 and QuickMod

SAVE \$100! WITH OUR SPECIAL INTRODUCTORY OFFER!

Buy directly from us by 7/31/91 and pay only:

\$295	plus shipping, U.S. & Canada	\$395	after offer expires
\$375	Incl. shipping, outside U.S. & Canada	\$475	after offer expires

Circle 287 on Inquiry Card (RESELLERS: 288).

and defining new message templates; a frame-inheritance lattice, or network, for message types; and a public mailbox, called the Anyone server.

- **Semistructured message templates:** Semistructured messages are the basis of the Information Lens system. They make possible the powerful processing and highly graphical display-oriented editors that characterize Information Lens. Using specific message types further expands the potential power of any rules and of the editors. Specific message types also help the system present intelligent options for what you might want to do after reading a message.

Electronic messages, like the paper memos they emulate, already exhibit some structure, specifying basic kinds of information, signaled by *To*, *From*, *cc*, *Date*, and *Subject*. Beyond these fields, some types of messages have other fields or provide information that additional fields can easily specify; meeting announcements are an obvious example.

Using templates containing appropriate fields makes it possible to automatically process a much wider range of information than you could otherwise. The fields, or structure, represent enough information that simple rules can provide relatively powerful processing, and sophisticated rules can provide even more power. Without fields, you would need an "intelligent agent" capable of natural-language parsing and free-text understanding.

Semistructured messages offer several other advantages, some realizable even without automatic processing. A simple one is standardization, given that everyone in a group or organization uses the same message types. Another advantage is having essential information, like an action request and its deadline, immediately apparent in its own fields, instead of requiring you to read a message to find out what you have to do and when it has to be done. (On the other hand, semistructured messages still give you the flexibility to say anything you want in the text field, and the fields can be edited as desired.) Message types and their fields reflect the processing that people naturally do with the messages and mail they receive.

- **Rule sets:** Rules consist of a test (IF) imposed on the information in the fields (and, if specified, in the free-text part of a message) and an action (THEN). Grouped into sets, they allow much more powerful processing than simple Boolean queries, enabling you to specify extended reasoning chains about what you




Figure 1: An intelligent public mailbox, the Anyone server receives messages that include "Anyone" as an addressee and redistributes them according to rules written by individual users.

want done with your messages and any information available from on-line services.

- **Display-oriented editors:** Graphical editors—also called direct-manipulation editors—that resemble what is being edited greatly simplify the editing process, making it easy even for novice computer users. Information Lens uses three similar editors: one for composing messages, one for creating rules, and one for defining new message types. All are based on representations of message types, and much of the editing is done using menus of options.

- **Inheritance network:** Organizing the message types in an inheritance network simplifies the definition and use of semistructured messages and of the processing rules as well. With the inheritance network, which is an aspect of object-oriented design, certain types of messages are special kinds, or subsets, of other types of messages and automatically inherit properties and processing rules from the more general message type (i.e., the parent) they are descended from.

- **The Anyone server:** The Anyone server is the only one of the five basic elements specifically designed to let you go out and find messages or information not addressed to you. It is a public mailbox that runs on its own workstation and acts in some ways as a postal substation. You can send a message to Anyone, in addition to the designated addressee or distribution list, indicating that the message may be automatically redistributed to anyone who is interested. On-line services could also be fed into Anyone. The Anyone server then distributes its mes-

sages and feeds according to the processing rules for selection that individuals have written (see figure 1).

To Have or Have Not

Taken together, the above elements yield a system that offers a distinct advantage over most other intelligent systems: incremental adoption, both by individuals and by groups. In Malone's phrase, you don't have to "scale a cliff of learning" before receiving any benefit. Instead, you can adopt the Information Lens system in a "series of small steps, each of which requires only a small amount of learning and provides an immediate benefit, and each of which can be taken or not taken," as you prefer.

In other words, you could initially adopt the most basic feature of Information Lens—message types (templates)—

BYTE ACTION SUMMARY

As an MIT-based research project, Information Lens focused on methods that let you handle large amounts of E-mail and other on-line communications. Many of the intelligent-assistant concepts developed for Information Lens are now being applied to commercial products.

HOW
SUPPORTS
are 386 File Server



COREL

World-class Optical Storage for Novell

COREL announces the finest in data security and mass storage for Novell networks. As the world's leading developer of optical interface software for IBM and Macintosh computers, COREL brings you its award-winning line of optical disk sub-systems, the most powerful NetWare compatible optical drives on the market today. Whether you need the permanence of WORM storage, the convenience of erasable optical or the power and flexibility of our new multi-function drive and CD-ROM drives, COREL offers you *the most* flexible and effective storage solutions anywhere, providing massive archiving capabilities and exceptionally high security options.

COREL software is completely compatible with Novell NetWare utilities, security levels, and all existing applications. The world's leading developer of optical disk interface software invites you to make the networking breakthrough. For details, contact COREL Systems today!



TEL:(613)728-8200
FAX:(613)728-9790

Corel Systems Corporation: the universal choice for optical innovation.

Circle 77 on Inquiry Card (RESELLERS: 78).

Attention U.S. BYTE Subscribers

Watch for the next **BYTE DECK** mailing that will be arriving in your mailbox soon!

Use this as a fast, convenient tool to purchase computer products and services. It's loaded with essential hardware and software products that you should be aware of when making your buying decisions...and it's absolutely **FREE!**



If you have a computer product or service, and would like to reach 275,000 influential **BYTE** magazine subscribers, please give Ed Ware a call today at (603) 924-2596.

Here's what a **BYTE Deck** advertiser has to say:

*"Ten years ago we advertised in the very first **BYTE Deck**—the number of sales leads we received was enormous! The **BYTE Deck** was so successful for us, that we have continued to use it over the past ten years!"*

Lisa Tarpoff
Marketing Manager
Heath Company
Benton Harbor, MI

BYTE DECK

THROUGH A LENS SMARTLY

Going to Market

Beyond (Cambridge, MA), a productivity-software developer for personal computer users, is readying a product, **BeyondMail**, that's based on the Information Lens project from MIT. The company was founded in mid-1988 by Charles Digate, a former senior vice president of analytic products (spreadsheets) at Lotus Development (Cambridge, MA).



Charles Digate

Digate's first employee was Eugene Lee, who received an M.S. in management from MIT's Sloan School of Management, where he took one of Thomas W. Malone's classes. Lee is now director of product planning for **Beyond**. He is responsible for the overall architecture of **Beyond**'s product line, the detailed definition of the products, and management of the development organization.

Beyond seems to have taken the Information Lens approach—to create a system that helps but doesn't necessarily solve the whole problem—even more to heart than the original developers did. The company has scaled back the reach of Information Lens, discarding not only the **Anyone** server and the idea of giving people the ability to find information that was not sent directly to them, but also the frame-inheritance network.

Nevertheless, **Beyond** has added several useful capabilities and features to the Information Lens concept. The most significant of these enhancements is the ability to launch an application from within the program.

BeyondMail uses the three other basic elements of Information Lens—semistructured message templates, processing-rule sets, and display-oriented editors—and a similar capability for incremental adoption.

The product is itself a complete E-mail front end. The company also stresses **BeyondMail**'s role as a personal

productivity tool for mailbox management and its function as a potential platform for the development of workgroup applications.

Currently, **BeyondMail** has three message types: the standard E-mail form, a phone message, and a request form. A meeting-announcement type is nearing completion, and Lee says that a fifth message type will be added by the time **BeyondMail** ships.

With **BeyondMail**, you can create multiple rule sets—for instance, a standard set, one for when you are traveling, and one for when you are on vacation—and you can turn the sets on and off as needed. Another added feature is that you can send and share your rules with others.

Also new is the **AutoTickle**. With this feature, you can have the program automatically "tickle" a message, moving it into a folder when it is time for you to do some particular task—such as return a phone call to someone who has been away.

You can also use rules to create beeps or customized visual alerts to signal you when certain kinds of messages arrive. Finally, you can configure **BeyondMail**'s initial setup, so that it can, for example, start your E-mail session by showing you a list of those messages marked urgent.

BeyondMail was announced on January 28 and demonstrated at NetWorld '91 in February. The initial release, for IBM PCs and compatibles, uses Novell's Message Handling Service standard for LAN messaging. It also works with native MHS products (e.g., **Da Vinci eMail**), through gateways, with public E-mail systems (e.g., **cc:Mail**, **MCI Mail**, and **All-in-1**), and with systems that conform to the X.400 standard.

BeyondMail runs in character mode under DOS or Windows 3.0 (a native Windows version is in development). The program requires at least a 286 processor and 1 megabyte of RAM. Shipment is slated for the middle of this year. The price is \$250 for a single-user copy and \$1395 for an eight-user LAN package.


Anti-Obsolescent. Forval Super High-Speed V.32bis/V.42bis Modems.

Enhancements for your modem are just a phone call away. Simply dial FORVAL's headquarters and FORVAL-Link™ assures speed or feature upgrades automatically.

Your modem is protected against obsolescence.

With FORVAL Turbo Interface,™ data integrity is ensured even at speeds greater than 19.2Kbps.

Modem can be used horizontally—or vertically when you need to save desktop space.



Forval's super high-speed dial-up modems are currently the fastest full duplex modems on the market—up to six times faster than ordinary V.32 modems. And they are compatible with all lower speed modems.

Completely compatible with CCITT dial-up standards.

Controls and displays ensure complete visibility and management over modem operation.

Now you can get all this for the same amount you would spend on an ordinary V.32 modem.

Introducing the SA14400 from Forval. The first super high-speed modem designed to discourage obsolescence.

And don't worry about compatibility. Forval modems are compatible with all dial-up modem standards. So you can talk to anyone. Anywhere. No matter what the line conditions.

Your investment is also protected with a five-year warranty. And free high-speed communications software is included in the package.

So if you want a super high-speed modem that has it all, think of us.

Forval.

To learn more about our complete



Also available in board model for internal PC use.

line of modems, call us today at **1-800-FORVAL-1.**

FORVAL AMERICA, INC.,
Modem Division, 6985 Union Park
Center, Suite 425, Midvale,
Utah 84047, Tel: (801) 561-8080,
Fax: (801) 561-8777.

FORVAL

The Modem With A Future.™




Figure 2: The message templates are arranged in a network with more general types (to the left) and more specific types (to the right).

and then proceed to adopt other features at various times. By using just the message type component, you would obtain the benefit of standard, semistructured forms (plus, in some cases, fields with default values filled in).

Adopting simple rules gives you useful automatic processing procedures, and you can go on from there. You gain much of the benefit of rule-based processing

even if no one else uses the system, since all E-mail messages contain basic fields on which your rules can work. By gradually adding new rules, you can continually increase the usefulness of the system.

When groups of people who communicate frequently with each other all use the same message types, they gain further benefits from standardization. More important, as they increase the useful-

ness or power of their rules, they gain the ability to create applications that support a variety of coordination and communication procedures, like task tracking. By creating new message types and applications, groups, too, can continually increase the system's usefulness.

The Lens in Action

Information Lens was first implemented as a prototype system, mainly through the work of Kenneth R. Grant, who was a research staff member at MIT at the time. The system was under development in various forms throughout the project's lifetime. Written in Interlisp-D using Loops (an object-oriented extension of Lisp) and running on Xerox 1100 series workstations connected by an Ethernet network, Information Lens was built on top of the existing E-mail system. Thus, people could keep using the existing E-mail system and be free to adopt as much or as little of Information Lens as they wanted.

Information Lens has three basic message types—Action Request, Notice, and Commitment—that are distinguished by purpose, as well as a general, all-embracing message type called Message (see figure 2). Below those three basic types, the researchers created a variety of others; some are general enough to be applicable to any organization, such as Meeting Announcement, and some are

A MESSAGE TEMPLATE AND EDITOR

Deliver		Cancel
Meeting Announcement		
To: Anyone From: Malone cc: Subject:		
E53-301 E40-298 E52-598 Faculty Club	Place: Default Explanation Alternatives	Topic: Day: Meeting Date: Time: Place: Text:

Figure 3: The message editor uses the appropriate message template and pop-up menus associated with the template fields.

specific to the Information Lens project, such as LENS Meeting Announcement. The more general a message type, the more likely it is to be applicable to a variety of organizations.

The template for each message type contains a number of fields. Associated with each field are three properties: a default value, a list of possible alternative values, and an explanation of why that particular field is part of the template. Some templates may have some of their fields' default values already filled in (see figure 3).

To compose a message, you click on the message type you want, as listed in the message network. The template appears on the screen. Clicking on a field brings up the basic editing menu for that field, showing its name and giving you a choice of viewing the default value, the explanation of the field's purpose (if you are not familiar with the template), or the list of alternative values (see figure 3). If you choose a value, it is automatically inserted in the text of the field. You can also directly edit any field at any time.

To find, filter, or sort messages, you call up the rule editor. This editor uses rule templates based on those used for the message types (see figure 4). It includes the fields of the message type that you have chosen, plus other appropriate fields for the IF section, as well as a field for the THEN section. Pop-up menus appear on the left side of the screen to aid you in filling in the fields.

Because of frame inheritance, message types inherit the rules of all the types above them in the message network. However, just as with the fields and field characteristics that a message type inherits, you can delete or change any inherited rule.

Shifting into Automatic

To create a rule, you choose the message type you want it to apply to, select Edit a Local Rule Set, and then select Add. (Local rules are those that apply to individual mailboxes.) To specify the IF part of a rule, you fill in selection specifications for the message fields. The simplest kind is a string.

You can create more complex specifications by combining strings with AND, OR, NOT, and parentheses; in other words, you can use arbitrary Boolean combinations within any field. If you create specifications for more than one field, all the specifications must be met for the action to occur; that is, the specifications in different fields are combined using an AND operation.

To specify an action, you click on

A RULE EDITOR

Save
Cancel

Rule Editor

Subject:
 Default
 Explanation
 Alternatives

Name

IF

To:

From:

cc:

Subject: CISR Lunch

Date:

Sender:

Topic:

Message Type:

Text:

Ignore After:

Day:

Meeting Date:

Time:

Place:

Characteristics:

THEN

Move To: CISR Lunch

SAMPLE RULES

- a) **IF** Message type: Action request
 Action deadline: Today, Tomorrow
THEN Move to: Urgent
- b) **IF** Message type: Meeting announcement
 Day: Not Tuesday
THEN Delete
- c) **IF** From: Silk, Siegel
THEN Set characteristic: VIP
- IF** Message type: Action request
 Characteristics: VIP
THEN Move to: Urgent

THEN and choose from the menu. Typical actions put a message in a specific folder (Move To) or remove it (Delete) (see figure 5). The system includes the ability to create folders. Move To and Delete do not physically expunge a message; in the case of Move To, therefore, subsequent rules can put copies of a moved message into other folders.

Every rule template includes a field labeled Characteristics. You create a rule to set the characteristics of a message;

Figure 4: Rules for processing messages are composed using the same kind of editor and the same templates as those used for composing messages.

Figure 5: Examples of simple rules. Move To (a) and Delete (b) are two basic actions. The action can be to set a characteristic, and another rule can test for that characteristic (c).

then you can create other rules to test a message for those characteristics. For example, you could create a rule that determines whether a message is from a VIP (e.g., if the message is from President Bush, then it's a VIP message) and then test for that characteristic using other rules.

This mechanism has the obvious advantage of eliminating the need to repeat the specification of who is a VIP in all the rules that test for that characteristic.

continued

From Rules to Agents

Agility Systems of Waltham, Massachusetts, was founded in August 1989 by John Landry and Thomas W. Malone to, in Landry's words, "exploit some of the things that had been done with the Information Lens system and to develop other things that Malone had not thought of." It is now readying such a product, which also incorporates an element of the Object Lens system.

Agility retained much of the "information-sharing" nature of the Information Lens—that is, both the basic management of electronic messages and the information-finding aspect. The latter function, however, is directed not at public messages but, rather, at on-line services and a company's internal databases. (In other words, there is no Anyone server.) Thus, the system is aimed at people who don't want to be bothered with the syntax of, say, the CompuServe services or Structured Query Language queries for relational databases. Indeed, when describing Agility's WiJit (for With Information Just in Time) product, Landry puts the use of E-mail to get information out of public and private database systems above the management of internal E-mail.

WiJit in Action

In addition to Information Lens functions and features such as incremental adoption, WiJit adds the Object Lens system's more powerful concept of semiautonomous agents (see the text box "From Information to Objects" on page

178). With agents, you group sets of rules together to take actions for you at a time or times that you specify. Indeed, Landry says that WiJit is "truly agent-based software." As such, he continues, the product makes possible "deferred connectivity," rather than real-time connectivity, to external and internal databases.

Like the Information Lens, WiJit runs on top of an existing mail system. It starts with three of the basic Information Lens elements: message templates, rule-based processing, and graphical editors. While Information Lens enables you to apply rules to just your inbox, WiJit applies them to the contents of a particular folder according to the specified status of the documents or messages—for example, new, opened (read), or all.

More specifically, as with the Information Lens, you group your rules into sets, called *tasks* in WiJit. An agent performs a series of tasks in order. Thus, you could have WiJit dial up the Dow Jones News/Retrieval every day at predetermined times, get specific stock quotes, arrange them in a particular way, and put them into a Stock Quotes folder. You could even have WiJit signal you if a stock rose or fell beyond a specified range. (WiJit includes an interface to DynaComm, a Windows-based communications link.) Through Windows' Dynamic Data Exchange, you could also have the quotes put into a spreadsheet and launch your spreadsheet program.

Similarly, you could create an agent to query your company's sales database every Monday morning at 10:00 for the latest figures on a particular product. (WiJit interfaces with Q+E, a gateway package for Microsoft's SQL Server DBMS.) You could then go on to manipulate that information as well. This capability means that you can leave your machine on and have your agents work at night or when you are out of the office.

In sending messages, you can mix multiple "forms" of communication. That is, you could have a message that goes to people on your local E-mail system, through a gateway to people on other networks, to people elsewhere who are reached through a public mail system, or to people reached by your fax machine or by fax through MCI.

You can create new message types using the editor, rules, or WiJit's scripting language. You can also write script for tasks. (WiJit includes scripts for calling up MCI Mail, AT&T Mail, All-in-One, Profs, and CompuServe and converting their messages or information into WiJit messages. It also lets you write custom scripts.)

Furthermore, you can program the system through messages—what WiJit calls "metamail." That is, you can install a new message template using the Install New Template message and a new agent using the Install Script message.

WiJit runs under Windows 3.0 on PCs with a 286 microprocessor or high-

Furthermore, the characteristics mechanism also lets you construct tests that include any combination of features in any combination of fields (i.e., arbitrary Boolean combinations among fields). In addition, taking an action always sets a characteristic (for instance, MOVED). Thus, subsequent rules can include a condition like "the message has not been moved" (i.e., NOT MOVED).

Similarly, you can create rules to find messages of interest in the Anyone server. Such rules, called *central rules*, are run by the Anyone server. Central rules are the same as local rules, except that

your actions are limited to Show and to setting characteristics. Show causes Anyone to pass the selected messages to the central mail server for distribution to your mailbox.

In addition to individual rules, Information Lens lets groups construct more sophisticated rules for dealing with specialized message types. Thus, groups can create applications that automate a variety of communication and coordination procedures, thereby increasing the benefits to be gained from using Information Lens.

Finally, you can edit message types

for your own use. You click on the message types you want to change and select Edit Message Template. The message template editor appears for that particular message type, and you then modify any property of any field in the template in much the same way that you would create a message.

New message types are created by the message template administrator. He or she has a more powerful template editor that works similarly but also specifies new message types for the system. Each new message type inherits the fields and properties of its parent unless the admin-

THROUGH A LENS SMARTLY

er. There are plans for a version that will run under OS/2 Presentation Manager, to be developed shortly after the DOS Windows release, as well as for a version for the Macintosh sometime later.

Future WiJit

WiJit was scheduled to be formally introduced at the Platforms for Computing Forum on March 16 in Tucson, Arizona. It was supposed to be ready for beta shipment shortly thereafter. The exact product status and timing are uncertain, however, because Landry became executive vice president for R&D at Dun & Bradstreet Software in December 1990. As this article was being prepared, the *Wall Street Journal* reported (February 28, 1991) that WiJit is "likely to be acquired by Dun & Bradstreet's software unit."

According to Landry, D&B is "in an excellent position to use WiJit as a key component of a new system architecture." He also notes that easy access through E-mail makes all the parent company's information more valuable. Therefore, he is "very confident" that D&B will use the WiJit technology. The question, he says, is whether Agility's arrangement with D&B will be exclusive. If so, that puts the schedule for beta testing and general release, as well as pricing, in D&B's hands. If not, others, too, may license the WiJit technology. Agility will probably continue as a company, but it may not sell products to end users.

istrator modifies them. The administrator can add new fields and determine their properties as well.

Future Lens

Information Lens is an extremely powerful, flexible system for coping with the information overload of E-mail and on-line-service users. It gains much of its power from rule-based processing and the use of semistructured message templates, and much of its ease of use from GUI design concepts. Much of its power also comes from its firm grounding in how people already process information.

In addition to providing the basis of the ongoing Object Lens project at MIT (see the text box "From Information to Objects" on page 178), the concepts embodied in Information Lens are also beginning to appear in commercial products (see the text boxes "Going to Market" on page 182 and "From Rules to Agents" at left). The first of these will appear this year.

Information Lens is capable of doing so much partly because its developers had a seemingly modest goal: They sought to develop a "somewhat intelligent" system, not an intelligent, autonomous one. What they came up with was, as Malone rather modestly puts it, "a system that can give you some help but does not have to solve the whole problem." ■

ACKNOWLEDGMENT

I'd like to thank Professor Thomas W. Malone of the Sloan School of Management at MIT for his extensive cooperation in preparing this article.

BIBLIOGRAPHY

- Lai, Kum-Yew, Thomas W. Malone, and Keh-Chiang Yu. "Object Lens: A 'Spreadsheet' for Cooperative Work." *ACM Transactions on Office Information Systems*, vol. 6, no. 4 (October 1988).
- Mackay, Wendy E., Thomas W. Malone, Kevin Crowston, Ramana Rao, David Rosenblitt, and Stuart K. Card. "How Do Experienced Information Lens Users Use Rules?" *Proceedings of the ACM Conference on Human Factors in Computing Systems*, Austin, Texas, April 30-May 4, 1989.
- Malone, Thomas W., Kenneth R. Grant, Kum-Yew Lai, Ramana Rao, and David Rosenblitt. "Semistructured Messages Are Surprisingly Useful for Computer-Generated Coordination." *ACM Transactions on Office Information Systems*, vol. 5, no. 2 (April 1987).
- Malone, Thomas W., Kenneth R. Grant, Franklyn A. Turbak, Stephen A. Brobst, and Michael D. Cohen. "Intelligent Information-Sharing Systems." *Communications of the ACM*, vol. 30, no. 5 (May 1987).

Mike Robinson is a freelance writer and editor in Lexington, Massachusetts, specializing in a variety of electronics technologies. Previously, he served as managing editor at the Technology Research Group (Boston, MA), a strategic consulting and market-research firm focusing on advanced electronics technologies for industry. You can reach him on BIX c/o "editors."



The next generation of installation software.

Installation software for your software application with unprecedented ease for you the developer as well as your customers.

Comprehensive set of CASE tools deal with all facets of product installation.

Facilitates both creation and maintenance of your product installation. No more hassles during a product revision.

Minimizes technical support for new users by presenting a professional, user friendly installation sequence that any user can follow.

Flexible end-user menus utilizing mouse or keyboard.

Allows a high degree of flexibility and customization to the user interface.

Works in standard IBM text mode - color or monochrome.

**No programming.
No script files.
No royalty.
No banner.
No nonsense.**

30 day money back warranty.

**The Stork Delivers
only \$175**


Island Systems
7 Mountain Road
Burlington MA 01803
VOICE (617) 273-0421
FAX (617) 270-4437

Mastercard & Visa Accepted.
The Stork is a trademark of Island Systems. Other brand and product names are the trademarks of their respective companies.



Pretty



Mission Critical Workstation 1448: Combines a CRT and CPU into one rugged NEMA-4 system with 9 option slots and 2 drive bays. A complete 386SX system from \$7395.

Durability built in from scratch

To ensure maximum durability we design and manufacture from scratch practically everything that goes into our systems, like passive backplanes which we pioneered for microcomputers in 1983. These backplanes accommodate a full complement of convenient, plug-in components, all compatible with Compaq DeskPro.[®] They're why our Mean Time To Repair (MTTR) is a phenomenal 10 minutes.

You won't find passive backplanes — or lower MTTR — in any of the leading office PCs.

A PC that looks good in your office won't look good for long out in the plant.

Heat murders microprocessors. Dust decimates disk drives. Vibration victimizes video cards.

Any or all can wreck your entire operation.

The Texas Micro line of rugged, reliable ISA Bus

products and systems are specifically engineered for those brutal industrial environments that eat pretty PCs for breakfast.

More options mean more choices

We also build industrial-strength option cards to handle myriad functions, in addition to our 286, 386SX,[™] 386DX[™] and 486[™] CPU cards in a full range of processor speeds. Our CPU card designs use Very Large Scale Integrated circuits and programmable array logic devices to reduce component counts by 50–60% which enhances reliability and resistance to physical stress. Ultimately, the design contributes to our remarkably long Mean Time Between Failures (MTBF): 70,000–100,000 hours, calculated against the MIL Standard Handbook 217E.

You won't find that kind of card selection — or MTBF — among the leading PC makers.

We pretest, test, and then retest



Mission Critical Rackmount 3014 & 8014 (above) each has 14 option slots, 3 drive bays. For computing where desktops die. A complete 386SX 3014 system from \$4395. A complete 386SX 8014 system from \$4675. Without monitors.

You won't find them torturing their systems like we torture ours either. Not only do we perform extensive "shake, rattle and roll" tests on each new design, we pretest all our systems before they leave our dock. We burn them in at 55C/131F for 48 hours straight



Tough.

just to make sure they can take the heat.

What's more, we shock mount our disk drives to stand up to vibrations surpassing Richter scale proportions and we use only high-reliability power supplies that can go for 100,000 hours MTBF.

Our guarantee is your guarantee

With all this reliability designed into our products, is it any wonder that we guarantee better support than any of the other leading PC makers? Every system comes with a full one-year, on-site warranty. Theirs don't. We also offer a toll-free number for technical and sales information, a regional network of sales engineers and engineering support for system integration.

Why the competition is no competition

	Backplane architecture	Shock mounted drives	48 Hr burn-in at 131 degrees	Total ISA slots	100,000 MTBF Power supply	Built like an M1A1	Manufacturers SRP
Compaq 386SX Model 84	No	No	No	5	No	No	\$3699
Texas Micro 2003	Yes	Yes	Yes	10	Yes	Yes	\$3950

Both systems similarly configured with 2MB RAM, Texas Micro-104MB hard drive, COMPAQ-84MB hard drive, 1.2MB floppy, VGA graphics, keyboard, monitor not included, purchase price discounts may vary by quantity and reseller.

Tough systems at gentle prices

The leading office PCs may look prettier than ours. But our industrial-strength systems are designed to be more reliable, and to do it for no more money than it costs for the fancy office system.

Which makes a Texas Micro PC look a whole lot better in two places where it really counts:

Your production line and your bottom line.



Mission Critical Benchtop 2003: With 10 option slots and 2 drive bays the 2003 makes desktop computing possible in extreme environments. A complete 386SX system from \$3950 without monitor.

For technical or sales information, call:

1-713-933-8050

TEXAS MICRO

Texas Micro Europe BV
Gebouw Flevopoort
Televisieweg 1A
Almere, The Netherlands

Texas Micro™ is a trademark of Texas Microsystems, Inc. All other trade names referenced are the service mark, trademark, or registered trademark of the respective manufacturer.

Circle 303 on Inquiry Card.

The i860 Has Arrived!

Nine years ago, MicroWay used a similar headline to proclaim the arrival of the Intel 8087. In 1982, our runtime libraries made it possible to use an 8087 with the IBM FORTRAN, Pascal and BASIC compilers. Since then we have sold hundreds of thousands of Intel math coprocessors. We think that the i860 is every bit as significant a product as the 8087 and it will help to change the way supercomputer power gets distributed to the desktop. A single i860 is 1600 times as fast as an 8087, 4 to 10 times as fast as a 486/4167 and twice as fast as a Cray 1! And, if that is not enough, we recently achieved 90% efficient parallel operation and 135 Megaflops using two MicroWay Number Smasher-860s.

MicroWay has again taken the lead in introducing an emerging numerics technology. Since

August, we have sold hundreds of Number Smasher-860s to our loyal customers who have utilized them to do everything from designing refineries to predicting the weather.

One reason Number Smasher-860 has been so well accepted is that it uses our NDP compilers to drive the i860. These compilers include features that make porting from the 386 or VAX a snap, including VAX/VMS extensions to NDP Fortran and MS C extensions to NDP C. We also offer a growing list of tools that make it easier to take advantage of the i860 (see descriptions below).

How upward compatible are our languages? Each NDP-860 language comes with an i860 DOS Extender that makes it possible to call MS DOS directly from an i860 application. Our GREX-860 graphics library includes the MS C graphics

routines as a subset and automatically drives all popular video adapters. If you are reluctant to run an 80 megaflop processor under MS-DOS, we can provide device drivers and interfaces that let our board run the three popular flavors of UNIX or run on a UNIX network as a computation server. If you prefer DOS, like most of our customers, we have versions of our extender that are compatible with both DESQview and Windows 3.0. To sum it up, about the only excuse you have for not switching to a Number Smasher-860 is that you either enjoy waiting to get results back or you get a thrill spending the hundreds of dollars per day it costs to rent a 3090 or Cray.

For more information, please call MicroWay's Technical Support Dept. at (508) 746-7341.

386, 486 and i860 Compilers

Our NDP family of compilers generate globally optimized, mainframe quality code that runs on the 386, 486 or i860 in protected mode under UNIX, XENIX, SunOS, or extended DOS. The compilers address 4 gigabytes of memory while supporting the 80287, 80387, Weitek, and Cyrix coprocessors. Applications can mix code from all four compilers and assembly language. To simplify your ports, we offer ClearView, our full-featured, windowing symbolic debugger that works with DOS versions of NDP 386 and 486 compilers.

NDP Fortran™ is a full F77 with F66 and DOD extensions that is 99% VMS compatible. Also contains new F90 features.

NDP C™ runs in two modes—K&R with Sys V and MS C extensions or 100% ANSI as validated by Plum Hall.

NDP Pascal™ is a full ANSI/IEEE Pascal, with extensions from C and BSD 4.2 Pascal.

NDP C++™ is a fully AT&T v.2.0 compatible C++ compiler (not a preprocessor) that contains a full ANSI C compiler as a C++ subset. NDP C++ 386/486 \$1195

NDP Fortran, C or Pascal

860 versions include toolset and run on
DOS, UNIX or XENIX \$1995
386 DOS versions include NDP Tools \$895
486 DOS versions include NDP Tools \$1195
UNIX/XENIX 386/486 versions CALL
NDP VME Virtual Memory Manager \$295

GREX 386/860 — A Library of 160 lower level graphics routines (free with DOS compilers): \$495
ClearView™ 3/486 Symbolic Debugger: \$395
NDP-CrossRef™ Our full function cross reference utility that produces comprehensive data and function listings. Available for all NDP compiler versions. \$195
NDP Windows™ Library: \$125, C Source: \$250
NDP Plot™ \$325
NDP/FFT™ NDP or 80x87 version ... ea. \$250
Halo Professional \$595

NDP NAG™ Workstation library is a subset of the NAG mainframe libraries. Has 172 routines for differential equations and eigenvalue problems, matrix operations, fitting curves, statistics and regression analysis 386 Version: \$895
T800 NAG for Transputers \$2750

Number Smasher-860™

Number Smasher-860 is the highest performance coprocessor card ever to run in an ISA or EISA bus or as part of a transputer system. Delivers up to 80 million floating point operations per second at 40 MHz and produces over 12 double precision Linpack megaflops. The board comes standard with an ISA interface, 8 meg of high speed memory, two transputer link adapters, and your choice of NDP Fortran, C++, C or Pascal for the i860 running under MS-DOS, UNIX, XENIX or SunOS 33 MHz: \$6995
40 MHz: \$9200 32 MB version: add \$4000

NDP NAG/860 is a Microway port of the NAG workstation library to the i860 \$1495
NDP HALO-860 includes HALO Professional and an interface library which makes HALO directly callable by the i860 \$995
860 Vectorizer includes PSR VAST-2 which converts a FORTRAN program into a new program which calls the Intel Vector library. Includes the Intel Vector Library and MicroWay's 860 Profiler \$1495
860 Vector Library — Written for Intel, the library includes over 400 vector primitives that take advantage of the i860's cache, dual instruction mode, and pipelined multiplier accumulator \$495

SX Your AT!

Microway's FASTCache-SX was PC Week's "Analyst's Choice" for AT SX accelerators. It is the ideal upgrade to run Windows 3.0 on your AT as it has outperformed all SX motherboards that have been tested to date.

FASTCache-SX™ — The most cost effective accelerator on the market today. This 3/4-length 16-bit card plugs into your I/O channel and 286 socket, speeding up all applications by a factor of 2 to 4. Runs all 386 applications, OS/2 and Windows 3.0. Features a 16 or 20 MHz 80386-SX, a 4-way 32K cache (expandable to 64K) and a math coprocessor socket.
16MHz: \$495 20 MHz: \$595 Cable: \$95

FASTCache-SX/Plus™ — The "Windows Solution" — combines the FASTCache-SX accelerator with up to 8 megabytes of extended memory. The Plus occupies a 16 bit slot and can be optionally purchased with memory and/or a coprocessor. The OK prices are:
16 MHz: \$595 20 MHz: \$695 Cable: \$95

Parallel Processing

MicroWay's IBM compatible Monoputer, Quadputer, Videoputer, and Linkputer boards work together using Inmos transputers to provide expandable, plug-in mainframe performance for your desktop PC.

Monoputer™ — Includes one T800 and up to 16 meg of RAM for parallel code development. The 4 MWhetstones T800 makes it the ideal FORTRAN engine for cost-effective execution of your mainframe programs. from \$1295

Quadputer™ — This board for the AT or 386 can be purchased with 1 to 4 transputers and 1 or 4 meg of memory per transputer. Two or more Quadputers can be linked together to build networks of up to 100 or more transputers providing mainframe power from \$1845

Linkputer™ — Links up to 8 boards to provide dynamic transputer topologies \$1500

Number Smasher-486™

Personal Workstation magazine, June 1990, said, "The Number Smasher-486 lives up to its name. Its numeric performance exceeds that of all 25-MHz systems we've tested to date. It gives you top 486 performance for the best price."

Number Smasher-486™ — Microway's family of 486 motherboards includes ISA and EISA models running at 25 and 33 MHz. All take advantage of 486 Burst mode and the top of the line includes a 256K second level cache, and SIMM sockets for up to 64 megabytes of RAM, and a 4167 socket. from \$2495

Math Coprocessors

WEITEK, INTEL, CYRIX

4167-25/33 \$995/\$1295
3167-20/-25/-33 \$495/\$795/\$995
mW3167 Micro Channel-25/33 .. from \$1295
mW3167/80387 Board \$200
8087 \$80 8087-2 \$115
80387-16SX \$280 80387-20SX .. \$300
80387-16 .. \$295 80387-20 \$345
80387-25 .. \$439 80387-33 \$540
80287XL .. \$180 287Turbo-20™ \$300
Cyrix SX16MHz: \$230 SX 20 MHz: \$255
20 MHz: \$279 25 MHz: \$359 33 MHz: \$449

MicroWay

World Leader in PC Numerics

Corporate Headquarters: P.O. Box 79, Kingston, MA 02364 USA (508) 746-7341
32 High St., Kingston-Upon-Thames, U.K., 081-541-5466
USA FAX (508) 746-4678 Germany 069 75 2023 Holland 40 836455 Italy 02-74.90.749 Japan 81 033 222 0541

FROM PYRAMIDS TO PEERS

Data management takes on new importance in today's networked environments


TOM TOPERCZER

How important is it to manage network data? In 1989, an Infonetics Research Institute (San Jose, CA) survey of Fortune 1000 companies found that networked corporations lost nearly \$3.5 million annually in employee productivity due to LAN downtime, some of which was directly related to failed storage devices. These same companies reported annual revenue losses in lost data and lower employee productivity averaging more than \$660,000. Data management in networked environments can significantly reduce these losses.

Before the personal computer explosion, data management followed a simple procedure in a mainframe environment. A mainframe system typically has a CPU connected to terminals for input, peripherals (e.g., printers and plotters) for output, and storage devices for filing and archiving data and holding applications software. Its storage devices usually take two forms: hard disk drives, or direct-access storage devices (DASDs), for primary on-line storage and for application program and file retrieval; and tape drives for secondary off-line storage and archived-data retrieval.

The classic pyramid-shaped storage hierarchy (see figure 1) is a good model for data management on mainframes. DASD space is allocated on the basis of user privilege, usage, and media cost. The operating system provides centralized systems-resource management in this single-vendor environment.

The advent of the personal computer made managing data easier for the individual—a one-on-one, or single-dimension, task. While personal computers do






Figure 1: The classic centralized-mainframe storage hierarchy covers a variety of capabilities: backup; disk space management and grooming; archive and tape library management; and audit trails, accounting, and usage-trend analysis.

not require the extensive data management software used on mainframes, they do need simple tools to help you back up and navigate through your hard disk's data. The pyramid storage-hierarchy model, although not necessary in this simpler environment, still applies.

When LANs came on the scene, realizing the benefits of combining personal computer power, data management took on another dimension. With more than one person using the data, how do you manage it? Who is responsible for backing up the file server and the hard disk? How do you prevent file servers from running out of space, and when they do, how do you get rid of the old, unused files? Are the shared resources of the network being used to their greatest advantage?

A third dimension was added when diverse hardware, operating systems, and applications software became more available and the need or desire to combine these data resources arose. Trying to shoehorn multiple personal computer and network operating systems, vendors, and network-transport protocols was too much for the classic pyramid model, and the concept of client-server computing was born.

The Client-Server Concept

Client-server computing formalizes the natural distinction in an application between those components that request ser-

vices and those that provide them. This model's advantages over traditional networking include the following:

- It acknowledges the personal computer or workstation as the desktop device of choice;
- It takes advantage of the unique computing, networking, storage, and printing capabilities of the desktop device and the specialized servers;
- It recognizes the benefits of networking flexibility, modular expansion, and compatibility of resources in dissimilar systems.

According to Forrester Research (Cambridge, MA), client-server computing will continue to emerge as a distinct market through 1992, and by 1993, that market, including associated software and services, will total \$2.9 billion in sales.

Distributed Processing

Personal computer networks can also be very efficient computing tools when they are used in a distributed environment. Distributed processing lets you allocate computing tasks in the most efficient way. For example, a specialized task like CAD might be allocated to a system that has a special large-screen monitor.

The ability to distribute the processing makes a network more flexible and efficient than single-host processing. Since

networks are composed of many intelligent machines, any of them, regardless of whether they are file servers or workstations, can support the processing.

Since distributed processing allocates system components among processors, the key to its sound implementation is an effective interprocess communications mechanism. The resulting system is more robust than a client-server implementation because client-server architectures do not take full advantage of the network's capabilities.

It's important to realize that distributed computing does not automatically indicate dynamic load balancing. (*Dynamic load balancing* refers to real-time allocation of computing power among the requesting network applications.) Applications can be distributed a priori. For example, you decide which machine to install a server process on, and it stays there. If a task requires data or some other resource that resides only on that machine, the server process may not be able to offload it dynamically.

Distributed Applications

Distributed applications form a special case for the client-server model. In a

BYTE ACTION SUMMARY

The problems of managing data on a single computer are significant enough, but when you add the complexity of a LAN, and a heterogeneous one to boot, the problems can become overwhelming. Proper data management enables you to ensure data integrity, manipulate data, obtain detailed reports on data usage, and completely recover your data after a catastrophic failure—a major money-saver. Data management applications let you view, organize, and secure your data in a fully distributed environment.

Developers: Lock Up Your Profits

The ProTech key for protecting your software profits and your copyright.

Software piracy's a crime! What it can do to a developer's profit margin is shameful.

The cost of development and marketing products demands you receive the revenue you are entitled to.

The solution, ProTech.

- Custom hardware and software for each developer
- Encrypted interrogation routines and debug disablers
- Available active read/write memory and on-board microprocessor provide the ultimate protection
- Keys for PC "compatibles," Macintosh, UNIX and RS-232C standard
- Total compatibility, reliability and end user satisfaction

ProTech's the key.
Call us for more information
or a demonstration package.

1-800-843-0413

PROTECH
MARKETING, INC

9600-J Southern Pine Blvd.
Charlotte, NC 28217

Tel: 704-523-9500 FAX: 704-523-7651

Hours: Mon-Thurs: 8:30-7:00, Fri: 8:30-5:30 ET

Open late to better serve our west coast clients.

Se Habla Español



distributed application, a process may be a client for its own native workstation and a server for everyone else. The distinction between client and server depends on who you are within the network. If the process on your machine requests services from another machine, it is a client; if it has services requested of it by other machines, it is a server.

The implications of distributed applications oftentimes relate to their modularity. In the particular case of data management, it is likely that each application will be sold as a separate product. At the moment, backup, server-based backup, librarian, and related products (e.g., virus protection) are sold by separate vendors.

Even as greater numbers of vendors sell more applications, the software will in all probability be packaged and priced separately so that customers can pick and choose exactly what they want. This is particularly true as vendors start to support different operating systems and CPUs. In the future, modular packaging and pricing will become the rule rather than the exception with distributed-applications software.

Data Management

Leading industry analysts define data management as "the administration of data in a system such that it can be stored, backed up, cataloged, retrieved, and protected in the most cost-effective way." Data is the lifeblood of all computing needs, and it is imperative to maintain its integrity.

Proper data management enables you to ensure data integrity, manipulate data, obtain detailed reports on data usage, and completely recover all data after a catastrophic failure.

According to Peripheral Strategies (Santa Barbara, CA), 1.3 million personal computer LANs were in operation worldwide in 1990, and 38 percent of all personal computers installed worldwide were connected to them. Peripheral Strategies predicts that by 1995 LANs will number 2.4 million worldwide, and the percentage of business personal computers attached to them will increase to 89.2 percent.

As LANs support more users and interconnect with other LANs and wide-area networks, new strategies and methods for managing these large, multiven-

dor networks will be needed. Several approaches become more important when managing data in a multivendor environment.

One approach, enterprise networking, is well suited to large multivendor networks. This approach provides a managed backbone that LANs can attach to and receive services from. This allows organizations that span continents to be maintained as one unit.

However, data management is typically left to local network administrators, while a centralized support staff handles backbone maintenance. The local network administrator still has to perform backup and data management duties. This approach forces local sites to handle data management.

Unlike the traditional client-server method, which processes each request for shared information through the file server, the peer-to-peer services approach identifies each of the workstations as an entity in the network and allows communications and resource sharing between entities without the intermediary functions that a file server performs. Thus, each workstation ap-



The computing world is a changing place. That's why our new family of universal removable storage products can be easily attached to today's newest systems. Our Parallel Port Interface even connects Bernoulli® to computers without an expansion slot or SCSI port.

Who says you can't take it with you? The new Transportable and Portable may be lightweight, but they're not light on performance. Bernoulli implements the latest drive enhancements to help you keep pace with your busy schedule.



THE NEW B ANY SYSTEM. ANY

Bernoulli brought worry-free storage to everyone—now you can take it everywhere. Our new Transportable packs all the power and data security of our 44MB removable disk drive into a convenient, AC-powered unit.

PRICES
REDUCED
UP TO
30%

Here's an inside scoop: get primary and backup storage in one. The Bernoulli Insider fits neatly into leading PC and PS/2 computers. Plus, it gives you unlimited data growth and the security of removable storage.



pears to be a small server of resources.

Another approach you may want to incorporate is directory and naming services, a component of several network data management environments. Similar in concept to the White Pages and Yellow Pages of a telephone book, these services map names to network addresses and provide lookup and cataloging of hardware, users, and system resources. You can search network addresses by name, as in the White Pages, or by service type, as in the Yellow Pages. Directory and naming services are becoming key resources of the network and its management.

The Challenge

Different networks are made up of differing host computers, operating systems, and file systems. A typical networked environment might consist of several PCs on a LAN running Novell's NetWare or Microsoft's LAN Manager, connected to another LAN with several Macintoshes using AppleShare. The LANs may all be Ethernet-based, but the similarities will probably stop there.

As more and more network software

vendors enter the market, the more complex data management becomes. Single-source support for all of these multivendor environments is not available. Data management in these environments must provide a seamless, transparent, and logical method of managing data and address each of the following issues:

- **Storage requirements.** As more companies have realized the potential of the networked personal computer as a business machine, the size and complexity of applications and data have grown. Many networks now face increased requirements for both primary on-line and secondary off-line storage. It is not unusual to find networks with 1 gigabyte of primary storage and, in order to provide sufficient backup capacity, several gigabytes of secondary storage.
- **Ease of use.** Data management must also be made easy. Graphical user interfaces have made applications development much easier by providing an intuitive environment. GUIs can be useful tools here as well.
- **Shared resources.** Following the client-server model, data management soft-

ware should offer shared resources. A data management server must be able to handle requests from multiple clients at the same time. In addition, access to off-line storage devices must be provided in a distributed, multiuser fashion, whether the device is attached to a file server or another workstation in the network.

• **Interoperability.** This is the key to network industry growth. It allows client-server environments from multiple vendors to work together. The focused efforts of the major desktop and network operating-system vendors are necessary to achieve successful interoperability. With effective data management solutions and interoperability, heterogeneous computer systems can offer effective and viable enterprise-networking solutions (see figure 2).

The Solution

A network data management system is an example of an application that can benefit from distributed computing. This architecture separates the various components of the system: peer-to-peer communications, front-end applications, and storage-management services. The front

BERNOULLI. TIME. ANY PLACE.

Bernoulli's removable disks are the most rugged available. And we back that up with an unheard-of 5-year Gold Standard Limited Warranty.



BERNOULLI AT A GLANCE

Disk Configuration -
- 5.25" half-height 4MB

Drive Configurations -
- single or dual (internal or external)
- battery-powered portable

Effective Access Time -
- 22 msec

Disk Shock -
- 1,000 Gs

Mean Time Between Failure -
- 60,000 hrs.

Compatibility -
- DOS, PC & PS/2®
- Macintosh, OS/2®
- Windows®, NetWare®, UNIX®

Installed Base -
- 625,000 drives
- 5,750,000 disks

InfoWorld Buyers Assurance Seal

You don't have to pamper a Bernoulli. Its patented design flies a flexible disk precisely under the read/write head. Should your system encounter a bump, air impurity, or power loss, the disk simply falls away. The result? Hard-disk performance without the risks.



With all the computing choices out there, why limit your options? Our new universality is a unique innovation that lets you easily attach the same Bernoulli to most any system, giving your data (and budget) protection for tomorrow.



For the truly power hungry, the Bernoulli Dual gives you up to 89MB of removable on-line storage with a 22msec effective access time and unlimited off-line capacity. It makes disk-to-disk copies in under three minutes. That's performance for the real world—at a price that's been reduced up to 30 percent.



ANY QUESTIONS?

The rest of the Bernoulli story—including our new, lower prices—is just a phone call away. Dial 1-800-777-4211 for the location of your nearest dealer and we'll rush you a free copy of this limited-edition, 18-page brochure. It's packed with everything you need to know about removable data storage. Any way you like it.

MEGA
The Makers of Bernoulli

Circle 169 on Inquiry Card (RESELLERS: 170).




Figure 2: An enterprise network with centralized backbone communications management and local data management. Interoperability and effective data management can make heterogeneous networks viable.

end runs on the workstation and becomes a client for data management services. The back-end server centralizes data management processes and services requests from all the clients.

Distributed applications yield several benefits. A well-designed distributed application reduces network traffic by centralizing some processes that all users

can share and by allocating other processes to individual workstations. This improves the performance of the network and the application, particularly when using shared resources like tape backup. Modularity in distributed computing is more flexible, making it easier to manage and install additional components.


The following elements help to ensure

data integrity on networks. They are particularly effective when designed as distributed applications that can interact with each other throughout the network.

- **Data backup and transfer, and hard disk navigation.** In a distributed environment, this element should provide all network users and administrators with a

Buy with

Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- Is there a service facility?
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines


- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

This message is brought to you by:

the MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing
Association, Inc.
6 E. 43rd St.,
New York, NY 10017

MMC
MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing Association, Inc.



MORE THAN YOU ASKED FOR?

Contact Us To Stop Unwanted Advertising Mail.

Most folks like advertising mail. They get special offers, sweepstakes chances, free gifts, good prices on things they can't find anywhere else. And shopping by mail or phone is quick and simple.

But if you're one of those people who would rather not receive advertising mail, we can help.

Send us your name and full address and we'll tell participating national mailers to remove your name from their mailing lists.

After all, they want to talk to people who want to listen.



Mail Preference Service

Direct Marketing Association
11 West 42nd Street
P.O. Box 3861
New York, NY 10163-3861

Name _____	
Street _____	Apt. _____
City _____	
State _____	Zip _____
Variation of my name _____	

FROM PYRAMIDS TO PEERS




Figure 3: Distributed applications connect much as Tinkertoys do. Instead of using multicolored sticks, however, they connect via the network and peer-to-peer communications.

pictorial (icon-based) view of both the file server and all published local hard disks on a network. (When a local workstation makes some or all of its hard disk data available to other network users, that disk is considered to be *published*.) This workstation would also contain the utilities necessary to transfer data anywhere in the network and to back up the data, either to a local tape device or to another tape device in the network.

- **Peer-to-peer.** This element provides communications between all clients in a network. It is a required addition in networks where peer-to-peer facilities do not already exist. Peer-to-peer communications should operate over several network protocols (IPX, NetBIOS, AppleTalk, and TCP/IP) so that file-system navigation and data transfer can take place over heterogeneous networks.

- **Tape/media cataloging and maintenance.** An ongoing problem with traditional network-backup methods is handling tape logistics—which tapes to use, and in what order. This problem becomes more unmanageable as more sites are included in the data management process and the amount of maintained data increases. While tape/media cataloging and maintenance is often a popular topic of industry forums and white papers, few companies have been able to implement satisfactory solutions.

- **File grooming and data migration.** Primary on-line hard disk space is at a premium in most networking environments. It seems users will fill whatever space is available. Creating more hard disk space usually means investing in additional resources. Grooming old, out-of-use hard disk files and migrating the data onto secondary storage media would free up valuable on-line resources.

- **Virus protection.** Viruses can jeopardize data integrity and the operation of the entire system. The fear of lost or corrupted data has fueled a new market for virus protection and detection software.

Note the difference between virus protection and detection. The former implies active search, detection, and eradication of known viruses. The latter refers to the systematic detection of corrupted data and prompt notification of the proper person to correct the problem. Data management applications should warn you if data integrity is compromised.

- **Reporting services.** Advanced data analysis is necessary to understand and monitor data usage trends. It provides the information necessary to make intelligent decisions on how to place and optimize network data resources to maximize file-server performance. These services should be uniformly accessible from all client applications. Targeting data-access bottlenecks and resource allocation, you could generate reports on file-server free space, usage, and custom variations.

Green Sticks and Wire

You could compare distributed applications to Tinkertoys that are connected. Perhaps this explains why the term *sockets* caught on so quickly among network systems programmers. Instead of green sticks, distributed-processing applications are held together by network "wire" and peer-to-peer communications (see figure 3).

Distributed computing has taken hold, especially in corporate environments. Data management applications provide the means to view, organize, and secure data in a fully distributed environment. These applications, when properly implemented, will provide the same reliability and confidence in distributed personal computer systems in the future that centralized mainframe storage systems have enjoyed in the past. ■

Tom Toperczer is vice president of marketing for Mountain Network Solutions (Campbell, CA). You can reach him on BIX c/o "editors."

EXB-120 CHS
580 Gigabytes

EXB-10 CHS
50 Gigabytes

EXB-8500
5 Gigabytes
500 Kbytes/Second
Transfer Rate

EXB-8200
2.5 Gigabytes
246 Kbytes/Second
Transfer Rate



We know capacity.

Whether it is simply backing up your workstation hard disk or online access to sequential data sets, EXABYTE has the right 8mm data storage solution.

With its ability to store up to 2.5 gigabytes of information on a single 8mm cartridge, the **EXB-8200 8mm Cartridge Tape Subsystem** is the answer for today's data-intensive storage requirements. And with over 180,000 installed worldwide, the EXB-8200 has become the *de facto* storage standard in workstation, midrange system, and file server environments.

The **EXB-8500 8mm Cartridge Tape Subsystem** advances beyond the performance of the EXB-8200 by achieving an extraordinary data transfer rate of 500 Kbytes/second, while providing over 5 gigabytes of storage capacity. In addition, high-speed search at 37.5 Mbytes/second allows rapid file retrieval. Keeping pace with today's phenomenal disk capacities, the EXB-8500 can back up a 760 megabyte disk drive in approximately 25 minutes!

Featuring an unparalleled compact design, the **EXB-10 Cartridge Handling Subsystem** provides access to as much as 50 gigabytes of information. An integral robotic handler performs automatic loading and unloading of up to ten 8mm data cartridges. Eliminating the need for manual intervention, the EXB-10 is well-suited for LAN and super minicomputer backup applications.

Circle 113 on Inquiry Card (RESELLERS: 114).





And if you have an application that demands extraordinary storage capacity, the **EXB-120 Cartridge Handling Subsystem** delivers up to 580 gigabytes of storage in only 4 square feet of floor space. It's ideal for the backup of large computer systems or near-line access to network data bases. With a potential for 12 days of nonstop, hands-off data recording, the robotically-driven EXB-120 makes long-term unattended storage a reality.

So whatever your application — backup/restore, journaling, archiving, data interchange, data acquisition, or software distribution — call the regional office nearest you or write EXABYTE Corporation at 1685 38th Street, Boulder, CO 80301.

Eastern U.S. (407) 352-5622, Ext. 82
Central U.S. and Canada (708) 953-8665
Western U.S. (714) 582-5211, Ext. 4
Europe (Amsterdam) 31-3403-51347

EXABYTE®
The Capacity to Succeed

A Day In The Life Of



LaserStor[®] Erasable Optical.



The day starts early for LaserStor Erasable Optical. It runs long. And it runs fast, at near-Winchester speed, actually. This is one dynamic storage system with a voracious and versatile appetite for work.

Here's what you get: • easy movement of an infinite amount of cartridge-resident data from near-line to on-line, without using valuable hard disk space • the most reliable and convenient data backup and archiving solution available • primary storage performance, for everyday or emergency use • lock-it-away data security or carry-it-away portability.

Now check the credentials. Seek times as fast as 35 ms. Bootability. Random and instant access to files. The industry's most comprehensive set of utilities software, including ARCserve[®] for backup. And your choice of 650 megabyte or one gigabyte cartridges, with certified data life of up to 25 years. Little wonder the *PC Digest* Ratings Report awarded us the highest rating for "capacity and overall performance unmatched by the other systems."

Day or night, as a tool for productivity or a device for data protection, LaserStor Erasable Optical is a timely choice. So call now. (408) 879-0300. Storage Dimensions, 2145 Hamilton Avenue, San Jose, CA 95125.



STORAGE DIMENSIONS

Sony-based products
now available!

GIGA-STORAGE

Choosing among mass-storage technologies
in a multigigabyte PC environment isn't simple; there are conflicting criteria

RICHARD A. PETERS

Powerful 386- and i486-based PCs are placing new demands on data-storage systems. With the proliferation of gigabyte-plus database applications, the need arises for greater storage capacities and increased operating efficiencies. This is evident in applications such as high-performance CAE and desktop publishing workstations, as well as data-packed LAN file servers.

Many PC applications need 1 gigabyte of storage capacity or more, and mass-storage technology must keep pace with this need. A variety of technologies are available for this new multigigabyte environment, and conflicting considerations are involved in choosing among them.

Primary-Storage Choices

A wide range of mass-storage technologies for high-capacity systems exists on the market today. They compete with and often complement each other (see table 1). Any examination of what to buy begins with knowing if you intend to use the device as the primary- or backup-storage medium.

The hard disk drive is almost omnipresent with personal computer systems today. It is the dominant primary data-storage product and will remain so until the next century.

Hard disk drives supplanted tape drives more than 10 years ago as the pre-eminent primary-storage medium because the technology could randomly access data. Random access makes it possible to retrieve data anywhere on the disk in milliseconds. Many suppliers provide 1-gigabyte-plus hard disk drives with varying costs, capacities, and



DATA-STORAGE TECHNOLOGIES

Table 1: The wide range of mass-storage technologies for gigabyte storage on the market today provides a full range of advantages and disadvantages. Weighing the pluses and minuses against your needs is the challenge.

Technology	Benefits	Negative issues
Hard disk	Random access High capacity	Lack of removability
Rewritable optical	Random access High capacity	High drive cost High media cost Lack of standards
Quarter-inch cartridge	Low cost Compatible among multiple sources High data transfer rate	Low capacity, but increases are evolving quickly
4-mm DAT helical scan	High capacity Low media cost Fast search capability	Lack of compatibility among multiple sources High drive cost Low data transfer rate
8-mm helical scan	High capacity Low media cost	Single-source supplier Low data transfer rate

software-derived performance features.

Hard disk drives are fixed devices with finite storage capacities. The finite capacity makes it important to know how much storage you really need—now and in the future. Since the medium is not removable, the data-processing system needs to provide for backup of the database. Backup data-storage systems must be rewritable and use removable media.

The rewritable optical disk drive is becoming a popular option for primary storage. Rewritable optical drives, cur-

rently featuring up to 600-megabyte capacities per removable disk, record data on extremely thin platters that can be removed like floppy disks and moved easily from system to system. The optical disk provides a two-sided medium that you must manually turn over to access the other half of available storage.

Demand for optical-storage technology began with the advent of rewritable optical devices, which you can reliably reuse as often as you wish. In fact, testing by manufacturers has demonstrated that you can perform 1000 read/write cycles per day for 40 years with no degradation of data, disk, or drive mechanism. There are three main OEMs of rewritable optical disk drives—Ricoh (San Jose, CA), Sony Corp. of America (San Jose, CA), and Hitachi America (Tarrytown, NY).

Ideal as primary-storage devices in image-oriented applications in vertical markets, optical drives also have notable drawbacks. The key drawback is their data-access times. The random-access times for optical drives are 5 to 7½ times higher than those for hard disk drives (50 to 150 ms compared with 10 to 20 ms). A primary factor is the weight of the intricate optical drive head. Even though the respective weights can be measured in grams, these heads tend to be 20 to 50 times heavier than hard disk drive heads.

The up-front cost for rewritable optical disk technology is also very high. The average price for a 300-MB rewritable optical disk drive is about \$5500, compared with below \$3000 for a 300-MB hard disk drive.

Finally, while hard disk drives can give you more than 1 gigabyte of continuous storage, current rewritable opticals

give you a maximum of 300 MB per side—you must then manually turn them over to obtain additional storage. This amount of storage may be too small for LANs with more than 10 users.

Rewritable optical disk drives have some utility in backup and archiving applications, but high costs for the drive and medium make the technology cost-effective only when it is justified by other applications.

Another type of optical technology should also be noted. You can only write to WORM (write once, read many times) optical disks once, but you can read them as often as you need to—much like a phonograph record (if anybody still remembers what they are). WORM drives are useful in specialized backup and archival applications, such as the storage of legal and financial documents, because the stored information cannot be altered.

Backup Storage

To protect against catastrophic data loss, you need to keep a backup copy of the data stored on your primary devices. Periodic system backups performed to copy data from the primary device to an off-line medium become increasingly time-consuming and impractical with the growing size of a database.

With today's multigigabyte PC applications, having a backup mass-storage unit is a necessity. You use the backup device to make copies of frequently used data, transfer older data from the primary unit, and retrieve archived data with maximum efficiency. While tape drives are no longer used as primary-storage devices, they remain the most attractive medium for inexpensive, removable, and high-capacity backup storage.

The quarter-inch cartridge is the leading tape-drive technology. It was invented specifically for data-processing applications. QICs now account for more than two-thirds of all tape-drive shipments, and they will continue to be the dominant backup technology well into the mid-1990s. The QIC manufacturing community began introducing products with storage capacities above 1 gigabyte late last year, and 6-gigabyte products are projected by early 1993.

In comparison with competing technologies, QIC drives are low in cost, with retail prices under \$2000 for a 1.3-gigabyte system; 1.3-gigabyte cartridges retail for about \$35. Data transfer rates for current products reach up to 600,000 bps, allowing backup of 1 gigabyte in under 30 minutes. Any file can be accessed in 40 seconds or less in 1-gigabyte-plus tape devices.

continued

BYTE ACTION SUMMARY

The increasing storage needs of large applications for 386- and i486-based PCs have brought a surge of higher and higher-capacity mass-storage devices. A variety of different disk and tape choices exists, including some more-suited to primary storage and others more appropriate for backup. Making the right choice isn't necessarily easy; it may require balancing your needs against your wallet.

One Word About Your Hard Disk Controller

SLOW

One Word About the PSI hyperSTORE Controllers

FAST

Intelligent Mass Storage Controllers

Virtually all applications are disk bound. Today's PCs have over 60 times the power of their ancestors of just ten years ago, while hard disk performance has only just tripled. This makes mass storage the PC's worst bottleneck. PSI has eliminated this bottleneck with the hyperSTORE Caching Disk Controller, a sort of mass storage co-processor. The hyperSTORE

does for disk-intensive programs what a math co-processor does for number-crunching software. Databases, file servers, multiuser systems, and other disk-hungry applications start screaming . . . frustrated users stop screaming! Call (800)486-FAST now to find out more about PSI's line of intelligent controllers. All you have to gain is time.

hyperSTORE FEATURE HIGHLIGHTS

- Data access in 0.28ms or less, at 3-4MB/sec
- Works in any 286, 386, or i486 system
- Simultaneously control any drive interface: MFM, RLL, ESDI, SCSI, or AT/IDE
- Controls up to 28 physical disk drives
- 0KB to 20MB of SIMM-based cache memory
- Supports all PC-based operating systems: DOS, Windows, UNIX/Xenix, Netware, etc.
- Data mirroring option for fault tolerance
- NO DEVICE DRIVERS REQUIRED

PSI

Perceptive Solutions, Inc.

DALLAS • SAN FRANCISCO • SYDNEY

800-486-FAST • 214-954-1774 • Fax: 214-953-1774

Europe and Northern California: 415-284-9505 • Fax: 415-284-3238

Botswana and Southern Africa: (02) 313-020 • S.P.S. Pty, Ltd., Gabarone

Australia/New Zealand/Micronesia: (02) 318 2337 • Fax: (02) 319 3069

"Normally, it's a bit hard to pick the most impressive item at Comdex [Spring 1990], . . . This time it was easy, . . . the hyperSTORE/1600."

-Dr. Jerry Pournelle, Byte Magazine, September 1990

"The real-world result will be blazing record handling from within a data file as well as unstoppably fast program loads."

-Bill O'Brien, PC Magazine, February 13, 1990

"PSI has created the power user's ultimate Lego set for disk controllers: the hyperSTORE/1600"

-Alfred Poor, PC Magazine, June 12, 1990

"Not only is it the fastest controller available, it's the most flexible, too."

-Byte Awards, Byte Magazine, January 1991



RapidFACTS • (900) 776-3344 • Doc# 8101 • Detailed specifications
faxed directly to you 24 hours/day. \$4.95 billed to your phone.

BUYING-CONSIDERATIONS CHECKLIST

Table 2: *In deciding which technology to purchase for gigabyte storage among the primary-storage media (hard disk or rewritable optical) and the secondary-storage media (QIC, 4-mm DAT helical scan, or 8-mm helical scan), the following are the criteria you should consider.*

Specification-related criteria

Random/sequential access
Capacity
Speed:
Transfer rate
Access time
Compatibility
Fault tolerance
Data integrity

Application-related criteria

Security:
Shock
Environment
Data:
Shelf life
Transportability
Quality
Mixes and matches
Growth potential
Costs:
Drive
Media

QICs are also enhanced by the clear performance standards that manufacturers in this field have developed. Through the work of a cooperative organization known as Quarter-Inch Cartridge Drives Standards, manufacturers now supply products that are interchangeable between drive and medium regardless of origin. Some key suppliers of these products include Tandberg Data (Westlake Village, CA), Wangtek (Simi Valley, CA), Sankyo Seiki America (Torrance, CA), and Archive (Costa Mesa, CA).

Two new types of high-capacity tape drives, 8-mm helical-scan tape and 4-mm digital audiotape, have made their presence felt in the last few years using a technology known as helical scan. *Helical scan* describes how the tape travels over the read/write heads, which are mounted on a spinning drum aligned diagonally with the recording track. With the drum spinning rapidly and the tape passing over the drum slowly, the head writes data in a diagonal pattern corresponding to the pitch of the head, with a high tape-to-head velocity. Helical-scan drives function the same as videocassette and commercial DAT recorders, and intricate error checking and redundancy must be implemented to produce an acceptable error rate for data-processing applications.

The 8-mm helical-scan tape drives are provided solely by Exabyte (Boulder, CO). These drives provide the highest capacity-to-volume storage ratio of any mass-storage device currently in use (326 MB per cubic inch) for storage capacities of from 2½ to 5 gigabytes. The higher-capacity drives sell for about \$3900 at OEM quantities. Medium costs are in the

\$10 range.

DAT systems use a data-recording standard devised by Hewlett-Packard and Sony, called Digital Data Storage. DDS is currently licensed by 17 different companies.

DAT storage devices use the same tapes that DAT recorders use for entertainment purposes. The needs of the audio world dictate that DAT provide

Optimizing your
PC data-storage
capabilities is a
multistep process.
Plan for growth.

long recording times (2 hours) with relatively slow transfer rates (180,000 bps). The audio recording industry has lobbied successfully to protect its intellectual property rights against unauthorized copying by DAT devices. These restrictions have reduced the availability of consumer DAT drives.

The capacity of the DAT cassette is about 2 gigabytes. Medium costs could be as low as \$7 each, but some experts say a special cassette may be more desirable. The cost of such a medium may be \$15 each. Drive costs at the OEM level

are under \$1000.

DAT offers a fast-search capability that allows access to a file in an average time of about 15 seconds. Comparable time for a QIC is about 30 seconds.

New Storage Trends

Recent technological breakthroughs in rewritable optical disk drives and high-capacity tape drives have at least one common thread: They all provide unlimited storage because they use high-capacity media that you can quickly insert and withdraw from the drive.

This trend toward removability is further supported by jukeboxes, or auto-changers. These devices have recently become available for all three major storage technologies, although optical devices seem to be leading the way. A jukebox typically contains two drives and a mechanical arm used to select and load one of many disks stored within it. A newly announced optical jukebox contains 32 optical disks for a total storage capacity of 17.9 gigabytes.

Another development unfolding, particularly for very large storage applications, is the mixed-media mass-storage systems. These systems use a combination of hard disks, optical disks, and tape-to-store files. Where the data is stored depends on how frequently it is used—a particular file will automatically migrate from on-line hard disk storage to slower optical and tape systems as the frequency of its use decreases. Such mixed-media systems allow you to take advantage of all technologies, using each to its maximum potential.

Buying Considerations

There are several criteria you should consider when you plan to purchase a mass-storage medium (see table 2). The issues relate to the specifications of the products and to the particulars of your individual applications.

Several specifications are fundamental to choosing appropriate primary and backup storage, beginning with how a mass-storage device obtains data—randomly or sequentially. A random-access device stores data randomly and retrieves it using an identifying address. A sequential-access device stores data in a prescribed ascending or descending sequence and retrieves it by searching for it from the beginning to the end of the file.

Random access is typical of hard disk and optical disk drives, and sequential access is typical of tape drives. Random access is a more direct and faster method of accessing data, but you must weigh that against the increased cost, the size of

SUBSCRIBE TO BYTE

NOW

And get
the
annual

IBM PC
Special
Issue

as an

EXTRA
BONUS!



Stay in the know
on all major micro-
computer products
and innovations

Save time and money
—invest in the
best equipment
for your needs

Harness the
maximum power of
your microcomputer

SUBSCRIBE
TODAY!

Enjoy MORE SPEED!

PLUS get the extra IBM PC Special Issue

Subscribe to BYTE for 1 year (12 issues) and receive the extra annual IBM PC Issue free!

	Please choose one:	
	IB15120 Fast Surface Delivery	IB15138 Air Delivery
United Kingdom	<input type="checkbox"/> £ 29	<input type="checkbox"/> £ 41
West Germany	<input type="checkbox"/> 105 DM	<input type="checkbox"/> 147 DM
France	<input type="checkbox"/> 350 FF	<input type="checkbox"/> 500 FF
Netherlands	<input type="checkbox"/> 120 Guilders	<input type="checkbox"/> 168 Guilders
Switzerland	<input type="checkbox"/> 88 SFR	<input type="checkbox"/> 123 SFR
Italy	<input type="checkbox"/> 75,000 Lire	<input type="checkbox"/> 105,000 Lire
All other European Countries	<input type="checkbox"/> £ 29	<input type="checkbox"/> £ 41

Please allow 8-10 weeks for processing your subscription.

- ☐ Payment enclosed
- ☐ Charge my ☐ VISA ☐ Access/Eurocard/MasterCard
- ☐ American Express

Account # _____ Expire Date _____

Signature _____

Name _____
(Please print)

Company _____

Address _____

City/Code/Country _____

Profit from MORE POWER!

PLUS get the extra IBM PC Special Issue

Subscribe to BYTE for 1 year (12 issues) and receive the extra annual IBM PC Issue free!

	Please choose one:	
	IB15120 Fast Surface Delivery	IB15138 Air Delivery
United Kingdom	<input type="checkbox"/> £ 29	<input type="checkbox"/> £ 41
West Germany	<input type="checkbox"/> 105 DM	<input type="checkbox"/> 147 DM
France	<input type="checkbox"/> 350 FF	<input type="checkbox"/> 500 FF
Netherlands	<input type="checkbox"/> 120 Guilders	<input type="checkbox"/> 168 Guilders
Switzerland	<input type="checkbox"/> 88 SFR	<input type="checkbox"/> 123 SFR
Italy	<input type="checkbox"/> 75,000 Lire	<input type="checkbox"/> 105,000 Lire
All other European Countries	<input type="checkbox"/> £ 29	<input type="checkbox"/> £ 41

Please allow 8-10 weeks for processing your subscription.

- ☐ Payment enclosed
- ☐ Charge my ☐ VISA ☐ Access/Eurocard/MasterCard
- ☐ American Express

Account # _____ Expire Date _____

Signature _____

Name _____
(Please print)

Company _____

Address _____

City/Code/Country _____

Gain MORE APPLICATIONS!

PLUS get the extra IBM PC Special Issue

Subscribe to BYTE for 1 year (12 issues) and receive the extra annual IBM PC Issue free!

	Please choose one:	
	IB15120 Fast Surface Delivery	IB15138 Air Delivery
United Kingdom	<input type="checkbox"/> £ 29	<input type="checkbox"/> £ 41
West Germany	<input type="checkbox"/> 105 DM	<input type="checkbox"/> 147 DM
France	<input type="checkbox"/> 350 FF	<input type="checkbox"/> 500 FF
Netherlands	<input type="checkbox"/> 120 Guilders	<input type="checkbox"/> 168 Guilders
Switzerland	<input type="checkbox"/> 88 SFR	<input type="checkbox"/> 123 SFR
Italy	<input type="checkbox"/> 75,000 Lire	<input type="checkbox"/> 105,000 Lire
All other European Countries	<input type="checkbox"/> £ 29	<input type="checkbox"/> £ 41

- ☐ Payment enclosed
- ☐ Charge my ☐ VISA ☐ Access/Eurocard/MasterCard
- ☐ American Express

Account # _____ Expire Date _____

Signature _____

Name _____
(Please print)

Company _____

Address _____

City/Code/Country _____

PLACE
STAMP
HERE

BYTE

McGraw-Hill Information Services

McGraw-Hill House
Shoppenhangers Road
Maidenhead, Berkshire SL6 2QL
England

Attn: International Circulation Department

PLACE
STAMP
HERE

BYTE

McGraw-Hill Information Services

McGraw-Hill House
Shoppenhangers Road
Maidenhead, Berkshire SL6 2QL
England

Attn: International Circulation Department

PLACE
STAMP
HERE

BYTE

McGraw-Hill Information Services

McGraw-Hill House
Shoppenhangers Road
Maidenhead, Berkshire SL6 2QL
England

Attn: International Circulation Department

Detach
and
mail card
now
to subscribe
to
BYTE
plus
GET THE
ANNUAL
IBM PC
SPECIAL
ISSUE
AS AN
EXTRA
BONUS!

For direct ordering,
call the U.K. at

44-628-2343
(Ext. 2236).

Native or Compressed?

Grant Wilcox

The compress-or-not-compress issue has existed for years, but the advent of data-compression chips, performing what is termed *lossless* compression, has made it popular again.

Data compression maintains data integrity and compresses the data in real time—transparently. It removes redundancy from a closed set of information symbols (i.e., a data block) without any loss of information. In simple terms, it records more data in a smaller space. *Compression ratio* is the length of compressed output relative to the length of uncompressed input. The key is that data stored in a compressed form must be reliably retrievable. (For more detailed information on data compression, see "Getting Your Byte's Worth," November 1990 BYTE, and "Putting the Squeeze on Graphics," December 1990 BYTE.)

Benefits can be derived from implementing data compression at the peripheral level. You can theoretically increase the peripheral's capacity by the factor of the compression ratio and can increase the peripheral's internal continuous-transfer rate because it's recording less data. For example, a 2-to-1 compression factor could double the peripheral's sustained data rate.

However, Mike Casey from InfoCorp (Cupertino, CA) pointed out, "If data compression is implemented at the system level, no benefit will be obtained by incorporated data compression in an intelligent disk or tape drive." Also, if data interchange is a requirement, all systems involved not only need compression but must use the same hardware/firmware implementation of it, or

they will find their data unreadable.

Remember, not all data lends itself to compression. First, the benefits will vary because the amount of data redundancy varies widely among types of data; this variation changes the compression ratio. Second, you will benefit from compression only if the host system can support the higher continuous-transfer rates. Third, the benefits will be negated if the compression process cannot keep up with system needs. Fourth, compressed data may actually expand when compressed again. With compression, there are no hard and fast rules.

Compression is not the complete answer to the need for increased capacity and data rate. The decision to adopt data compression must be carefully thought out because of its associated risks. If you are interested in unattended backup, it's wise to rely on native capacity instead of compressed capacity. With native capacity, you know that the data will fit on a particular medium and that it will take a certain length of time to back up.

Many standards and implementations of data compression exist, such as Hewlett-Packard's, STAC's, IBM's, and a number of other proprietary algorithms. You could almost say it's *algorithm du jour*. Given the rapid advances in computer throughput, it is extremely important that the compression algorithm be able to handle the higher data rates of future systems. Some cannot.

In addition, different companies, using the same compression algorithm, may offer unique implementations of it. Furthermore, multiple compression algorithms on top of multiple formats

(e.g., digital audiotape's DDS and Data/DAT) create more confusion. You can only roll the dice and hope your selected product, format, algorithm, and vendor are around in the coming years.

Whole sections of the computer industry, mainly at the high end, are attracted to 8-mm tape's large data-storage capabilities and low cost, but they've held back because of transfer rate. In these cases, adding data compression will satisfy their needs until 8-mm products with further native-performance increases are introduced.

When looking to the future, technologies that can be extended without compression are ultimately much better than those that can only be extended with compression. You can always improve the native performance by adding compression to it. Exabyte (Boulder, CO) currently has plans to extend the 8-mm tape's transfer rate to 1 megabyte per second and the cartridge capacity up to 10 gigabytes using current native technology.

Be aware that some backup peripherals are being advertised with large capacities and high transfer rates—improvements made by using data compression. Because so many variables affect data compression, you may not be able to achieve these large advertised performance capabilities as promised.

Data compression is an added benefit, but it's not the total answer. Native capacity and transfer rate are also important.

Grant Wilcox is in product marketing for Exabyte in Boulder, Colorado. You can contact him on BIX c/o "editors."

your database, and the intended use of the device (as a primary- or secondary-storage unit). Sequential access is slower and less convenient, but it is much less expensive.

How much storage capacity is enough to meet your needs in a cost-effective manner? Having too much is no better than having too little because you will be saddled with expensive, underutilized

storage equipment.

To estimate your data-capacity requirements, consider the following example. Assume you have 20 users on a LAN. Allocate 40 MB for system and common-application files and 20 MB per user. Assume one 200-MB common database. Under this formula, the drive size required is 640 MB. However, the growth factor is also important, and you

should factor in roughly twice a user's current needs for growth. The recommended drive size, then, exceeds 1 gigabyte.

Speed is another key performance consideration. Speed specifications include the product's access time, measuring how fast it can locate data, and its transfer rate, measuring how fast it can move data from one place to another.

continued

BACKUP-TAPE TECHNOLOGIES

Table 3: The various secondary-storage (tape) technologies available provide a full spectrum of capabilities, from a capacity of 5 gigabytes for 8-mm helical scan to a data transfer rate of 600,000 bps for QIC.

Technology	Capacity	Transfer rate (bytes/sec.)	Form factor	Avg. access (sec.)	Backup time for 300 MB
QIC	250 MB	90,000	5¼" HH	40	60 min.
	525 MB	200,000	5¼" HH	30	25 min.
	1.00 GB	300,000	5¼" HH	30	20 min.
	1.35 GB	600,000	5¼" HH	36	10 min.
4-mm DAT helical scan	2.00 GB	180,000	3½"	20	30 min.
8-mm helical scan	2.50 GB	246,000	5¼" FH	484	21 min.
	5.00 GB	500,000	5¼" FH	90	12 min.

HH=half height
FH=full height

Sometimes it's difficult to know how fast is fast enough. You must weigh the importance of speed against your other needs. A few milliseconds' worth of speed could come with an unacceptable price tag.

It is also worth noting that the data-rate capability of a storage device is often not the limiting factor on a system's ability to move data to and from the device. Average data transfer rates above 300,000 bps for peripheral devices are unusual on today's PC systems, so a tape drive's data transfer rate of only 200,000 bps is often the optimum solution.

Compatibility of the mass-storage device with the LAN operating systems and topologies in which it must operate is also important. Widely used LAN operating systems include Novell's NetWare 286/386 and Microsoft's MS-NET for IBM PC-compatible LAN environments, and AppleTalk/AppleShare and A/UX from Apple and TOPS from Sun Microsystems for the Macintosh world.

Topology refers to the physical layout of the components of a LAN—a bus topology connects all devices in one line; a ring topology connects each workstation to two other workstations in a circle. The topology that you employ can affect how the storage device will perform. With ring topologies, for example, the more PCs that are present, the slower the LAN, which can slow down data access and transfer times.

You will also want to examine fault-tolerance features: Do you want or need duplicate systems for continuous storage operation in the event that one should fail? What data-integrity features does the product provide to prevent the accidental erasing or contamination of your data?

Further Factors

There are a number of other issues that you need to take into account before choosing a 1-gigabyte-plus mass-storage device.

Data security is the first of these issues. What happens if the drive or the medium is dropped? The ability of the device to withstand shock is very important. Is the device rugged and impervious to the environment? Some mass-storage units are sensitive to magnetic fields and x-rays. You also need to find out the unit's operational range in terms of temperature and humidity.

You should consider the projected longevity (shelf life) of the storage medium and drive, and how long you intend to store the data on the device. The demand for WORM optical drives continues in spite of the arrival of rewritable optical ones because WORM technology provides permanent storage that can't be overwritten.

The transportability of the medium and drive can be a key factor. Data-storage applications used in banks, insurance companies, government agencies, corporate records departments, and multiple-site companies all require easily transportable storage equipment, sometimes above all other considerations.

Product quality is fundamental. This is basically a question of looking at the steps the manufacturer has taken to ensure reliable performance. These steps include user troubleshooting and fault-isolation diagnostic routines, the warranty of the mass-storage unit, the availability of information from the manufacturer or supplier, and postsale support.

Another critical issue is how well the device mixes and matches with other mass-storage devices that may already be

in place in the computer system. Are the devices compatible with each other, and do their collective data capacities equal what you need?

The growth potential of the respective technologies is also worth looking at in terms of selecting a solution that you will be able to live and grow with in the long term. QIC's relatively low data densities and large available tape area make upward migration to larger capacities an ongoing evolutionary process.

The very high data densities of DAT permit using a small cassette with a small available recording area, making upward migration more difficult. The 8-mm helical scan also has higher data density than QIC and a larger available record area than DAT.

Current QIC densities are about 0.6 MB per square inch, while 4-mm DAT is about 3.8 MB per square inch on a medium area of less than 25 percent of QIC. QIC has more room to grow. Table 3 summarizes the current comparative situation for backup-tape technologies.

Hard disk technology appears to achieve higher data capacities almost monthly, while rewritable optical disk capacities are moving at a slower pace.

Last but not least, there are the costs of the storage device and medium. The cost of a mass-storage subsystem varies greatly, depending on the technology and manufacturer. However, cost increases with capacity. As important as cost is, it comes into perspective when you think about the possibility of losing your data due to a choice made on the basis of cost alone.

Narrowed Choices and Trade-Offs

When you draw up your list of requirements—How much capacity do you need? How much speed? What kinds of compatibility?—the choices of mass-storage systems narrow. There will be inevitable trade-offs involving price, functionality, and performance. A lower-cost unit will not display lightning-quick throughput speed; you may not be able to easily move a very high capacity system; or you may not be able to afford the most reliable system.

Optimizing your PC data-storage capabilities is a multistep process that involves many different considerations—taking particular care to plan for growth. Nothing is cost-effective if it does not provide what you need. ■

Richard A. Peters is vice president of marketing at Tandberg Data, Inc. (Westlake Village, CA). You can reach him on BIX c/o "editors."



YOUR HARD DISK.



YOUR HARD DISK WITH STACKER.

If you need more megabytes than your hard disk can swallow, don't buy a new drive. Stretch it with Stacker.

Stacker is the fastest, most economical way to safely double your hard disk capacity. Without sacrificing DOS compatibility. It's the new standard in real-time data compression.

- Increase storage 100%
- Compatible with DOS 3.x, 4.x
- Industry's fastest real-time data compression
- Includes disk caching
- Fastest, easiest installation
- Toll-free technical support
- 90-day money-back guarantee

And it's the only product of its kind available in both software and coprocessor versions.

Stacker is fully compatible with Windows 3.0 and all your favorite disk utilities, too. Plus, Stacker includes a powerful disk caching program for added performance.

And when you add the Stacker coprocessor card you also get the fastest data compression in the business.

No wonder there are already over a million satisfied users of Stac's compression technology.

So call today and double your disk capacity tomorrow. You can purchase the Stacker software-only version—perfect for laptops—for only \$149. Or get the entire Stacker high performance system with software and coprocessor card for just \$229.

Order today. Visa, MasterCard, American Express cards accepted.

1-800-522-7822

Or see your local computer/software dealer.

STACKER™

© 1990 Stac Electronics, Carlsbad, CA
Stacker is a trademark and Stac a registered trademark of Stac Electronics.



Technical support at 3 a.m. is just one reason why...

The man is seated at a desk, engaged in a phone conversation while monitoring a vintage computer system. The monitor displays a window titled "MS-DOS C:\Program Files\American Registry, Inc..." containing various system metrics such as "Free memory size : 640 KB", "Total memory size : 209 MB", and "Available processor : Not installed". Below this information is a table with columns labeled "Date", "Time", "Day", "Month", "Year", and "Page". The table contains several rows of numerical data. On the desk, there is a keyboard, a mouse, a pair of glasses, and some papers. The background features horizontal blinds covering a window.

Northgate® makes it safe to buy business computers direct.

A 24-hour business hotline service for your 24-hour business. Many companies don't realize the importance of 'round the clock technical support ... until they need it. But, chances are, you or someone you know has had questions about computing after normal office hours. If you purchased your systems from one of our competitors, you probably had to wait to get help. Time-wasting. Inefficient. Costly.

Northgate treats you right! Across town or around the world, Northgate's business customers have a special hotline that gives immediate 24-hour access to Northgate's team of technical experts. Compare this with our competitors. Many have limited hours (like 9 a.m. to 2 p.m. on Saturdays; closed Sundays), some won't answer the phone during lunch hour and close up shop at night. While others offer little or no support at all.

Northgate's commitment to customer service and support caught the attention of the 1990 Microcomputer Marketing Council who selected Northgate as the first winner of the Association's Service and Support Award. When you buy from Northgate, rest assured we're here to serve you—in person—all day, every day. And the call's always on us.

From our spectacular SlimLine 386SX to our powerful Elegance 486™ file servers, Northgate backs them all with quality in every respect.

Industry's highest performing systems. In an industry overflowing with companies all claiming top performance, only one company is consistently ahead of the pack: Northgate. Since January of 1989 when our first *PC Magazine* Editor's

choice was awarded, our name has become synonymous with pace setting performance. Seven Editors' Choice awards, eight *Computer Shopper* "Best Buy" Awards and three *InfoWorld* recognitions are proof.

Quality systems through manufacturing and testing. As a manufacturer, Northgate does not subscribe to the industry trend of taking shortcuts in technology to boost performance gains and keep prices down. Rather, we thoroughly test components for compatibility, performance and value. In fact, if you were to order a hundred of our machines with the same configuration, every one would have the exact same performance. From hard drives all the way to our ALPS keyboard switches. And every stop in between. No "parts of the month" surprises or compatibility problems. We stake our reputation on it.

Unparalleled compatibility with your current industry standard systems and software. One of our competitors recently announced they set up an "FCC Testing Lab." At Northgate, this is nothing new. For years, Northgate has gone the extra step to ensure that our systems are FCC Class B certified. And, we've invested hundreds of thousands of dollars to make sure our systems are compatible with MS-DOS, OS/2, Novell®, Banyan, UNIX, SCO and other software. It's no wonder why many major software developers use Northgate to design, develop and "debug" their new software.

Dollar for dollar, Northgate is your smartest business decision. No doubt you can pay less for computers. And you can certainly pay more. But you won't get the product, performance, service and support

that has positioned Northgate as the new industry leader. No matter what the price, you just can't buy better than Northgate.



Free pre-purchase consultation. Nobody spends thousands of dollars on systems during the first phone call. You know it, we know it. Instead, we offer a no-obligation pre-purchase consultation with one of our highly-trained Technical Consultants. You won't get high-pressure tactics or commission-hungry salespeople. Just friendly assistance in matching your business needs with the appropriate Northgate solution.

CALL TOLL-FREE
800-345-8709

IN U.S.A. AND CANADA

Major corporations, volume purchasers and government agencies call
National Business Accounts: **800-548-3510**

Notice to the hearing impaired:
Northgate has TDD capability. Dial 800-535-0602.

 **NORTHGATE
COMPUTER
SYSTEMS, INC.**
"Smart Tools For Business"™

7075 Flying Cloud Drive,
Eden Prairie, Minnesota 55344

PC Magazine said it best...
"Northgate stops at nothing to please its customers!"*

Call Northgate® Now.

**Northgate
Exclusive!**
Edsun CEG Chip
available with
SlimLine
386/33!



Award-winning performance, unequalled service and incredible support for a price IBM®, Compaq® and Dell® can't hope to match.

The power of 386™ computing is the lifeblood of business today. And more and more, Northgate is the vendor of choice. Why? Northgate is the only company who consistently earns top ratings for performance, service, support and bottom-line value. Industry experts and users worldwide agree.

Northgate 386 ... computing's most decorated line. Northgate's rise to the pinnacle of 386 technology started in 1988 when *Computer Shopper* readers voted Northgate's 386 Power System both a "Best Buy" and Overall Best Buy. A few months later, *PC Magazine* named Northgate 386/20 and 386/25 "Editors' Choice." Later that year, our 386/33 received the same honor. Along the way, our 386 systems won several *InfoWorld* recognitions as well.

Revolutionary systems of the 90's: Northgate SlimLine.™

Often copied, never duplicated! It seems like everyone has jumped on the SlimLine bandwagon these days. Truth is, Northgate pioneered this incredible technology. We were the first to introduce full power 386 systems in a case measuring only 4.25" high.

Architecture that stunned the industry! SlimLine's fully-integrated motherboard features built-in IDE hard drive and floppy drive controllers, one parallel and two serial ports plus a 16-bit VGA controller. And we didn't scrimp on expansion capabilities. Our unique expansion tree has three full-length 16-bit and two half-length 8-bit slots for all your add-ons and peripherals.

Perfect single-user workstation or network terminal. SlimLine is ideal for use where you need full-size 386 power, but space is a premium.

For comprehensive system features and popular configurations, see next page.

Northgate Elegance™: Full-size 386 power and expandability.

The business systems of choice. Elegance's award-winning reputation has made them the choice of Fortune 1000 corporations, government agencies and universities around the world. And with good reason.

Elegance full-size systems are designed to allow you to easily expand your system as your business needs increase. You only pay for the components you need now.

Power for every application. From "simple" tasks like word processing and desktop publishing to advanced CAD/CAE and database management applications, Elegance delivers. To find out what systems are right for you, see next page for system configurations and upgrade options.

Northgate wins 1990 Micro-computer Marketing Council's Service and Support Award!

- 30-day no-risk trial period
- Full one year warranty on systems, 5 years on OmniKey keyboards.
- Northgate responds to your needs with overnight shipment of parts—at our expense!
- Free on-site service to most locations for one year if we can't solve your needs over the phone.
- Unique 24-hour toll-free technical support—the industry's best!
- We accept VISA, MasterCard, Discover and Northgate's Big 'N' card. We offer leasing and financing options, too!

Free pre-purchase consultation. Nobody spends thousands of dollars on systems during the first phone call. You know it, we know it. Instead, we offer a no-obligation pre-purchase consultation with one of our highly-trained Technical Consultants. You won't get high-pressure tactics or commission-hungry salespeople. Just friendly assistance in matching your business needs with the appropriate Northgate solution.

CALL
TOLL-FREE **800-345-8709**
IN USA AND CANADA

Fortune 1000 corporations, government agencies and education institutions, call National Business Accounts: **800-548-3510**

Notice to the hearing impaired: Northgate has TDD capability. Dial 800-535-0602.



"Smart Tools For Business"™

7075 Flying Cloud Drive,
Eden Prairie, Minnesota 55344

Only Northgate® offers a full range of 386™ systems in SlimLine™, Desktop, and Vertical Power Cases!

SlimLine...a Northgate original!



SlimLine Features:

- Small footprint (16.5" square x 4.25" high) SlimLine case with room for two exposed and one internal half-height devices
- Intel® and Weitek math coprocessor support
- 150 watt power supply
- Clock/calendar chip rated at 5 years
- Front mounted reset and high/low speed controls
- MS-DOS 4.01 and GW-BASIC installed
- On-line user's guide to MS-DOS 4.01
- QA Plus Diagnostic and utility software
- FCC Class B certified

SlimLine 386SX/16 and 20 MHz with 64K Cache

- Intel 80386SX/16 or 20 MHz processor
- 2Mb of RAM on motherboard
- 40Mb hard drive
- 64K SRAM read/write-back cache
- 1.2Mb and 1.44Mb floppy drives
- 14" VGA color monitor
- OmniKey® keyboard

\$2399⁰⁰ / \$2599⁰⁰

Or as low as \$75⁰⁰ / \$80⁰⁰ per month*

SlimLine 386/25 MHz with 64K Cache

- Intel 80386/25 MHz processor
- 4Mb of RAM on motherboard
- 100Mb hard drive
- 64K SRAM read/write-back cache
- 1.2Mb and 1.44Mb floppy drives
- 14" VGA color monitor
- OmniKey keyboard

\$3399⁰⁰ Or as low as \$105⁰⁰ per month*

SlimLine 386/33 MHz with 64K Cache

Exclusive! Now, the revolutionary Edsun CEG chip is available with SlimLine 386/33. This device emulates up to 2048 x 2048 resolution and lets your standard VGA monitor display an incredible 750,000 colors. Plus, it smooths out the jagged edges around images giving you clarity and brilliance you must see to believe! Call for pricing.

- Intel 80386/33 MHz processor
- 4Mb of RAM on motherboard
- 200Mb hard drive
- 64K SRAM read/write-back cache
- 1.2Mb and 1.44Mb floppy drives
- 14" VGA color monitor
- OmniKey keyboard

\$3899⁰⁰ Or as low as \$120⁰⁰ per month*

Editors' Choice—all Elegance™ systems

Elegance Features:

- 5-bay desktop case with room for 3 exposed and 2 internal half-height devices with 200 watt power supply.
- Optional 7-bay vertical power case has 220W power supply
- RAM expansion up to 8Mb on motherboard (16Mb total RAM with 32-bit memory card)
- 16-bit VGA video adaptor
- One parallel and two serial ports
- MS-DOS 4.01 and GW-BASIC installed
- FCC Class B and Novell certified



Northgate Elegance 386/25

- Intel 80386/25 MHz processor
- 4Mb of RAM
- 100Mb hard drive
- 64K SRAM read/write-back cache
- 1.44Mb and 1.2Mb floppy drives
- 16-bit VGA Adaptor
- Desktop case
- 14" VGA color monitor
- OmniKey keyboard
- Microsoft Windows and mouse

\$3699⁰⁰ Or as low as \$115⁰⁰ per month*

Northgate Elegance 386/33

- Intel 80386/33 MHz processor
- 4Mb of RAM
- 200Mb hard drive
- 64K SRAM read/write-back cache
- 1.44Mb and 1.2Mb floppy drives
- 16-bit VGA adaptor
- Vertical power case
- 14" VGA color monitor
- OmniKey keyboard
- Microsoft Windows and mouse

\$4449⁰⁰ Or as low as \$140⁰⁰ per month*

If one of these popular SlimLine or Elegance models doesn't meet your needs, CALL! We'll custom build one just for you!

**CALL TOLL-FREE
800-345-8709**

IN U.S.A. AND CANADA

Major corporations, volume purchasers and government agencies call
National Business Accounts: **800-548-3510**

Notice to the hearing impaired: Northgate has TDD capability. Dial 800-535-0602.



"Smart Tools For Business"™

7075 Flying Cloud Drive,
Eden Prairie, Minnesota 55344

Massive Mass Storage

For *real* mass storage, be prepared to drop a couple of hundred thousand dimes in the jukebox. Jukeboxes (also called auto-changers) provide unprecedented on-line storage for PC, workstation, and LAN users. They range in capacity from a few tens of gigabytes to over a terabyte, and they are available in CD-ROM, WORM (write once, read many times), rewritable optical, and tape-based configurations.

Listed below are some manufacturers of jukebox mass-storage systems.

Advanced Graphics Applications, Inc.
90 Fifth Ave.
New York, NY 10011
(212) 337-4200
Circle 1060 on Inquiry Card.

Alphatronix, Inc.
2300 Englert Dr., Suite C
Research Triangle Park, NC 27709
(919) 544-0001
fax: (919) 544-4079
Circle 1061 on Inquiry Card.

Aquidneck Systems International, Inc.
650 Ten Rod Rd.
North Kingstown, RI 02852
(401) 295-2691
fax: (401) 295-1851
Circle 1255 on Inquiry Card.

AT&T
100 Southgate Pkwy.
Morristown, NJ 07960
(800) 247-1212
(201) 898-8000
Circle 1062 on Inquiry Card.

Bell & Howell Document Management Products Co.
6800 McCormick Rd.
Chicago, IL 60645
(708) 675-7600
fax: (708) 675-9271
Circle 1063 on Inquiry Card.

Control Data Corp.
P.O. Box 0
Minneapolis, MN 55440
(612) 853-8100
fax: (612) 853-5300
Circle 1064 on Inquiry Card.

Cygnat Systems, Inc.
2560 Junctions Ave.
San Jose, CA 95134
(408) 954-1800
fax: (408) 954-9391
Circle 1065 on Inquiry Card.

Delta Microsystems, Inc.
5039 Preston Ave.
Livermore, CA 94550
(415) 449-6881
fax: (415) 449-6885
Circle 1066 on Inquiry Card.

Digital Equipment Corp.
146 Main St.
Maynard, MA 01754
(508) 493-5111
fax: (508) 493-8780
Circle 1067 on Inquiry Card.

Dilog Corp.
1555 South Sinclair St.
Anaheim, CA 92806
(714) 937-5700
fax: (714) 978-2420
Circle 1068 on Inquiry Card.

Epoch Systems
8 Technology Dr.
Westborough, MA 01581
(508) 836-4300
fax: (508) 836-3802
Circle 1069 on Inquiry Card.

Exabyte Corp.
1685 38th St.
Boulder, CO 80301
(303) 442-4333
fax: (303) 442-4269
Circle 1070 on Inquiry Card.

FileNet Corp.
3565 Harbor Blvd.
Costa Mesa, CA 92626
(714) 966-3400
fax: (714) 966-3490
Circle 1071 on Inquiry Card.

Hewlett-Packard Co., Inc.
Disk Storage Systems Division
11413 Chindin Blvd.
Boise, ID 83714
(208) 323-3290
fax: (208) 323-3991
Circle 1072 on Inquiry Card.

Hitachi America, Ltd.
Computer Division
Peripherals & Systems
Marketing, MS:500
Hitachi Plaza
2000 Sierra Point Pkwy.
Brisbane, CA 94005
(800) 283-4080, ext. 877
(415) 589-8300
Circle 1073 on Inquiry Card.

Laser Magnetic Storage International Co.
4425 Arrows West Dr.
Colorado Springs, CO 80907
(800) 777-5674
(719) 593-7900
Circle 1256 on Inquiry Card.

Literal Corp.
2180 Executive Cir.
Colorado Springs, CO 80906
(719) 579-0460
fax: (719) 579-0450
Circle 1074 on Inquiry Card.

Memorex Telex Corp.
6422 East 41st St.
Tulsa, OK 74135
(800) 950-3465
(918) 627-1111
fax: (918) 628-2768
Circle 1257 on Inquiry Card.

Micro Design International, Inc.
6985 University Blvd.
Winter Park, FL 32792
(800) 228-0891
(407) 677-8333
fax: (407) 677-8365
Circle 1258 on Inquiry Card.

Micro Technology, Inc.
5065 East Hunter St.
Anaheim, CA 92807
(714) 970-0300
fax: (714) 970-5743
Circle 1259 on Inquiry Card.

Optimem
297 North Bernard Ave.
Mountain View, CA 94043
(415) 961-1800
fax: (415) 961-8913
Circle 1260 on Inquiry Card.

Pinnacle Micro, Inc.
15265 Alton Pkwy.
Irvine, CA 92718
(800) 553-7070
(714) 727-3300
fax: (714) 727-1913
Circle 1261 on Inquiry Card.

Pioneer Communications
600 East Crescent Ave.
Upper Saddle River, NJ 07458
(201) 327-6400
fax: (201) 327-9379
Circle 1262 on Inquiry Card.

Reflection Systems, Inc.
P.O. Box 611608
San Jose, CA 95161
(408) 432-0943
fax: (408) 432-0843
Circle 1263 on Inquiry Card.

Ricoh Corp.
Sales Office
3567 Parkway Lane,
Suite 150
Norcross, GA 30092
(404) 446-3533
fax: (404) 447-4102
Circle 1264 on Inquiry Card.

Sony Corp. of America
Peripheral Systems Co.
Sony Dr.
Park Ridge, NJ 07656
(201) 930-1000
fax: (201) 573-8608
Circle 1265 on Inquiry Card.

Storage Dimensions, Inc.
2145 Hamilton Ave.
San Jose, CA 95125
(408) 879-0300
fax: (408) 879-3397
Circle 1266 on Inquiry Card.

Storage Technology Corp.
2270 South 88th St.
Louisville, CO 80028
(303) 673-5151
fax: (303) 673-5019
Circle 1267 on Inquiry Card.

Summus Computer Systems
17171 Park Row, Suite 300
Houston, TX 77084
(713) 492-6611
fax: (713) 492-0092
Circle 1268 on Inquiry Card.

Trimarchi, Inc.
P.O. Box 560
State College, PA 16804
(814) 353-9120
Circle 1269 on Inquiry Card.

Wang Laboratories, Inc.
One Industrial Ave.
Lowell, MA 01851
(508) 459-5000
Circle 1270 on Inquiry Card.

Inclusion in the resource guide should not be taken as a BYTE endorsement or recommendation. Likewise, omission from the guide should not be taken negatively. The information here was believed to be accurate at the time of writing, but BYTE cannot be responsible for omissions, errors, or changes that occur after compilation.

Northgate® 486™/25 & 33 MHz

486 ISA...486 EISA.

Only Northgate gives you a choice!



Number One! Elegance™ 486/25 & 33 MHz ISA



InfoWorld's Product of the Year! After outscoring the competition in InfoWorld's 1990 reviews, and being praised as "tops in support and value,"† Elegance

486/25i was awarded the publication's highest honor: Product of the Year. This was the fourth award given to an Elegance 486 system ... no other company comes close!

PC Magazine says "Editors' Choice!" When reviewing 486/25 systems, they said "Only one machine stands out ... you could pay less for a 486 system, but not get the bonuses that are offered with the Elegance."††

In the February 12, 1991 issue, **PC Magazine** declared Elegance 486/33 Editors' Choice, saying the system was "a sure winner in its class."



Elegance 486/25i, Sept. 11, 1990
Elegance 486/33i, Feb. 12, 1991



Computer Shopper readers agree! Elegance 486/25i breezed past the competition and captured a 1990 "Best Buy" award. This makes three years in a row, a Northgate Elegance system was voted

tops by **Computer Shopper** readers.

ISA 486 System Features:

- Intel 486/25 or 33 MHz processor
- 4Mb RAM; expandable to 8Mb on motherboard
- 200Mb IDE hard drive
- 1.2Mb and 1.44Mb floppy drives
- 64K SRAM read/write-back cache
- ISA bus
- One 32-bit, six 16-bit and one 8-bit slots
- One parallel and two serial ports
- Vertical "Power" case (desktop available)
- 16-bit VGA graphics adaptor with 512K video RAM (expandable to 1Mb)
- 14" SVGA color monitor
- OmniKey®/ULTRA keyboard
- MS-DOS 4.01 or 3.3 and GW-BASIC software installed
- Microsoft® Windows™ 3.0 and mouse
- FCC Class B Certified

\$5399⁰⁰ / \$6299⁰⁰
25 MHz 33 MHz



486 EISA gives you full 32-bit performance!

Performance that rivals RISC-based minicomputers costing thousands more! New 32-bit EISA bus gives you the power to transfer data along your network at burst mode speeds up to 33 megabytes per second. That's a 15-fold improvement over 16-bit AT buses serving medium-to-large networks.

Complete compatibility! Elegance 486e is 100% compatible with UNIX, Novell® and DOS. Plus, Elegance is compatible with existing 8-bit and 16-bit ISA adapters, so you benefit from downward compatibility.

Compare Elegance 486e performance and Northgate service and support with any other vendor's in the industry. You'll find you can't buy better than Northgate! Call now ... let Northgate build your system today!

True EISA 486 System Features:

- Intel 486/25 or 33 MHz processor
- 4Mb RAM; expandable to 32Mb on motherboard
- 1Mb EISA caching SCSI controller
- 200Mb SCSI hard disk
- 1.2Mb and 1.44Mb floppy drives
- 128K SRAM read/write-back cache
- EISA bus
- Eight 32-bit EISA slots; six bus master and two slave
- One parallel and two serial ports
- 16-bit VGA graphics adaptor with 512K video RAM (expandable to 1Mb)
- 14" SVGA monochrome monitor
- Vertical "Power" case
- 300 watt power supply
- OmniKey®/ULTRA keyboard
- MS-DOS 4.01 or 3.3 and GW-BASIC software installed
- Microsoft mouse
- 25 MHz FCC Class B Certified (33 MHz FCC Class A)

8199⁰⁰ / \$9199⁰⁰
25 MHz 33 MHz

Northgate wins 1990 Microcomputer Marketing Council's Service and Support Award!

- ♦ **30 Day No-Risk Trial.** To assure your complete satisfaction, Northgate gives you a 30-day No-Risk Trial.
- ♦ **Full parts and labor warranties:** 1 year on systems; 5 years on OmniKey keyboards.
- ♦ **Overnight shipment of replacement parts when needed** — at our expense.
- ♦ **Northgate's unique 24-hour toll-free technical support** leads the industry — most needs are met with just one call!
- ♦ **Free on-site service** to most locations if we can't meet your technical needs over the phone.
- ♦ **Easy financing:** Use your Northgate Big 'N', VISA, MasterCard or Discover Card. Leasing terms up to five years also available.

Free Pre-purchase Consultation

Nobody spends thousands of dollars on systems during the first phone call. You know it, we know it. Instead, we offer a no-obligation pre-purchase consultation with one of our highly-trained Technical Consultants. You'll receive friendly assistance in matching your business needs with the appropriate Northgate solution.

**CALL TOLL-FREE
800-345-8709**

IN U.S.A. AND CANADA

Fortune 1000 corporations, government agencies and education institutions call National Business Accounts: **800-548-3510**

Notice to the hearing impaired: Northgate has TDD capability. Dial 800-535-0602.



"Smart Tools For Business"™

7075 Flying Cloud Drive, Eden Prairie, Minnesota 55344

486 EISA: BORN TO BLAZE

**The new systems are fast,
but a few problems
make us wonder if EISA
has really arrived**

**STEVE APIKI AND
STANFORD DIEHL**

systems: the powerful combination of Intel's 33-MHz i486 and the 32-bit EISA bus. These new machines beg for more than casual applications. System vendors pitch them as file servers, multiuser Unix hosts, and high-performance workstations (see the text box "EISA and i486: Workstation Class?" on page 220).

We didn't optimize these systems for any one application, however. Instead, we asked vendors for a general-purpose configuration that included 4 megabytes of system RAM, a VGA or better graphics subsystem and monitor, a 300-MB hard disk drive, and a 150-MB tape backup unit. Surprisingly, vendors didn't always supply EISA components with their systems (see the features summary table on pages 218 and 219).


The lure of buying the latest and greatest technology can be irresistible, but if you don't look beyond the glitz, you're likely to make a bad decision. You'll end up with more power than you need or, worse, with an expensive, immature product. When we began testing these machines, we had our usual object in mind: to pick the best of the bunch. But after getting our hands dirty, we started to question whether the EISA market has really arrived.

The Promise of EISA

The i486 processor, with its built-in FPU and 8K-byte cache, is fantastically fast, but the 16-bit ISA bus and its slow attendant peripherals drag down the performance of i486 systems. The i486 promises improvements over the 386 (see the text box "i486—Evolution, Not Revolution" on page 228), and EISA promises

When it comes to heroes, we like the underdog, but when it comes to our workstations, we want nothing less than pure, unadulterated power. We want our disks to scream and our video to sparkle. We want to do whatever the job requires without running into frustrating hardware constraints. We want to sense the power rumbling beneath our fingertips.

This month the BYTE Lab looks at the up-and-coming standard in high-end sys-





BYTE ACTION SUMMARY

■ 33-MHZ 486 EISA SYSTEMS

■ WHAT YOU'LL LIKE

These high-end systems deliver unprecedented speed. EISA technology promises still greater performance when EISA peripherals become more widely available.

■ WHAT YOU'LL DISLIKE

EISA systems still experience the configuration and reliability problems associated with developing technology.

■ WHAT WE RECOMMEND

Currently, the best mix of price, performance, and ease of operation are in the midrange systems. Machines from Dell, Zeos, and Acma stand out. If you don't need a system right way, consider holding off on buying until EISA peripherals become more plentiful and more stable. In another six months, vendors should have ironed out many of the wrinkles with current add-in boards, and many new boards should be available.

peripherals that can supply data as fast as the processor can handle it. EISA's 32-bit bus is twice as wide as the ISA bus, making it capable of delivering twice the data. EISA can also handle multiple bus masters, which may dramatically improve the throughput of I/O-bound tasks. Finally, EISA's software-based board configuration should make board installations easier. (For an in-depth look at EISA, see "Inside EISA," November 1989 BYTE.)

EISA's greater bandwidth makes it ideal for networks and multiuser environments, which require fast access to system peripherals. However, EISA peripherals have been slow in coming. Most EISA devices introduced to date have been disk drive controllers (included in most of our test machines) and network interface cards. Other EISA peripherals, such as video controllers, aren't readily available.

Software-based configuration means that you use a vendor-supplied EISA setup disk to add peripherals or to modify the configuration of any of the boards. You can set the parameters of each EISA device from the EISA setup utility, choosing IRQ numbers, ROM addresses, and other settings

33-MHZ 486 EISA SYSTEMS: FEATURES SUMMARY

Price and performance varied widely among these systems, but most manufacturers assembled systems from a common pool of components. Machines with similar disk drive controllers and amounts of disk drive cache often turned in similar benchmark results (N/A = not applicable).

System	List price ¹	Size (inches) (W x H x D)	Maximum on-board memory	Off-chip cache			ROM BIOS	EISA/ISA slots	Hard disk drive	Capacity (MB)	Avg. seek time (ms)
				Size	Min./max.	Type					
Standard Systems:											
Acma 486/33	\$7790	7.5 x 25.5 x 17	64 MB	256 KB	64/256 KB	Direct-mapped/posted writes	Award	6/2	Maxtor XT-8380E	360	14.5
ALR PowerPro VM	\$13,477 ⁵	7.25 x 24 x 18.5	49 MB	64 KB	64 KB ³	Direct-mapped/write through	Phoenix	8/2	Seagate ST2383E	320	16.0
American Mitac 4280G	\$13,185	8.7 x 23.6 x 19.7	64 MB	128 KB	64/256 KB	Direct-mapped/write back	Phoenix	6/2	Maxtor XT-8380S	360	14.5
AT&T StarServer S	\$17,679	7.75 x 25.5 x 31.4	64 MB	128 KB	128 KB	Direct-mapped/write back	Phoenix	10/0	Seagate ST4376N	376	17.5
Blue Star 486/33E	\$7249	17.25 x 7 x 16.25	64 MB	256 KB	0/256 KB	Direct-mapped/write through	AIR/Phoenix	8/0	Seagate Wren 6 HH	330	16.0
CCS 486-33c	\$14,247	11 x 26 x 17.5	32 MB	128 KB	128 KB	Direct-mapped/write through	Mylex	8/0	Fujitsu M 2249S	318	18.0
Compaq Deskpro 486/33L	\$21,835	19.2 x 6.5 x 17.7	100 MB	128 KB	128 KB	Direct-mapped/write through	Compaq	7/0	Seagate ST2383E	320	16.0
Dell 433TE	\$10,958	7.6 x 24 x 22.4	64 MB	128 KB	128 KB	Direct-mapped/write through	Phoenix	8/0	Micropolis 1664-7	345	14.0
Dyna Micro Work Master 486	\$9999	7.75 x 16 x 16	64 MB	256 KB	0/256 KB	Direct-mapped/write through	AIR/Phoenix	8/0	Seagate ST2383E	320	16.0
Lucky 486/33E	\$7250	21.25 x 6.25 x 16.5	64 MB	64 KB	64/256 KB	Direct-mapped/write back	Phoenix	8/0	Maxtor XT-8380E	360	14.5
Micro Express ME 486	\$7672	11 x 26 x 17.5	64 MB	256 KB	256 KB	4-way associative/write through	Mylex	6/1	Micropolis 1558	340	16.0
Misys EISA/33MHz	\$8960	25.5 x 9.3 x 18.5	96 MB	256 KB	64/256 KB	Direct-mapped/write back	AMI	7/1	Maxtor XT-4380E	340	16.0
PC Craft 2304/33D	\$9082	21.25 x 6.25 x 16.5	64 MB	64 KB	64/256 KB	Direct-mapped/posted writes	Award	6/2	Maxtor XT-4380E	340	16.0
SAI 486/33	\$7495	21.25 x 6.25 x 16.5	64 MB	256 KB	0/256 KB	Direct-mapped/write through	AIR/Phoenix	8/0	Maxtor XT-4380E	340	16.0
Tandon DT 486/33	\$9956 ⁸	21.25 x 6.25 x 16.5	64 MB	64 KB	64 KB	Direct-mapped/posted writes	Tandon	6/2	Seagate ST2382N	320	16.0
Tangent 486/33	\$8999	7.5 x 25.5 x 17	32 MB	128 KB	128 KB	Direct-mapped/write back	Mylex	8/0	Maxtor LXT-340SY	340	15.0
Touche 5550T	\$6117	11 x 26 x 17.5	96 MB	128 KB	64/256 KB	Direct-mapped/write back	AMI	7/1	Maxtor XT-8380E	360	14.5
Zeos 486-33C	\$9190	21.25 x 6.25 x 16.5	32 MB	128 KB	128 KB	Direct-mapped/write back	Mylex	8/0	Seagate ST4376N	376	17.5
Portable System:											
Bitwise 433E/VP	\$12,495 ⁹	16 x 10.5 x 8.5	32 MB	None	N/A	N/A	AIR/Phoenix	6/0	Maxtor LXT-200S	200	14.5

¹ Price includes 4 MB of system memory, VGA or Super VGA graphics with monitor, hard disk drive of about 300 MB, 150-MB tape backup unit, parallel port, and 101-key Enhanced keyboard.

² Minimum supported configuration.

³ Other models are available with additional cache.

⁴ Pixels x pixels x colors.

⁵ System tested and priced with 5 MB; 4-MB configuration not available.

⁶ System also has additional IDE interface.

⁷ System also includes VGA built into motherboard.

⁸ Price does not include tape backup system (not available from vendor).

⁹ Portable system without external monitor and with 200-MB hard disk drive.

¹⁰ Resolutions above standard VGA require external monitor.

that usually require DIP switches or jumper blocks.

Unfortunately, EISA subsystems and supporting software are still quite new, and most aren't totally wrinkle-free. A few systems presented inaccurate EISA configuration information; with others, reconfiguring an option produced some odd side effects. For example, LapLink couldn't find the parallel port on the Blue Star system's motherboard even though the EISA configuration software showed the port as enabled. We fixed the problem by disabling and then reenabling the port through software. On every sys-

tem, running the configuration utility was unbearably time-consuming, making the prospect of opening the system and fiddling with DIP switches more appealing.

Common Threads

Given the newness of EISA technology, it's not surprising that many of these systems share many of the same components. Three EISA motherboards and two EISA disk drive controllers form the core hardware for many of these machines. None offers an EISA video controller, but many include fast 16-bit

Super VGA controllers. Since similar components mean similar features, we'll discuss some of the more popular components here.

The most popular motherboard among our test systems was Advanced Integration Research's 486EL, which uses Intel's EISA chip set. It supports an i486 at 25 or 33 MHz, with up to a 256K-byte static RAM (SRAM) cache and a socket for a Weitek WTL4167 math coprocessor. The motherboard's 16 single in-line memory module sockets accept up to 64 MB of on-board memory when loaded with 4-MB SIMMs. The AIR board has

33-MHZ 486 EISA SYSTEMS: FEATURES SUMMARY

Interface	Disk drive controller	Disk drive controller cache ²	Floppy disk drive	Disk drive bays	Serial ports	Other ports	Video controller ³	Video RAM	Maximum resolution ⁴	Power supply (W)	Distribution channel	Warranty (years)	On-site service
ESDI	UltraStor 22C	512 KB	1.2 MB/ 1.44 MB	6	9-pin, 25-pin	Game	Orchid ProDesigner II	1 MB	1024 x 768 x 256	230	Mail order	1	1 year
ESDI	Western Digital WD-1009V-SE1 ⁶	64 KB	1.2 MB	6	9-pin, 25-pin	None	ALR/Paradise	256 KB	800 x 600 x 16	300	Dealer, reseller	1	Option
SCSI	Mylex DCE-376	1 MB	1.2 MB	5	2 9-pin	Mouse	Mitac	512 KB	1024 x 768 x 16	300	Distributor, reseller	1	1 year
SCSI	DPT	128 KB	1.2 MB/ 1.44 MB	8	2 9-pin	Mouse, 2nd parallel	AT&T VDC 600	256 KB	800 x 600 x 16	300	Dealer, reseller	1	1 year
ESDI	UltraStor 22C	512 KB	1.2 MB/ 1.44 MB	6	9-pin, 25-pin	Mouse	Diamond Computer SpeedStar VGA	1 MB	1024 x 768 x 256	230	Dealer, reseller	1	Option
SCSI	Mylex DCE-376	1 MB	1.2 MB/ 1.44 MB	10	2 9-pin	2nd parallel	Diamond Computer SpeedStar VGA	1 MB	1024 x 768 x 256	375	Dealer, reseller	1	No
ESDI	Compaq ⁶	None	1.2 MB/ 1.44 MB	7	2 9-pin	Mouse	Compaq AG-1024 ⁷	1 MB	1024 x 768 x 256	300	Dealer	1	No
ESDI	UltraStor 12F ⁸	32 KB	1.44 MB	11	2 9-pin	Mouse	Dell	512 KB	1024 x 768 x 16	300	Mail order, retail	1	1 year
ESDI	UltraStor 22C	512 KB	1.2 MB/ 1.44 MB	5	2 25-pin	None	Orchid ProDesigner II	1 MB	1024 x 768 x 256	230	Dealer, reseller	1	Option
ESDI	UltraStor 22C	512 KB	1.2 MB	5	9-pin	None	STB Systems PowerGraph VGA	1 MB	1024 x 768 x 256	220	Mail order, retail	1	Option
ESDI	UltraStor 22C	512 KB	1.2 MB/ 1.44 MB	10	9-pin, 25-pin	None	Micro Express Extended VGA	1 MB	1024 x 768 x 256	300	Mail order	2	No
ESDI	UltraStor 22C	512 KB	1.2 MB/ 1.44 MB	6	9-pin, 25-pin	Tape	Definicon HiRes 1024	1 MB	1024 x 768 x 256	250	Mail order	3	Yes
ESDI	UltraStor 22C	512 KB	1.2 MB	5	9-pin, 25-pin	Game, mouse	ATI VGA1024	256 KB	800 x 600 x 16	220	Reseller, OEM	1	1 year
ESDI	Data Technology	4 MB	1.2 MB	5	2 25-pin	Game	Diamond Computer SpeedStar VGA	1 MB	1024 x 768 x 256	120	Mail order	1	Option
SCSI	Mylex ⁶ DCE-376	4 MB	1.2 MB	5	9-pin, 25-pin	None	Orchid ProDesigner II	1 MB	1024 x 768 x 256	230	Mail order	1	1 year
SCSI	Mylex DCE-376	4 MB	1.2 MB	6	9-pin, 25-pin	None	Orchid ProDesigner II	512 KB	1024 x 768 x 16	270	Mail order	1	1 year
ESDI	UltraStor 22C	512 KB	1.2 MB/ 1.44 MB	10	2 9-pin	2nd parallel	Orchid ProDesigner II	1 MB	1024 x 768 x 256	450	Mail order	1	Option
SCSI	Mylex DCE-376	2 MB	1.2 MB/ 1.44 MB	5	9-pin, 25-pin	Game	Diamond Computer SpeedStar VGA	1 MB	1024 x 768 x 256	450	Mail order	1	Option
SCSI	Mylex DCE-376	4 MB	1.2 MB/ 1.44 MB	3	2 25-pin	None	Ahead Systems VGA Wizard	512 KB	1024 x 768 x 16 ¹⁰	200	Mail order	1	No

eight EISA slots, six of which support EISA bus-master devices. Systems that are equipped with the AIR motherboard tended to fare worse than other systems on our CPU benchmarks.

Mylex's MAE486 motherboard also supports the i486 at 25 or 33 MHz and includes a Weitek coprocessor socket. Its external processor cache can hold up to 128K bytes of SRAM, and its eight SIMM sockets hold up to 32 MB of system RAM. All eight EISA slots on the MAE486 can handle bus-master devices.

The American Megatrends, Inc., Enterprise motherboard holds up to 96 MB

of memory: 32 MB in the board's eight SIMM sockets and 64 MB on a proprietary 32-bit expansion board. AMI offers a 64K- or 256K-byte external processor cache and includes a Weitek socket, seven EISA bus expansion slots, and an 8-bit slot. The proprietary memory board occupies one of the motherboard's EISA slots.

Regardless of motherboard, all but one of the systems supported video BIOS and system BIOS shadowing. The sole exception was Dell's 433TE, which shadows video BIOS only. We found that, for most applications, video BIOS shadowing im-

proves performance more significantly than system BIOS shadowing.

Since even the fastest hard disk drives can't supply data fast enough to take advantage of the EISA bus, all EISA hard disk drive controllers use a cache. Eight machines used UltraStor's Ultra 22C caching ESDI controller; six went with Mylex's DCE-376 caching SCSI controller. Most vendors used Seagate or Maxtor hard disk drives with average seek times in the 14- to 17-millisecond range.

We asked system vendors that supplied caching disk drive controllers to include the minimum amount of cache RAM

EISA and i486: Workstation Class?

Hardly a month passes that we don't see the introduction of a new system or system component that promises to further blur the distinction between PCs, workstations, and minicomputers. The i486 microprocessor and industry support for the 32-bit EISA bus are two significant developments pushing PCs across the fuzzy line onto workstation turf. But despite these advances, the currently available i486 systems don't quite measure up to the RISC-based Unix workstations.

The 33-MHz i486 is a top-notch microprocessor. Innovative caching schemes have further enhanced the i486 PC so that, in terms of raw integer performance measures like Dhrystones, it almost holds its own with a 25-MHz SPARC processor and gives the power-

ful 20-MHz MIPS R3000 chip set a run for its money (see the table below). Even without a Weitek WTL4167 FPU, the i486 is more than a match for the 25-MHz SPARC in floating-point operations, although it pales beside faster SPARCs and other RISC processors. RISC-based workstations now sell in the \$10,000 to \$20,000 range and thus directly compete with high-end i486 machines.

The critical issues that separate the workstations from PCs have less to do with raw performance and more to do with compatibility and ease of integration. SPARC-based workstations currently enjoy two significant advantages over i486 PCs: cleaner hardware and more Unix software.

Expansion boards designed for Sun's SBus work right out of the box; many

EISA devices that we've seen don't. Most problems revolve around resource conflicts that manufacturers will likely fix with firmware revisions. But for the moment, SPARC workstations have more stable and easier-to-maintain peripherals.

But the biggest hurdle that 486 PCs must overcome to compete with SPARC workstations is the lack of portability between PC implementations of Unix. Currently, PC Unix software developers must choose sides and decide which variation of Unix to support. Hardware companies have to develop drivers for multiple versions of Unix. Both are severely hampered by the lack of binary compatibility from system to system. SPARC developers, because of cross-SPARC binary compatibility, have only a single architecture to target. It's not surprising, therefore, that the range of Unix applications for SPARC workstations is broader than that for i486 PCs.

The operating-system problems and the subsequent software gap show signs of closing, however. The latest version of Unix, System V release 4, promises a much deeper level of binary compatibility across versions of Unix supplied by different vendors. Release 4, which you should see by the end of this year, may finally boost high-end PCs into the workstation arena.

COMPARATIVE UNIX BENCHMARK INDEXES BY PROCESSOR TYPE

BYTE Unix benchmark indexes for machines that use i486, SPARC, and MIPS CPUs. The i486 holds an edge over the SPARC in floating-point operations but lags in raw integer performance (Dhrystones).

	Dhrystone	Floating-point
33-MHz i486	1.3	2.6
25-MHz SPARC	1.5	2.2
20-MHz MIPS R3000	1.7	6.2

offered in a standard system configuration. Each system that used the UltraStor card included a 512K-byte cache; vendors that included the Mylex DCE-376 maintain minimum configurations ranging from 1 to 4 MB. The Ultra 22C accepts up to 3 MB of cache RAM by way of an add-in card. The DCE-376 holds 16 MB of cache RAM.

Both the Ultra 22C and the DCE-376 are EISA bus-master controllers, and both are outstanding performers. The boards with more cache memory proved faster; the cache configuration you specify to the system vendor will be the most important factor in determining the overall performance of your disk subsystem.

These boards are both in a state of early release, and drivers and firmware are evolving quite rapidly. We encoun-

tered several EISA configuration problems with the boards in our test machines. More significant, bus-master activity conflicts with memory managers such as 386Max or QEMM386 unless both bus-master card and memory manager adhere to the Virtual DMA Services (VDS) specification. Vendors had just begun to release drivers that implement VDS as we began testing; we conducted our evaluations using these early drivers.

With no EISA video controller boards available, vendors are relying on fast 16-bit Super VGA boards, such as Orchid's ProDesigner II and Diamond Computer Systems' SpeedStar VGA. With 1 MB of video RAM (VRAM), both boards can display graphics at a resolution of 1024 by 768 pixels in 256 colors. Both cards are based on the Tseng Labs VGA chip.

EISA Roundup

We tested eighteen 33-MHz i486 EISA systems in both desktop and tower configurations. We also tested what may be the first i486 EISA portable computer (see the text box "Bitwise 433E/VP Portable" on page 230). Some of the i486 systems we tested are high-end models sold exclusively through resellers and dealers. Others are assembled from common off-the-shelf components and are available directly from the manufacturer. Performance differs widely within their ranks, but every one of these systems is an outstanding performer relative to the last generation of 386 and 486 systems.

We rated the machines on their performance, price, and difficulty of setup and configuration. To measure the system

Add HP NewWave to Windows and what do you get? Simply a breakthrough.



Windows 3.0 is a great step forward. It just doesn't go far enough. You still have to overcome barriers you thought you'd left behind. Such as DOS. The complexities of file management and application integration. And working in two environments.

The solution? Simply add HP NewWave. In this one simple step, you turn your PC into the most powerful, easiest-to-use information tool in business. To prove it, we've put an eye-opening, interactive demonstration on disk.

It shows how NewWave's simple object model lets you work on one

desktop environment, instead of having to use both the Program and File Managers. You don't have to understand the DOS file system at all. And it works with the Windows applications you already have.

Integrating NewWave applications is astoundingly simple. Just drag and drop. "Drill down" editing lets you make changes in part of a document, such as a chart, without leaving it. And with "hot links," your data changes automatically in all connected files.

**To evaluate
NewWave, call (408) 376-2727
for your interactive demonstration disk. (Handling charge \$3.95.)**
Then experience one of the most dramatic breakthroughs ever brought to your screen.



Circle 144 on Inquiry Card.

performance, we used BYTE's low-level benchmarks, DOS application benchmarks, and Unix system benchmarks (see the figures on pages 224 and 225). The low-level tests isolate specific performance areas, such as CPU and memory or the graphics subsystem. The DOS application benchmarks give a comprehensive overview of system performance under DOS for seven different categories: word processing, desktop publishing, database, compilers, CAD, scientific/engineering, and spreadsheet. Both the low-level and the application-level results are indexed against an IBM AT. The Unix tests measure system speed when running a complex, multitasking, protected-mode environment. Descriptions of the eighteen individual machines follow.

Acma 486/33



Photo 1: One of the least expensive systems in this review, the Acma 486/33 offers an outstanding mix of performance, reliable operation, and affordability.

Acma Computers offers a moderately priced tower system that includes both the fast Ultra 22C caching EISA disk drive controller with a 512K-byte cache and a 256K-byte external processor cache. Our test system, equipped with two floppy disk drives, a 360-MB hard disk drive, a 1-MB ProDesigner II Super VGA card, and a color monitor, sells for \$7790 (see photo 1).

The system's large external cache boosted CPU performance in the low-level benchmarks. Average video and hard disk drive scores on the low-level

tests translated into average scores on the application benchmarks. Increasing the cache size on the hard disk drive controller would substantially increase the application benchmark results.

The Acma 486/33 was one of a few systems that ran without problems right out of the box. The system's Award BIOS features a detailed ISA setup routine in ROM that handles video and BIOS shadowing.

The Acma 486/33 offers solid construction and good performance for what you'll pay. Several systems are less expensive, but none of these was as well constructed or ran as reliably.

ALR PowerPro VM

Many of the systems covered here represent the most powerful model from a company. Advanced Logic Research is one of a few companies that sell several variations of 33-MHz i486 systems. The PowerPro VM, which we tested, is the low-end model in ALR's premier PowerPro line.

ALR designed the PowerPro to compete with Compaq's Systempro. It features a modular design that can support multiple i486 processor modules and an external processor cache of up to 1 MB. The PowerPro VM that we tested included one processor with a 64K-byte external SRAM cache and 5 MB of system RAM, an ALR/Paradise VGA board with 256 MB of RAM, an ISA-bus ESDI hard disk drive and controller, and a color VGA monitor for \$13,477.

The processor card plugs into a proprietary slot on the motherboard, as does the system cache. CPU performance was outstanding, but ALR's choice of a noncaching ISA-bus controller instead of a caching EISA-bus controller resulted in a consistent, if mediocre, performance. ALR's higher-end models have an EISA SCSI bus-master disk drive controller. You'll pay a premium price for the PowerPro, which gives you the added flexibility of adding a second CPU and cache. That's important if you want to use this system as a multiprocessor Unix host or as a network server on a Vines network. Otherwise, other systems may better suit your needs.

American Mitac 4280G

In a collection of systems notable for the number of cookie-cutter clones, American Mitac's 4280G stands out with several design innovations. The mother-

board holds a 128K-byte processor cache but no system memory; for this you need a Mitac add-in card that plugs into a proprietary memory slot. A single 16-bit multifunction board integrates VGA with 512K bytes of RAM, a floppy disk drive controller, and I/O port circuitry. Our test configuration also included a color monitor and a 1-MB Mylex SCSI EISA-bus caching hard disk drive controller for \$13,185.

The large tower case has convenience features such as a lockable cover for the floppy disk drives and the power, a system lock, and reset switches. One full-height drive bay works like a sliding drive drawer.

Despite a weak raw CPU showing and a smaller disk cache than some other systems, the Mitac system's application benchmark scores placed it close to the top. We would expect it to match the fastest systems if equipped with a larger disk cache.

AT&T StarServer S

Beneath the imposing AT&T logo and the extra-large tower case of the StarServer S lies a fast, well-designed 486/33 system board. This system, equipped with a 128K-byte CPU cache, turned in some of the best CPU test results we've seen. Unfortunately, the relatively underdeveloped 128K-byte disk cache and its slow video performance dragged the StarServer S down to nearly the bottom of the list on our application tests.

The StarServer S configuration we tested sells for \$17,679. The system included an AT&T VDC600 VGA card with 256K bytes of VRAM. The StarServer S is about as tall and as wide as an average PC tower system, but twice as deep. AT&T puts the extra room to good use by packing in eight half-height drive bays and 10 EISA expansion slots—more than any other system.

As an AT&T box, the StarServer S will likely see action in a Unix environment. However, its BYTE Unix benchmark results were poor. We compile the Unix benchmark suite on each system, so the performance results represent the efficiency of the operating system and development environment as well as the underlying hardware. Our default PC Unix system is SCO Unix, which includes an outstanding optimizing compiler. The relatively slow C compiler in AT&T Unix penalized the StarServer S on Unix tests. The results demonstrate the performance you can expect if you plan to develop Unix software on the StarServer S.

continued

To see the future of motherboards, look at the past.

1985. ATronics introduces the ATI-1000. The first AT-compatible motherboard.

You'll discover since 1985, one company has consistently given both resellers and endusers the highest level of performance, quality and support at the lowest possible price.

ATronics.

In fact, we were the very first company to produce AT-compatible motherboards.

The result is ATronics delivers the best choice for quality U.S. designed-and-made products.

And with standards that meet or exceed other motherboards that would cost you far more.

ATronics offers one of the lowest failure rates in the business. Standard benchmark tests prove their performance.

No other motherboard company delivers it all like ATronics. Prove it to yourself right now.

Pick up the phone and call toll free for information and documentation on current and upcoming products. You'll be on your way to a bigger, better and brighter future.

1-800-488-7776.

Ask us about our FCC Class B Bare-bone Systems!

1990. The ATI-386/B2.
The first 33MHz XT-size 386 motherboard.

1991. The ATI-486/B2.
The first 33/50MHz baby AT-size 486 motherboard.


 **ATronics**

1830 McCandless Dr., Milpitas, CA 95035-6844, USA
Tel. (408)942-3344. Fax (408)942-1674

ATronics 1991©. ATI-1000, ATI-386/B2 and ATI-486/B2 are trademarks and ATI is a registered trademark of ATronics, International, Inc. All other products mentioned are trademarks of their respective holders.


Circle 35 on Inquiry Card
(RESELLERS: 36).

DOS BENCHMARKS



The BYTE DOS benchmark test results, ranked by cumulative application index score, show the Tandon DT 486/33 in the top spot. This results from its large disk cache and hides a relatively poor showing in the low-level video tests. For each index score, an 8-MHz IBM AT = 1.

UNIX BENCHMARKS



Blue Star 486/33E

The Blue Star desktop 486/33E uses an AIR motherboard with a 256K-byte cache, coupled with an Ultra 22C disk drive controller with a 512K-byte cache, and a 1-MB SpeedStar VGA board. Its overall performance was slightly better than average.

Our test system had problems remembering its EISA configuration information; it sometimes booted with the parallel port on the motherboard mysteriously disabled. A session with the EISA configuration utility cleared up the problem, but its intermittent nature made it especially frustrating.

At \$7249, the mail-order Blue Star 486/33E is a bargain. However, the support we got when trying to solve configuration conflicts with the Ultra 22C controller was disappointing; the company representative simply passed along UltraStor's phone number. It's unlikely that the level of support will improve as long as EISA systems and peripherals remain in the realm of new technology.

Custom Computer Systems 486-33c

The Custom Computer Systems (CCS) 486-33c puts a Mylex motherboard with a 128K-byte CPU cache in a tower case. Our test system included a Mylex 1-MB caching EISA-bus controller and a 1-MB SpeedStar VGA board for \$14,247. The tower case lacks a reset switch, positions the power inconveniently at the rear of the unit, and doesn't offer easy access to the expansion slots.

The CCS machine posted excellent benchmark scores, no doubt boosted by the Mylex caching SCSI controller (the five best performers had this controller installed). The system also posted strong numbers on the CPU and video indexes.

Despite repeated efforts, we could not get Unix properly installed. A Mylex engineer said that timing problems required a BIOS upgrade, but even a new motherboard didn't fix the problem. The Zeos system has a similar configuration (the Mylex motherboard and DCE-376 controller) but ran without a hitch. The problem made us wonder if these systems are heading out the door too soon.

Compaq Deskpro 486/33L

The Deskpro 486/33L exhibits all the qualities for which Compaq machines are known: good performance, quality construction, reliable operation—and

The Unix benchmarks, ranked by cumulative index scores. We tested each system using SCO Unix System V version 3.2.0. For all results, an Everex Step 386/33 running SCO Xenix 2.3.1 = 1.

¹Tested with AT&T Unix System V release 3.2, version 2.3.
³C-compiler and Filesystem tests run with SCO Unix 3.2.2.

²Tested with Dell Unix System V 3.2.1.
⁴Machine failed to run Unix.

a big price. The Deskpro 486/33L, at \$21,835, is by far the most expensive system we reviewed.

Paying top dollar doesn't always bring top quality, but with the Deskpro 486/33L the two go hand in hand. This desktop system includes Compaq's fast ISA ESDI controller, a system board with a 128K-byte processor cache, and Compaq's high-speed, high-resolution AG-1024 video controller, which uses Texas Instruments' 34010 graphics coprocessor. The combination earned the Deskpro 486/33L second place on the low-level video tests. It placed sixth on the application benchmarks, despite not having a caching disk drive controller. The Deskpro 486/33L ran flawlessly and was one of the easiest systems to set up and configure.

The Deskpro is one of the heaviest machines we tested—the locking case includes a lot of heavy steel, with a power supply that runs from the front to the rear of the case. You can access the drive bays from the front or back of the machine.

If price were no object, we'd recommend this system in a heartbeat. But even after considering dealer discounts, the Deskpro 486/33L's stellar price puts it out of the range of all but the most dedicated Compaq shops.

Dell 433TE



Photo 2: The Dell 433TE, with its well-designed tower, scored well on BYTE's low-level benchmarks and earned high marks for expandability and reliability.

Although Dell's 433TE garnered only average numbers on most of our benchmarks, this was one of our favorite systems. The 433TE's flawless operation, solid construction, and ample room

for expansion make it an excellent choice for its moderate \$10,958 price.

Dell earns high marks for its attention to detail. The system came well packed, with good documentation, and was easy to set up. Once you unlock the case, one full side of the tower case snaps off without removing a single screw, allowing access to the system board, drive bays, and expansion slots (see photo 2).

The case accommodates up to 11 half-height drives, the most generous of any of the systems we reviewed. All system memory mounts on a plug-in card that accepts Dell's proprietary memory modules.

The 433TE earned high scores on all the low-level benchmarks and took the top spot in the video tests. Unfortunately, these numbers didn't carry over into the Unix and DOS application benchmarks. The UltraStor Ultra 12F ISA-bus ESDI controller, which offers a small 32K-byte track buffer instead of a full cache, caused the 433TE to lag behind on some DOS applications. Like Compaq and ALR, Dell opted for a more proven ISA-bus controller and sacrificed some system speed.

Dell sells its own variation of Unix; the development package for this operating system simply can't compete with the SCO Unix package. The 433TE lagged along with the StarServer S on many of our Unix benchmark tests. As with AT&T's system, Unix software development on the 433TE may be more restricted by the available development environment than by the hardware.

Dyna Micro Work Master 486

The Work Master 486 features an AT-size AIR motherboard, a 256K-byte CPU cache, an Ultra 22C ESDI EISA controller, and a ProDesigner II VGA board with 1 MB of RAM. Dyna Micro sells the combination in a minitower case for \$9999 through dealers and resellers.

The Work Master turned in a middle-of-the-road performance that closely tracked that of the Blue Star system, which uses the same motherboard and disk drive controller. Except for some minor initial configuration difficulties, the system ran without problems. Dyna's minitower case is more like a desktop than a tower unit in expansion capacity; the box has room for just five half-height drives. The case also requires you to remove the motherboard to install disk drives. At 16 inches high, however, the case is a good compromise between compactness and expandability.

Lucky 486/33E

Lucky Computer sells its 486/33E system via direct mail and through a small number of Lucky Computer stores. Its low \$7250 price helps to offset the Lucky 486/33E's average performance. The system includes a Micronics motherboard with a 64K-byte processor cache, an Ultra 22C EISA disk drive controller, and a 16-bit PowerGraph VGA board with 1 MB of RAM. The best performance numbers came in the low-level CPU tests; the system trailed the top finishers by a small margin in the video tests. High-level DOS application and Unix benchmark numbers were average.

We didn't experience any problems with the Lucky 486/33E once we had it set up and running, but we did have to open up the unit initially to reattach some loose disk drive cables. And while the system uses brand-name components inside, the overall fit-and-finish was below par. This system is for those who know their way around the inside of a computer and for whom price is the deciding factor.

Micro Express ME 486

The ME 486, a mail-order machine, comes in at the low end of the spectrum at \$7672. Using the same tower case as the CCS and Touche systems, Micro Express did a better job laying out the internal components. The drive bay housing does block one of the 32-bit EISA slots, however, so it can't accept a full-length card. The unit ships with a half-length I/O card in this slot.

Micro Express uses an AIR motherboard, an Ultra 22C EISA caching disk drive controller, and a 340-MB Maxtor ESDI hard disk drive. The Super VGA adapter, configured with 1 MB of RAM, carried a Micro Express label.

The unit scored well on the video benchmarks, but sub-par disk performance kept it in the middle of the pack overall. As configured, the system came with only a 512K-byte disk cache, so a heavier cache would probably make it a stellar performer.

Misys EISA/33MHz

Misys has assembled its EISA/33MHz system around the AMI Enterprise motherboard and packaged it in a sturdy tower case. The case has front-mounted turbo, reset, and power switches. The system accepts up to 32 MB of RAM on

WEITEK[®] *makes the difference!*




The 4167's 10 MFLOPS performance delivers 3X the speed of the 486!

The new Weitek 4167 coprocessor outperforms the 486 by 3 to 1 in numeric processing. Capable of 10 MFLOPS, the 4167 has sockets in some of the most sophisticated 486 systems on the market, including Compaq, Intel, Hewlett-Packard, and Microway. The 4167 is object-code compatible with the WEITEK 3167 FPU and Microway's mW3167-PS add-in card for the MicroChannel—offering easy access to a broad base of existing CAD/CAM, scientific and engineering applications like Mathematica, CADKEY, HOOPS and Microway's NDP compilers. And look for 4167 support on upcoming products from Autodesk!

Number Smasher[®]-486

converts your old AT or 386 into a powerful 486 workstation. In a review of 25 MHz 486 motherboards, Mike George of *Personal Workstation* magazine wrote, "Microway's Number Smasher-486 gives you top 486 numeric performance for the best price...Number Smasher's numeric performance exceeds that of all 25 MHz 486 systems we've tested to date." Running the Microway Benchmark Suite, the 4167-equipped Number Smasher-486 achieves 11.9 MegaWhetstones. The board features a Burst Bus[™] memory interface that makes it stand out in numeric problems that involve large arrays. Burst cycle response in a 486 system is much more important than second level caches, which are usually too small to be of any use on the megabyte arrays found in real world problems.



The ideal solution for numerically or I/O intensive applications is Microway's new Number Smasher-486/33T workstation. Two configurations are available, each incorporating state-of-the-art power and cooling with 300 to 600 megabyte drives.



NDP Fortran-486, NDP C-486 and NDP C++

are your keys to unlocking the power of the 4167. Each compiler generates globally optimized, main-frame quality code and has special features that take advantage of the 4167, such as register caching, loop unrolling and automatic inlining of small procedures. These optimizations are handed off to a code generator that is tuned for the 4167, and takes advantage of its advanced instructions like multiply accumulate. In addition, the 486 versions of NDP Fortran, C++ and C properly sequence 486 and 4167 instructions so that the 486's prefetch queue has time to "breathe." NDP compilers are also available for the 386SX, 386 and i860 under DOS, UNIX, XENIX and SunOS. Thousands of Microway's satisfied customers have discovered that you can't buy a better scientific Fortran or C compiler. And our technical support is the best in the industry.

For more information, please call 508-746-7341.

Microway[®]

The World Leader in PC Numerics

Corporate Headquarters, Research Park, Box 79, Kingston, MA 02364
TEL. 508-746-7341 • FAX 508-746-4678
U.K. - 32 High St., Kingston-Upon-Thames, 081-541-5466 • Italy 02-74.90.749
Holland 40 836455 • Norway 9 876656 • Japan 81 3 222 0544



i486—Evolution, Not Revolution

The introduction of the 386 microprocessor in 1986 revolutionized the industry by opening a whole new bag of tricks for DOS-based systems: true multiprocessing, 32-bit operation, access to 4 gigabytes of memory, and significantly enhanced performance.

The 386 is a tough act to follow. Given the advances of the 386 over the 286, the i486, the latest generation in Intel's bread-and-butter processor line, looks more like an upgrade than a brand-new chip. And with Intel's new marketing strategy, the differences will be even less noteworthy. The company will sell less expensive versions of the chip with the on-board cache or the FPU module disabled.

The most important feature of the i486 is its binary compatibility with the 386DX and SX, 286, 8086, and 8088 processors. Programs written for these earlier processors should run without modification on the i486. Technically, the i486 instruction set is a superset of the 386's with a few added instructions. Still, the new chip is object-code compatible with the 386. In fact, to most

software programs the features of the i486 are identical to those of the 386.

The i486 does sport some notable enhancements. For the most part, Intel has simply put some important support functions under one umbrella. An evaluation of performance quickly reveals, however, that the i486 is greater than the sum of its parts. Integration clearly has performance advantages.

Typically, 386-based systems include a discrete memory cache along with the Intel 82385 cache controller. The i486 has an on-board 8K-byte internal four-way set-associative cache and controller. Each memory address has a tag assigned to it. When the i486 requests data from memory, it compares the address to each tag simultaneously. If it finds a match (a cache hit), it fetches the data from the fast static RAM. On memory writes, the i486 cache updates both cache memory and main memory (write-through).

Integrated caching hasn't deterred vendors from adding their own external CPU cache designs. An external cache increases the hit rate, but as its size increases, the law of diminishing returns

takes hold. A 64K-byte external cache should account for most cache hits. Larger caches only marginally enhance the speed of memory access. We found only small differences in CPU performance between a system with a 64K-byte cache and a similar model with a 256K-byte cache.

The i486 also incorporates a math coprocessor that's object-code compatible with the 80387. If you have many math-intensive applications, the i486 is enticing, since you won't have to buy a separate math chip. Remember, though, that your applications must recognize and enable floating-point functions.

Perhaps the biggest change the i486 has wrought lies in how the rest of the system unit has had to change with the times. These new systems typically include larger and faster hard disk drives, caching disk drive controllers, high-resolution video components, and high-performance EISA expansion buses. These i486-based systems require a complex mix of new components that far surpasses what most souped-up 386 systems offer. Clearly, this new breed is targeted for high-end applications.

the motherboard and another 64 MB on a proprietary 32-bit AMI memory board.

Misys includes the Ultra 22C EISA disk drive controller with a 512K-byte cache. The 340-MB Maxtor hard disk drive boasts an excellent 16-ms access time. The graphics subsystem includes a Super VGA monitor and a Definicon HiRes 1024 Super VGA adapter. The video board ships with 1 MB of VRAM. The unit sells for \$8960.

Relatively poor disk performance kept the Misys in the bottom tier in the application benchmark tests. This was mainly due to the relatively small disk cache. An upgrade to the cache should resolve any performance deficiency. We were impressed with the system's rugged construction. It gave us no major headaches and worked flawlessly right out of the box. Misys backs the system with a 3-year warranty—the longest in the group. And if you're worried about the stability of the vendor, the warranty is underwritten by an insurance company.

PC Craft 2304/33D

PC Craft designed its system around the same third-party motherboard included in the Acma 486/33, although it opted for a smaller, 64K-byte processor cache. Our test system carried a list price of \$9082, which put it squarely in the middle of the price spectrum. Processing power was quite respectable, and the Ultra 22C caching ESDI EISA disk drive controller contributed to the system's average disk drive performance; unfortunately, we ran into several annoying flaws while working with the machine. In the end, these problems tempered our enthusiasm for this system.

The bulk of the problems were minor and had to do with poor configuration at the factory. Our system had 4 MB of RAM, but the motherboard was configured for 2 MB. The unit arrived with the disk drive cables completely disconnected from the controller card. Our 1-MB ATI VGA1024 video card came con-

figured for 8-bit operation. (Setting it for 16-bit mode gave better performance and didn't cause any conflicts.) And PC Craft mounted the parallel port so close to the bottom of the system case that it was impossible to plug in a standard printer cable. Eventually we worked around all these problems, but tracking them down was an annoyance that should have been unnecessary. Users making such a major purchase expect to receive a system that is carefully constructed and properly configured.

More critically, the PC Craft system posted below-average benchmark scores. Slow video performance kept the 2304/33D at the bottom on our DOS application benchmarks. With video BIOS shadowing active, we detected no increase in speed on our BIOS-call-intensive video benchmarks. As it turned out, shadowing is always on. PC Craft disabled the setup toggle due to problems with the system's Award BIOS, which it says should be fixed in the next release.

continued

Introducing an inexpensive solution to America's savings crisis.



The Complete Backup Solution

\$419

Suggested retail price

- Irwin SX Tape Drive
- Irwin Tape Cartridge
- Central Point Backup
- Coupon to save \$99 on PC Tools Deluxe

You've always wanted to own a tape drive. Unfortunately one small thing has always stood in your way. Your savings account.

Well, now you can buy an internal tape drive that can back up from 40 to 120 megabytes for as little as \$419*.

Our Irwin SX Series™ Tape Backup Systems are ready to go right out of the box. Unlike others, they're complete systems—with all the hardware and software you need—as well as a tape cartridge.

The Irwin SX Series also includes a model that can back up 80 to a whopping 250 megabytes.

But that's not all. Every Irwin SX drive comes bundled with Central Point Backup™ software. This award-winning program works with a wide array of IBM AT, PS/2 and compatibles.

Whether you choose an internal or an external system, you can back up a 40

megabyte hard drive in less than 12 minutes.


Visual file selection, unattended backup and mouse support are just a few of the features that make this the favorite backup utility of over one million PC users.

To save you even more money, we also include a coupon that lets you buy Central Point PC Tools Deluxe™ for just \$50. A \$99 savings from its usual \$149 price tag.

So if you want to back up on tape without emptying your bank account, pick up an SX Series system at your nearest Irwin dealer.

Or, call 800-BACKUP1 for more information. And we'll help end your savings crisis.

In more ways than one.



IRWIN
An Archive® Company

*Manufacturer's Suggested Retail Price. ©1991, Irwin Magnetic Systems, a subsidiary of Archive Corporation. 2101 Commonwealth Blvd., Ann Arbor, MI 48105-1561. Irwin and the Irwin logo are registered trademarks and the SX Series by Irwin is a trademark of Irwin Magnetic Systems, Inc. Central Point Backup and PC Tools Deluxe are trademarks of Central Point Software, Inc. All other trademarks or registered trademarks are the property of their respective holders.

Circle 171 on Inquiry Card.

Bitwise 433E/VP Portable

You can do a lot with the 33-MHz 486 EISA systems from Compaq, ALR, and the other big names. You can set them up as network or workgroup servers, or you can configure them as powerful CAD workstations. You cannot, however, carry one over your shoulder or conveniently stash it away in the overhead bin on an airplane.

The Bitwise 433E/VP adds the extra feature of portability to the already impressive performance features of 486-based EISA systems. The 433E/VP packs a 33-MHz i486, six EISA slots, three half-height drive bays, two serial ports, and one parallel port into a standard "lunchbox" case that's about the size of a Compaq Portable III. At a hefty 22 pounds, this isn't the kind of machine you want to haul around on every trip. But for the processing power it contains, the 433E/VP's weight is more than reasonable.

Bitwise Designs is one of the first vendors to release a 486/33 EISA portable—the system competes with IBM's PS/2 Model P75 (see "The Fastest Portable: IBM's P75 Road Warrior," April BYTE). The 433E/VP is faster and cheaper than IBM's Micro Channel portable, but the PS/2 Model P75 is much more ruggedly designed.

Our test unit, which included a Mylex caching SCSI disk drive controller with



Bitwise's luggable 433E/VP packs 486/33 EISA performance into a 22-pound package.

4 megabytes of RAM and a 200-MB hard disk drive, turned in DOS and Unix benchmark results worthy of any of the 486 desktops (see the figures). There is a performance penalty to pay for reduced size, however. The Bitwise portable is built around a baby version of the AIR motherboard found in several desktops, and it has no external processor cache. The result is weak performance on CPU benchmarks, relative to the other 486/33s.

The case construction is good, but the

two flimsy folding brackets that hold the orange gas-plasma display tend to stick if you aren't careful when folding and unfolding the screen. The display itself has good contrast and is quite readable. Since the system includes a Super VGA card, you can set up a high-resolution graphics system by jacking in an external analog monitor. We noticed, however, that this FCC Class A portable causes significant interference on some external monitors.

Our test system sells for \$12,495, making it somewhat more costly than the bulk of the systems reviewed. But add a tape drive and a high-resolution monitor, and it's a totable alternative to most desktop models, although with slightly lower CPU performance.

The 433E/VP works best as a desktop machine that you can take with you on occasion. All peripherals plug into standard ports, so you can add an external keyboard and monitor, and there are enough slots to add a network adapter.

Software developers and CAD users who take work home or travel with their systems will also find the Bitwise system attractive. While the 433E/VP can handle network chores or be used to process large databases, portability presents a security problem you may not want to risk. But if you need a 486 EISA system and are willing to sacrifice a bit of processing power for portability, the 433E/VP is a good choice.

SAI 486/33

SAI Systems Laboratories' \$7495 486/33 desktop system is one of a group of systems vying for bargain status. Our test unit included an AIR motherboard with a 256K-byte CPU cache, a SpeedStar VGA board with 1 MB of VRAM, and Data Technology's caching ESDI EISA bus-mastering disk drive controller with a 4-MB cache. By going with the Data Technology controller, SAI bucks the UltraStor ESDI disk drive controller trend set by other vendors. Data Technology's board performed well, but because it caches disk reads only, it didn't quite match the numbers posted by the Zeos, Tangent, and Tandon systems using My-

lex controllers. If you require extremely high data reliability, however, Data Technology's no-write cache is arguably a safer design.

The 486/33 appears to be assembled well, and its overall performance is better than average. Its sole problem was an intermittent keyboard failure.

Tandon DT 486/33

The top spot on our application benchmark performance index belongs to Tandon's DT 486/33, which edged out other systems with large disk caches. Tandon's entry included a 64K-byte processor cache, a Mylex caching disk drive

controller with a 4-MB cache, and a Pro-Designer II VGA board with 1 MB of RAM for \$9956. This price doesn't include a tape backup unit, as do the other systems we tested.

The Tandon motherboard has an Intelligent Drive Electronics interface but no RAM sockets; Tandon put system memory on a card that fits into a proprietary 32-bit slot. The case design makes for easy access to the internal components.

Tandon's enhanced BIOS and DOS include several useful utilities. For example, the BIOS lets you choose whether you want to boot from a disk or from the hard disk partition of your choice when the system starts up. If you intend to run more than one operating system, this is a

Power Packed & Built To Last.



XT/SLIM

STANDARD 150 **\$69**

Economical This UL approved, fully tested unit is one of the best generic 150s available. Ideal for basic systems.

SILENCER 150 **\$119**


Ultra-Quiet Stop that irritating noise with the Silencer 150. Its large, low speed, German fan keeps your system 5° to 15° cooler and 84% quieter. Virtually inaudible! Great in the executive suite or home office.

TURBO-COOL 200 **\$169**

High Performance Put AT power and 200% more cooling under the hood of your PC/XT with our UL approved Turbo-Cool 200. Its patented twin fan, sloped-cover design keeps your system 30° to 45° cooler, preventing data errors and other heat-related problems. Perfect for hot rod PCs and Mini ATs!

TURBO-COOL 275 **\$169**

Slim and Powerful Give your Slimline or Mini-Tower computer up to 100% more power and cooling with our low profile, direct replacement Turbo-Cool 275. With a peak capacity of 350 watts, it will easily start even the largest hard drives and peripherals!



AT/TOWER

STANDARD 220 **\$99**

Economical This UL approved, fully tested unit is one of the best generic 220s available. Ideal for basic systems.

SILENCER 220 **\$139**

Ultra-Quiet Unrattle your nerves with the Silencer 220. Its high-efficiency, adjustable-speed fan offers 69% less noise with standard cooling. Quieter than most hard drives. Great in the executive suite or home office.

TURBO-COOL 300 **\$189**

High Performance Upgrade your AT/386 with our powerful Turbo-Cool 300. This popular OEM unit features built-in line conditioning, UL/CSA/TUV approval, 2 year warranty, and a high-capacity, adjustable-speed fan that keeps your system 20° to 35° cooler for up to three times longer life. Great value!

TURBO-COOL 450 **\$349**

Maximum Performance The choice of PC professionals, our Turbo-Cool 450 features built-in line conditioning, autoselect input, independent regulation, external DC voltage adjustment, triple-stage output filter, 50cfm cooling fan, UL/CSA/TUV approval, 200,000 Hr. MTBF and 2 year warranty! Ideal for high-end workstations and network file servers.



COMPAQ


CP160 **\$169**

Original Portable Upgrade Double your power with our direct replacement CP160. Allows 286, 386, and hard disk upgrades.

CD270 **\$249**

Deskpro Upgrade The power user's power supply! Our direct replacement CD270 gives your 8086/286/386 Deskpro up to 70% more power and the reliability it deserves. Prevents nuisance rebooting. Advanced design includes autoselect 110V/220V. 2-year warranty.

INTERNAL UPS!



"An excellent product"
— PC Magazine, Nov. 27, 1990

Our UL approved InnerSource is the first AT/386 power supply with a *built-in* UPS. Its auto-recharge battery provides up to 15 minutes of reliable backup power for both your PC and monitor. This integrated protection costs less than a bulky 550VA external UPS, and it saves space, too. A Novell NetWare interface is available. **\$395**

Silencer, Turbo-Cool, and InnerSource are trademarks of PC Power & Cooling, Inc. Compaq and Deskpro are registered trademarks of Compaq Computer Corporation.


Most orders shipped same day. We accept Visa, MC, COD or PO on approved credit.

PC POWER & COOLING, INC.


31510 Mountain Way, Bonsall, CA 92003 • (619) 723-9513 • (800) 722-6555 • FAX (619) 723-0075

Circle 250 on Inquiry Card (RESELLERS: 251).

DESKTOP MAPPING



Create Symbol Maps in proportion to your data, scaled in the horizontal direction, vertical direction, or both. You can use the built-in symbols, create your own, or import symbols from other applications using the Windows Clipboard.



MapViewer™ supports multiple layers, allowing you to combine different map types (Hatch Maps, Dot Density Maps, Pie Maps, Symbol Maps, and Prism Maps) into a single map. Use data files created with other programs including Lotus 1-2-3, Microsoft Excel, and standard ASCII files.

MapViewer™ comes with boundary files for the countries of the world, all 50 states, and all the counties in the U.S. There is no need to purchase additional boundary files or data sets. Everything you need to create stunning full-color maps is included in one low price. In addition, Golden Software provides TOLL-FREE technical support in the U.S.

MapViewer™ ... \$249
Working Model
Demo \$10

FREE BROCHURE
Call Toll-Free
1-800-972-1021

or (303) 279-1021
 FAX: (303) 279-0909



Requires
 Windows
 3.0

GOLDEN SOFTWARE, INC.
 809 14th St., Golden, CO 80401

PRODUCT FOCUS

handy feature. Tandon's DOS also includes disk-partition managing utilities that are better and more comprehensive than the usual FDISK.

Video performance was disappointing despite the inclusion of the ProDesigner II. The DT 486/33's video system fared poorly on text-mode applications, primarily because video BIOS shadowing had little effect.

Tangent 486/33

Tangent's system included a Mylex disk drive controller with a 4-MB cache. Its 128K-byte external processor cache and ProDesigner II VGA board with 512K bytes of RAM propelled it nearly to the top on most of our benchmarks. These top-of-the-line components come mounted on a Mylex EISA motherboard and in a generic tower case, for \$8999.

The system had just a few minor problems. The floppy disk drive cables weren't connected when the system arrived, and the system experienced an unrecoverable disk error while it was running Unix. The disk error occurred only once. These problems aside, we found the unit fast and sturdy. Like some of the other midrange systems we've seen, the Tangent 486/33 offers a good mix of speed and consistency.

Touche 5550T

At \$6117 for our standard test configuration, the Touche 5550T offers strong features at an attractive price. The system uses the Ultra 22C disk drive controller and the Maxtor XT-8380E ESDI hard disk drive with a fast 14.5-ms average seek time. The system also uses the ProDesigner II video adapter with 1 MB of VRAM. The Touche's 450-watt power supply was one of the largest we tested.

The system uses AMI's Enterprise motherboard with a 128K-byte processor cache. The internal layout doesn't seem well thought out, however. The drive bay housing partially blocks two of the seven EISA slots in the system, so they can't accept full-length boards. The case design also prevents you from placing a screwdriver squarely into the expansion slot screws.

Despite its relatively small (512K-byte) disk cache, the Touche performed well, posting consistent numbers across

the board. At this price, the Touche deserves a close look.

Zeos 486-33C



Photo 3: Zeos's desktop 486-33C blends high performance and excellent reliability.

Most of the machines we tested offer neither performance or reliability. Zeos's 486-33C desktop machine was one of the few that offered both. The system finished close to the top on both our DOS application and Unix tests, and it ran without a single snag for the several weeks that we used it (see photo 3).

Our test system used a Mylex motherboard with a 2-MB Mylex caching hard disk drive controller and a SpeedStar VGA board with 1 MB of VRAM. Like Touche, Zeos powers its system with a rugged 450-W power supply.

Zeos's price/performance ratio is good. The 486-33C's price of \$9190 sits at the midpoint. Together with the reliability we've seen and the company's generally good reputation for support, the 486-33C looks like an excellent choice.

Thinking It Over

EISA technology has been around for well over a year, but EISA expansion-board manufacturers are still working out the kinks. EISA peripherals have yet to reach the point where you can confidently buy off the shelf and expect to assemble a system without difficulty.

The problems we experienced make us leery of buying one of these complex



EFFICIENT DESIGN

Birds, turtles, crocodiles — just as the egg is nature's most efficient design for delivering complex life systems, DTK's KEEN-3300 Series is the ideal 386 computer with which to build your network or multi-user system. As a fileserver, networkstation or standalone system, its unique write-back cache (64KB/256KB) and competitive price make it one of the most cost-efficient, high-speed systems available.

HIGH DEPENDABILITY

Over 100 full-time design and manufacturing engineers work together to ensure that dependability is "built-in." Then, QC personnel scrutinize every DTK motherboard and system to the most stringent standards in the industry. Over 2,000,000 satisfied customers testify to our reputation for quality and dependability.

GROWTH POTENTIAL

Like the egg, the basic KEEN-3300 is merely the beginning. Its 16 MBytes of high-speed RAM, 8 expansion slots and 7 drive bays (server) provide the flexibility you need to expand your system as your requirements grow.

The KEEN-3300 — a powerful beginning at a price that won't crack your budget. Call for the dealer nearest you, DTK Computer Inc., (818) 333-7533, 15711 E. Valley Blvd., City of Industry, CA 91744. Fax: (818) 333-5429.



See us at Booth #1205, East Hall
COMDEX '91
 The World's Leading Computer Trade Show for Resellers and End-Users
at SPRING
 May 20-23, 1991 • Atlanta, Georgia



A reputation for success.

CITY OF INDUSTRY, CA
 (818) 333-7533

SAN JOSE, CA
 (408) 436-6363

HOUSTON, TX
 (713) 568-6688

ELK GROVE VILLAGE, IL
 (708) 593-3080

EDISON, NJ
 (201) 417-0300

MIAMI, FL
 (305) 477-7440

DTK is a trademark of Datatech Enterprises Co., Ltd. 80386 is a trademark of INTEL Corp. ©DTK Computer Inc., 1990.

Circle 104 on Inquiry Card (RESELLERS: 105).

machines from the ultralow-cost mail-order clone vendors. Unless the added performance is crucial and you're on a strict budget, consider paying a little more for added support and stability.

On the other hand, the conservative approach of the very high-end system vendors generally means that you'll be paying top dollar without reaping the performance advantages of EISA components. The ALR multiprocessing system offers extra power, but you'll want more than this bottom-line configuration to fully exploit the EISA bus and deliver the speed you expect.

A few systems between the two extremes blend reliability, good performance, and affordability. The three most outstanding were systems built by Zeos, Dell, and Acma.

Zeos's 486-33C scored very well on our benchmarks; its price is moderate, and the manufacturer has a good reputation for service.

Dell's 433TE, while not quite as fast, is reliable and ruggedly constructed. The company builds the 433TE from the ground up, giving it better control of the interaction between components than is the case with systems that are assembled

from third-party subsystems.

Finally, Acma's 486/33 offers speed and reliability at an outstanding price.

Our best advice is simply to wait for the technology to develop further. Six months from now, reliable, full EISA 486s should be available. For now, however, buying into EISA means accepting the risks as well as the benefits of pioneering new technology. ■

Steve Apiki and Stanford Diehl are testing editors for the BYTE Lab. You can reach them on BIX as "apiki" and "sdiehl," respectively.

COMPANY INFORMATION

Acma Computers, Inc.
(486/33)
117 Fourier Ave.
Fremont, CA 94539
(800) 456-1818
(415) 623-1212
fax: (415) 623-0818
Circle 1400 on Inquiry Card.

Advanced Logic Research, Inc.
(PowerPro VM)
9401 Geronimo
Irvine, CA 92718
(714) 581-6770
fax: (714) 581-9240
Circle 1401 on Inquiry Card.

American Mitac Corp.
(4280G)
410 East Plumeria Dr.
San Jose, CA 95134
(408) 432-1160
fax: (408) 432-8519
Circle 1402 on Inquiry Card.

AT&T Computer Systems
(StarServer S)
1 Speedwell Ave.
Morristown, NJ 07960
(800) 247-1212
Circle 1403 on Inquiry Card.

Bitwise Designs, Inc.
(433E/VP)
701 River St.
Troy, NY 12180
(800) 367-5906
(518) 274-0755
fax: (518) 274-0764
Circle 1404 on Inquiry Card.

Blue Star Computers
(486/33E)
2312 Central Ave. NE
Minneapolis, MN 55418
(800) 950-8854
(612) 788-1092
fax: (612) 788-3442
Circle 1405 on Inquiry Card.

Compaq Computer Corp.
(Deskpro 486/33L)
20555 SH 249
Houston, TX 77070
(713) 370-0670
Circle 1406 on Inquiry Card.

Custom Computer Systems, Inc. (CCS)
(486-33c)
191 Woodport Rd.
Sparta, NJ 07871
(201) 729-6762
fax: (201) 729-0966
Circle 1407 on Inquiry Card.

Dell Computer Corp.
(433TE)
9505 Arboretum Blvd.
Austin, TX 78759
(512) 338-4400
fax: (512) 338-8700
Circle 1408 on Inquiry Card.

Dyna Micro, Inc.
(Work Master 486)
30 West Montague Expy.
San Jose, CA 95134
(800) 336-3962
(408) 943-0100
fax: (408) 943-0714
Circle 1409 on Inquiry Card.

Lucky Computer Co.
(486/33E)
1701 North Greenville,
Suite 602
Richardson, TX 75081
(800) 966-5825
(214) 690-6110
fax: (214) 437-3251
Circle 1410 on Inquiry Card.

Micro Express
(ME 486)
1801 East Carnegie Ave.
Santa Ana, CA 92750
(800) 642-7621
(714) 852-1400
fax: (714) 852-1225
Circle 1411 on Inquiry Card.

Misys, Inc.
(EISA/33MHz)
1351 Oak Brook Dr.,
Suite 160
Norcross, GA 30093
(800) 932-6936
(404) 448-8486
fax: (404) 242-4082
Circle 1412 on Inquiry Card.

PC Craft, Inc.
(2304/33D)
640 Puente St.
Brea, CA 92621
(800) 733-6666
(714) 256-5000
fax: (714) 256-5025
Circle 1413 on Inquiry Card.

SAI Systems Laboratories, Inc.
(486/33)
911 Bridgeport Ave.
Shelton, CT 06484
(800) 248-0381
(203) 929-0790
fax: (203) 929-6948
Circle 1414 on Inquiry Card.

Tandon Corp.
(DT 486/33)
405 Science Dr.
Moorpark, CA 93021
(800) 800-8850
(805) 378-6165
fax: (805) 529-8408
Circle 1415 on Inquiry Card.

Tangent Computer, Inc.
(486/33)
197 Airport Blvd.
Burlingame, CA 94010
(800) 223-6677
(415) 342-9388
fax: (415) 342-9380
Circle 1416 on Inquiry Card.

Touche Micro Technologies
(5550T)
8205 Cass Ave.
Darien, IL 60559
(708) 810-1010
fax: (708) 810-9490
Circle 1417 on Inquiry Card.

Zeos International, Ltd.
(486-33C)
530 Fifth Ave. NW
St. Paul, MN 55112
(800) 423-5891
(612) 633-4591
fax: (612) 633-1325
Circle 1418 on Inquiry Card.

50MHz CACHE486 STOPS THE COMPETITION COLD.

Cache Computers announces the **fastest 486 boards** in the world. Our BAT486-50, the first 50MHz 486 "Baby AT" board, races past the competition at **over 22 MIPS!** Using Velox's patented IceCap "supercomputer" cooling technology and CACHE's advanced design, BAT486-50 sets a new speed record while others crash and burn.


Our BAT486-40 "Baby AT" board hits 18 MIPS at 40MHz and offers up to 32MB of onboard RAM.

Need an EISA system you can depend on when the heat is on? Try CACHE486-33/EISA. With up to 256K of cache and up to 64MB of RAM,

this board is for the most intense file server or workstation applications.

CACHE486-33/AT's reliability makes it a winner in any 486 workstation. The full-size AT system board runs at 25 or 33MHz, with 128K of cache, and up to 16MB of RAM.

Cache ensures maximum reliability at high speed by testing every 486 board at 50° C to verify the extra margin for "worst case" timing.



The Cache family of 486 system boards puts the competition on ice.

Even at these extremes, our boards perform as cool as cucumbers.

The 486 family complements Cache's line of high-performance 386SX and 386DX system boards. Available with AT/EISA or cache/non-cache options, Cache offers the most comprehensive

line of All-American products in the industry.

If your 486 systems crash and burn at high temperatures or at high speeds, call

Cache Computers now. We'll put cold, hard cash in your pocket.



MODEL	MHz	MIPS	Bus	Size
BAT486-50	50	22	ISA	Baby AT
BAT486-40	33/40	18	ISA	Baby AT
486-33/AT	25/33	15	ISA	Full-size
486-33/EISA	25/33	15	EISA	Full-size


BAT486-50: 50MHz using "supercomputer" cooling technology

MADE IN THE U.S.A.



46714 Fremont Blvd.
Fremont, CA 94538
Tel: (415) 226-9922
Fax: (415) 226-9911

© 1991 Cache Computers Inc.
All trademarks are property of their respective companies.



Circle 59 on Inquiry Card.

ZEOS[®] '486

Complete 25MHz system Only \$3695,

THE CHOICE IS YOURS!

**Take your pick:
Order your own
ZEOS 25MHz or
33MHz '486 EISA
system at new low
prices.**

**Choose from our
broad selection
of money saving
packages or let us
custom configure a
system just for you.**

**Whatever you decide,
you'll see why ZEOS
is the technology
leader in high speed
'486 EISA systems.**

**Call now to order!
800-423-5891**



EISA!

33MHz system Only \$4695.

THE POWER AND THE PROMISE DELIVERED!

Available right now! ZEOS harnesses the incredible power of the '486. Then we combine it with all the advantages of the EISA bus. The result is the finest computing platform you can buy. And it's ready for you *today!*

THE POWER OF THE '486

The '486 chip is a technological marvel.

It includes not only an advanced processor core but also a built-in cache controller, memory cache, floating point math coprocessor, and an advanced memory management unit. Running 40%-50% faster than similar '386 chips, the '486 makes short work of any processor-intensive applications. But where does it *really* shine?

THE PROMISE OF EISA

It really shines when ZEOS combines it with the EISA 32-bit bus! The '486 is a 32-bit processor. It runs 32-bit software. And, to bring out its full potential, it *demands* a 32-bit bus. That bus is EISA. It is the perfect bus for the '486 and it is the only bus you should consider if you are purchasing a '486 system. Why?

Compatibility for starters. Just as the '486 processor offers full compatibility with all of your software, the EISA bus accepts your present 8-bit and 16-bit expansion cards and runs them without a hitch. And then the performance *really* kicks in.

We're talking about 32-bit hardware performance. It's the reason the '486 was invented. To unleash the potential of 32-bit software *and* hardware. And ZEOS gives you both.

ZEOS '486 EISA. INCREDIBLE VALUE!

Price, Performance, Quality and Support. *Value.* These are the ZEOS hallmarks. Remember, it was ZEOS that invented 24 Hour a Day Toll Free Technical Support. Others have since copied us, but *no one* can match ZEOS support. It's the best in the business.



And that's only the start of your ZEOS Customer Satisfaction package. Add to it our 30 Day Absolute Satisfaction Money Back Guarantee, One Full Year Limited Warranty and our Express Parts Replacement Policy. You're going to be very satisfied. We don't just say it. *We Guarantee It!*

ORDER YOUR OWN ZEOS '486 EISA TODAY!

Ordering your own ZEOS '486 is easy. Simply pick up the phone and give us a call at 800-423-5891. For a personal workstation, file server or *any* high performance application, your ZEOS '486 EISA is the perfect solution. That's not just a promise. That's a *Guarantee.*

**ORDER NOW TOLL FREE
800-423-5891**

DON'T FORGET THE OPTIONS!

ZEOS has them all. Starting with blazing 32-bit EISA cards and every other high performance option you could want. Choose from a huge selection of hard drives, video packages, and more. Whatever you need to equip your system to your exact needs. On-site service is available too. Call 800-423-5891 for details.

**THE COMPLETE
25MHz ZEOS '486
EISA DESKTOP!
WITH 85MB DRIVE,
2MB MEMORY
& MORE.**

ONLY \$3695

33MHz Only \$4695

- Genuine Intel® 80486 25MHz or 33MHz CPU with built-in Cache and Math Coprocessor. 8/25MHz (or 33MHz) Dual Speed.
- Eight 32-bit EISA expansion slots. Also accepts 8-bit & 16-bit cards.
- 2MB of High Speed DRAM, expandable to a Total of 32MB.
- Ultra Fast 85MB IDE Hard Drive, Teac® 1.2MB Floppy Drive.
- Genuine Hercules® brand graphics controller. 14" High-Res Amber Display with Tilt/Swivel base.
- ZEOS/RS 101 key Space Saver Keyboard.
- ZEOS I/O Card with Two High Speed Serial plus Parallel & Game port.
- Rugged ZEOS 5-bay desktop case.
- 300 Watt Power Supply for additional expansion, an important extra at no additional cost.
- Plus Your ZEOS Absolute Satisfaction 30 Day Money Back Guarantee, Full One Year Limited Warranty and Express Parts Replacement.
- 24 Hour a Day Toll Free Technical and Sales Support on your ZEOS Hotline.

128K Cache Systems also available.

**ORDER NOW TOLL FREE
800-423-5891**

FAX Orders: 612-633-1325
Minnesota: 612-633-4591
Hearing Impaired:
800-228-5389
Outside US and Canada:
612-633-6131
MasterCard, VISA,
Discover, Am Exp,
Z-CARD and COD
Open 24 Hours a Day,
365 Days a year!



Purchase orders from Fortune 1000 companies, Governments and institutions subject to approval. Leasing programs available. All prices and specifications subject to change without notice. Please call to confirm pricing, specification and warranty details. The following are trademarks of their respective corporations: 486 of Intel Corporation; ZEOS and Z-Card of ZEOS International Ltd. © ZEOS International Ltd., 530 5th Avenue, N.W., St. Paul, MN 55112 USA. ZEOS is a publicly traded company, NASDAQ symbol: ZEOS

Circle 347 on Inquiry Card.

HARDWARE

X Terminals for Workstation Power at PC Prices

TOM YAGER

Even though workstation costs are coming down, they're still by no means cheap: A fully configured color workstation for less than \$9000 is a rare find. But the power of Unix and the visual impact and ease of use of the X Window System may not be too expensive to put on every desk in the office—that is, if you consider using X terminals.

Even though they've been available for some time, there is still confusion about what an X terminal is and what it does. Simply stated, X terminals are to graphics workstations what serial "dumb" terminals are to text-based multiuser systems. Both allow you to run applications without having to sit in front of the host system. But while a serial terminal's internal software is mostly limited to displaying text (at a particular position and with certain attributes), an X terminal runs MIT's X Window System graphical windowing software.

Thus, instead of merely displaying one text application that occupies the entire screen, an X terminal can display several applications, textual and graphical, simultaneously. What's more, each application can be running on a different host; and since the connection is via 10-megabit-per-second Ethernet, display performance is often fast enough to rival (or beat) the workstation's original display.

The thing that distinguishes an X terminal from a diskless workstation is that the applications load and run on a remote host. Display output, along with mouse and keyboard input requests, is routed through the network from the host to the terminal. X Window software can't tell the difference.

In theory, any X Window software that your workstation can run will oper-


ate identically at an X terminal. And, with few exceptions, that's just how it works. The exceptions come when applications developers depart from the standard for reasons of their own, or when the underlying software itself is flawed. Any "properly behaved" X application, written using quality X Window libraries, operates every bit as well on an X terminal as on the host's display.


The Common Threads

Up to a point, every X terminal I looked at was much like the others. They all run the same software—MIT's X Window System 11 release 4 (X11.4)—and provide a similar range of services to users. The X Window standard is broad and specific, leaving (thankfully) little room for the kind of innovation that breaks things. What differentiates X terminals from one another are issues not related to their basic capabilities, so I focused my testing on application and host compatibility, configuration interface, ease of connection, and performance.

It might surprise you that performance was the *last* thing that I concerned myself with when evaluating these terminals. Great, deep political debates are raging over whether X Window performance can reliably be gauged at all, but my reason for not worrying about it is much simpler: Once a terminal goes past the "fast enough" mark, it matters little if one scrolls text 10 percent faster than another. The point is to obtain a cost-effective terminal that hooks up easily and runs everything it's asked to run.

This review was not intended to include every X terminal ever made. I selected five high-resolution color units that are representative of what you'll find on the market. The units were supplied





BYTE ACTION SUMMARY

■ X TERMINALS

■ WHAT YOU'LL LIKE

These X terminals provide an excellent way to put graphics power on every desk while keeping costs down.

■ WHAT YOU'LL DISLIKE

Some terminals' setup and host connection software made the task more difficult than it needed to be. Some X applications still make unreasonable assumptions about hardware and servers, affecting the ability of certain terminals to run a small class of applications.

■ WHAT WE RECOMMEND

For overall value, the HDS ViewStation for \$5199 provides a large viewing area, high resolution, and excellent software on tape. Its standard 2-MB memory may cramp a demanding user, but it is expandable. For a smaller terminal, the 17-inch NCR X-Station had a slight edge over the NCD NCD17c in cost-effectiveness and quality software.

■ WHAT YOU'LL PAY

HDS ViewStation: \$5199
NCD NCD17c: \$5050
NCR X-Station: \$4800
Tektronix XP29: \$7495
Visual Technology XDS: \$7555

by Human Designed Systems (HDS), Network Computing Devices (NCD), NCR, Tektronix, and Visual Technology. All provide a minimum display of 1024 by 768 pixels in 256 colors on a 17-inch or larger screen.

I connected the terminals to BYTE's Unix Lab network via thin-wire Ethernet cable. I ran X applications from the following hosts: a Sun IPC running Open Windows 2.0, an Altos System 5000 running Altos Unix (with The Santa Cruz Operation's Open Desktop), a Multi-micro 386/33 running Interactive Unix 2.2 and X Window 1.2, an IBM RISC System 6000 running AIX, and an Arche 486/33 running Intel System V release 4.

The suite of applications that I ran included FrameMaker 2.1x, IslandWrite, IslandPaint, and IslandDraw 2.3 for Open Look, Uniplex Windows, Looking

Glass, X.desktop, Motif and Open Look window managers (and the Open Look file manager), and a small group of public domain custom programs. I also used the standard X Window assortment of terminal emulator, clock, calculator, and other programs.

They've Got Connections

You might think, with all this rampant connectivity, that an X terminal would be a plug-and-play device. Well, not quite. I'd hardly call it an ordeal, but configuring an X terminal for your environment is anything but automatic.

The terminals came with X11.4, configuration utilities, and telnet network terminal emulation programs in ROM. Generally, all that was needed to make the first connection was to load the terminal's TCP/IP address into configuration RAM, reboot, and use telnet to connect to the host to run the xterm terminal program. Each X terminal comes with a tiny selection of X Window fonts in memory, just enough to get basic applications (e.g., terminal emulator windows) running. To do any real work, you must create a way for the terminal to access the 200-plus fonts that come standard with X11.4.

On a workstation, an X server can load fonts off the hard disk as needed. Lacking local disks, X terminals fetch fonts in a rather clever way. A cartridge tape is provided that contains font bit maps. You load the tape onto a workstation's hard disk and then configure the terminal with the network address and directory name in which the fonts are stored. Because some applications (e.g., Looking Glass) require special fonts, some tapes also include tools for converting fonts from their original format to one the X terminal can use.

Configured fonts are downloaded into the X terminal's RAM from the font host as needed. In addition to fonts, color tables, ASCII configuration files, and even server binary images can be stored on and loaded from remote hosts. The server image download capability is a nice touch; some of these terminals' server software can be upgraded with a tape rather than firmware.

All the tested terminals include some form of point-and-click configuration utility; some are graphical, while others are mostly text based. How they work is covered in the individual discussions that follow. The monitors, keyboards, and mice are not discussed below because all but the Visual Technology X Display Station's monitor, which had an adjustment problem, were of excellent quality.

HDS ViewStation

The HDS ViewStation came with a 19-inch color display, 2 megabytes of memory, and a 1280- by 1024-pixel resolution. Like most of the other terminals, it is a "monitor base" style, a slim case on which the monitor can stand. This takes up the least desk space and places the power switches and indicator lights within easy reach.

HDS's configuration program has a plain, even primitive, interface; it is

The HDS ViewStation mostly breezed through the tests.

really a text application with mouse sensitivity. It has its good points, like the informative header displays showing the terminal's Ethernet address, but it has some drawbacks, too. The most serious problem with the configuration manager is its tendency to have immovable pop-up windows that obscure important information in underlying windows. It's possible to get so deep in pop-up windows that you lose track of what you're modifying. Descriptive window titles would avoid confusion.

When you make a change to the configuration, a set of prompts appears at the bottom of the main window telling you what steps you need to take to commit those changes. "Apply Changes" or "Save Settings in NVRAM" (nonvolatile RAM) will light up, depending on the changes you make, and these instructions are a little bit ambiguous. "Apply Changes" should really read "Apply Changes to Current Session Only."

The HDS ViewStation mostly breezed through the tests, performing well with the mix of Open Look and Motif applications. This is partly thanks to the excellent assortment of fonts and conversion utilities provided by the company. HDS's was the only tape that included a program to convert fonts from one binary type to another. I used this program while testing the other terminals to get programs such as Looking Glass to work; Looking Glass provided its fonts

only in a binary form compatible with Interactive's X Window System.

The ViewStation did, however, exhibit compatibility problems with IslandWrite and X.desktop 2.0. In the first case, fonts were jumbled beyond recognition. This isn't necessarily the ViewStation's fault; IslandWrite uses Sun's scalable font mechanism, which may make assumptions about byte order when font bit maps are uploaded to the X server. And X.desktop's large, imaginative cursor bit maps would only display in part (the upper-left part, to be exact). This problem has reportedly been fixed; existing HDS customers can download a new server image from HDS's BBS.

The configuration manager, along with the telnet terminal emulator, benefits from being an X application. When you connect to your primary host and fire up a window manager, the configuration manager is *re-parented*: Its window takes on the same border and window manager characteristics that any host-run application would. Thus, the configuration manager and terminal emulator are always an icon click away, even after the first X session is started.

The ViewStation's best attribute is the tape of software included with it. I had no trouble getting fussy applications like Looking Glass to run. The ViewStation fared only a little worse than the other terminals in performance and compatibility. Large windows could be seen re-drawing from top to bottom after being moved, and text scrolled visibly more slowly than with other terminals. Still, performance was well within reasonable boundaries, and the minor speed difference had little or no impact on the tested applications.

NCD NCD17c

NCD provided its NCD17c terminal with a 17-inch display (1024 by 768 pixels in 256 colors), 4 MB of memory, and both PROM-based and downloadable servers.

NCD's configuration manager has a much better interface than HDS's, but neither it nor the telnet terminal emulation program is an X application. They both take over the terminal to the exclusion of X applications. A display request from a host is held up until the configuration manager and telnet programs are exited. The latest version of NCD's downloadable server software does offer a "local client" implementation of telnet for terminals with sufficient memory, but you still have to hang up X Window to run the configuration program.

The optional ROM in the NCD17c contained a default version of the X11.4

server, *without* the local client support. To access the local clients (which include serial communications and DEC network terminal server access; a Motif-look-alike window manager was also provided in prerelease form as a local client), you need to load a binary image from the optional tape onto a selected Unix host. That host must be equipped with the programs `bootpd` and `tftpd`. NCD supplies the source code for these programs on the tape—a boon, since the chosen server was a Sun IPC that lacked these two utilities. Once equipped, the X server executable is loaded into the terminal from the network host instead of from ROM.

Incidentally, all five terminals required that at least `tftpd` be present and running on the host. Even if you don't use it to download the X server software to the terminal, you need it to support later font downloads. Most terminals also support Network File System connections for fonts, but `tftp` was easier to manage and incurred less overhead.

Compared to the HDS ViewStation, the NCD17c was fast. This was partly due to the lower resolution, but the difference in speed was very noticeable. Moved windows snapped instantly into their new positions, and scrolling text and graphics, such as Looking Glass's scrolling icons in the file view window, were appreciably faster. Something like this won't necessarily make you more productive, but it does seem to make the environment a little easier to live with.

Overall, the NCD17c performed well, running every application without complaint and responding quickly to host requests.

NCR X-Station

The NCR X-Station was configured with a 17-inch, 1024-by-768-pixel, 256-color display. The unit had 6 MB of memory and an X Window server in PROM. The font tape installed easily, but I was displeased that it clobbered the crucial color table file during installation. The NCR unit had a monitor-base case style, but it had a problem: the push-button power switch, once pushed, couldn't be popped out again.

The X-Station had, by far, the best setup software. The graphical interface was clear and responsive, and it was tuned to reducing unnecessary keystrokes and mouse movements. For example, once configured, the X-Station could connect to selected hosts through a simple icon click (the icons were named for the hosts). The host-resident configuration file can specify a different connect command for each host. This was the easiest

connection mechanism offered by any of the terminals' software.

I also liked the X-Station's ability to have a large virtual screen. Even though its resolution is 1024 by 768 pixels, the configuration file lets you fix the terminal to "pretend" it has a 1024-by-1024-pixel screen. The display scrolls rapidly when the mouse is advanced off the top or bottom of the screen.

The setup software is done in multiple, modeless windows (all windows are ac-

tive at once; positioning the mouse determines which one is "listening"). They are true X applications and are always available, even during an active session. Oddly, the setup windows were reparentable by the Motif window manager, but not by Open Look's. The latter was not incompatible; it just didn't seem to notice the setup windows.

Running Open Look did bring out a rather unusual flaw in NCR's implementation. Open Look uses hot dog-shaped

PC AUDIT

Get it out of your system!

- PC-AUDIT completely automates the process of finding out which software and how many copies are installed on user machines
- PC-AUDIT compiles data from thousands of PCs and produces reports that facilitate:
 - Financial Audits
 - Software Purchase Strategy
 - Program Usage Tracking
 - Elimination of Unauthorized Software Usage
- Quickly query a group of users to find out:
 - Program Names, Manufacturers, Version Numbers, and Number of Copies Installed on Audited PCs for all software programs
 - Relevant Hardware/Operating System Information for each user, including PC Type, Processor Type, Graphics Adapter Type, Presence of Co-Processor, & DOS Version

Cost: \$195.00 plus nominal run-time fee per audited PC.
To order or request a sample diskette (\$10.00),
call 1-800-874-7115



PC-AUDIT copyright 1991 by
GREG LEWIS PRODUCTIONS INC.

outlines to highlight menu selections. The X-Station drew these shapes painfully slowly—slowly enough to have a serious impact on application usage. I ran other tests that drew ellipses and circles, and the X-Station kept up well. Open Look menus turned out to be the only performance problem.

Like the ViewStation, the X-Station couldn't run properly with IslandWrite. The symptoms were identical—apparently, another byte-ordering mismatch. The

X-Station passed all other application tests and turned in a solid performance.

Tektronix XP29

Tektronix provided an XP29 terminal with a 19-inch display (1280 by 1024 pixels in 256 colors). The memory was strangely split between graphics and I/O memory: An extra 4 MB of graphics memory was installed, but 3.5 MB was used for I/O memory.

The Tektronix unit was the only one

that needed to have its case opened. The XP29's logic is housed in a small tower case. This arrangement takes up unnecessary desk space, and the construction of the case feels shabby. The unit didn't operate when it arrived—the cards had shaken loose. Removing the top of the case revealed that the cards were not—and can't be—fastened to their connectors. The case top has a few niches that keep the cards straight, but I found the boards scattered inside the case when the unit arrived.

The logic unit was not matched to the monitor it was sent with. When I reassembled and booted it, the display spun around in a syncless frenzy. It was explained to me that I needed to wait until some swimming dots appeared that "looked something like a prompt" and that I then type monset followed by a monitor setting number. The manual lists three different 1280- by 1024-pixel monitor settings. I found the right number after a couple of tries, but I came away feeling that the whole ordeal was a waste of time.

The XP29 has an attractive and quite usable configuration interface. Again, the internal setup and telnet programs turned out to be X applications. I was also impressed with the quality of the host tape installation program. After you load a short portion of the tape by hand (the manual provides the commands for several types of workstations), a friendly installation script takes over, loading the rest of the tape and configuring the workstation to support the terminal. Following installation, I got the XP29 connected quickly.

Once over all the initial hurdles, the XP29 held its own. I encountered no compatibility problems in the application tests. I'm not sure how much the extra memory helped, but the XP29's performance was superb. The only compatibility problem I encountered was with the Open Look fonts that Tektronix provided. They seem to differ from the style of the standard Open Look fonts. I could have lived with that, but some common fonts were so much larger than their standard counterparts that applications grew too large for their default windows.

Visual Technology XDS

Visual Technology rounded out this monitor group with its 21-inch, 1280- by 1024-pixel, 256-color X Display Station (XDS). It came configured with 6 MB of memory and a PROM-resident server.

The XDS's setup software was the most primitive of all those that I tested, presenting the user with a text-based

TURN PCs INTO X TERMINALS

HCL-eXceed family
of X servers for PCs
from
Hummingbird.

**NOW
INTRODUCING:**

**HCL-eXceed/W,
MS-Windows 3.0
based X server.**

**DOS
based
X servers:**

HCL-eXceed, for PCs
with 640K to 1MB of memory.

HCL-eXceed Plus, for PCs
with 1.64 MB to 16MB of memory.

HCL-eXceed 8514, for PCs with
8514A based high resolution display
adaptors.



**HUMMINGBIRD
COMMUNICATIONS LTD.**

2900 John Street, Unit 4
Markham, Ontario, Canada L3R 5G3
Telephone: (416)470-1203, Fax: (416)470-1207

Choose It and Use It.

Remember when you were a little kid? Put a penny in the gumball machine and wait to see what would roll out. Sure, you'd want the red one but it seemed like the green one would always appear. Until now, using a video display terminal was like buying a gumball. Cumbersome setup menus and complex commands would leave you hoping for one result but receiving another.

With the Infinity Series from Falco Data Products, you always know what you're getting. The Infinity Interface makes sure of that. Employing a DOS application-like feel, the Infinity Interface effortlessly guides you through terminal setup and windowing configuration. With a mouse or a cursor, you choose the configuration and windowing capability and use the full power of the world's most technologically advanced video display terminals. Point and choose. No cryptic commands. It's that simple.

It's also what you would expect from Falco—a VDT industry leader for ten years. So, rather than spending your pennies and hoping that what you see is what you'll get, call Falco and choose your favorite flavor. ANSI, ASCII, or Multiple Personality. With or without graphics. The choice is yours.

FALCO

1-800-FALCO-4-U


Falco Data Products, Inc.
Sunnyvale, CA 94086
Tel: 408-745-7123
FAX: 408-745-7860

Falco-Europe
Tel: (33) (1) 3043-1446
FAX: (33) (1) 3064-0557



All trademarks are registered to their respective owners.

Circle 115 on Inquiry Card.



■ Good news from the BIX community:

You can read and talk with Jerry Pournelle about the unedited text of his *Computing At Chaos Manor* column—weeks before BYTE hits the newsstands—on your computer. (Why settle for writing letters to him *after* the fact, when you have a shot at influencing his thinking—and maybe the content of the column itself?) You can also take part in a variety of other discussions with Jerry—on such subjects as computers, science, space exploration and habitation, cognitive psychology, natural and man-made disasters, education, and mathematics. Any of which discussions could work its way into his next column or book. You can even cast your vote with Jerry for the best and worst products of the year. And download 147 programs—free. All it takes is a subscription to BIX. Call our special Customer Service number for more information: 1-800-227-2983 (in NH, call 603-924-7681).

BIX

X TERMINALS

interface that understood mouse-clicks but didn't display a cursor to highlight the current position. The configuration and telnet sessions were like those of the NCD17c: X clients were not allowed to connect until setup and telnet were dismissed. The XDS did have the only telnet program to provide emulation of an xterm terminal emulator window. The telnet window can be suspended with Alt-SYSRQ; this resumes the operation of the X server.

The terminal performed well, passing all the applications tests, with one glitch: When I ran the Open Look window manager, certain cursor shapes appeared scrambled. Under Motif, the Motif cursor shapes (which appear when resizing windows and so on) looked fine, but the root window's cursor was scrambled.

The XDS was the only terminal I reviewed that came with an optical mouse. The supplied mouse pad was flexible, however, and I didn't have any objection to using Visual Technology's pad instead of one of my own.

The 21-inch display was badly in need of adjustment, displaying annoying ghosts around the edges of black characters against a white background. The display didn't seem to have any external adjustments to compensate for this.

Which Brand X Terminal?

It's difficult to choose an overall winner from this group. With rare exceptions, the terminals all did what I asked of them. I was a little put off by Island-Write's failure on the HDS ViewStation and the NCR X-Station, but that is only one application. These terminals also exhibited minor performance problems that I didn't see in the others. But at \$5199 (with a 19-inch display and 2 MB of memory), the HDS ViewStation turned out to be the best value among the 1280-by-1024-pixel terminals I tested, and an excellent value in general. It has the most complete host font/server tape, and it's more than \$2000 less than the Tektronix and Visual Technology units. The ViewStation had less memory than these other terminals, but the difference in cost was far more than the price of memory.

The Visual Technology XDS delivered fair value for the money at \$7555 for 6 MB of memory and a 21-inch monitor. The loser in the large-screen, high-resolution category would have to be the Tektronix XP29. The quality of construction was unimpressive, and the blind monitor configuration struck me as something that the factory should suffer through, not the user. Its \$7495 price tag seemed high, although it did include expanded

graphics and user memory.

For the 1024-by-768-pixel terminals, I liked both the NCD NCD17c and the NCR X-Station about equally, but I have to give the nod to NCR for its aggressive pricing, great setup/configuration/telnet software, and 1024-by-1024-pixel logical screen size. The NCD17c was blazingly fast, and at \$5050 with 4 MB of memory, it's still a good buy. Nevertheless, I judged the NCR X-Station to be the better of the two smaller terminals in terms of cost and features. At around \$5000, neither of these terminals should have any trouble competing against diskless workstations and PCs. ■

Tom Yager is a BYTE technical editor who manages the BYTE Unix Lab. He can be reached on BIX as "tyager."

COMPANY INFORMATION

Human Designed Systems, Inc.

(ViewStation)
421 Fehleley Dr.
King of Prussia, PA 19406
(215) 277-8300
fax: (215) 275-5739
Circle 1078 on Inquiry Card.

NCR Corp.

(X-Station)
3200 Lake Emma Rd.
Lake Mary, FL 32746
(407) 333-9250
fax: (407) 333-0050
Circle 1076 on Inquiry Card.

Network Computing Devices, Inc.

(NCD17c)
350 North Bernardo Ave.
Mountain View, CA 94043
(415) 694-0650
fax: (415) 961-7711
Circle 1079 on Inquiry Card.

Tektronix, Inc.

(XP29)
P.O. Box 14689
Portland, OR 97214
(800) 225-5434
fax: (503) 244-1541
Circle 1080 on Inquiry Card.


Visual Technology, Inc.

(XDS)
120 Flanders Rd.
Westborough, MA 01581
(508) 836-4400
fax: (508) 366-4337
Circle 1077 on Inquiry Card.

Over 6,000 developer's products ...



Lahey F77L-EM/32
by Lahey Computer Systems, Inc.
Fast & powerful 32-bit FORTRAN compiler enables users to write & port programs as large as 96 Megabytes on 80386/486's. Version 4.0 includes Fortran 90 features: Allocatable arrays, CASE constructs, CYCLE & EXIT, & many other new features. Package includes Editor, Make Utility, Full 77 Standard support, VAX & IBM VS mainframe extensions, fast compilation, excellent diagnostics & a powerful debugger. New OS/386 includes virtual memory & DESQview support, & free unlimited runtime licenses.
LIST: \$1390 PS Price: \$1055
FastFacts 334-023



WATCOM C 8.0/386 Prof.
by WATCOM
WATCOM C 8.0/386 is 100% ANSI C optimizing compiler/runtime library for Intel's 80386 architecture, generating applications for 32-bit protect mode. Features include: protected mode version of the compiler; VIDEO full-screen source-level debugger; MS library- & source-compatibility; execution profiler; high performance linker; graphics library; supports MetaWare High C 386 runtime calling conventions; SAA compatible.
LIST: \$1295 PS Price: \$1155
FastFacts 1044-005

386 DEVELOPMENT

386 Max 5.1	\$109
386DOS Extender by Pharlap	479
DESQview 386	189
F77-EM32 + Ergo OS/386	1055
FoxBASE+386	479
Metaware High C 386/486	919
NDP Fortran 386	829
QEMM 386	89
WATCOM C8.0 386 Prof.	1155
Zortech C++ 386 Dev.	865

ASSEMBLY

MS MASM	105
Spontaneous Assembly	179
Turbo Debugger & Tools	119

BASIC & ADD-ONS

BAS-C Commercial	829
dB/LIB Professional	179
MS QuickBASIC V4.5	69
QuickPak Prof. V3.21	189

C LANGUAGE COMPILERS

Instant C	769
Microsoft C 6.0	349

CASE & PROTOTYPERS

Demo II V3.0	239
EasyCase Plus	279
EasyFlow	135
Instant Replay III	139
Layout	239
MetaDesign	329
Pro-C w/Workbench	735
ProtoFinish by Genesis	289
Show Partner F/X	345

COMMUNICATIONS ADD-ONS

C Asynch Manager 3.0	159
Essential COMM	249
Greenleaf Comm Library	329
QuickComm	129

DBASE

Clipper 5.0	550
dBASE IV	549
dBFAST/PLUS	315
dBMAN V	219
dBXL	179
FoxPro	495
FoxBASE + - V2.1	279
QuickSilver	429

DBMS

Cause Professional	499
CLARION Prof. Dev. V2.1	549
D the data language	345
Magic PC	489
Paradox V3.5	553
R:BASE 3.1	595

DBMS TOOLS & LIBRARIES

Artful Two	289
BALER Spreadsheet Compiler	399
CLEAR + for dBASE	179
Comet Multiport	169
Comm Tools for Clipper	269
dBASE Online	129
dBX/dBport w/source	895
dGE 4.0	279
dQUERY MU	179
dSalvage Professional	195
FLIPPER Graphics Library	279
FUNCKY.LIB	239
Genifer	289
Net Lib	229
Pro Clip	185
R&R for dBASE & Comp.	229
R&R Code Generator	129
Scrimmage	139
Tom Rettig's Library	85
UI2 Developer's Release	449

DEBUGGERS/ DISASSEMBLERS

DASM	239
Dis Doc Professional	229
Multiscope for DOS	149
Periscope IV	Varies
RE:Source by Genesoft	139
SoftProbe 86/TX	295
Sourcer 486 w/BIOS pre-proc.	149
Trapper	189

DEVELOPMENT TOOLS

ASMFLOW Prof.	179
Buzzwords dANALYST Gold	199
C-DOC	179
CLEAR+ for C	179
Codan	349
The Documentor	229
INSIDE!	119
MKS RCS	175
PC-Lint	115
Plink/LTO	439
PolyMake	159



BAS_C Translator

by Gotoless Conversion
BAS_C Translator quick Basic or Basic A to C automatically. It also restructures any spaghetti code to structured indented, standard C. Variable are scope to local or global. Customize helps to translate other Basic by adding new statements or functions. Generated C source code can be compiled by MS/Quick/Turbo C C++ syntax error free. **LIST PS Price**
BAS_C Economy \$375 \$349
BAS_C Commercial \$895 \$829
BAS_C Commercial 286 & Commercial
Xenix 286 Machine \$1149 \$1049
BAS_C Commercial SCO 386 Xenix
\$2115 \$Call
FastFacts 675-005



Sourcerer's Apprentice— Version Control for the Professional

by Solution Systems
From the company that brings you BRIEF: version control with single keystroke accessibility from BRIEF. Sourcerer's Apprentice tracks all changes, who made them, when, and why. Easily recreate or combine previous versions of code. Experiment freely. Sourcerer's Apprentice can always bring you back. Teams take note: Sourcerer's Apprentice prevents simultaneous updates to the same files.
LIST: \$499 PS Price: \$459
FastFacts 732-137



Sourcer 486 Commenting Disassembler

by V Communications, Inc.
Generate detailed commented source code and listings from EXE, COM, device drivers and memory! Built in data analyzer and simulator separates code from data. Provides detailed comments on interrupts, I/O ports and much more. Supports code written for 8088 through 80486 processors and math co-processors. With the BIOS Pre-Processor, obtain detailed commented listings on each BIOS ROM in your system.
LIST: \$170 (w/BIOS Pre-Processor)
PS Price: \$149
FastFacts 924-018

The Programmer's Shop is



WindowsMAKER™ Professional New!

by Blue Sky Software™/Candlelight

The fastest way to create MS-Windows applications in C. Generates the Windows .EXE w/ complete source & production files (no royalties). Just Point & Click to define the Windows user interface. Lets you animate your design to instantly test look & feel and make changes on the fly without needing to compile. Custom code is preserved during code regeneration. This is the power-user version of the best-seller WindowsMAKER with a lot of added functionality.

LIST: \$995 **PS Price: \$919**
FastFacts 2001-006



Run Your 386™ to the MAX! by Qualitas

386MAX (for 386-based machines) and BlueMAX (For 386-based PS/2s) give your system MAXimum performance with Windows™ 3.0 support. Exclusive technologies include *FlexFrame*, to load more programs into high DOS than any other memory manager, and *instancing*, which allows many resident programs to run reliably under Windows.

	LIST	PS	FastFacts
386MAX	\$130	\$109	123-004
BlueMAX	\$155	\$149	123-010

PVCS Professional	439
.RTLINK Plus - by PocketSoft	419
Sourcerer's Apprentice Prof.	459
TLIB 5.0 Version Control	125

EDITORS

BRIEF	Call
Epsilon	175
KEDIT	139
Sage Professional Editor	249
SPF/PC - V2.1	195
Vedit +	159

GRAPHICS

Essential Graphics v3.0	349
GraphiC	319
graphics-Menu	165
GSS Graphics Dev't Toolkit	699
HALO	279
MetaWINDOW/PLUS	369
PCX Programmer's Toolkit	229

OBJECT-ORIENTED/C++

Borland C++	379
M++ by Dyad Software Corp.	279
Smalltalk/V	79
Zinc Interface Library	175
Zortech C++ Dev. Edition	399

OTHER PRODUCTS

Carbon Copy Plus	159
Dan Bricklin's PageGarden	89
Duplicator Toolkit - Pro 3.0	119
Fast!	89
Flow Charting III	199
HEADROOM	89
HiJaak	179
LapLink III	129
Link & Locate ++ - ROM MSC	295
Math Advantage	475
Norton Utilities 5.0	149
pcANYWHERE IV	159
PC Tools Deluxe 6.0	99
PC-KWIK Power Pak	119
Pre Cursor	89
Remote2	139
SpinRite II	89
System Sleuth	109
TimeSheet Prof.	165

TURBO PASCAL

Turbo ASYNCH PLUS	159
Turbo Pascal 6.0 by Borland	107
Turbo Professional	109

TEXT SCREEN ADD-ONS


C Worthy w/Forms w/ARCH	359
Greenleaf DataWindows	339
HI-SCREEN XL Professional	289
Lexical Resolution	199
MEWEL Window System	279
POWER SCREEN by Blaise	129
Vitamin C - source, menus	369
VC Screen - painter	139
Vermont Views Obj. + source	819

UNIX/XENIX

C++ for Unix 386 by Zortech	439
Computer Innovations C++	475
db_FILE/RETRIEVE MU	569
ESIX Systems	
ESIX/V 386 Dev. (2 user)	569
ESIX/V 386 Dev. unlt	795
Informix SQL	Varies
Interactive Systems	
Architect Wrkstn Platform	1199
Architect Wrkstn Developer	1850
LPI-FORTRAN	929
M++ for Unix by Dyad	379
M++ for Unix w/ source	579
Norton Utilities for Unix	249
Unix System V.4 Complete	1425
WordTech Quicksilver	1295

WINDOWS

ACTOR	225
ACTOR Professional	449
BRIEF for OS/2	Call
Case: PM (for C or C++)	1899
Case: W Corporate Version	969
C_talk/Views	419
C-Trieve/Windows	385
dbFAST/Windows	395
Graphics Server SDK	455
Instant Windows 2.2	479
KnowledgePro Windows	589
M++ V2.0 by Dyad Software	279
MKS Toolkit V3.1	299
MS Windows V3.1	119
MS Windows DDK V3.0	365
MS Windows SDK V3.0	365
Multiscope OS/2 Debugger	349
Multiscope Windows Debug.	315
Object/1	895
OS/2 PM Toolkit 1.2	369
Smalltalk/V PM	435
Tempo for Windows 1.1	89
Windows Maker	715
Windows Maker Professional	919



INTRODUCING Essential Communications VERSION 4.0!!!

by South Mountain Software

Powerful asynchronous communications library. Supports interrupt driven communications up to 115,200 baud. Drives 34 ports with buffers to 500K. Supports V.32, MNP, Hayes compatible modems, XON/XOFF, XMODEM (CRC and Checksum), XMODEM 1K, YMODEM, KERMIT, ZMODEM protocols. Provides ANSI and VT 52/100 terminal emulations. Use with our /resident C++ library to write background communication applications. Contains all source code, a BBS demo. No royalties.


LIST: \$329 **PS Price: \$249**
FastFacts 42-011



HiJaak Release 2.0 by Inset Systems Inc.

HiJaak 2.0 is a graphics conversion and capture utility that translates more than 36 graphics file formats. HiJaak provides batch conversion capability from the DOS command line or from the user interface. Supported formats include GEM, PICT I&II, CGM, HPGL, PIC, DXF, PCX, MAC, TIF, and support for more than 16 group 3 fax devices. A 5K pop-up provides capture function of text screens, graphics screens, and laser printer output.

LIST: \$199 **PS Price: \$179**
FastFacts 1085-003




Actor & Prof. Actor by The Whitewater Group

Actor is the ideal way to learn how to apply modern object-oriented programming techniques to create Windows applications fast. Move on to Actor Professional three powerful tools for the developer who's ready to get serious about Windows development: the professional version of Actor; ObjectGraphics for adding sophisticated graphics to your Windows applications; and Whitewater Resource Toolkit for visually programming its look and feel.

LIST Price \$249 **PS Price \$225**
Prof. LIST Price \$495 **PS Price \$449**
FastFacts 800-017

your source for solutions!

Get a FREE
Main Toolkit if
you order KP WIN
exp. 5/31/91



Windows Programming for Everyone! KnowledgePro Windows (KPWIN) by Knowledge Garden

is an environment for rapid application development in Windows 3 or DOS. Interactive design tools and high-level object-oriented (OOP) language give easy control of Windows screen objects, fonts, icons and bitmapped images. Full support of DDE and DLL allows integration of Windows and DOS programs into one application. Experienced developers and power-users can use KPWIN to build fast, runtime free applications in record time. Featured in "Best of 90", PC Magazine, 1/15/91.

LIST: \$695 PS Price: \$589
FastFacts 1419-012



1st-Class by AICorp, Inc.

Non procedural development tool for building training (how to), configuration, and diagnostic applications. Based on expert system technology, uses induction and decision trees to generate rules. Rules automatically create questions and answers to advise users. Ability to embellish user interface through built in support for hypertext and hypergraphics. Supports forward and backward chaining of multiple knowledge bases.

LIST: \$995 PS Price: \$925
FastFacts 335-002



CHEETAH 2.2

by Software Science

Over 300 features make Cheetah the world's most powerful editor for dBASE, FoxBase, Clipper, QuickSilver, Force and word processing. Pull-down menus give you all the editing features you need and expect, and let you compile, link, and run your application form inside Cheetah. Extensive language help, direct access to creating and viewing indexed dBASE files, built-in calculator, source formatter, and spelling checker are just the tip of the iceberg.

LIST: \$145 PS Price: \$95
(while supplies last)
FastFacts 1843-003



Sage Professional Editor by Sage Software

The Sage Professional Editor is designed to create the applications of the 90's. It's highly configurable and has an advanced windowed user interface with integrated mouse support, on-line help and menu-driven commands. Has emulations for Brief, Vi, EMACS/ Epsilon and WordStar, and a virtual memory system for large files. Includes MS-DOS, OS/2 and Dual Mode versions on 3.5" and 5.25" diskettes.]

LIST: \$450 PS Price: \$395
FastFacts 111-060

What is FastFacts?

Access literature on any of our products via FAX machine. **FREE!**

Call 617-740-0025 from
any fax phone!

Follow the voice computer's instructions and enter your product's code number. Then await your instant print out of product literature.



Turbo Pascal for Windows

by Borland International

If you've been waiting to get into Microsoft Windows programming, wait no longer! Turbo Pascal for Windows is the easiest way to create powerful Windows applications. Your programs can take full advantage of the Windows graphical user interface including features like the Multiple Document Interface (MDI), Dynamic Link Libraries (DLLs), and

Dynamic Data Exchange (DDE).

Using Turbo Pascal for Windows, you can edit, compile, and run your programs all from within Windows. And it includes Turbo Debugger for Windows, for debugging even the toughest Windows Programs.

Turbo Pascal for Windows has everything you need to develop powerful Windows applications, so you don't need the Microsoft Windows Software Development Kit (SDK). Open new windows of opportunity with Turbo Pascal for Windows.

LIST: \$250 PS Price: \$209

FastFacts 777-130



ObjectVision

by Borland International

ObjectVision lets you create Windows applications... without programming! New Visual Programming technology uses graphical decision trees to represent and capture business rules. Non-technical users can easily create Windows business applications without traditional programming. ObjectVision applications are easily connected to a variety of popular databases, and operate in a multi-user mode over Windows-supported networks.

LIST: \$495

PS SPECIAL Introductory Price: \$99
FastFacts 777-124

THE PROGRAMMER'S SHOP


National Accounts
800-446-1185




5 Pond Park Road, Hingham, MA 02043 • Canada 800-446-3846 • Mass. 617-740-2510 • FAX: 617-749-2018
Credit card orders processed **only** when product is shipped. All prices subject to change. Int'l. prices will vary.

BY591

Mylex has the best EISA solution. At least that's what people tell us.




486™ 33MHz System Board



SCSI Caching Host Adapter



TI 34020™ Graphics Controller



Ethernet LAN Adapter

"The Mylex MAE486 with its 32-bit EISA SCSI controller kills the competition for reading large sequential files in the IOBench 2 tests under UNIX."

Personal Workstation, June 1990

"If I wanted to replace my entire system for optimum all-around performance, I'd build it from Mylex EISA-based boards."

Personal Workstation, June 1990

"The GXE020A TIGA board ...scored as much as 45 percent higher on our low-

level benchmark tests than any other TIGA board evaluated."

BYTE, April 1990

"Mylex has done a lot of work with EISA, and we plan to use its motherboard and adapters in a LAN Labs 'super-AT' server."

PC Magazine, May 1990

Of course, we've tested our EISA peripherals for compatibility with major EISA systems. To see what our high-performance EISA solutions can do for your system, call us at 1-800-446-9539, or fax us at 1-415-683-4662. In California, call 1-415-683-4600.

MYLEX

HARDWARE

"Smart" UPSes Alert LANs to Power Problems

RICK GREHAN

Uninterruptible power supplies (UPSes) are heavy metallic boxes that sit under your desk, hum distantly, and remain forgotten unless utility power goes off suddenly. Right? Not anymore.

A new generation of network-based UPSes can continually apprise you of such important conditions as battery level, current input load, power quality, and impending malfunctions. So rather than a box that passively sits around waiting for power problems, your UPS becomes an active device that can help you head off potential damage.


To test that, I selected three UPSes that, to varying degrees, provide this kind of intelligence: American Power Conversion's (APC) Smart-UPS 900 (900 volt-amperes), Elgar's IPS/A.I. 800 (800 VA), and Tripp Lite/Unison's UniPower PS8.0 (800 VA). I chose 800- and 900-VA sizes because they are appropriate for a network the size of the BYTE Lab's. The Minuteman series of UPSes from Para Systems also offers intelligent network features.

Common attributes of these units include software that can inform network users about a power failure and instruct them to log off. Also, the software can automatically shut down the network server after a designated log-off period. Each unit accommodates a variety of network operating systems. For evaluation, I chose the NetWare 386 configuration.

Smart-UPS 900

APC's PowerDoctor software lets you monitor the Smart-UPS 900 in real time. As screen 1 shows, PowerDoctor displays bar graphs that indicate the current battery voltage, line voltage, and UPS load. Other statistics include line frequency, the internal temperature of the UPS, and whether the UPS is supplying utility power or running off the internal battery.

PowerDoctor consists of two modules: a foreground monitoring program and a background logging program. The background logging program runs as a TSR program: You can program it to regularly sample the status of the Smart-UPS and record the results in a log file. You



The Smart-UPS 900, IPS/A.I. 800, and UniPower PS8.0 (clockwise, from left) monitor and display power conditions for network managers in addition to providing traditional UPS protection.

can easily move log-file results into spreadsheet programs, such as Lotus 1-2-3 or Microsoft Excel.

APC's PowerChute software runs on the network server and brings PowerDoctor's logging and display capabilities to the network operating system. It monitors the status of the Smart-UPS and signals workstations of a shutdown. Network managers select the shutdown time; when shutdown time expires, PowerChute gives one last warning to network users and "downs" the network.

The front plate of the Smart-UPS 900 has plenty of LEDs to provide status information. This includes two vertical-bar-graph LEDs and a load-indicator bar graph that displays the current load as a percentage of the UPS's capacity. The bar graphs provide a range of data, including battery charge and utility-power voltage levels (in steps of 6 volts starting at 98 V). Another LED tells you if the system is connected to acceptable utility power, and an "on battery" light shows when the Smart-UPS is running on battery power. (With the "replace battery" light, the Smart-UPS tells you when its battery can no longer hold a charge. Normally, this will occur once every two to three years, according to the company.)


When the Smart-UPS detects that utility voltage has fallen to brownout levels

of between 90 V and 103 V, it can raise incoming power by up to 12 percent with SmartBoost, an internal step-up transformer. If the Smart-UPS 900 senses a brownout, it first switches to the battery and then monitors the line for 4 seconds to ensure that voltage levels aren't worsening. If the line is stable, the UPS enables the SmartBoost feature and takes the battery off-line so extended brownouts don't consume battery power.

In the unit's back is a nine-pin female connector, which is the computer interface port. In standard mode, the port's pins send and respond to simple voltage transitions. In "smart mode," the port acts as a true RS-232 port (which is how I tested it). Adjacent to the serial connector is a set of four DIP switches that let you set internal parameters. For example, you can move the top of the acceptable voltage range higher and desensitize the system to battery switchover in case your line voltage makes frequent excursions into the "marginally safe" zone, which would ordinarily trigger the unit.

UniPower PS8.0

Unlike the other UPS systems in this review, the UniPower is not meant to sit on the floor, hidden under a desk. Its small footprint makes it ideal for placement



Screen 1:
PowerDoctor software, available with the Smart-UPS 900, displays bar graphs that indicate the current battery voltage, line voltage, and UPS load.

between the CPU case and the monitor. This means you won't have to get down on your hands and knees to access it. Also, the unit's designers recessed a light in the front panel, so if power goes out, this backup light can illuminate your keyboard while you type in a shutdown sequence.

The UniPower also provides a "remote-on" feature using two RJ-11C telephone jacks that let you connect the UPS

to a telephone and a modem. You flip a toggle switch to enable the remote-on feature. Whenever the UniPower detects the ring signal of an incoming phone call, it turns on automatically, thus applying power to your computer system. Your AUTOEXEC.BAT file launches any application that you want to run remotely. When you've finished and you disconnect, the UniPower waits 2 minutes for your applications software to ter-

minate and then shuts itself off and waits for the next ring. (APC's documentation describes a similar remote-on accessory for the Smart-UPS 900, but I didn't receive this accessory in time for testing.)

The UniPower's front panel looks absolutely Spartan compared to the other units. An AC status light and audible alarm signal power conditions with various colors and flashing lights. The alarm sings in pulses of various durations depending on the problem, so you can tell what's happening to your UPS even if you can't see the front-panel lights. The other front-panel LED indicates battery charge levels.

Tripp Lite/Unison sells Ocean Isle's Network Monitor to run with the UniPower. This software runs as a NetWare loadable module (NLM) under Novell's NetWare 386 (there is also a value-added-process version of Network Monitor for NetWare 286). It keeps an eye on the serial-port signals running from the UniPower, and, in case of a power failure, it signals workstations of the upcoming shutdown. After a supervisor-selectable delay to allow users to log off, Network Monitor sends a last broadcast

GET A HANDLE ON YOUR HARD DRIVE

Plugs directly to the parallel printer port. No controller cards or preconfiguration of the host PC.

At last — a portable, cartridge-based hard drive that attaches instantly to any IBM or compatible PC.

- ☒ Perfect for laptops, high security, transporting data bases, CAD, desktop publishing, service organizations and more.
- ☒ Quick data transfer rates with unlimited storage capacity on 44MB removable cartridges by SyQuest Technology. Full DOS functionality.
- ☒ From the makers of TapeXchange, the original parallel connected portable tape backup system with worldwide distribution.

Call today for introductory pricing. Dealer inquiries invited.

(800) 232-4687 / (303) 431-8991 FAX: (303) 431-9056



**INTERPRETER
DISC EXCHANGE**

11455 W. 84th Avenue, Wheat Ridge, CO 80033

LOOKS LIKE A JOB FOR MINUTEMAN.

Spikes. Surges. Overvoltage. Undervoltage. Brownouts. These things happen. And they can do irreparable damage to your equipment and data. Unless you're protected with Minuteman Uninterruptible Power Supplies.

Minuteman protects all your equipment and data. All the time. In fact, in the event of power failure, it will safely and automatically shut down your network, using your operating system or our own software. Even if you're not there.



There's a Minuteman to fit your needs, large or small. Including 220-volt international models. And we ship orders the same day they're received.

So call us. You can't stop disaster from striking. But you can keep it from hurting you.

1-800-238-7272

STANDBY UPS MODELS

300 VA to 2300 VA

Sinewave output: 1 msec Transfer

ON-LINE UPS MODELS

500 VA to 10,000 VA

Static by-pass standard

True on-line sinewave outputs

UNATTENDED SHUTDOWN

Via your operating system or our software, interfacing:

Novell 286 VAP and 386 NLM

ELS Level II

AIX for IBM RS6000 Version 3.1 & up

AIX for IBM RT Version 2.2.1 & up

3COM

LAN Manager

Banyan Vines

AT&T 3B2

AT&T UNIX 386 Version 3.2

SCO UNIX 386 Version 3.2 & up

SCO XENIX 386 Version 2.3.2 & up

SCO XENIX 286 Version 2.2.1 & up


Sun OS Sun 4 Version 4.03 & 4.10 & up

Sun SPARC Version 4.03 & 4.10 & up

SUN OS Sun 3 Version 4.01 & up

DEC VMS Version 5.1 & up

Custom configuration any system




MINUTEMAN
UNINTERRUPTIBLE POWER SUPPLIES



International Models: 220v 240v
Novell approved UPS monitor boards

© Para Systems, Inc. 1455 LeMay Drive, Carrollton, Texas 75007 Phone: 214-446-7363 FAX: 214-446-9011



Screen 2: LanSafe A.I.+ control software for Elgar's IPS/A.I. shows instantaneous values for incoming voltage and line frequency, outgoing power and equivalent volt-amperes, battery level, and other parameters.

minutes after the network boots up. After that, you have to send a "Set User Command Interface On" message to LanSafe. When you're done talking to this artificial user, you send a "Set User Command Interface Off" message. This keeps LanSafe from responding sporadically to broadcast messages.

Other network workstations with an attached IPS/A.I. UPS and running LanSafe become "power nodes." That is, you can execute LanSafe's console program and view the status screen of another user's UPS. (The screen is identical to the single-user version of IPS/A.I. software.) You can even issue self-tests across the network so a network administrator can monitor the entire network without leaving his or her office.

As with the other network packages tested, LanSafe continuously monitors the condition of the UPS. If a power outage occurs, LanSafe warns all network users of the condition. After a sufficient delay, LanSafe downs the network.

The front panel of the UPS contains five LEDs that illuminate various colors and flash sequences. This variety is not simply meant to impress. A single glance at the LEDs tells you about the condition of a host of line conditions. The trick, of course, is to remember the language of the LEDs: I found it necessary to keep the IPS/A.I.'s 15-page manual handy for that reason.

The UPS uses a 15-pin female connector for communication with a host system. The function of this connector can be set by DIP switches to either standard or smart mode.

Holdup Times

My evaluation focused on the software that ships with each of these units. But power reliability remains the most important job of a UPS. To test this, I recorded holdup times—the period between the interruption of utility power and when the UPS shuts off its outputs. I charged each UPS overnight and connected them one at a time to a load workstation. I installed a variable transformer between the UPS and the utility power and ran the input voltage down to 0.

Shutdown time varies depending on the size of the load. My load workstation was a 10-MHz AT clone with a 5¼-inch floppy disk drive, a hard disk drive, a Western Digital network adapter, and a VGA card connected to a Tatung monitor. This amounted to a power draw of about 120 watts (the VA rating was about 240).

Based on these tests, the Smart-UPS 900 performed the best, with a holdup

message of impending shutdown. About a minute later, it downs the server.

IPS/A.I. 800

Elgar's IPS/A.I. 800 uses LanSafe A.I. control software to view the status of the UPS and provide a software control panel to adjust internal parameters and run system tests. With the optional software, the unit continuously updates status display (see screen 2) to show instantaneous values for incoming voltage and line frequency, outgoing power and equivalent volt-amperes, battery level, and other parameters. If you have a significant number of power problems that you'd like documented, you can program the software (a portion of which runs as a TSR) to periodically write line-status information to a log file. Since part of the software runs as a TSR, even when you're in another application a pop-up window can alert you to a problem.

LanSafe A.I.+ is a network version of the IPS/A.I.'s control software. I tested it under NetWare 386. To run LanSafe, you create a user named LanSafe with supervisor and console rights. You then install an NLM that's loaded when the server boots up. Once it's installed, the NLM acts like a user and will respond to English-language messages. The lexicon is limited but more than sufficient for this purpose. For example, if you enter

Send "What is the power status" to LanSafe

you'll get a quick response of

"Commercial power and batteries are OK."

Under normal circumstances, this command interface is active for only 10

BYTE ACTION SUMMARY

■ LAN-BASED UPSES

■ WHAT THEY DO

Combined with "smart" software, they inform network users about a power failure, broadcast log-off messages, and automatically shut down the network server. By continually monitoring battery levels and power quality, they can help you head off potential damage caused by faulty power conditions.

■ WHAT WE RECOMMEND

Our highest marks go to the Smart-UPS 900 because of its long holdup time, its power-monitoring software, and the SmartBoost feature, which helps the UPS survive extended brownouts.

■ WHAT YOU'LL PAY

Smart-UPS 900: \$999;
PowerChute software (available for Novell's NetWare 286 and 386, IBM LAN Server, SCO Xenix 286 and 386, SCO Unix System V/386, AT&T Unix, Interactive Unix, LAN Manager, 3+ Open, and AppleShare): \$99;
PowerDoctor software: \$99
IPS/A.I. 800: \$899; LanSafe A.I. 386+ software for Novell NetWare 386 (as tested): \$135;
LanSafe A.I. 286+ for NetWare 286: \$99
UniPower PS8.0: \$999;
NetWork Monitor for Novell NetWare 286 and 386: \$99.95

**NEW!
FROM
PHAR
LAP**

C BEYOND 640K DOS

Let Phar Lap's new 286DOS-Extender™ turn your Microsoft C compiler into a multi-megabyte power tool!

It's never been so easy to C beyond 640K DOS. You've been hearing a lot lately about DOS Extenders and their ability to let you create large programs beyond the 640K DOS limit. Now Phar Lap® makes it easier than ever! With your copy of Microsoft C and our new 286DOS-Extender you've got all the tools you'll need to quickly and easily build multi-megabyte protected-mode applications - often by simply relinking without making source code changes. 286DOS-Extender enables you to build programs that have room for more features and capabilities without having to suffer with overlays or EMS. But the best news is you don't have to give up any of your Microsoft C tools, including your CodeView debugger.

And with 286DOS-Extender you'll not only have plenty of memory for your applications but also for the Microsoft C 6.0 compiler itself. No more crippling "Out of Heap" messages when compiling under Windows or with networks.

Total Compatibility

Because 286DOS-Extender is embedded into your program, it is invisible to the end-user. Your program looks exactly like any other DOS application. There's no new operating environment for your end-users to buy or learn. Any of the 30 million 80286, 386, or 486 PCs that can run MS-DOS or PC-DOS can run 286DOS-Extender. And because Phar Lap products support the XMS, VCPI, and DPMS standards, applications built with 286DOS-Extender can run under a variety of environments besides MS-DOS, including DESQview and all modes of Microsoft Windows.

Field Proven Technology

Phar Lap is also the developer of the award-winning 386DOS-Extender™, which has been used in over 600 applications including AutoCAD 386 and IBM Interleaf Publisher.

386DOS-Extender is designed for programs that require the ultimate in 32-bit speed and performance on 386 and 486 PCs. By utilizing either of our DOS-Extender technologies, industry leaders are keeping their competitive edge and delivering all the functionality and capabilities that their customers have been asking for.

So if DOS is looking smaller than ever, call Phar Lap today.

And C what it's like beyond 640K.

Phar Lap 286DOS-Extender SDK \$495.


We open a world of memory.



Phar Lap Software, Inc.
60 Aberdeen Avenue
Cambridge, MA 02138
617-661-1510
FAX 617-876-2972

Trademark holders: 286DOS-Extender™ and 386DOS-Extender™ - Phar Lap Software, Inc.; Windows™ - Microsoft Corp.; DESQview™ - Quarterdeck Office Systems; Interleaf Publisher™ - Interleaf, Inc.; Registered trademark holders: Phar Lap® - Phar Lap Software, Inc.; MS-DOS®, Microsoft®, and CodeView® - Microsoft Corp.; AutoCAD® - Autodesk, Inc.; IBM® - IBM Corporation.
© 1991 Phar Lap Software, Inc.

HARD DRIVES TO GO!



Go from the palm of your hand to an XT[™], AT[™], 386[™] or 486[™] Desk Top; then go to your laptop.



The RHD60 is a fast 22ms, ultra-small 60 mega-byte removable hard drive.



Weighing less than seven ounces, this rugged disk storage is interchangeable with

most notebook, laptop, or desktop PCs which are equipped with a Disctec docking bracket.



Secure it in your safe, carry it in your briefcase. Take it from the office to your home, or away on a trip.



Call toll free 1-800-553-0337 to order the world's smallest removable hard drive for your system. Only \$895.

"SMART" UPSes

time of 62 minutes, followed by the IPS/A.I. 800 at 40 minutes and the UniPower PS8.0 at 31 minutes.

Close Contest

Compared to the other two units, the UniPower PS8.0 suffers from fewer AC outlets: four, as opposed to six on the others. This could be remedied with a bus strip, but that might tempt users to overextend the capacity of the UPS. The UniPower is also the least intelligent of the three. Given that the UniPower is in the same price class as the others, I don't recommend it unless you need its remote-on feature.

The race between the Smart-UPS 900 and the IPS/A.I. 800 is almost a dead heat. Although the Smart-UPS performed noticeably better than the IPS in the holdup tests, both manufacturers say the UPSes can sustain equivalent battery loads for approximately the same amount of time. Ultimately, I would choose the Smart-UPS based on its SmartBoost feature. Given the vagaries of utility power in many parts of the country, this feature could help the Smart-UPS survive extended brownouts that would send the IPS/A.I. onto battery power. ■

Rick Grehan is the technical director of the BYTE Lab. You can reach him on BIX as "rick_g."

COMPANY INFORMATION

American Power Conversion

(Smart-UPS 900)
132 Fairgrounds Rd.
P.O. Box 278
West Kingston, RI 02892
(800) 541-8896
(401) 789-5735
fax: (401) 789-3710
Circle 1228 on Inquiry Card.

Elgar Corp.


(IPS/A.I. 800)
9250 Brown Deer Rd.
San Diego, CA 92121
(800) 733-5427
(619) 458-0250
fax: (619) 458-0267
Circle 1229 on Inquiry Card.

Tripp Lite/Unison

(UniPower PS8.0)
500 North Orleans
Chicago, IL 60610
(312) 329-1777
fax: (312) 644-6505
Circle 1230 on Inquiry Card.

904 Railroad Ave.; Winter Park, Florida 32789; (407) 645-0001

Get the real thing for the price of a reproduction.




True PostScript® printing for only \$1,999*: microLaser™ PS17 from Texas Instruments.

Now you can afford the powerful font and graphics capabilities of the industry-standard PostScript software from Adobe®.

The microLaser PS17 features true Adobe PostScript printing so you don't have to settle for an imitation that costs about the same, but gives you less. Plus, microLaser offers these other advantages:

17 Scalable fonts. Plenty to get you started. If you need more, choose the microLaser PS35 model, with 35 PostScript fonts. Both PS17 and PS35 models feature the new Adobe ATM™ font rendering technology, which improves the quality of PostScript fonts and prints them significantly faster.

The industry standard. With microLaser and PostScript, you can access more than 600 high-quality typefaces and over 4,000 software applications. It's also compatible with the HP LaserJet® Series II and allows you to switch between the HP and PostScript modes easily. Plus, you can connect microLaser to your PC, Macintosh® or virtually any type of



computer hardware.

Superior paper handling.

microLaser's paper drawer holds 250 sheets — and it conveniently slides inside the printer to save space. An optional, second 250-sheet paper drawer and envelope feeder are available for extra versatility.

The smallest footprint you'll find. At only 13.4" wide and 14.2" deep, microLaser offers what BYTE magazine calls, "an exquisitely small footprint and a

compact design, destined for a cramped desktop."**

If you're not ready for PostScript yet, you can buy the standard microLaser for \$1,449*. Then as your needs grow, so do microLaser's capabilities — without tools or technicians. Just add upgrade boards for PostScript software, more memory and optional interfaces. Or plug in microCartridges for additional fonts and emulations.

With all of this capability, why settle for less than the microLaser with PostScript?

Call us for additional information and the name of a dealer near you.

1-800-527-3500.

**TEXAS
INSTRUMENTS**



Even This Is More Confining Than Clipper.

Just as the vast expanse of the American West gave its settlers a new perspective on opportunity, Clipper's open architecture lends unprecedented freedom to application development.

Unlike fixed systems, Clipper never forces you to "make do". Its language is fully extensible with user-defined functions and new user-defined commands. You can extend the language with routines written in Clipper itself, or integrate code from other languages like C, Assembler, dBASE® and Pascal. Odds are, you already have knowledge you can use with Clipper!

But if a customizable language isn't enough, there's even more elbow room. Database and I/O drivers can be supplemented or replaced. Even Clipper's linker knocks down barriers by allowing you to develop applications larger than available memory, without defining overlays! And when you're done, Clipper's compiler generates stand-alone, executable files for cost-free, unrestricted distribution.

So, don't let the bounds of fixed systems fence you in. Unleash your imagination in the wide-open spaces of Clipper. To find out more, give us a call today.

Clipper® 5.0

The Application Development Standard

213/390-7923

Ask For Department-A

 **nantucket**®

Circle 221 on Inquiry Card.

Nantucket Corporation, 12555 West Jefferson Boulevard, Los Angeles, CA 90066. 213/390-7923 FAX: 213/397-5469 TELEX: 650-2574125. Nantucket, the Nantucket logo and Clipper are registered trademarks of Nantucket Corporation. Other brand and product names are used for identification purposes only and may be trademarks or registered trademarks of their respective holders. Entire contents copyright © 1990 Nantucket Corporation.

SOFTWARE

QEMM-386 and 386Max
Square Off Under Windows

BRETT GLASS

Many PC users rely on an expanded-memory manager (EMM) to deal with DOS's 640K-byte memory barrier, but users who run Windows in enhanced mode on 386-based systems have a particularly strong incentive. The TSR programs and device drivers that they load into the lower 640K bytes of DOS memory reduce the amount of space available in every DOS window.

EMMs help by loading device drivers, network shells, TSRs, and parts of DOS into the high memory area between 640K bytes and 1 megabyte—freeing between 64K and 128K bytes of conventional RAM. They also support the Extended Memory Specification (XMS), the Expanded Memory Specification (EMS), and the Virtual Control Program Interface (VCPI). Two other features—the ability to backfill conventional RAM if your system has less than 640K bytes, and to sort memory by speed—won't work if you're running Windows in enhanced mode.

The combination of Windows and a third-party EMM is by no means bullet-proof. I tested two industry leaders—QEMM-386 and 386Max—to see just how well these products work in general, and in the Windows environment in particular. I also installed BlueMax, the Qualitas version of 386Max with special features for IBM's PS/2 computers. All the products support Microsoft's VxD driver standard, which allows EMMs to launch Windows in enhanced mode.

I tested Quarterdeck's QEMM-386 5.12 and Qualitas' 386Max 5.1 and BlueMax 5.1 for PS/2s. For each product, I compared features and compatibility with Windows 3.00a. I also compared how much high RAM each made available for loading programs above conventional memory (see the table).

My test-bed included an Everex Step 386/33 system with 4 MB of RAM, and a Northgate Elegance 386/33 system running MS-DOS 3.3 with 1 MB of fast 32-bit RAM on the motherboard and a 3-MB AST RAMvantage memory card in the backplane. I also tested BlueMax





Photo 1: Manifest graphically illustrates how your system uses memory and lets you tune QEMM for maximum efficiency. This screen shows how my test system has allocated the lower 1 MB of system memory.

Photo 2: Qualitas's ASQ, a companion utility for 386Max, includes an excellent on-line tutorial on memory management. Like Manifest, it displays system information graphically, but it doesn't offer as much detail.



and QEMM-386 on an IBM Micro Channel PS/2 Model 55 SX running PC-DOS 4.0, with 2 MB of RAM.

All systems included a color VGA monitor. I installed a Microsoft Serial Mouse and Windows 3.00a on all machines. I ran CHKDSK from the main DOS prompt and from within Windows, running in both standard and enhanced mode, to determine available memory. I also ran several DOS and Windows applications to test system stability.

QEMM-386

Version 5.12 of QEMM-386 has several improvements over earlier versions, including a better VxD driver, support for standard mode and foreign-language versions of Windows, and the ability to use the "Close Window" command on a VCPI application running in a DOS window. Also included is VIDRAM, a utility that lets you use EGA and VGA high

memory space to increase DOS memory by up to 96K bytes when running text-mode programs. Finally, Quarterdeck bundles Manifest, a system analyzer (see photo 1).

Both QEMM and 386Max write to the distribution disk during installation. Both can damage your disks by doing so, but QEMM is more likely to because it writes to a low-density disk from what is most likely a high-density drive. Install from a copy to be safe.

The installation program then showed a summary of the default options and asked me if I wanted to change them. I did and entered a series of dialogues that gave me a chance to make the changes. Alas, the options shown on the summary screen don't quite match the ones that you see if you decide to change them later. For instance, the option "Fill all high memory with RAM?" later becomes "Do you want to load resident pro-

AVAILABLE HIGH RAM UNDER 386MAX AND QEMM-386

A 386 memory manager makes more high memory available so you can move more device drivers and TSR programs above the 640K-byte space. I ran each program's optimizer to see how much high RAM it made available on the Northgate and IBM PS/2 Model 55 SX test machines. 386Max freed less high memory initially because it excluded part of the monochrome display area. When I forced 386Max to include this area, the number increased to 112K bytes, but about 64K bytes of memory was lost in each DOS window. BlueMax excelled on the PS/2 due to its BIOS compression capability. Note that I allocated a 64K-byte EMS page frame during testing. If you don't run programs that require EMS outside of Windows, all three EMMs will yield another 64K bytes of space for loading TSRs high. (N/A = not applicable.)

	Northgate	IBM PS/2 Model 55 SX
QEMM-386	112K bytes	96K bytes
386Max	88K bytes	N/A
BlueMax	N/A	152K bytes

grams above the video memory?"

The remainder of the installation went smoothly. I ran QEMM's Optimize utility, which configures your system to load TSRs and device drivers high. The utility worked without a hitch but didn't offer me the option of excluding drivers that I know misbehave when loaded high.

I then rebooted, only to get an error message and a beep each time the machine started up. The cause: QEMM had not removed HIMEM.SYS, which was trying to load on top of QEMM in the CONFIG.SYS file. I took the line out manually to eliminate the message. I then ran Manifest, which offered more suggestions for tuning the system. It told me that I could save additional memory by adding the line STACKS 0,0 to my CONFIG.SYS file. Optimize, when tuning my system, didn't point out this potential optimization.

Optimize is generous with high RAM space—a trait that may motivate you to reconfigure things later. On the PS/2 (with 2 MB of RAM, 1092K bytes available to DOS), I could not open a DOS window in enhanced mode due to insufficient memory. Manifest revealed that QEMM had mapped extended memory into as much of the upper address space as it could, even where it hadn't loaded any programs. I solved the problem by reconfiguring QEMM to return some of this space to the pool of available RAM.

On the Everex Step 386/33, I detected another waste of RAM. The Everex BIOS ROM copies itself into high memory to improve speed. But Optimize, in an attempt to speed up the system, did this a second time, thus wasting precious space. (It didn't notice that there was no speedup obtained by doing this.)

Once QEMM was installed, all the

machines ran fine under DOS, but Windows didn't work until I tinkered with the options manually and consulted special information not in the standard documentation. The Windows 3.0 supplement to the manual contains a few tips, but the truly necessary advice comes in the form of three technical notes—designated W3, WT, and WR—that are available from Quarterdeck or from the Desqview conference on BIX. Once I finally chose the right options, Windows ran well.

386Max and BlueMax

386Max works with any 386-based AT clone; BlueMax adds special features for IBM's PS/2s. Qualitas claims that both have significant advantages over QEMM when handling TSRs in Windows and on IBM PS/2s. They do, however, have one distinct disadvantage: Both support Windows only in enhanced mode. (I'll refer to both as 386Max, except where features are specific to BlueMax.)

The installation process is easier than with QEMM, and it's Windows-aware. It noticed Windows on my disk and offered to support it. Queries included information on how my answers would affect Windows. The installation program removed HIMEM.SYS and swapped in 386MAX.SYS automatically. The Maximize optimization program lets you load TSRs and device drivers low if you know that they won't work when loaded high. I didn't need to read any technical notes—or even look at the manual—to get an installation that worked the first time.

QEMM has one feature that 386Max lacks. It always allocates extended and expanded memory from a common pool, so you needn't decide in advance how much to devote to each. 386Max must know in advance how much to give to

BYTE ACTION SUMMARY

■ EXPANDED MEMORY MANAGERS

■ WHAT YOU'LL LIKE

Both programs let you load TSR programs and device drivers in high memory above the 640K-byte DOS partition. 386Max and BlueMax are easier to get working with Windows; QEMM lets you run Windows in standard mode under DOS or Desqview.

■ WHAT YOU'LL DISLIKE

If the optimization programs don't work, you won't find any easy answers. Be prepared to do a lot of experimenting.

■ SYSTEM REQUIREMENTS

386 or 486 computer

■ WHAT WE RECOMMEND

Go with QEMM-386 if you run Windows in standard mode or want to use Desqview. Otherwise, both 386Max and BlueMax do a better job of getting you up and running the first time. BlueMax frees up far more memory on PS/2 systems.

■ WHAT YOU'LL PAY

QEMM-386 5.12: \$99.95;
386Max 5.1: \$130;
BlueMax 5.1: \$155

■ FOR MORE INFORMATION

Qualitas, Inc.
7101 Wisconsin Ave., Suite 1386
Bethesda, MD 20814
(301) 907-6700
fax: (301) 718-6060

Circle 1231 on Inquiry Card.

Quarterdeck Office Systems
150 Pico Blvd.
Santa Monica, CA 90405
(213) 392-9851
fax: (213) 399-3802

Circle 1232 on Inquiry Card.

each, and you can't change your mind without rebooting. There's one exception: When you start Windows in enhanced mode, 386Max can pull a switch and make as much memory as possible into XMS RAM. Windows then provides EMS emulation for DOS windows.

continued

**CA Shocks Spreadsheet
World With 70% Price Cut:
Highly-Rated SuperCalc5
Now Only \$149.00**

This bold, new pricing strategy is great news for spreadsheet users. It means now everyone can afford to trade up to the most advanced spreadsheet technology in the industry. And unlike Lotus 1-2-3 3.0 or Excel for Windows, which cost

Initial reaction amongst spreadsheet users and software dealers has been overwhelmingly positive. "This is terrific," said one

Initial reaction amongst spreadsheet users and software dealers has been overwhelmingly positive. "This is terrific," said one

Circle 370 on Inquiry Card.

386Max freed up approximately the same amount of conventional memory as QEMM did under DOS, and BlueMax did something better. It rearranged the mapping of PS/2 peripherals to provide the greatest possible amount of contiguous high RAM. Its BIOS compression feature reclaimed the space that was used by IBM's ABIOS (advanced BIOS), power-on self test, and ROM BASIC—parts of the ROM seldom (if ever) used under DOS. BlueMax made almost 64K

bytes more memory available for loading programs high on the PS/2 than did QEMM.

The TSR instancing feature makes life easier for heavy Windows users. If you load a TSR before Windows and then bring it up simultaneously in multiple DOS windows, your actions in one window may confuse the instance of the TSR running in the next, potentially scrambling data. Qualitas' instancing feature gives each invocation of the TSR its own

copy of the data, preventing conflicts.

The 386UTIL memory-snooping utility isn't as good as Manifest. Qualitas also offers a more advanced, Manifest-like utility, called ASQ (see photo 2), for free. It's better, but still not quite as good as Manifest. It's not bundled with 386Max, so you'll have to download it from CompuServe or ask Qualitas to send it to you.

On Your Own

You're more likely to need help with QEMM than with 386Max or BlueMax. But if either package fails to work, the installation process becomes a trial-and-error exercise. The technical-support departments of both companies are overburdened; expect busy signals and long waits on hold. Neither company has a toll-free help line. When I called Quarterdeck, the line was continuously busy. When I finally got through, I waited for more than 15 minutes to speak with a representative. Qualitas' voice-mail system gave me the option of holding, talking to a receptionist, or leaving a voice-mail message; I spent less time on hold, and a support technician called back quickly after I left a message.

QEMM-386 and 386Max both do the basics well. In terms of the amount of memory provided at the DOS prompt, my test results showed a dead heat except in a DOS window in enhanced mode on the PS/2. In this case, QEMM came out ahead by about 30K bytes. On the other hand, BlueMax did better at providing high RAM on the same machine.

Either 386Max or BlueMax is a good choice if you're looking for a simple installation process that's likely to work the first time. You'll also want 386Max if you intend to pop up multiple copies of a TSR in several virtual DOS windows.

Choose QEMM-386 if you want to use Desqview as your DOS multitasker. It's the only choice if you want to run Windows in standard mode or if you want to backfill your DOS RAM to 640K bytes. And it's better if you run a mix of programs outside Windows that demand both XMS and EMS memory. QEMM requires more experimentation, but Manifest is a great help when you're fine-tuning. Its VIDRAM utility, which reallocates up to 96K bytes from the EGA and VGA high memory area to conventional memory, is excellent if you're

Brett Glass, a frequent contributor to BYTE, is a programmer, hardware designer, author, and consultant in Palo Alto, California. You can reach him on BIX as "glass."

SX/NOW!™

Upgrade IBM PS/2 Models 50 & 60

Faster than a 55SX at less than 1/4 the cost!

Performance Ratings	PS/2 Model 50 or 60	A New PS/2 Model 55SX	SX/NOW!™ in your 50 or 60	
			16 MHz	20 MHz
Norton SI	9.8	15.3	17.6	21.5
Landmark	9.8	15.1	23.2	27.8
Dhrystones	1842	2986	3250	3584
Whetstones	36.9 K	58.9 K	69.0 K	83.4 K
Incremental Cost	—	\$3,895	\$895	\$995

80386SX 16 & 20 MHz processor Upgrades from Kingston features:

- ◆ 16 Kbytes of Cache Memory
- ◆ Onboard 16 or 20 MHz Processor Clock
- ◆ Requires NO Expansion Slot
- ◆ 80387SX Math Co-Processor Socket

NEW MEMORY PRODUCTS

PS/2 Model 90 & 95

IBM RS/6000

TOSHIBA 2000SX

Call Sigma for Your Upgrade Options.

Σ Sigma Data

P.O. Box 1790
New London, NH 02357

Tel: 800-446-4525
Fax: 603-526-6915

1-Year Warranty and 30-day Money Back Guarantee.

VISA, MC, AMEX, COD and Qualified PO's accepted.

All products & company names are trademarks or registered trademarks of their respective companies.

Upgrade today!!! Call...

1-800-446-4525

Profit from 10 years of experience

WATCOM C8.0/386
Optimizing C Compiler and Tools
for 386 Extended DOS

WATCOM C/386
for Windows

Unleash 386 Power on Your Microsoft C Code.

- Interactive source-level debugger
- Generates high-performance code for 32-bit protected mode
- Microsoft source and library compatible
- Fast, tight code
- Profiler
- Protected-mode version of compiler
- Graphics library
- 100% ANSI C and SAA compatible
- Run-time compatible with WATCOM FORTRAN 77/386

Experts Agree on WATCOM C:

"When Novell went looking for a 32-bit compiler for use with the NetWare 386 developer's kit, the company selected WATCOM's...It's clear that Novell chose wisely; this product is a winner."

Fred Hommel, BYTE, December 1989

"WATCOM C/386 is a fantastic new ANSI C compatible compiler for 386-based PC's...If you have written your application in Microsoft C, you will love this compiler."

J. Richard Hines, Electronic Test, December 1989

"Microsoft library- and source-compatibility makes WATCOM C7.0/386 ideal for porting DOS applications to 32-bit native mode. This compiler enables full 386 performance without 640K limitations."

Richard M. Smith, President, Phar Lap Software, Inc.

"WATCOM is definitely the leader in object-level optimizations...For flat-out executable speed... WATCOM C showed shining performance."

Computer Language, February 1989

WATCOM C8.0/386 Professional

• 100% ANSI C optimizing compiler • Protected-mode version of compiler • 386 run-time library object code • Windowed source level debugger • Profiler • Editor • 386 graphics library • MAKE • Linker • Object-code librarian • Object-code disassembler • Supports Phar Lap and ERGO DOS extenders

1-800-265-4555

WATCOM

415 Phillip Street, Waterloo, Ontario, Canada N2L 3X2
Tel. (519) 886-3700 Fax (519) 747-4971

WATCOM C is a trademark of WATCOM Systems Inc.
Trademarked names are the properties of their respective owners.
© Copyright 1990 WATCOM Products Inc.

WATCOM C/386 for Windows

- Enables 32-bit Windows 3.0 GUI applications
- Interactive debugger for 32-bit Windows GUI applications
- Ideal for porting 32-bit Unix applications to Windows
- 32-bit flat model simplifies Windows memory management
- Royalty-free run-time license
- Requires Windows 3.0 SDK, does not require DOS extender



YOU MAY BE MISSING THE BOAT...

If you're a C or PASCAL software engineer and haven't tried Ada yet!

Since 1983 Ada has become one of the fastest growing programming languages. Ada software engineers are in high demand. Colleges are graduating more and more Ada engineers.

From the space shuttle to the Persian Gulf, Ada's the law for all Defense Department, NASA and NATO related programming. Overseas, Ada's the law for all European Community programming. And here at home, more and more Fortune 500 companies are switching to Ada to solve their software engineering problems.

Sounds big doesn't it?

Yet few software engineers have given Ada even a glance. But Ada's coming and now you can hop on board for \$149.95.

We've even made it simple.

A complete, **validated** Ada Programming Environment that's more than just a compiler—a full color, seamless, user-friendly environment with pull-down windows, a language sensitive editor, a linker, operates on 8086, 80286, 80386, and 80486, and requires no math CoProcessor.



GEMTECH
The Ada Company

GEM Technologies, Inc.
100 Main Street, Old Saybrook, CT 06475
(203) 395-1426 FAX (203) 395-1355

Everything to begin software engineering in Ada.
Serious, production quality, software engineering!

And we're so sure that Ada will change the way you think about software engineering, we offer a **money back guarantee**. No questions asked. We also offer Ada tutorials and educational discounts.

So if you're currently a PASCAL or C software engineer, here's your chance to give Ada a try for only **\$149.95**.

Your ship may have just come in.

To order call **1-800-232-3989** or send in the Coupon. For faster service

Fax (203) 395-1355

GEM Technologies, Inc.
100 Main Street
Old Saybrook, CT 06475
1-800-232-3989

☐ **YES** please send me GEM Technologies Complete Ada Programming Environment for \$149.95.

☐ 5 1/4 disc ☐ 3 1/2 disc.

CT residents add 8% sales tax.

☐ I want to learn more about software engineering in Ada. Please send me the free Complete Ada Programming Environment Demo disc ☐ 5 1/4 disc ☐ 3 1/2 disc.

Name _____
Address _____
City _____
State _____ Zip _____
Telephone _____


☐ Check ☐ VISA ☐ MC ☐ Money Order
Card # _____ Exp. date _____

I currently program in: ☐ COLBOL ☐ PASCAL ☐ Ada
☐ BASIC ☐ Other

HARDWARE AND SOFTWARE

When Less Is More: Making Mac Images Manageable

STEVEN J. VAUGHAN-NICHOLS



Storm's PicturePress accelerator card and software compress Macintosh-based image files using three types of compression schemes.

Pity the poor Macintosh-based multimedia producer. Most of us have trouble fitting all our programs and data files on a hard disk drive. Multimedia fans have fits squeezing just a handful of files into the same drive. A single 24-bit color image can occupy more than a megabyte of storage.

Fortunately, the oversize file problem is becoming manageable, whether you produce multimedia presentations, four-color magazines, or desktop published brochures. Image-compression software and hardware now hitting the market let you shrink graphics files to maximize storage space. They also save on communications costs if you transmit massive

files over a network or telephone line.

Storm Technology, with its PicturePress hardware and software, is an early entrant into the image-compression field. At press time, several other vendors had announced software and hardware compression products for the Mac but were unable to send commercial versions in time for testing. They include Micron Technology, Radius, Sigma Designs, and SuperMac Technology.

Tandem Hardware and Software

Storm Technology's PicturePress compression software and PicturePress Accelerator, a NuBus card, work in tandem to provide image compression for Macintosh users. The pair implement three different flavors of image compression: JPEG, JPEG++, and lossless (see the text box "An Image-Compression Glossary" on page 264).

The card itself doesn't include compression routines in ROM. You can upload PicturePress software to the card and its twin 60-MHz digital signal processors. This innovative approach makes adding improvements simple. Only the program needs to be upgraded, not the card. This more than makes up for the slightly poorer performance of the general-purpose DSPs versus customized data-compression chips with embedded code.

PicturePress software works without the board, but do yourself a favor—use the two together. In my tests on a Mac IIci running with a 25-MHz 68030, I compressed 1-MB images in 51 to 58 seconds with PicturePress software alone. Once I had armed the Macintosh with the PicturePress Accelerator, the compression times dropped to 5 to 8 seconds. The performance benefits far outweigh the additional costs for all but the most penny-pinching offices.

Another PicturePress advantage is that Storm Technology allows users to make copies of the decompression utility. You need only send the program with your images, and the recipient can expand them. Third-party JPEG systems, how-

ever, probably would not work with Storm Technology processed images, because the JPEG standard is still in the final stages of evolution. A welcome addition would be an exportable version of PicturePress for MS-DOS machines.

PicturePress runs on any properly equipped Mac II or SE/30. The program requires System 6.0.4 or higher and 32-Bit QuickDraw installed and running. Its hardware demands are minimal: You'll need at least 1 MB of RAM (2 MB are recommended) and 2 MB of free disk space.

Performance varies not only by file size but also by the content of the image being shrunk. A picture of an empty field with a blue sky shrinks faster and into a smaller file than that of a busy city street, for example; in other words, the greater the data redundancy, the higher the possible compression. I compressed a score of 24-bit color PICT files, ranging in size from 750K bytes to 1.5 MB, and found that the amount of detail was the most significant performance factor.

continued

BYTE ACTION SUMMARY

- **WHAT PICTUREPRESS DOES**
The image-compression software and hardware let you shrink graphics in rates of from about 2-to-1 to 40-to-1.
- **WHAT YOU'LL LIKE**
Reducing formerly massive files to manageable sizes to maximize storage space and save on communications costs.
- **WHAT YOU'LL DISLIKE**
PicturePress doesn't directly support compression of TIFF and graphics formats other than PICT.
- **WHAT YOU'LL PAY**
PicturePress Accelerator (includes software): \$999; PicturePress software: \$199

■ **FOR MORE INFORMATION**
Storm Technology, Inc.
220 California Ave., Suite 101
Palo Alto, CA 94306
(415) 322-0506
fax: (415) 322-2439
Circle 978 on Inquiry Card.

An Image-Compression Glossary

The following dictionary highlights some image-compression technologies to help you thread your way through the maze of new names and acronyms.

Fractal Compression A developing and as yet unproven technology based on principles of fractal geometry. It promises high-resolution and impressive compression ratios.

Huffman Encoding A popular lossless-compression algorithm that replaces frequently occurring data strings with shorter codes. Some implementations include tables that predetermine what codes will be generated for a particular string. Other versions of the algorithm build the code table from the data stream during processing.

JPEG (for Joint Photographic Experts Group) An ISO and CCITT committee and a still-image-compression standard being developed by the committee. As of press time, the JPEG standard has not been approved. It uses a one-pass, threefold process to squeeze down images.

JPEG++ Storm Technology's proprietary extension of the JPEG algorithm. It lets users determine the degree of compression that the foreground and background of an image receive; for example, in a portrait, you could compress the face in the foreground only slightly, while you could compress it in the background to a much higher degree.

Lossless Image- and data-compression applications and algorithms, such as Huffman Encoding, that reduce a picture's size without losing any data.


Lossy Methods of image compression, such as JPEG, that reduce the size of an image by disregarding some pictorial information.

LZW (for Lempel-Ziv-Welch) A lossless data-compression algorithm.

MPEG (for Moving Pictures Experts Group) Like JPEG, both a group and an algorithm. The algorithm, for compressing moving images, is being developed and is not yet available for use.

Px64 A compression technique used in real-time videoconferencing.

Using Storm's extension to JPEG, you can compress foreground and background image areas at different rates. The outline box above has selected the lower right corner for high compression.



Compression at Work

PicturePress is a cinch to set up and install. I was ready for business in 5 minutes. Using PicturePress is almost as easy. You choose from five preset compression ratios. These ratios range from a 2-to-1 lossless reduction to a 40-to-1 lossy reduction. Even pictures that are shrunk to the lowest setting would be usable in either newspapers or desktop publishing. Images compressed at the 8-to-1 or 15-to-1 settings could be used in four-color slick publications or multimedia

applications. You can also adjust the degree of compression to your heart's content by using the customization features. This way, you can squash pictures up to 200 times smaller than their original size. However, extreme compression is more useful as a special-effect toy than for any practical purpose. And be careful: Other than restoring from backups, there's no way of restoring an image to its original condition if it has been compressed into oblivion.

JPEG++, Storm Technology's ex-

panded version of the JPEG standard, lets you divide pictures into foreground and background areas and compress them at different rates (see the screen). This feature was easy to use in PicturePress, and it worked as advertised. It's such a simple procedure that I suspect most users will use it by default.

PicturePress is so easy to install and use, you almost don't need a manual. If you do have questions, the complete, easy-to-read documentation will answer them.

Big-League Compression

The one problem I found with PicturePress is that it can only compress PICT format files. Although the company includes instructions for using third-party applications to transform TIFF images to PICT, I would have liked direct support of TIFF and other graphics formats.

PicturePress Accelerator is big-league technology. Image compression has never been easier or more efficient on the Macintosh. Anyone who works with still images on that platform should give this product serious consideration. ■

Steven J. Vaughan-Nichols is a technical writer and consultant based in Lanham, MD. He can be contacted on BIX as "sjvn."

See the Future.

The FLEXSCAN® 9070U has been designed to offer maximum CAD/CAE performance in the PC environment.

Our 16" flicker-free display is ideal for creating 3-D projections, and the 20kHz-50kHz horizontal scan range allows PC CAD capabilities at resolutions of up to 1024 dots × 768 lines. In the CAD/CAE field, non mutual image interference in dual monitor systems is an important issue. Our advanced deflection yoke eliminates mutual interference with 15cm distance between both units as opposed to the regular requirement 60cm and thus allows you to take full advantage of dual systems.

The FLEXSCAN's ergonomic design minimizes static, glare, and magnetic radiation to provide the most user-friendly environment possible.

Other monitors meet the standards.
FLEXSCAN® sets them.

NANAO®

NANAO USA CORP.

23510 Telo Ave., Suite 5
Torrance, CA 90505 USA
Phone (213)325-5202
Fax (213)530-1679

Circle 219 on Inquiry Card
(RESELLERS: 220).



FLEXSCAN 9070U

16" (15V), 0.28mm dot pitch CRT
Scan Frequency: Automatic Adjustment
H: 20kHz-50kHz
V: 50Hz-80Hz
Front-mounted controls for easy access
2 Video inputs for professional use
VGA, Hi-Res VGA (up to 1024 × 768),
EGA and Mac II compatible

APPLICATION

High-Quality Image Editing Develops on the PC

GREG LOVERIA

Personal computers are becoming more important than ever for today's graphics-intensive applications. Unfortunately, scanning or capturing video images doesn't always yield quality results because of flat tones or uninteresting compositions. To achieve images that merit notice for desktop publishing, slide presentations, or publications, you may need the help of image-enhancement software.

Two new packages, Picture Publisher Plus and Desktop Artist, let graphics professionals use their PCs to retouch and enhance bit-mapped images with impressive results.

By emphasizing printed-image quality, Micrografx markets Picture Publisher Plus 2.5 for desktop publishers (see photo 1). The \$695 package operates under Windows 3.0 and offers continuous-tone manipulation of both gray-scale and 24-bit color RGB TIFFs. A version for the Macintosh is also available.

Desktop Computing's Desktop Artist 1.0 (\$495) requires a Texas Instruments Graphics Architecture (TIGA) display adapter, and while image editing is its main function (see photo 2), the software caters to graphic artists by offering them draw and paint functions without loading images first. This allows the software to double as a stand-alone paint program for freehand creation of drawings. Desktop Artist supports gray-scale and 24-bit color RGB TIFFs, plus PCX, TARGA, and GIF formats, which also makes it a useful file format-conversion tool.

Both packages directly support monochrome or color printers, including PostScript output devices. Both will also generate CMYK (cyan, magenta, yellow, black) color-separated printouts or Encapsulated PostScript (EPS) CMYK color-separation files.

Image-Editing Tools

Each package lets you burn in (overexpose specific image zones), dodge (underexpose zones), and correct overall contrast and brightness. You can repair cracks in an old photograph using clipping, pasting, and blending tools. By overlaying images, you can create montages and surrealistic compositions. Both




Photo 1: Picture Publisher's circular masking and editing functions were used to create, clip, store, and paste a mask of the moon into the windmill picture. After pasting, the moon was resized and then flipped vertically. ToneMap highlights and shadows were adjusted using the GrayMap functions to give detail to the moon shadow tones. With the Retouch functions, additional clouds were airbrushed in and the moon's edges were smoothed. The Picture Publisher window shows the software's ramp-curve functions and original dithered windmill image. (Image-file-to-slide conversions courtesy of Image Center)

products offer file editing of true 24-bit images (16.7 million colors), but they support only 8-bit (256-color) display output. Depending on your system, this is either a bane or a boon. If you now use a 24-bit display, as I do, backpedaling to 256-color image editing is cumbersome. However, users of standard VGA displays won't have to invest the extra dollars to process and edit 24-bit images. According to both manufacturers, 24-bit true-color display support should be available by the time you read this.

Picture Publisher requires 3 megabytes of free hard disk space; Desktop Artist uses 2 MB. Although Picture Publisher's system specifications recommend an IBM AT or XT, you shouldn't consider anything less than a fast 286 system for either program. I tested both on Zeos International's 486/25 EISA tower system under DOS 4.01, with 8 MB of memory and a Relisys RE1520

16-inch multiscanning monitor. I used Diamond Computer Systems' SpeedStar Plus, a 1-MB Super VGA card, to test Picture Publisher. I ran Desktop Artist with the Hercules Graphics Station Card and Texas Instruments' 34010 TIGA adapter. Both programs and all adapters are capable of 8-bit, 640- by 480-pixel through 1024- by 768-pixel display resolutions.

To test PostScript printing, I used a Pacific Data Products PacificPage PE font cartridge with a Hewlett-Packard LaserJet IIP. I tested color output with Shinko's CHC-445 and QMS's ColorScript 100-30i printers. CMYK color separations, printouts, and EPS CMYK color separations from both packages were superb.

Picture Publisher

Picture Publisher was developed and originally sold by Astral Development,




Photo 2: Above is the Desktop Artist screen in its TIGA display/editing environment. The right menu boxes and bottom color bar detail editing icons. The images, starting from the top left and moving clockwise, show the original site image imported as a PCX file over a two-color gradient-fill background; the same image after being "warped" with Desktop Artist's perspective command; an Autodesk AutoShade render/model imported and labeled using a color-graded Dom Casual font; and, finally, the AutoShade render pasted and positioned over a duplicate of the original site image. (File-to-slide conversions courtesy of Image Center)

which merged with Micrografx earlier this year. In the Microsoft Windows 3.0 environment, Picture Publisher loads standard and TIFF 5.0 files, which it displays as dithered, low-resolution reference images in preview windows. To conserve disk space, you can save and open TIFFs using Lempel-Ziv-Walsh 2-to-1 file compression. Pull-down menus let you globally adjust brightness, contrast, and gray-mapping levels. In Windows mode, the program applies these adjustments to the overall image.

Picture Publisher also provides graphs that summarize overall brightness, contrast, or gray-mapping levels. The graphs allowed me to gauge these image variables precisely and save my changes to disk as reference for later jobs. The package also includes hand-held calibration strips and display, printer, and scanner reference/calibration files. Device calibration allows you to gauge imaging vari-

ables against a known reference standard, ensuring that you can duplicate results when editing, scanning, or printing different images.

To edit images, you invoke Micrografx's Picture Window by clicking in the Xchg (exchange) area. The program shells from Windows to a 320- by 200-pixel, 256-color VGA display environment (see photo 3). However, the Speed-Star Plus card also supports 256-color display at 1024- by 768-pixel resolution using Tseng Labs' chip set. So I selected an appropriate Picture Window display driver from several I found in the Windows interface screen. I'm always leery of third-party device drivers, but Micrografx's driver worked perfectly.

At 1024 by 768 pixels by 8 bits, you choose the direct image-editing functions of Edit, GrayMap, Retouch, Mask, and View from sidebar icons. The Mask function selectively segregates specific

BYTE ACTION SUMMARY

■ IMAGE-EDITING SOFTWARE

■ WHAT YOU'LL LIKE

You can use your PC to retouch, enhance, and correct exposures of bit-mapped images. Also, you can repair cracks in an old photograph and create montages.

■ HOW THEY DIFFER

Picture Publisher Plus operates under Windows 3.0 and offers continuous-tone manipulation of both gray-scale and 24-bit color RGB TIFFs. Desktop Artist requires a TIGA display adapter and provides draw and paint functions. Desktop Artist supports PCX, TARGA, and GIF formats, which also makes it a useful file format-conversion tool.

■ WHAT WE RECOMMEND

Choose Desktop Artist and its conversion-utility tool if you work with TIGA images. If you're VGA-based, Picture Publisher, with its impressive documentation, is a winner.

■ WHAT YOU'LL PAY

Picture Publisher Plus: \$695;
Desktop Artist: \$495

■ FOR MORE INFORMATION

Desktop Artist 1.0
Desktop Computing, Inc.
4600 Bohannon Dr., Suite 220
Menlo Park, CA 94025
(415) 323-5535
fax: (415) 323-4434

■ Circle 1225 on Inquiry Card.

Picture Publisher Plus 2.5
Micrografx, Inc.
1303 East Arapaho Rd.
Richardson, TX 75081
(800) 733-3729
(214) 234-1769
fax: (214) 234-2410

■ Circle 1226 on Inquiry Card.



Photo 3: This screen shows *Picture Publisher's* editing window. The author scanned in the auto, mountain, and balloon images and then edited them as 24-bit RGB/TIFF files. He darkened the light-blue sky by moving quarter-tone and contour-graph icons. The balloon image was then pasted from the clipboard, and its edges were blended and smoothed using the *Retouch* tools.

object zones within an image by rubber-band clicking around image boundaries. After creating masks, you store them in multiple clipboard areas. You can then resize, flip, stretch, and paste masks into other images.

Using *GrayMap* functions, I was able to visually adjust the individual mask's *ToneMap* or the whole image *ToneMap* instantaneously. A *ToneMap* is the range of image highlight levels (whites), quarter tones, mid-tones, three-quarter tones (intermediate gray levels), and shadows (blacks). You adjust the *ToneMap* by sliding handles on a ramp-curve overlay graph or by placing quarter-tone icon markers within the image directly. At this display resolution, the additional quarter-tone pop-up icon markers are tiny but usable. Quarter tones are the gray-level values between *ToneMap* levels (e.g., shadows and mid-tones).

When you're editing RGB color TIFF images, *Picture Publisher Plus* adds hue, saturation, and lightness manipulation to the *ToneMap* ramp-curve graph for RGB color adjustments. I also used the *ToneMap* adjustments to create both color and monochrome posterizations, negatives, and black-and-white line-art images.

The *View* and *Retouch* functions were fun to work with and innovative. In *View* mode, you can enlarge images in increments of 100 percent to 600 percent. By using a rubber-banding box, even 1-pixel "zoom-ins" are easy. *Retouch* mode permits freehand painting of a protective red filter (*Micrografx* refers to it as *rubiconing*), which shields areas from retouching "slips." You can select retouch colors or grays directly from the image for painting or combine them with a blending/smoothing tool to soften or sharpen edges. You also can globally apply these functions to rubiconed areas only.

Picture Publisher's scanner, printer, and capture/display board drivers support a wide variety of manufacturers. The few I tested worked flawlessly. I

used *Willow Peripherals' Publishers' VGA* card to capture images directly off videotape and a *Microtek MSF-300Z* scanner to import 24-bit color and monochrome TIFF images. I preferred *Picture Publisher's* scanner interface drivers over *Microtek's* stand-alone software (*ImageStar*) because it was easier to use. *Picture Publisher* offers photo prescan,

Desktop Artist lets you generate and size text over an image.

which made it easy to drag resizing/cropping bars around the prescanned image area for the final 24-bit scanning process.

Desktop Artist

My first attempts at using *Desktop Artist* with the *Hercules Graphics Station TIGA* adapter were futile—the software repeatedly locked up after 5 minutes of use. When I installed a *Texas Instruments TMS-34010 TIGA* adapter and *TI's TIGA* drivers, the program worked fine at all display resolutions.

Initially, this looked like just a paint program, but I uncovered many unique features as I worked with the package. The program's main screen layout has a user-movable menu, an icon-brush toolbox, and a palette/pattern status bar. The icon toolbox sports Bézier-curve tools as well as standard paint tools, similar to the *Windows 3.0 Paint* program. Unlike

Picture Publisher, *Desktop Artist* lets you generate and size text over images, ranging from pleasant-looking *Dom Casual* to *Helvetica* fonts.

The real eye-opener in this program is the "gadget box," which opens and surrounds an image. Its buttons invoke standard flip/rotate acrobatics for images and text. However, when you pull on any gadget-box corner, you stretch or warp the image and its perspective in the pull direction. You also use the gadget box to crop and paste clip images. Once you've pasted them, you can set transparency levels to allow bottom images and artwork to bleed through the top image, similar to sandwiching 35mm slides. In addition, *Desktop Artist* offers many of the same image-editing characteristics as *Picture Publisher*.

Best of Both Worlds

Although both packages share some image-editing features, each is unique in its own right. I would like to see *Desktop Artist* take a cue from *Picture Publisher* with a non-TIGA, VGA version; I'm positive TIGA-less users would like access to the unique features this program offers. On the other hand, some direct paint functions implemented in *Picture Publisher* would be an asset for that product. In the end, your choice will hinge on whether you generate your final images exclusively for print as TIFFs or for presentation purposes as GIFs or TGA files.

For my own needs, most of my 16- and 24-bit images are born from three-dimensional animation packages using *TARGA* display adapters. Some are converted to 8-bit gray-scale TIFFs for inclusion in *Ventura Publisher* or *Page-Maker* desktop publishing layouts. *Desktop Artist* performed excellently as a conversion-utility tool in this capacity.


However, if you are VGA-based, *Picture Publisher's* documentation helps it win hands down with the most thorough explanation of gray-scale/color image editing and print processing around. Finally, according to *Micrografx*, upcoming releases of *Picture Publisher* will support direct importation and conversion of other image file formats in the near future.

Whichever package you choose, the next time your images require attention-getting, eye-popping perfection, don't settle for stock images. Unleash your imagination and create them yourself. ■

Greg Loveria is a computer graphics and desktop publishing consultant, animator, and technical writer. You can reach him on BIX c/o "editors."

NOW SHIPPING

The Old Standard For Debugging Just Retired




The new standard for debugging Windows, DOS and OS/2 has arrived.

A selection of unique features includes:

- 100% CodeView™ -information compatible
- Windows and PM user interface
- Character-mode user interface
- Easy to learn and use
- Automatic display of global and local data
- Advanced graphical data structure display
- Advanced data browsing

- Run-Time debugging for stepping through your program
- Post-Mortem debugging after a crash
- Conditional breakpoints
- Unique "VCR-style" remote control interface
- 15 views of the program
- Serial and Network remote debugging
- Dual monitor support

- Windows highlights:**
- Single monitor support ("Windows-Windows" debugging)
 - Debugs Windows Enhanced 386, Standard, and Real mode
 - Advanced window message spying capability
 - 386™/486™ watchpoint support



MultiScope Debuggers have easy to use Windows, PM and character mode user interfaces

DOS highlights:

- Debugs *ANY SIZE* DOS application - takes only 12KB
- Loads drivers and TSRs in high memory for maximizing application's memory space
- EMS 4.0 emulation, as well as VCP services 386™/486™ watchpoint support

MultiScope Debuggers for DOS

run under DOS or Windows, and debug DOS applications

(SRP \$179)

MultiScope Debuggers for Windows and DOS

run under DOS or Windows, and debug Windows real mode, Windows protected mode, and DOS applications

(SRP \$379)

MultiScope Debuggers for OS/2

run under OS/2 full screen or Presentation Manager, and debug OS/2 full screen and PM applications

(SRP \$449)

For more information and a free trial version, please call (800) 999-8846,
(415) 968-4892,
or FAX (415) 968-4622.
For European pricing call
++46-13-63189.

*CS1 and C60 support
All trademarks are property
of their respective owners



PC Magazine Technical Excellence Award, InfoWorld Product of the Year, BYTE Award of Distinction.

MULTISCOPE



Circle 216 on Inquiry Card

I THOUGHT THIS WAS
QUALITY SOFTWARE-NOW MY SYSTEM'S
JUST
HANGING!



Don't leave
your customers
HANGING. . .



BEFORE YOU SHIP ANY PROGRAM, CHECK IT WITH

COMPUTER
LANGUAGE
PRODUCTIVITY
AWARD
1990

BOUNDS-CHECKER™

WINNER
PC MAGAZINE
BEST OF 1990

JANUARY 15, 1991

PAGE 168

FINDS OUT-OF-BOUNDS MEMORY ACCESSES AUTOMATICALLY

Your program may have 10,000 to a million lines of code. It may occasionally hang mysteriously or it may appear to run flawlessly every time. But under DOS, how can you ever be sure that your program is not corrupting memory it does not own? The only way to be 100% sure is to BOUNDS-CHECK before you ship.

To use BOUNDS-CHECKER you build your program with debugging information (we support most compilers including Microsoft, Borland & JPI). Then you just type <BC file-name>. BOUNDS-CHECKER sets up the 386™/486 for protection and lets your program fly. If your program accesses memory it does not own or overwrites its own code, BOUNDS-CHECKER pops up displaying the offending SOURCE-LINE or instruction.

Programming under DOS is a gamble, so why not stack the odds in your favor--CALL TODAY.

(603) 888-2386

Call by 4:00 PM EST TODAY and ask us to EXPRESS you an info packet. In most cases you will receive it by 10:30 AM tomorrow. (USA only)

All Nu-Mega products require a 386, 386SX or 486. MS-DOS and Codeview are trademarks of Microsoft Corp. 386 is a registered trademark of Intel Corp. Nu-Mega, BOUNDS-CHECKER, Soft-ICE and CV/1 are trademarks of Nu-Mega Technologies, Inc.

OTHER FINE NU-MEGA PRODUCTS. . .

The ultimate systems debugger.

Debug:

- Interrupt routines
- Device drivers
- T&SRs
- ROMS
- Applications
- Overlays


Soft-ICE



Features:

- Break out of a hung program
- Real time Break-Point
- Back-Trace history
- Works with other debuggers

If you are debugging an application, Soft-ICE is seamlessly integrated with BOUNDS-CHECKER so you can easily go back and forth between BOUNDS-CHECKING and debugging: a combination many programming professionals can't live without.



Run CODEVIEW for Windows on a single monitor
CV/1.....\$129

- Runs in a window • No annoying flash •
- Runs on any display that supports windows •

Nu-Mega
TECHNOLOGIES INC

P.O. Box 7780 • Nashua, NH • 03060-7780 U.S.A.
(603) 888-2386 • Fax (603) 888-2465

BOUNDS-CHECKER \$249
Soft-ICE \$399

Special Offer
Buy BC & S-ICE Save \$100

30 Day
Money Back Guarantee

STEVEN KEARNS

The MultiScope Debuggers for DOS handle windows and support a mouse in either graphical (through Windows 3.0, shown) or text modes.

In addition, each package includes postmortem debuggers. These are perfect for field-testing your program. You can compile your program so that when it crashes at a user's site, the program automatically takes a snapshot of the software and CPU state. The field testers can return this snapshot to the programmer, who can use the postmortem debugger to figure out what went wrong.

The MultiScope Debuggers provide a standard set of functions. These include stepping through a program one statement at a time; setting breakpoints on any statement of the program, enabling the programmer to run the program and regain control when the breakpoint is reached; examining the value of program variables and data structures while the program is running; and examining the *call stack*, which lists the functions that

Circle 1224 on Inquiry Card.

were called to get to the current point, where they were called from, and the arguments they were called with. This last function is most useful when the program stops prematurely: Examining the call stack can often indicate the source of the problem.

The package has several advanced features, including the ability to set *read/write watchpoints*. A watchpoint on a memory location stops execution when any part of the program reads or writes to the location. This is crucial for locating parts of your program that write where they shouldn't. Accessing this feature is easy: Click on the variable you want to watch in the Data window and select Set Watchpoint. Best of all, the debugger uses the advanced features of the 386 processor to implement watchpoints with essentially no loss of execution speed. On a lesser processor, a program with a watchpoint may execute 10 times slower than normal, or worse.

Unfortunately, the MultiScope Debuggers allow you to set only five watchpoints. Also, when I tried to watch a whole structure, I was stuck, because the debugger prevented me from editing the

Size field of the Set Watchpoint dialog box. This type of user-interface snag cropped up in several situations.

Conditional breakpoints are another advanced feature. They are ignored unless a programmer-defined condition is met. Furthermore, when a conditional breakpoint is triggered, you can direct the debugger to take actions (e.g., logging a message or evaluating an expression) instead of stopping.

I found the conditional breakpoint interface particularly frustrating. If you accidentally input an erroneous condition into the dialog box, you are forced to reenter all the information from the beginning. Similarly, after you have set a breakpoint, there is no way to change it, short of deleting it and reentering a new one. Furthermore, the field for the condition is too small, and the expression evaluator is overly strict about types. I once spent 5 (frustrating) minutes trying to enter a breakpoint thanks to these problems.

Zooming In on Your Data

The Data window displays current values for a set of variables. Double-clicking on

a pointer variable displays the values in the structure it points to. There are some unfortunate limitations to the Data window, though. You cannot specify exactly which variables you care to display. You show either all the locals or all the globals in a module. If you double-click on a pointer, you see what it points to, but you lose the display of the other local variables.

One of the niftiest features of the MultiScope Debuggers is the ability to automatically draw a picture of a data structure. For example, you can select the variable that points to the root of your binary tree, and the debugger will draw a snazzy picture complete with arrows and three-dimensional boxes. It knows the type of each variable, and it uses this information to recursively draw the object and any objects it points to.

However, this feature is more fun than useful. If a variable is an index into an array, for example, I'd like a debugger to picture both the variable and the array element pointed to. But the debugger would simply display it as an integer; of course, the debugger has no idea what the integer represents. I hope future

CONTROL UP TO 96 PC FILE SERVERS WITH 1 KEYBOARD AND MONITOR USING... COMMANDER by cybex




- No external power
- "One-Touch" selection
- Mix PC, PC/XT, PC/AT and PS/2
- "AutoBoot" Feature boots attached computers without operator intervention after power failure
- Shows PC power status
- Mouse support available
- TTL (MDA, CGA, EGA) up to 600 feet away
- VGA up to 400 feet
- Each unit accommodates from 2 to 8 PCs
- Up to 12 units can be cascaded
- Mounting kit available for 19" rack installation

Dealer Program Available

Cybex Corporation

2800-H Bob Wallace Ave. • Huntsville, AL 35805
(205) 534-0011 • FAX (205) 534-0010

RealTime.



New, affordable video frame grabber for IBM computers. ComputerEyes/RT includes everything you need to capture high-resolution 8- or 24-bit color (or 8-bit gray scale) images from any standard composite or S-video source in real time.

VGA and Super-VGA compatible. All popular file formats are supported.

Call today for more information and free demo disk.


Other versions available for IBM PC and Macintosh from under \$250.

Digital Vision, Inc.
270 Bridge St., Dedham, MA 02026
(617) 329-5400
To order call (800) 346-0090

New
24-Bit
Color Video
Frame
Grabber
For Under
\$ 600.

Digital Vision

C O M P U T E R E Y E S™



■ In the BIX community we take care of people who use IBM PCs or their compatibles. For example, our IBM Exchange offers a growing list of programs which you can download for free. These 2,168 programs are the cream of the crop. All of them are tested in advance by BIX moderators so you know you're getting top-quality, virus-free programs. Here are some of the most popular ones:

BIX FILE NAME	BIX CONFERENCE	DESCRIPTION
stars.zip	microsoft	Utility that turns your Windows desktop into a view of deep space. Choose impulse or warp speed and launch several Windows utilities from a floating pop-up menu.
e.arc	ibm.utils	Public-domain text editor, with source code.
secrets2.arc	ibm.dos	Condensed and edited messages from the ibm.dos/secrets topic. Tricks and undocumented internals of MS/DOS.
tetris2.zip	microsoft	KLOTZ, a Tetris® clone for Microsoft Windows 3.
2zip25.zip	ibm.utils	Converts a variety of archive formats (including ARC, PAK, ZOO, LZH) to PKWare's ZIP format.
w3icons.zip	microsoft	40 new icons for the Windows 3 Program Manager.
firework.zip	microsoft	Fireworks display in a window, for Windows 3.
monitor.arc	ibm.os2	Continuous display of CPU load for OS/2 Presentation Manager.
abort.exe	ibm.utils	TSR that aborts any program when you press Alt-C.
dis386.zip	ibm.utils	Full-screen interactive machine language disassembler for 8086, 80286, 80386, NEC V20.

Besides great free programs, the IBM Exchange offers dozens of informative and provocative conferences on OS/2, PC/DOS and MS/DOS operating systems, alternative 386 operating systems, utility software, communications programs, LANs and more. There's even a "Repairshop" conference, and maybe as a last resort, an IBM clearing house. Beyond our IBM Exchange, we provide industry news and product information that's essential to your performance as a microcomputer pro. All of these privileges are yours with a subscription to BIX. To find out more, call our special Customer Service number: 603-924-7681.

BIX

The New York Times

Computer Fails On Space Shuttle— Threatening Astronomy Mission

Telescope Mechanism Clogged By Lint From Uniforms

NASA's orbiting shuttle Columbia and its astronomy mission was seriously jeopardized yesterday when an on-board computer overheated and failed to function. The apparent cause of the breakdown was lint from the astronauts' and workers' uniforms.

Air ducts that lead to the computers

If dust and lint can knock out NASA's computers, it can happen to yours.

One tiny piece of dust, lint or hair can stop a computer, printer, disc drive, fax or other high-tech equipment cold—even computers as sophisticated as NASA's. That means work stops but costs continue. Now a minimum investment in Data-Vac can save expensive downtime—even the cost of a new computer. That's why the most efficient

were inspected by the crew and discovered to have been clogged by lint. The crew, however, had a hand-held vacuum cleaner on-board and quickly and easily removed the large accumulation of lint. The computers



offices in America use Data-Vac for preventive maintenance.

Data-Vac keeps systems running smoothly—even in outer space. Affordably priced. Satisfaction guaranteed.

METRO DATA-VAC

The Necessary Accessory™

A Division of Metropolitan Vacuum Cleaner Co., Inc.
One Ramapo Ave., P.O. Box 149, Suffern, N.Y. 10901

Contact your local computer/office products dealer today or

Call 1-800-VAC-1602

(in New York State, 914-357-1600)
Fax: 914-357-1640

Data-Vac Your Computer Now—Or Replace It Later

THE MULTISCOPE DEBUGGERS

debuggers will offer a simple way for programmers to create customized graphical displays for their program data.

Some debuggers let you capture and replay a set of debugging actions. This can be useful when it is time-consuming to set up your program to display a bug. The MultiScope Debuggers can display and save all your debugging actions but don't offer any way to replay them.

Just Another Pretty Face?

Aside from the glitches of not allowing you to edit Size fields and forcing you to sometimes reenter information in a dialog box, the user interface is well designed. You can use either the character mode or Windows user interfaces; both work similarly. The most common operations, such as single-stepping, are compressed into single keystrokes. Operation is convenient with both mouse and keyboard. The menus are thoughtfully laid out. It is easy to switch between your program's output and the debugger's display. I especially appreciated that I could choose a font size and color for each window.

I was also impressed with the Remote Control, a small (text or graphical) window that pops up on the application screen. With it, you can perform simple debugging operations (e.g., run, stop, and single-step) with mouse-clicks on icons that mimic VCR control buttons. This is a nice touch, particularly for applications that take up most of the screen when they run.

Finally, a caution. I first used the MultiScope Debuggers to track down an actual bug. I spent several mostly enjoyable hours experimenting with it, using its myriad features in a fruitless attempt to pinpoint the bug. I finally gave up: I had to *think* about the bug. Within 2 minutes, the cause of the bug was clear, and a quick check with the debugger verified the problem. The moral: All the windows, colors, keys, watchpoints, and fancy features of a debugger are no substitute for thinking.

As a replacement for the likes of Code-View, the MultiScope Debuggers are an excellent choice. In terms of features and configurations, they match the best debuggers available. However, the user interface needs refinement. I am looking forward to the next version. ■

Steven Kearns is the president of Software Truth, which is developing a next-generation programming environment. He earned a Ph.D. in computer science from Columbia University. He can be reached on BIX c/o "editors."

QuickTrace™

NCGA '91
CONFERENCE
& EXPOSITION
Chicago, April 22-25

Vector Based
Graphics

TIFF Bit Map

The Automatic Tracing Program

QuickTrace is an automatic tracing tool which converts scanned "dot" images into vector based graphics. Instead of drawing by hand, try QuickTrace. It will help you to easily and quickly enter graphics like logos, maps and clip art, which would otherwise be difficult and time-consuming on your PC.

- for DTP (Illustrator, PageMaker, Harvard Graphics, DrawPerfect) \$245
Convert into EPSF, CGM, Micrografx PIC, DRW
- for AutoCAD DXF \$295
- for Lotus Freelance Plus \$245

PLEASE CONTACT: 212-605-2339
OR SEE EGGHEAD NEAREST YOU IN U.S.
CONTACT REFLEX IN U.K.: 0734-314611



Developed by

Information & Control Lab. Co.

Nakajima Bldg., 5F, 11-22, Shinjuku 5-chome,
Shinjuku-ku, Tokyo 160, Japan
Phone: 3-5379-7470 / Fax: 3-5379-7471

● DrawPerfect of WordPerfect Corporation, Micrografx of Micrografx Inc., AutoCAD of Autodesk Inc., Lotus and Freelance of Lotus Development Corporation, Illustrator of Adobe Systems Incorporated, PageMaker of Aldus Corporation, Harvard Graphics of Software Publishing Corporation are registered trademark of each company.

● Quicktrace can input images scanned by Niscan, Logitech ScanMan and etc. ● OEM Inquiry welcome



Mitsubishi International Corporation

Technology Affairs Dept.
520 Madison Avenue, New York, NY 10022
Phone: 212-605-2339 / Fax: 212-605-1847

I N T R O D U C I N G HARDLOCK™



Actual
Size

The Ultimate in Hardware Based Copy Protection

Compatible

Hardlock is designed for the "real world". Side effects from printers, laptops and technical issues such as static and true IBM printer port compatibility are virtually non-existent.

Reliable

Our unique ASIC (Application Specific Integrated Circuit) extends the Hardlock's operating range below 2 volts. Since no idle current is required, there is no additional loading on the printer. Electronically erasable memory **requires no battery.**

Flexible

Field programmability is now possible. Additionally our optional Crypto Programmer board permits the Hardlock to be uniquely programmed for your company.

Space-Saving

Hardlock measures only 1.75". Three of our units fit in approximately the same space as only two others. Hardlock with Memory may also be purchased on the smallest PC board you've ever seen. Perfect for those who don't want the device on the exterior of the computer.


Hardlock
Hardlock with (128 bytes) Memory
Hardlock with Memory on a Board



**Hardlock...
Not Hardluck**

The Security System You've Asked For.

GLENCO



ENGINEERING INC.

SERVING THE SOFTWARE INDUSTRY SINCE 1979

1-800-562-2543

Hardlock is a trademark
of Fast Electronic GmbH.

270 Lexington Drive · Buffalo Grove, IL 60089 · 708-808-0300 · FAX 708-808-0313

Circle 132 on Inquiry Card.

BREAK AWAY FROM HO-HUM MICE & SCANNERS!

Presenting DFI's CHS-4000 Color Handy Scanner[®] and DMS-400 Mouse

See us at:

COMDEX/Spring '91

May 20-23, 1991 • Atlanta, Georgia, USA

West Hall

Booth No. 4816

Depart from the humdrum of ordinary scanners and mice. Live up to the full power of communication with DFI's new CHS-4000 Color Handy Scanner and DMS-400 Mouse.

For the serious scanning enthusiast, the CHS-4000 scanner has a 400 dpi resolution, color gray scale output, PC Paintbrush IV+, among others. And the quality that you've come to expect from the company that started handheld scanning.

The DMS-400 Mouse is an opto-mechanical, three-button, 400 dpi mouse that is compatible with Microsoft and Mouse Systems mice through an easy hardware switch. Totally redesigned for maximum comfort and minimal fatigue, it's the world's most comfortable mouse.

Live up to your full creative potentials with DFI's CHS-4000 and DMS-400 Mouse. Who knows where it will lead you to?

Call or fax us today for more information.

Copyright 1990 DFI Inc. All rights reserved worldwide. All other product names mentioned are trademarks or registered trademarks of their respective owners.

DFI[®]

West Sacramento, CA
Tel: 916 373 1234
Fax: 916 373 0221

East Brunswick, NJ
Tel: 908 390 2815
Fax: 908 390 2817

Miami, FL
Tel: 305 477 1988
Fax: 305 594 0607

Germany
Tel: 040 234 766
Fax: 040 233 666

United Kingdom
Tel: 81 461 2322
Fax: 81 461 4631

Taiwan, ROC
Tel: 02 543 3966
Fax: 02 537 7458

Circle 94 on Inquiry Card.

HARDWARE

Extend Your Printer's Reach Without a LAN

ROGER C. ALFORD

Even with laser-printer prices dipping under \$2000, good business sense argues against putting a printer on every desktop, especially since many people use printers sporadically throughout the day. A more efficient solution is for many users to share the same printer. This is the rationale behind the new printer-sharing devices hitting the market.

I reviewed three new sharing devices that don't require a LAN to provide multiple access to printers: Pacific Connect from Pacific Data Products, the Lasernetet PSU-82SP from Western Telematic, and MultiSpool 2289A from Extended Systems. The latter two units are standalone boxes with serial and parallel interfaces, while Pacific Connect is a card that plugs directly into the Optional I/O slot of a Hewlett-Packard LaserJet II, IID, III, or IIID printer.

Job Queuing

Pacific Connect works with PCs and Macintoshes connected only to LaserJet printers. The other two units can attach to any printer with parallel or serial ports and can work with PCs and Macs, although Mac users can't take advantage of some utility software that ships with the Lasetnet and MultiSpool. All three can store incoming data in an internal memory buffer before sending it to the attached printer. If one or more additional ports receive data at the same time, the device sets aside buffer memory for each new job. The jobs proceed to the printer in the order in which they are received.

To determine when one job ends and the next job begins, the devices use a pre-selected time-out period. When they stop receiving data into the active job port for the duration of the time-out period, the job is considered closed, and the next job in line then flows to the printer. The time-out lets you send multiple-page documents with brief time gaps in between, without other jobs sneaking in. In certain graphics or CAD applications, the computer may need to perform substantial processing between portions of the printer output. The time-out can ensure that a print job from another user does not get sent to the printer between por-

Printer sharers from Pacific Data Products (top), Extended Systems (middle), and Western Telematic (bottom) offer three ways to connect multiple PCs to a laser printer.



tions of a graphics image.

I tested all three devices with simultaneous serial- and parallel-input connections and with several print jobs being submitted concurrently from different computers. Each of the units performed flawlessly in these tests, with no print jobs inadvertently corrupted. In some cases, I needed to adjust the time-out period to accommodate a lengthy delay between portions of a graphics image.

As expected, the parallel data transfer was substantially faster than the serial data transfer, and it is preferred when feasible, especially when you regularly transfer graphics images. In shared-printer environments, however, it is common for many or most PCs to be too far from the printer for parallel operation, so fast serial communications are important. Extended Systems' MultiSpool, with its serial and parallel adapters, provides a unique solution for using parallel ports over long distances.

Pacific Connect


Easy to use and install, Pacific Connect is the simplest of the three devices. At \$399 for the 256K-byte version (user-up-

gradable to 1.25 megabytes) and \$499 for the 1.25-MB version that I reviewed, it is also the least expensive. However, it only works with HP LaserJet printers. In addition, the card provides only five computer connections—four serial and one parallel.

The device offers four RJ-11 phone jacks for the RS-232 serial inputs and a single 36-pin Centronics connector for the parallel input. It ships with four RJ-11 cables and four RJ-11-to-DB-25S adapters, making computer-to-serial port connections straightforward, especially for IBM PC compatibles with the standard 25-pin serial-port connector. Systems that have the IBM 9-pin serial-interface connector will need a 9-pin-to-25-pin adapter (readily available from many suppliers). Non-IBM-compatibles having a female DB-25 connector will need a male adapter.

You can individually select the data transfer rate and time-out (in 10-second increments) for each Pacific Connect port. (Only the time-out can be set for the parallel port.) The company includes a PACSET utility to easily configure the communication and time-out parameters

Subscription Problems?



We want to help!

If you have a problem with your BYTE subscription, write us with details. We'll do our best to set it right. But we **must** have the name, address, and zip of the subscription (new and old address, if it's a change of address). If the problem involves a payment, be sure to include copies of the credit card statement, or front and back of cancelled checks. Include a "business hours" phone number if possible.

BYTE

Subscriber Service
P.O. Box 555
Hightstown, NJ 08520



EXTEND YOUR PRINTER'S REACH

from a PC. And because Pacific Connect has its own nonvolatile memory, it retains the setup values for all ports even when you shut down the power—a nice feature. Pressing the device's recessed test button generates a status printout, including all current communications port data transfer rates and time-outs.

This unit supports the widest range and fastest data transfer rates of the three units tested, including serial rates of up to 115,200 bps. Since the standard DOS MODE command (for PCs) will only support up to 19,200 bps, Pacific Connect comes with another utility, PAC-MODE, that permits you to specify a rate of up to 115,200 bps. This fast transfer rate has become proven in the PC industry with such programs as LapLink and Procomm. I tested Pacific Connect in a LaserJet III and found that the 115,200-bps transfer rate worked reliably and reduced transfer time substantially compared to the 19,200 bps I normally use. Pacific Connect cut 30 seconds off the transfer of a simple 300-dot-per-inch image, and it could easily reduce transfer time by minutes for a moderately complex image. In contrast, the Western Telematic and Extended Systems units support a maximum serial data transfer rate of 19,200 bps.

The serial ports normally use hardware (Data Terminal Ready) handshaking between the Pacific Connect unit and the attached PCs. Serial port 1, however, can optionally be configured to use software handshaking (XON/XOFF) for systems that may require this (e.g., certain minicomputer or mainframe systems). You can run the device with Macintoshes that have a LaserJet driver, but you must use a PC to configure transfer rates and time-outs.

Lasernet

The Lasernet supports eight connected computers (four serial and four parallel) and two printers (one serial and one parallel). You can purchase the Lasernet in four memory sizes: 256K bytes (\$595), 512K bytes (\$695), 1 MB (\$795), and 2 MB (\$995). I evaluated the 1-MB unit. This product doesn't include any cables, but it does use all standard printer input connectors (DB-25s for the serial ports and 36-pin Centronics connectors for the parallel ports). The two printer output connectors are also DB-25 types (one male and one female), matching the IBM PC standard interface pin-outs.

The full-size, standard connectors (instead of the "RJ" telephone jack connectors), coupled with the unit's internal power supply, account for the relatively

BYTE ACTION SUMMARY

■ WHAT PRINTER SHARERS DO

These devices efficiently let many users share one printer without a LAN.

■ WHAT YOU'LL LIKE

Easy installation, reliability, and the chance to maximize your printer resources.

■ WHAT YOU'LL DISLIKE

Not all of these devices work with all printers; some printer sharers operate at less than optimum transfer rates; and the cost of some fully configured units matches the price of personal laser printers.

■ WHAT WE RECOMMEND

For LaserJet users who can accept a five-user limitation, Pacific Connect clearly offers the most for the money.

In the higher-cost, stand-alone arena, MultiSpool is the winner because of its flexibility and its ability to operate at long distances even with parallel ports.

■ WHAT YOU'LL PAY

Pacific Connect: \$499 (1.25-MB unit); Lasernet PSU-82SP: \$795 (1-MB unit); MultiSpool 2289A: \$995 (as tested, 1-MB unit)

■ FOR MORE INFORMATION

Extended Systems, Inc.
6123 North Meeker Ave.
Boise, ID 83704
(208) 322-7575
fax: (208) 377-1906

Circle 981 on Inquiry Card.

Pacific Data Products
9125 Rehco Rd.
San Diego, CA 92121
(619) 552-0880
fax: (619) 552-0889


Circle 979 on Inquiry Card.

Western Telematic, Inc.
5 Sterling
Irvine, CA 92718
(714) 586-9950
fax: (714) 583-9514

Circle 980 on Inquiry Card.

SPEED TEST YOUR PC

You've seen the *Landmark Speed Rating* advertised by many major PC manufacturers, now you can have your own copy of the **Landmark System Speed Test™**. Accurately measure CPU, math, and video speeds to make an informed purchasing decision, determine the best PC for the job or maybe just win some bets in the office on whose PC is really faster! Includes the Landmark AT CMOS RAM Setup program to update your system configuration on-the-fly. **BYTE Special \$19 + \$3 ship/handling.**



THE 5 MINUTE SOLUTION TO FLOPPY DRIVE FAILURE

With **AlignIt™** you can clean, diagnose, and align your floppy drives in minutes without a scope. Patented technology requires only a screwdriver to perform ANSI-accurate alignments (.3 mil).

AlignIt is ideal for corporate users with 2 or more PCs because it includes a "GOLD STANDARD" feature so you can align all your PCs to the same in-house standard, guaranteeing that all your floppies are perfectly interchangeable between PCs.

80% of all floppy drive failures can be fixed with **AlignIt** so don't replace your drive, save time and money instead.

Includes dual size floppies, (both high and low density) and no-mess pre-lubricated cleaning diskettes (both sizes) good for 180 uses. Replacements and single drive size versions available. For all PCs and compatibles. Regularly \$249 (single size \$149), **BYTE Special, SAVE \$\$\$ CALL NOW.**

HARD CORE TESTING FOR PROFESSIONALS

Landmark/SuperSoft Service Diagnostics™ is ideal for professionals requiring the most exhaustive diagnostic test capabilities. Each module is CPU specific, including PC, XT, AT, 386/486, and PS/2. Since 1981 major manufacturers like Wang, Xerox, Prime, Sony, DEC, NEC, and NCR have relied on Service Diagnostics to tackle their toughest operating problems.

Intended for professional service and repair technicians, Service Diagnostics is also easy to use for the novice. Clear, concise on-line help and intuitive menus make finding system problems a breeze. Tests all CPUs, math chips, all memory, floppy, fixed and non-standard disk drives, standard/non-standard printers, system board, video, com ports and all keyboards. Utilities include low-level reformat, log bad sectors, edit bad sector table; the partition editor allows you to set up multiple partitions; back-up program transfers hard disk image on unformatted floppies and allows for restore after reformat.

Ideal for UNIX and other operating systems, the self-booting version doesn't require DOS. The manual offers troubleshooting tips to the component level. Also available in a complete kit including: all CPU specific software, dual size floppy alignment software (see **AlignIt**), and PC/XT & AT ROM POSTs. **Winner of the PC Magazine Editor's Choice Award in August 1990.**

PC WON'T BOOT? THEN JUST KICKSTART IT!

Don't replace your motherboard, don't call service, use **KickStart 2™**. When serious hardware problems occur, nothing gets you up and running as fast. **KickStart 2 measures power within 2.5% on all four voltages, shows Power-On Self-Test (POST) failure codes, and features on-board ROM-based diagnostics** allowing you to determine and remedy the problem quickly, easily, and inexpensively!

Built-in serial and parallel I/O allows for testing via modem, or simply logging results to a remote terminal, printer or laptop. You can configure your own test routines and store them in **KickStart 2's** battery backed-up CMOS RAM saving valuable setup time. Includes serial and parallel loopback plugs and **Landmark JumpStart AT ROM BIOS** for testing PCs that don't issue POST codes. **KickStart 2 tests your system regardless of O/S (even UNIX).**

On-board switches, LEDs, and digital displays allow complete control over testing in systems lacking video or disk (ideal for motherboard or system burn-in).

KickStart 2 is the ultimate **SECURITY CARD** too! With both supervisor and user levels of password protection, you can prevent unauthorized use of your PC and accidental running of destructive tests. Regularly \$599, **BYTE Special, SAVE \$\$\$ CALL NOW.**

"KickStart 2 system diagnostics board helps users check out virtually every aspect of a PC's hardware system... the board is a worthy investment for computer maintenance." David Claiborne, PC Week - December 24, 1990.

HOW TO DEBUG A DEAD PC

Need an inexpensive solution for dead or problematic PCs and motherboards? Try **KickStart 1™** or **JumpStart ROM POST™**, two quick and easy to use debugging tools.

KickStart 1 test card shows power status on all four voltages and binary PORT 80 Power-On Self-Test codes. The manual translates error codes for easy failed circuit isolation. Regularly \$99, **BYTE Special, SAVE \$\$\$ CALL NOW.**


JumpStart ROM POST is a plug-in chip designed to replace your motherboard BIOS for testing purposes. Tests include CPU register and logic, 8087 math coprocessor, 8253 timer, 8237 DMA controller, 8259 interrupt controller, parity error and memory refresh logic, erroneous maskable/non-maskable interrupt detection, display adapter (MDA, CGA, EGA), keyboard, keyboard controller, floppy controller, drive A: read Base memory at normal & slow refresh rates, and POST checksum. Display of motherboard switch configuration. Regularly \$199 (AT version) \$99 (XT version), **BYTE Special, SAVE \$\$\$ CALL NOW.**



"SuperSoft's Service Diagnostics: The Kit is a technicians dream, with all the tools necessary to accurately analyze all phases of computer operations... it is well worth its performance potential." Bill O'Brien, PC Magazine - August, 1990.



- Service Diagnostics XT/AT Kit...Reg.\$595, **SAVE \$\$\$ CALL NOW**
- Service Diagnostics PS/2 Kit...Reg. \$495, **SAVE \$\$\$ CALL NOW**
- XT ROM POST... Regularly \$99 **SAVE \$\$\$ CALL NOW**
- AT ROM POST... Regularly \$199 **SAVE \$\$\$ CALL NOW**
- Individual pricing available on all kit components, please inquire.



KickStart 2 is ideal for permanent installation. It eliminates the need for an I/O card, provides remote and on-site diagnostic capabilities for quick repair time and offers a solid hardware based solution to unauthorized access with impenetrable password protection.

SLASH DOWNTIME AND OPERATING PROBLEMS

With **PC Probe™** you'll save time and money when your PC starts acting up. In one easy-to-use package you get **Diagnostics, Benchmarks, Performance Enhancement Utilities, and System Information.** Combined, this arsenal of tools will keep your system up and running at peak performance and remove the mystery about what's inside.

PC Probe diagnostic testing quickly isolates the source of hardware problems, even locating bad RAM chips. It tests system board, RAM, video, keyboard, com ports, floppy drive, hard drive, Ethernet card and more. Run **PC Probe** tests in batch mode or single pass, remote or on-site.

PC Probe allows you to increase your hard drive data transfer rate by determining optimum interleave and changing it, prevent catastrophic data loss by performing data revitalization, reformat the hard drive, run external programs, display and edit CMOS RAM on-the-fly, prevent accidental hard drive data destruction with passwords, diagnose problems with device drivers installed.

The 200 page on-line manual has built-in table of contents, topic/text search, and troubleshooting tips. **PC Probe** comes with dual size floppies and 9 & 25 pin serial/parallel port loopback plugs. For PC XT, AT, 386, 486 and compatibles using DOS 2.0 or higher. Regularly \$149, **BYTE Special \$134 + \$6.75 shipping and handling.**

CONFUSED BY TECHNICAL COMPUTER JARGON?

Finally, with a single keystroke, you can define virtually every computer term known in a matter of seconds. This award-winning, easy-to-use utility, defines over 4200 computer terms and concepts for you without having to leave the program you're in.

The Computer Glossary™ (a software version of the best-selling book by Alan Freedman) installs as an application or hot-key accessed TSR. The definitions are written in concise, standard English. Plus, The Computer Glossary provides colorful industry "backgrounders" fascinating to the beginner and expert alike.

Get the most out of your software, manuals and computer magazines, buy **The Computer Glossary** and become a true **POWER USER**. Runs under DOS or MS-DOS 2.0, or later, with 32K of RAM and 1.4 MB of hard disk space on IBM PC, XT, AT, PS/2 and compatible computers. Regularly \$59, **BYTE Special, SAVE \$\$\$ CALL NOW.**

CALL (800) 683-6866

International use FAX (813) 443-6603

Voice (813) 443-1331

Visa • MC • Amex • CODs Accepted • Dealer Inquiries Welcome



LANDMARK/SuperSoft

First in PC Testing... Since 1981

703 Grand Central Street • Clearwater, Florida 34616

Copyright © 1981-1991, Landmark, SuperSoft, PC Probe, AlignIt, KickStart, JumpStart, ROM POST, and Service Diagnostics are trademarks and registered trademarks of Landmark Research International Corp. All Rights Reserved. Other names are trademarks of their associated owners.

large size of the Lasernet. A DIP switch at the rear of the unit lets you configure several default values. You can reset the values after power-up using one of the PC utilities included with the unit. You can set the serial-printer-output-port default to either 9600 or 19,200 bps and the serial-input ports for either 9600 or 19,200 bps (although not individually). You can also select one of four printer output modes: serial only (all output goes to the serial printer port), parallel only (all output goes to the parallel printer port), share mode (data passes to the first available printer port), and direct mode (data travels to the "default" printer port unless otherwise instructed by an embedded command to the Laser-net).

The Lasearnet only supports 1-, 5-, 20-, or 90-second time-outs. The gap between 20 and 90 is large enough to be an irritation. For example, my CAD program needs a time-out of nearly 40 seconds. The additional 50 seconds wastes a lot of time in a device largely designed to save time.

The Lasearnet's maximum 19,200-bps input transfer rate, while the fastest most

printers can accommodate, does not offer that extra performance boost that's so notable with Pacific Connect. Ironically, like Pacific Connect, the Lasearnet includes a new WMODE utility to replace DOS's MODE command, allowing data transfer rates of up to 115,200 bps to be specified. However, the Lasearnet will not support anything beyond 19,200 bps.

While hardware handshaking is the normal mode for the serial ports, a DIP-switch setting will let you configure the ports for XON/XOFF handshaking. Unfortunately, all the ports must use the same handshaking scheme. The Lasearnet accepts certain embedded commands (from the print data stream) for altering the time-out, selecting the output printer, printing multiple copies, and other operations.

Western Telematic includes a disk with several utilities to support the unit. The Lasearnet utility can change the default parameters (primarily the communications parameters), but it incorrectly identified my default port setting as 9600 bps when I had set it to 19,200 bps. It did make requested changes properly, but parameter changes are only valid until

you shut off the power; the default DIP-switch settings then become active again.

MultiSpool

The stand-alone MultiSpool 2289A from Extended Systems includes a 1-MB buffer memory. Like the Lasearnet, it can support a serial printer and a parallel printer (using PC standard DB-25 connectors), as well as a maximum of eight computers. Also, MultiSpool uses DIP switches to determine the power-up default operating parameters; it is limited to 19,200-bps serial operation; and it comes with no cables. It does, however, have many distinguishing features, including its small size. It is roughly one-third the size of the Lasearnet, due in part to its external transformer.

But MultiSpool's most notable features relate to its computer connection schemes. Extended Systems sells varying-length cables with an RJ-45 connector on each end, ranging from 25 feet to 100 feet in length, with special orders accepted for lengths of up to 500 feet. The standard 50-foot cables I used cost \$25. One end of the cable simply plugs into one of the mating RJ-45 connectors at the

IF YOU WANT TO PLAY MUSIC, GET WITH THE PROGRAM.

Actually, two programs. **Play It By Ear** and **RhythmAce**. Two musically essential software programs for any IBM PC.



Play It By Ear is an interactive program that trains you to pick out notes, tones, chords, intervals, and more. It shows you how to play everything back. Without sight reading. Choose from eight different exercises, six skill levels. Play an on-screen guitar fretboard or keyboard. Or straight from your MIDI instrument. The program automatically tracks your progress. Smart.

New **RhythmAce** helps you learn, practice and play rhythms. Perfect your grasp of tempo, time signatures, notation values, meters, and more. Keep the beat with a computer keyboard, mouse or MIDI instrument. Select single or two-handed rhythms. Choose a classical or jazz style. Tap your feet. Fun.

So, to have fun or get serious about music, get with these programs.

See your dealer or order now!
Only \$99.95 each for **Play It By Ear** or **RhythmAce**.

(415) 546-1917



Requirements: IBM PC or compatible; 640K of RAM; DOS 2.0 or higher; a floppy drive; Microsoft compatible mouse, speaker.
Ibis Software Inc., 90 New Montgomery St., Suite 820, San Francisco, CA 94105



This 4½ Hour VHS Video Tape Course -

"How To Install A NOVELL® Network"

Will teach you in plain English all the basics required to install a Novell Network. Topics include: Network Boards, Cabling, File Servers, Hard Drives, Disk & Diskless Workstations, Software Installation, Network Management, Multi-User Applications, etc.

For Orders Call 1-800-654-1138

Tech-support

818-905-1262

FAX 818-905-1292


Introductory Price

\$69.95 Plus \$5 Shipping & Handling

Vogue Video Productions

16250 Ventura Blvd., #202
ENCINO, CA 91436






THE NEW MICRO-CAP III.™ SO YOU CAN TEST-FLY EVEN MORE MODELS.

It wasn't easy. But we did it. Made the long-time best-selling IBM® PC-based interactive CAE tool even better.


Take modeling power. We've significantly expanded math expression capabilities to permit comprehensive analog behavioral modeling. And, beyond Gummel Poon BJT and Level 3 MOS, you're now ready for nonlinear magnetics modeling. Even MESFET modeling.

Analysis and simulation is faster, too. Because the program's now in "C" and assembly language. That also means more capacity — for simulating even larger circuits.


As always, count on fast circuit creation, thanks to window-based operation and a schematic editor. Rapid, right-from-schematics analysis — AC, DC, fourier and transient — via SPICE-like routines. The ability to combine digital/analog circuit simulations using integrated switch



Transient analysis



Schematic editor



Monte Carlo analysis

models and parameterized macros. And stepped component values that streamline multiple-plot generation.

And don't forget MICRO-CAP III's extended routine list — from impedance, Nyquist diagrams and BH plots to Monte Carlo for statistical analysis of production yield. The algebraic formula parsers for plotting virtually any function. The support for Hercules, CGA, MCGA, EGA and VGA displays. Output for plotters and laser printers.

Cost? Still only \$1495. Evaluation versions still only \$150. Brochure and demo disk still free for the asking. Call or write for yours today. And see how easily you can get ideas up and flying.

spectrum

1021 S. Wolfe Road
Sunnyvale, CA 94086
(408) 738-4387

rear of the MultiSpool. The other cable end attaches to your computer using either a serial or a parallel adapter. To connect to a standard 25-pin PC serial port, you use an ESI-7000PC adapter (\$20), and to connect to an AT's 9-pin serial port, you use an ESI-7000AT adapter (\$20). If you wish to connect to your computer's parallel port, you must buy an ESI-7000TX transmitter interface (\$60) to take advantage of the company's proprietary ExtendedLink technology. The ExtendedLink adapter converts the parallel port to a high-speed serial link (at 23,000 bps) that is transparent to your computer's operation and allows reliable communications to up to 500 feet.

For RS-232 serial communications, you can individually configure each input port with DIP switches to operate at 9600 or 19,200 bps, and each port automatically handles both hardware and XON/XOFF handshaking. The unit defaults to a 20-second time-out period, but you can change this by sending commands to the unit via the PC's printer port. These changes, however, are only in effect as long as power remains ap-



MultiSpool's adapters allow any combination of serial and parallel connections among its input channels.

plied. Like the Lasernetet, MultiSpool also supports other commands to select the output printer and lets you print multiple copies.

You must purchase the required RJ-45 cables and adapters with MultiSpool to form a useful printer-sharing device. With these adapters, the device becomes a flexible system that allows any combination of serial- and parallel-port con-


nections, and it supports long-distance data transfers at high speeds (see the photo). At \$995, this device is not inexpensive, especially when you add the special cables and adapters. But it provides exceptional flexibility.

Flexibility Pays

These three printer-sharing devices are reliable, and they work as advertised. For LaserJet users who can accept a five-user limitation, Pacific Connect clearly offers the most bang for the buck. In the higher-cost, stand-alone arena, the LaserJet provides basic no-frills operation with standard interface connectors, but it offers little to help it stand out from the crowd. Because of its greater flexibility and the ability to operate long distances even with parallel ports, Extended Systems' MultiSpool 2289A is the clear winner. ■

Roger C. Alford is president of Programmable Designs, a Michigan-based consulting firm, and author of the Programmable Logic Designer's Guide (Howard W. Sams, 1989). You can reach him on BIX c/o "editors."

BACKPACK. IT'S A DRIVE OF A DIFFERENT COLOR.



Add a disk drive without horsing around inside your computer — just plug Backpack into your parallel port! Connect your printer to the Backpack drive. No tools. No hassles. No interface cards. Backpack works with IBM and compatibles including PCs, XT's, AT's, PS/2's, PS/1's, and



laptops. It's available in 5.25" and 3.5" and comes complete with everything you need. So see your dealer or get it straight from the horse's mouth and call us about Backpack today!

MicroSolutions
Computer Products
132 W. Lincoln Hwy., DeKalb, IL 60115
815-756-3411 Fax: 756-2928

See us at Comdex, Booth #2352

CONVERSION WOES

Which is your conversion?

- New hardware
- New operating system
- New language
- New package



Conversions can be troublesome . . .

Editing scripts never quite seem to be correct. Programs never quite seem general enough. Everything seems so messy and hit or miss. Manual conversions are so tedious and error-prone. Subtle difficulties are not exposed up front. Time scales are hard to estimate.

Help is at hand . . .

We will write a dedicated translator program for you. First we will produce a precise analysis of the logic of your requirements. Then we will write a clean, syntax-directed translation program.

Overseas assignments accepted.
On accepte les missions étrangères.
Telephone John Jackson.

Dataflow Automata



(Sixscore Ltd.)
Parade House,
135 The Parade,
High Street, Walford,
Herts, WD1 1NS, UK.

Telephone: +44 (0)923-246 404
Fax: +44 (0)923-246 301
Mobile: +44 (0)860-921 089
Telex: 917010 Euro G

THE FIRST.

In 1972, Summagraphics introduced the first affordable desktop tablet. Eighteen years and more than 40 patents later, our SummaSketch® II is the industry standard in graphics tablets.




THE MOST.

Our unsurpassed technology and proven reliability have made SummaSketch the best selling tablet in the world—with over 500,000 sold to date. More than any other manufacturer.

THE BEST.

SummaSketch has also won every major editorial accolade, including PC Magazine Editors' Choice, PC Week Corporate Satisfaction Poll, CADENCE's Blue Ribbon Best of 1989, and CADalyst's Dream Systems and Highly Recommended rating.



SummaSketch II. The people's choice. The critics' choice. And the easiest choice you have to make. For literature and the name of your local dealer call 1-800-888-2028, Ext. 304 or in Canada call 1-800-729-7866. For technical information call 203-881-5400.



Summagraphics®

Every decision should be this easy.™

© 1990 Summagraphics Corporation.
Seymour, CT 06483 • All rights reserved.

For IBM/Compatible information circle 289, For Macintosh information circle 290,
For Reseller inquiries circle 291 on Inquiry Card.

The two most comprehensive
to bring you the largest selection of business & personal computing

SELECT 5 BOOKS for only \$4⁹⁵



3534P \$27.95
Counts as 2



9309P \$28.95
Counts as 2



3279 \$36.95
Counts as 2




3617P \$29.95
Counts as 2




15008P \$24.95




2879P \$22.95



062885-8 \$28.95



15002P \$22.95



3484 \$34.95
Counts as 2




9258P \$26.95
Counts as 2



3440P \$18.95




10041P \$29.95



3170P \$26.95
Counts as 2



2870P \$16.95



9335P \$19.95
Counts as 2




3111P \$17.95



3525P \$21.95



056565-1P \$22.95




3382P \$29.95



3131 \$26.95




3616P \$17.95




3418P \$26.95



006551-9 \$47.95
Counts as 2



9334P \$24.95
Counts as 2



3578P \$16.95



3417P \$24.95
Counts as 2



3006P \$29.95
Counts as 2

computer clubs have joined forces


references available . . . at savings up to 50% off publishers' prices!



15013P \$26.95
Counts as 2



3569P \$29.95
Counts as 2




3527P \$19.95



3720 \$26.95




881307-7P \$22.95



9339 \$29.95



3537 \$36.95
Counts as 2




3558 \$38.95
Counts as 2




3415P \$21.95




3663 \$39.95
Counts as 2




3237P \$24.95
Counts as 2



3649P \$24.95




062884-XP \$29.95
Counts as 2




042632-5 \$26.95



3405P \$21.95




3049 \$37.95
Counts as 2




3411P \$24.95




881255-0P \$15.95




3736 \$34.95
Counts as 2



3628 \$26.95



3300P \$24.95
Counts as 2



15038P \$28.95

Membership Benefits

The Computer Book Club and the BYTE Book Club have joined forces to bring you the largest selection of business and personal computing titles available today.

- Big Savings** In addition to this introductory offer, you keep saving substantially with members' prices of up to 50% off the publishers' prices.
- Bonus Books** Starting immediately, you will be eligible for our Bonus Book Plan, with savings of up to 80% off publishers' prices.
- Club News Bulletins** 15 times per year you will receive the Book Club News, describing all the current selections—mains, alternates, extras—plus bonus offers and special sales, with scores of titles to choose from.
- Automatic Order** If you want the Main Selection, do nothing and it will be sent to you automatically. If you prefer another selection, or no book at all, simply indicate your choice on the reply form provided. You will have at least 10 days to decide. As a member, you agree to purchase at least 3 books within the next 2 years and may resign at any time thereafter.
- Ironclad No-Risk Guarantee** If not satisfied with your books, return them within 10 days without obligation!
- Exceptional Quality** All books are quality publishers' editions especially selected by our Editorial Board.

All books are hardcover unless number is followed by a "P" for paperback. (Publishers' Prices Shown)
©1991 THE COMPUTER BOOK CLUB, Blue Ridge Summit, PA 17294-0820



The Computer Book ClubSM with the BYTE Book Club[®]

Blue Ridge Summit, PA 17294-0820

Please accept my membership in The Computer Book Club with BYTE Book Club and send the 5 volumes listed below, billing me \$4.95. If not satisfied, I may return the books within 10 days without obligation and have my membership cancelled. I agree to purchase at least 3 books at regular Club prices during the next 2 years and may resign anytime thereafter. A shipping/handling charge and sales tax will be added to all orders.



Name _____

Address _____

City _____

State _____ Zip _____ Phone _____

Valid for new members only. Foreign applicants will receive special ordering instructions. Canada must remit in U.S. currency. This order subject to acceptance by The Computer Book Club. BY591



The joy of C-scape

Elegant graphics and text

**Supports
DOS, OS/2,
Unix, VMS.
Call for demo.**

The C-scape™ Interface Management System is a flexible library of C functions for data entry and validation, menus, text editing, context-sensitive help, and windowing. C-scape's powerful **Look & Feel™** Screen Designer lets you create full-featured screens and automatically generates complete C source code.

C-scape includes easily modifiable high-level functions as well as primitives to construct new functions. Its object-oriented design helps you build more functional, more flexible, more portable, and more unique applications—and you'll have more fun doing it.

The industry standout. Many thousands of software developers worldwide have turned to the pleasure of C-scape. The press agrees: "C-scape is by far the best. . . . A joy to use," wrote IEEE *Computer*. Major companies have selected C-scape as a standard for software development.

C-scape's open architecture lets you use it with data base, graphics, or other C and C++ libraries. C-scape runs in text or graphics mode, so you can display text and graphics simultaneously. To port from DOS or OS/2 to UNIX, AIX, QNX, or VMS, just recompile. C-scape also

Graphics. Run in color in text or graphics mode. Read images from PCX files.

Object-oriented architecture. Add custom features and create reusable code modules. C++ compatible.

Mouse support. Fully-integrated mouse support for menu selections, data entry fields, and to move and resize windows.

Portability. Hardware independent code. Supports DOS, OS/2, UNIX, AIX, VMS, others. Autodetects Hercules, CGA, EGA, VGA. Supports Phar Lap and Rational DOS extenders.

Text editing. Text editors with word wrap, block commands, and search and replace.

Field flexibility. Masked, protected, marked, required, no-echo, and named fields with complete data validation. Time, date, money, pop-up list, and many more higher-level functions; create your own.

Windows. Pop-up, tiled, bordered and exploding windows; size and numbers limited only by RAM.

Menus. Pop-up, pull-down, 123-style, or slug menus; create your own.

Context-sensitive help. Link help messages to individual screens or fields. Cross reference messages to create hypertext-like help.

Code generation. Build any type of screen or form with the Look & Feel™ Screen Designer, test it, then automatically convert it to C code.

Screen flexibility. Call screens from files at run time or link them in. Automatic vertical/horizontal scrolling.

International support. Offices in Berlin, Germany, with an international network of technical companies providing local training, support and consulting.

supports Phar Lap and Rational DOS extenders.

Trial with a smile. C-scape is powerful, flexible, portable, and easy to try. Test C-scape for 30 days. It offers a thorough manual and function reference, sample programs with source code, and an optional screen designer and source code generator. Oakland provides access to a 24-hour BBS, telephone services, and an international network of companies providing in-country support. No royalties, runtime licenses, runtime modules. After you register, you get complete library source code at no extra cost.

Call 800-233-3733 (617-491-7311 in Massachusetts, 206-746-8767 in Washington; see below for International). After the joy of C-scape, programming will never be the same.

DOS, OS/2 (Borland and Microsoft support): with Look & Feel, \$499; library only, \$399; UNIX, etc. start at \$999; prices include library source. Training in Cambridge and Seattle each month. Mastercard and Visa accepted.

OAKLAND

BY591


Oakland Group, Inc. 675 Massachusetts Ave., Cambridge, MA 02139 USA. FAX: 617-868-4440. **Oakland Group, GmbH.** Alt Moabit 91-B, D-1000 Berlin 21, F.R.G. (030) 391 5045, FAX: (030) 393 4398. **Oakland International Technical Network** (training, support, consulting): **Australia** Noble Systems (02) 564-1200; **Benelux** TM Data (02159) 46814; **Denmark** Ravenholm (042) 887249; **Austria-Germany-Switzerland** ESM 07127/5244; **Norway** Ravenholm (02) 448855; **Sweden** Linsoft (013) 111588; **U.K.** Systemstar (0992) 500919. Photo by Jessica A. Boyatt; Kanji by Kaji Aso. Picture shows a C-scape program combining data entry with video images loaded from PCX files. C-scape and Look & Feel are trademarks of Oakland Group, Inc.; other trademarks belong to their respective companies. Copyright © 1990, by Oakland Group, Inc. Features, prices, and terms subject to change.

Circle 231 on Inquiry Card.

HARDWARE

Color Printing, Diconix Style: Vibrant but Slow

ALAN JOCH



Kodak's Diconix Color 4 ink-jet printer offers paper-handling versatility and rich colors for business presentations.

In the battle for the eyes and minds of harried business people, desktop presentations rely on color as an essential tool. Ink-jet printers remain one of the most economical means of producing color transparencies and handouts, and Hewlett-Packard's PaintJet has carved out an appealing \$1400 price point in that market.

Now Kodak has entered the competition for those who covet color with the Diconix Color 4, a desktop addition to the successful line of portable Diconix printers. At \$1495, the Color 4 is \$100 more expensive than its main rival, but Kodak has imbued the new printer with standard features that make it more versatile than the PaintJet, including a 50-page paper bin to augment the built-in tractor feeder. Unfortunately, the Color 4 can be excruciatingly slow.

Nevertheless, this is a well-designed printer. Its sleek, rounded-wedge shape lends a modern and unobtrusive profile to the desktop. The Color 4's silence while printing is a pleasant surprise: The advancing paper platen is the only sound you'll hear. The LED interface and the menuing system let you quickly select among resolutions, fonts, and media. In addition to Color 4-specific drivers, the Kodak printer emulates the PaintJet.

Easy setup is another plus. Color ink-jets conjure up installation nightmares thanks to ink cartridges that require priming and cleaning. The Color 4's cartridges need very little fussing. However, to prime them the first time, you must insert a straightened paper clip through a small hole in the cartridge and compress an ink bladder so that some drops squeeze through the nozzle. I pic-

tured a disaster, and magenta-stained hands, as I gingerly poked at the bladders and wondered how much stress they could take. In the end, I suffered no mishaps, even when I punched the bladder harder than necessary for priming. The inks are not water-based and are permanent when dry. They refused to smear even when I repeatedly marked an image with an underliner or rubbed it with a moistened finger.

The Color 4 relies on four ink cartridges: yellow, cyan, magenta, and black. The PaintJet uses one black and one color cartridge. Thus, the Color 4 can save you some money if one color dominates your work. Replacements cost \$14 for black and \$20 each for the three colors. Kodak rates each cartridge at a maximum of 500 pages.

After installing the ink cartridges and

BYTE ACTION SUMMARY

■ DICONIX COLOR 4 PRINTER

■ WHAT YOU'LL LIKE

Attention-getting and affordable color for your overhead presentations, business documents, and schematic diagrams.

■ WHAT YOU'LL DISLIKE

Slow print speed and imperfect color reproduction.

■ WHAT WE RECOMMEND

The Diconix Color 4 is an easy-to-use printer that produces quality output. But with its faster speed and lower price, the Hewlett-Packard PaintJet remains our first choice.

■ WHAT YOU'LL PAY

PC version, as tested: \$1495;
Macintosh version: \$1595

■ FOR MORE INFORMATION

Eastman Kodak Co.
Printer Products Division
901 Elmgrove Rd.
Rochester, NY 14653
(800) 344-0006
(716) 253-0740

Circle 1227 on Inquiry Card.



The Diconix Color 4 produced bold but slightly off-register colors in the pie chart on the left. The Hewlett-Packard PaintJet printer (right) produced the same chart a minute faster.

a cleaning blotter, I merely connected the 8-bit Centronics cable and inserted the ROM card that holds a Microsoft Windows driver and other system information. (Kodak markets a version for the

Macintosh with an RS-232 seven-eighths serial interface and cable for \$1595.)

The standard 50-page paper bin means you can easily feed cut sheets and transparencies through the Color 4. By con-

trast, the PaintJet comes only with a tractor feed, so if you're printing cut sheets, you must manually insert them a page at a time. The Color 4 handled both types of paper without jams. Similarly, transparencies fed through the paper bin and printed without incident. The printer produced fine results on 20-pound copier paper, although colors looked even crisper when printed on specially coated ink-jet paper.

Using the front-panel menu, you can select three fonts: Prestige, in 10 and 12 characters per inch, and 18-cpi Gothic. You can print each in draft, near-letter-quality, and quality resolutions (96 by 96, 96 by 192, and 192 by 192 dots per inch, respectively).

Performance Tests

To test the Color 4's speed and quality, I printed a series of color graphics and text files. I first generated a color graphics file produced with CorelDraw 2.0 and converted to a 42K-byte PCX file. Using Excel 3.0, I produced a color bar chart and a color pie chart, both of which included text and numerals. DesignView 2.0 enabled me to print a schematic



IME COMPUTERS
EST. 1981

Quality Products at Liquidation Prices

**The Factory Outlet for
Your Computer Needs**

MICROSOFT BOOKSHELF
CD-ROM
Reference Library
\$79
10 volumes
A \$295 VALUE!

NEC LAPTOPS
Starting at
\$449
OTHER MAKERS, TOO!

NEC PRINTERS
NEW & REFURBISHED
Lasers
STARTING AT \$699!
PostScript Lasers
STARTING AT \$1299!
Dot Matrix
STARTING AT \$149!
OTHER FAMOUS MAKERS, TOO!

XEROX 2700-II
Heavy-Duty 12PPM
Laser Printer
Equiv. to NBI Model 12,
DG LDP/12, DEC LN01
■ 60,000 pp/mo.
duty cycle
■ 300 x 300dpi
\$999
List Price: \$12,495!

CD-ROM PLAYERS
Several models
available...
Call for prices.
The LOWEST around!

MICROPOLIS #1654-7
161MB ESDI Hard Drive
16ms • 5.25" • half-height • **\$599**

Adaptec 16-bit ESDI Controller Cards
IDEAL FOR MICROPOLIS DRIVES
#2322B—Hard/Floppy Drive Controller \$99
#2320B—Hard Drive Controller \$49

HARD DRIVES
FROM
Micropolis & Maxtor
WITH CAPACITIES FROM
115MB - 670MB
—with very fast seek times—
ESDI & SCSI
Interfaces
IME PRICED: \$379 - \$1499!

Call (800) 999-1911

FAX (617) 254-0392 • BOSTON, MA




NO SURCHARGE

★ ★ ★ ★ ★

IT'S 11:35 p.m.

★ ★ ★ ★ ★

**SOMEONE TWO THOUSAND
MILES AWAY JUST SAW
YOUR AD...AND WANTS
MORE INFORMATION, NOW.**

★ ★ ★ ★ ★

**HOW DO YOU
SATISFY THIS POTENTIAL
CUSTOMER?**

★ ★ ★ ★ ★

TRY THIS DEMO

★ ★ ★ ★ ★

1. Pick up the phone connected to your FAX machine and dial:
USA: 708-924-7465 UK: (+44) 672 84242
2. Follow the simple voice instructions, using the phone keypad to respond.
3. You will be asked to press in the code number for FaxFacts:
USA—Press: 889812# UK—Press: 201#
4. Continue to follow instructions being given over the phone.
5. Once all steps are completed, you will be asked to press the "START" or "RECEIVE" button on your FAX.
6. Within seconds, after pressing this button, you will be given information on this instantaneous literature delivery system.

FaxFacts is a product of
Copia International, Inc.

USA: (708) 682-8898
 UK: (+44) 672 84535
 USA FAX: (708) 665-9841

Better Windows

Solve memory problems

QEMM 386 makes the most of every last 'K'. DESQview uses that memory to run multiple programs.

Multitask


Run multiple programs side-by-side in windows. 'Background' programs can continue to run.

See text and graphics side-by-side

Reference information in your graphics program while writing your report.

Run Windows programs

DESQview even lets you run Microsoft Windows.



Easy menu access to programs and DOS services

Access programs or DOS in a window with just a few keystrokes or mouse clicks. It's that simple.

See multiple files

If your programs allow it, DESQview lets you run the same program in two or more windows. Great for comparing files

Cut and paste data

Transfer data between programs with a few keystrokes.

Handle large programs

Run standard DOS programs side-by-side with DOS-extended programs like 1-2-3 Release 3.

DESQview. The Multitasking, Windowing Environment.

Once the power user's secret, DESQview has been discovered by computer knowledgeable people everywhere. Over 1,000,000 people have bought DESQview.

Multitasking; windowing, using keyboard or mouse commands, it's all easy with DESQview.

DESQview 386 2.3 lets you use your favorite DOS and DOS-extended programs in windows side-by-side on 386SX, 80386 and i486 PCs. As you can see above, you can even run Microsoft Windows



within DESQview.

DESQview 2.3 gives 8088, 8086 and 286 PCs with additional memory most of the same capabilities with surprisingly little performance trade-off.

Whatever programs you use—DOS, extended DOS or Windows—and whatever hardware you have, whether 8088 or i486 or something in between, DESQview is still the best way to get the most out of the hardware and software you own today.

DESQview. When you look into it, it's the obvious choice.

Quarterdeck

Quarterdeck International Ltd., B.I.M. House, Crofton Terrace, Dun Laoghaire
County Dublin, Ireland Tel. (353) (1) 841-444 Fax: (353) (1) 844-380

drawing and specifications for a crane arm, a job designers might typically use a lower-resolution plotter for instead. Finally, I printed some text-only files from XyWrite III Plus, primarily to test for speed. I produced the same output on the PaintJet. In both cases, the tests used coated ink-jet paper, ink-jet transparency media, and 20-pound copier paper. None of the Color 4 tests uncovered any problems emulating the PaintJet.

The most obvious performance difference between these printers is speed. In quality mode, the Color 4 plods along, slowly applying ink in each bidirectional pass of the ink cartridges. The print head then stops, waits for the paper to advance a line, and makes another pass. The PaintJet prints at a steadier pace without a series of starts and stops.

My time tests gave numbers to my frustration. For example, the Color 4 needed an average of 2 minutes, 40 seconds to print the CorelDraw file; the PaintJet zipped out the same image in an average of 1 minute, 30 seconds. Similarly, the Color 4 produced the Excel charts in 2 minutes, 26 seconds and 2 minutes, 28 seconds, respectively. The

same charts with the PaintJet: 1 minute, 31 seconds and 1 minute, 27 seconds. Although most people probably wouldn't buy either model to print straight text, the XyWrite tests show that the occasional quality-resolution business memo could be a painful experience with the Color 4. Single text pages averaged 2 minutes, 46 seconds compared to just 50 seconds by the PaintJet.

To its credit, the Color 4 produced chart colors that were richer and more vibrant than the PaintJet's (see the figure). The color richness was especially impressive when I displayed transparencies of the Excel charts with an overhead projector. Under the glare of the projection lamp, the PaintJet charts appeared to be washed out, with weak colors. By contrast, the Color 4 charts and text looked bolder and more eye-catching.

However, a couple of minor flaws lead me to dock points from the Color 4. On the transparency material, some distracting bands in the solid-fill areas detracted from the overall look. In some cases, the register was off slightly, so a faint edge of color appeared beyond black border lines in the Excel pie chart. And in the

CorelDraw image, a custom red came out with too much purple and looked less like the original than the PaintJet's output did. If color accuracy is of prime importance to you, these problems may be serious, but for those who use the Color 4 for presentations and who value vibrancy over accuracy, these may be minor flaws.

Color Champ

As a newcomer to an established market, the Color 4 has a tough job cracking through the competition. With this printer, Kodak has made a fine effort to design a more versatile, easier-to-use alternative to the PaintJet.

In the end, however, as much as I like the Color 4's interface and print quality, I still prefer the PaintJet. It's faster and its color reproduction is truer, and although the difference is small, the PaintJet costs less. Unless Kodak offers some more compelling reasons to switch from the market leader, the PaintJet remains my first choice. ■

Alan Joch is a technical editor with the BYTE Lab. He can be reached on BIX as "ajoch."

BIOS SOURCE CODE

The AT BiosKit gives you a complete Bios with source code in C you can modify for your own applications! The BiosKit includes a Bios on diskette ready for programming Eproms, and includes the utilities you need to Rom the sources Code. The Bios also has a Rom Monitor/Debug and Setup. At last you have control over the core of your system. Over 380 pages, with diskette, \$199. The XT BiosKit is only \$99. The Intel Wildcard Supplement for the XT BiosKit is \$49. Software tools: You need MS C and MASM 5.1 for modifying the Bios.

FREE We'll include a free copy of the pocket-sized XT-AT Handbook by Choisser and Foster with each BiosKit if you mention this ad when you order. Of course, this \$9.95 value is also available by itself. Or buy five or more for only \$5.00 each.



800-462-1042
619-271-9526



Annabooks

12145 Alta Carmel Ct., Suite 250
San Diego, CA 92128

FAX 619-592-0061

Money-back guarantee

Protects while you type!



- **Remains in Place** while you use your computer.
 - **Avoids Costly Repairs.** Protects delicate electronics from dust, spills, smoke, ashes, staples.
 - **Soft, Flexible,** retains normal keyboard feel.
 - **Washable, Durable High-Tech Polymer** lasts years.
 - **Hundreds of Models.** SafeSkin is available for most PCs, laptops, workstations and clone keyboards.
 - **Office • Home • Factory • Classroom • Laboratory**
- List Price \$29.95. Please call or write for free color brochure. Dealer inquiries encouraged.

SafeSkin®
KEYBOARD PROTECTOR

Merritt Computer Products, Inc.

5565 Red Bird Center Dr., Suite 150 • Dallas, Texas 75237
(214) 339-0753 • FAX (214) 339-1313

Actor[®] just got friendlier... ...and Windows[™] programming easier!

Actor is an interactive development system for both beginning and advanced Microsoft Windows programmers. Relying on the most modern object-oriented programming techniques, Actor boils down the complexities of the Windows API to a few, simple but powerful principles, called ObjectWindows.[™] Actor delivers ObjectWindows[™] in an easy-to-use programming environment ideal for learning Windows while writing your programs one step at a time. Add to this support for C libraries and DDE, and you've got the fastest route to Windows. Order your copy today.



Actor 3.1 with Object- Windows[™]

Everything you need to start developing Windows applications. The quickest way to learn about Windows programming. Runtime generation system not included. **\$249**



Actor 3.1 Professional with Object- Windows[™]

Includes Actor 3.1, The Whitewater Resource Toolkit[®], ObjectGraphics[™] class library, and runtime generation system. Everything you need to develop and distribute unlimited copies of your Windows applications. An \$895 value for just **\$495!**

"Actor is a key tool for ushering in the next generation of graphical applications."

— **Technical Excellence Awards, PC Magazine, 1/91.**

"The Actor programming environment for Windows is exceptional... Using Actor, you can do most of the things you do with C in Windows in a lot less time."

— **Gary Entsminger, Computer Language, 3/91.**

"If you need to do Windows programming, I believe that [with Actor] there has never been a better time or better way."

— **Joe Borkoles, .EXE Magazine, 11/90.**

"Using Actor has cut our development time by at least 75%."

— **Michael Fannin, Chairman, Open+Voice Inc., 12/90.**

"Actor is the only way to develop applications for Microsoft[®] Windows that is worth the trouble it takes. Period."

— **Jeff Duntemann, Dr. Dobb's Journal, 12/89.**

Actor is an award winning product:



Finalist, *Technical Excellence Award*, 1988, 1990
PC Magazine



Winner, *Programmer's Productivity Award*, 1990
Computer Language Magazine



Best in its Class, 1989
Info World

Call 1-800-869-1144 for more information on Actor and Actor 3.1 Professional with ObjectWindows and the complete line of Whitewater Windows Development Tools. Or FAX your request for information to **708-328-9386**.

Whitewater also provides expert training and consulting to ensure the success of your Windows development projects. Call 1-800-869-1144 for more information.



The Whitewater Group[®]

1800 Ridge Avenue, Evanston, IL 60201-3621 USA 708-328-3800

Copyright © 1991 by The Whitewater Group, Inc. Actor, the Actor logo, and Whitewater Resource Toolkit are registered trademarks and Actor Professional and ObjectGraphics are trademarks of The Whitewater Group, Inc. Microsoft is a registered trademark and Windows is a trademark of Microsoft Corporation. ObjectWindows is a trademark of Borland International. The Whitewater Group is a registered servicemark.

Circle 337 on Inquiry Card.


Now only \$249

IslandWrite, IslandDraw, and IslandPaint Offer an Isle of Productivity

PC users have it made. The PC has been a general market force for so long that software has stratified nicely into the low end, midrange, and high end of price and capability. Unix workstations, by comparison, are just coming into their own as general-purpose systems. The majority of software in that market is still priced high, with features targeting the most demanding users. While this feature-rich environment is part of what makes Unix attractive, it can also be frightening for those who aren't power users. Falling workstation prices have resulted in the placement of Unix systems on desks that were once the exclusive domain of PCs and Macs. Unfortunately, software has been slow to keep pace; most prices are still high, and most workstation software is still best suited for power users.

IslandWrite, IslandDraw, and IslandPaint, an integrated desktop publishing and graphics package from Island Graph-

IslandWrite's Open Look interface is typical of the group: attractive and functional.



ics, is the epitome of the perfect fit. The philosophy behind this bundled trio of applications is this: Users of workstations often need to generate documents and graphics, even though the generation of such material is not their main job. Why spend hours learning an intricate document preparation system when all you need is a proposal or a letter? Furthermore, why pay for capability that you probably won't ever use?

I worked with version 2.3 of IslandWrite, IslandDraw, and IslandPaint on two SPARC-based systems: a Sun IPC and an Opus PM5000. Both are SPARC-1 machines with roughly identical performance. I used the Open Look version of the software, which ran in color under Open Windows 2.0 and SunOS 4.1.

IslandWrite

Thanks to their Open Look appearance, all three Island applications look sharp and share a common feel (see the photo). From my point of view, though, IslandWrite is the star of the bundle. Any user who feels squeamish about workstations will be immediately calmed by IslandWrite's friendly manner.

If its function had to be identified, IslandWrite would come out somewhere between a WYSIWYG word processor and a desktop publisher. Like a word processor, IslandWrite is easy to learn and use and is built for speed: a first-time

user can create and print a memo or fax document in about 5 minutes without using templates. Like a high-end desktop publisher, IslandWrite can do indexes and tables of contents, handle multiple master pages, and perform layout wonders like flowing text around irregularly shaped graphics. By taking a little while longer to run through the 38-page tutorial, most users are ready for practically anything.

I am amazed that IslandWrite's designers have managed to build a simple document-preparation program without sacrificing functionality. When I first approached IslandWrite, I expected it to be full of holes because of its price and target audience. The more I worked with it and learned about it, however, the more I realized it isn't kid's stuff. In over a month of tests, I found only a few nit-picking things that IslandWrite can't do. It is just good software.

Even with its simplicity, I can only begin to describe IslandWrite's myriad features here. IslandWrite's basic layout building block is the *container*. These are objects, as are most document elements throughout the Island series. As objects, containers have attributes and data associated with them. A container can hold text or graphics and can be any shape, although a rectangle is the most common one. Text flows according to connections between containers; for example, an ar-

BYTE ACTION SUMMARY

■ ISLAND PRODUCTIVITY SERIES 2.3

■ WHAT YOU'LL LIKE

The Island Productivity Series—IslandWrite, IslandDraw, and IslandPaint—is an excellent value at \$995. It has the power to produce all but the most demanding publishing projects.

■ WHAT YOU'LL DISLIKE

Some bugs in the interface; importing and exporting graphics isn't easy.

■ WHAT YOU'LL PAY

\$995 (single-user, node-locked license; other plans available)

■ FOR MORE INFORMATION

Island Graphics Corp.
4000 Civic Center Dr.
San Rafael, CA 94903
(800) 255-4499
fax: (415) 472-0335

Circle 1105 on Inquiry Card.


ticle on page 1 can automatically flow to page 3 if that's your layout preference. Page layouts can be stored as *formats*, IslandWrite's master pages mechanism. A number of these pages can be stored and tagged according to left- or right-side placement. As you enter text, you can add new pages to a document automatically, or you can add them manually by selecting the desired format page.

From a user-interaction standpoint, IslandWrite is nicely done. Open Look's pushpin facility is used liberally; you can tack your most-used menus and dialog boxes onto the root window to create a sort of control panel. Aside from the interactive aspects, IslandWrite also has a markup language. Unfortunately, this language isn't documented; the only way to learn about it is to put together sample documents, request that they be saved as marked-up ASCII, and study them. Even though this is unacceptable to me, I was able to produce a sed script that used IslandWrite's markup facility to create attractive, three-column proofs of BYTE articles. But Island Graphics should have made markup language information more accessible.

IslandWrite's few other deficiencies are related to its environment. It uses Sun's scalable font mechanism, which produces hard-to-read text at small point sizes. The default page size and font are unacceptably small and squinty for interactive work. But the scalable fonts and zoom mechanism allow IslandWrite to run on workstations with limited display sizes. The downside of its scalable fonts, aside from their poor quality at low point sizes, is their inability to run on certain X Window System servers. When I used IslandWrite to test the X terminals in this month's group review (see page 238), I found one terminal that failed to display IslandWrite's fonts properly. Some other minor problems were related to Open Look/Open Windows: the barely visible text cursor in some dialog boxes and the occasionally unintuitive behavior (e.g., the Return key failing to activate a dialog box's OK or other main button). Although these problems will probably be solved in future releases of Open Windows and IslandWrite, they do not impede the user very much now.

IslandDraw and IslandPaint

The other two packages in the bundle are hardly incidental, but neither impressed me as much as IslandWrite did. IslandDraw creates polygon-based drawings, graphs, and charts. Basic drawing tools, including Bézier curves, can be combined to create drawings of simple to



Count yourself in with the Wildcard 88™

- Supports XT Turbo mode CPU clock speeds of 4.77, 7.15 and 9.54 MHz
- 10 MHz CPU clock frequency
- Supports up to 32K Bytes of onboard BIOS EPROM
- Small 2" x 4" form factor
- Bios available for easy integration
- Onboard DRAM controller for easy system design
- Onboard bus controller supports XT I/O channel
- Supports 8087 co-processor operation (with socket) for high speed numeric data processing
- Reduces XT parts count by 75%
- Supports up to 640K of system DRAM
- Onboard sound generator supports speaker control
- Improves total system reliability
- Reduces overall system costs and factory overhead
- Onboard Keyboard Controller

Megatel is expanding the Wildcard family to offer you more development flexibility.

The Wildcard family offers the lowest cost, smallest footprint solution for your XT class system. It integrates all functions of the IBM PC, XT® motherboard minus DRAM and DRAM drivers. All on a circuit

card the size of a business card. For more information call us today.

Megatel Computer Corporation


125 Wendell Ave., Toronto, Ontario M9N 3K9
(416) 245-3324
FAX (416) 245-6505

Wildcard 88™ is a trademark of Megatel Computer Corp. IBM PC, XT are registered trademarks of IBM Corp.

—megatel—

C++/ViewsTM

for Microsoft Windows



THE MICROSOFT WINDOWS 3.0 DEVELOPMENT TOOL THAT DELIVERS FROM START TO FINISH.

C++/Views is a development tool for C++ programmers that not only reduces the complexity of Microsoft Windows 3.0 but also slashes development time by up to 75%.

Delivers on the promise of Object-Oriented Programming (OOP).

Encapsulates more MS Windows 3.0 functionality than any other tool on the market today. Get MS Windows applications off to a fast start with a framework of over 75 tested and ready-to-go C++ classes.

Has the most complete C++ class library for MS Windows Development.

Get started with graphical user interface classes such as windows, views, bitmaps, dialog boxes, menus, popup menus, graphics, regions, pens, brushes, controls, buttons, listboxes, valuator, editors, printers and much more. Organize your data with foundation classes such as containers, collections, sets, dictionaries, files, strings, streams and so-on. Use other classes to manage the persistence of objects across files, to perform serial communications, and to activate timed events.

Provides support for the entire project.

Comes with a complete OOP development environment including the first fully functional C++ class hierarchy *Browser*. Also includes an *Interface Generator* for building C++ dialog classes and a *Documentor* for automatically producing high quality documentation of your classes.

Integrates leading-edge technology.

Combine C++/Views with **Borland C++** or **Zortech C++** for a cost-effective and highly productive development environment for building your next generation software systems.

Pays for itself on even the smallest project.

Only **\$495.00** with no royalties.
Comes complete with source code.

C++/Views
from CNS, Inc.

CNS, Inc., Software Products Dept.
1250 Park Road, Chanhassen, MN 55317
(612)-474-7600 • FAX (612)-474-6737

© Copyright 1990 CNS, Inc. All rights reserved. Microsoft is a registered trademark of Microsoft Corporation.



moderate complexity. IslandDraw treats each polygon and text string as an object with a user-definable stacking order and set of attributes. Its precision and power are sufficient for charts, graphs, and presentation artwork, but it isn't CAD—it won't put CAD software makers out of business. The manual's tutorial works up a floor plan, which is a bit misleading, because IslandDraw is not a CAD package. Still, IslandDraw can pull it off. It excels at combining spline-based and polygonal graphics with shading and scalable text to produce knockout report and presentation graphics. If I had a set of transparencies to produce, IslandDraw would be my tool of choice.

In the hands of those who have little or no artistic talent, as in my case, IslandDraw is a boon. It keeps your lines straight and makes sure your boxes meet at the corners. If you can draw, IslandPaint gives you the raw materials to create freehand illustrations of surprising quality. IslandPaint contains the typical paint-package mix of brush, pattern, and polygon tools. If you need to import graphics, IslandPaint will read PostScript, Group 3 fax, MacPaint, Sun raster, X11 bit-map, and X11 window dump formats.

A Matched Set

The strength of these three publishing tools lies in working as a team. Drawings from IslandPaint and IslandDraw can be loaded into an IslandWrite container, cropped, and scaled. The programs all output PostScript (no other printer support is provided) and can, therefore, be integrated into existing Macintosh networks. PostScript-format file-saving capability permits other applications that read Encapsulated PostScript to use Island-produced graphics and finished pages. My tests proved that this works, but with a catch: Saving an Island drawing or page as an EPS file creates valid EPS code, but it includes a strange binary header that must be stripped before it can be used in another application.

I had trouble in general with the EPS import/export capability. IslandDraw refused to load EPS files that printed perfectly and displayed on the Open Windows pageview PostScript previewer. I notified Island Graphics of the problem, but apparently the company hadn't encountered it before. The problem may have been due to an error on my part, although we could not identify it; the import, export, and convert capabilities of the Island programs were the hardest for me to understand.


Still, I consider IslandWrite, Island-

Draw, and IslandPaint to be an incredible package value at \$995. I breezed through the tutorials and quickly cranked out documents that impressed even the Unix nonbelievers on BYTE's staff. It isn't completely perfect, but everything is perfectly usable. The Island applications stand as excellent examples of the versatility of the Open Look user interface with its pushpins for menus and dialog boxes and its drag-and-drop interface. The combination of this interface

and the trio of integrated publishing tools that make up the Island Productivity Series is enough to make even Mac users a little envious. ■

—Tom Yager

Reviewer's Notebook provides new information—including version updates, new test data, long-term usage reports, and reader feedback—on products and product categories that have been previously reviewed in BYTE.



P E R I S C O P E

Professional Software and Hardware-Assisted Debuggers for 80386 & 80486 Systems

Periscope/EM and 386MAX team up to keep Periscope out of the lower 640k...so you can have both quality memory management and a resident debugger.

New

Debugging Tools


"I needed a means to debug interrupt handlers where I could really see what was going on. The hardware trace buffer is great. I was able to debug code in 3 days that I have been trying to debug for months!"

...writes Peg Sestrich with Prime Computer, on why she chose Periscope Model IV.

Just call toll-free 800/722-7006 for details or to order.

The Periscope Company, Inc.


1197 PEACHTREE ST.
PLAZA LEVEL
ATLANTA, GA 30361
404-875-8080
FAX 404-872-1973



Real-time Periscope Model IV, shown with new 33MHz board and 486 pod.

RACK MASTER™

Our Systems Stack Up To Be The BEST!



SYSTEM FACTS

- * Rugged, Reliable 19" Rackmount
- * 18 inches deep with 3 drive bays
- * 24 inches deep with 6 drive bays
- * Accepts Motherboards
- * Accepts Passive Backplanes
- * EISA and ISA bus architectures
- * 8, 12 or 16 -slot configurations
- * Cortex Split Backplanes
- * 200W to 350W power supplies
- * Custom Power Supplies available
- * Front mounted keyboard socket
- * Rackmount monitors
- * Rackmount keyboard drawer
- * MS-DOS, OS/2, Unix, Xenix
- * Dual card cage cooling fans
- * Master Control 16 controller
- * Quick disconnect extending slides
- * Tilting and extending slides

SYSTEM USAGE

- * Network File Server / Duplexing
- * Data Acquisition
- * Factory Automation
- * Motion Control / Robotics
- * Communication Networks
- * Voice Mail / Message Systems
- * Broadcast Communications
- * Military / Defense Systems
- * Video Editing Studios
- * Test System Controllers

ENGINEERING

- * Steel Enclosure
- * EMI/RFI Plating
- * Hard Coat Anodized Face Plate
- * Custom Configurations
- * Custom Engineering / Design

Cortex Corporation

1-800-888-RACK

12274 Nicollet Ave. S


Burnsville, MN 55337

(612)894-3354 Fax (2414)

Circle 79 on Inquiry Card.

JOHN ROMKEY
AND
SHARON FISHER

PACKET DRIVERS



If you follow networking, you've heard a lot about the Network Driver Interface Specification and the Open DataLink Interface (see "Mix-and-Match Network Adapters," August 1990 BYTE). When network software uses protocols that conform to NDIS or ODI, those protocols can ride on top of any network adapter for which a corresponding NDIS or ODI driver exists. Conversely, adapter makers do not need to write and maintain separate drivers for each network product. Multiple protocols, moreover, can share the services of an adapter. All in all, these specifications yield tremendous benefits.

You may not have heard much about an alternative grass-roots effort that predates NDIS and ODI: the packet driver specification. This specification was originally written in 1986 to enable FTP Software's PC/TCP to coexist with a proprietary LAN system. It was enhanced and then released to the general public. Volunteers write drivers for various cards and contribute the drivers to users through Clarkson University and FTP Software.

The "Clarkson collection," which consists of drivers and documentation, is available from several sources. It includes a variety of standard Ethernet drivers (e.g., for 3Com, Novell, InterLan, Tiara, and Western Digital). It also includes more exotic packet drivers: one for serial-line internet protocol and two piggybacking drivers that send IP packets by way of IPX and NetBIOS, respectively. To find out where to get copies of

the drivers and the specification, see the text box "How to Get Packet Drivers" on page 298. For a list of adapter cards with existing packet drivers, and for network software products that support the packet driver, see table 1.

All network software products can potentially use packet drivers, but you've got to rewrite the protocol stack driver interface so it can talk to the packet driver interface. FTP Software's PC/TCP, of course, speaks packet driver, as do many of the other TCP implementations for DOS (e.g., Wollongong Group's WIN/TCP, Phil Karn's KA9Q TCP/IP, and Sun Microsystems' PC-NFS). NetWare users have relied on a packet-driver-compliant IPX shell that was developed at Brigham Young University. Thanks to that effort, users at BYU and around the world have been running TCP/IP and NetWare concurrently on DOS workstations since 1988, although Novell's own ODI-based solution has appeared only recently.

Version 2 of the BYU shell is freely available, but the newly developed version 3 is not. That's because Atlantix (formerly CocoNet) has licensed it for use with its Axxess server—an SMB/NetBIOS implementation for Unix. Atlantix's use of packet drivers and the BYU shell demonstrate the generality of the packet driver specification. Although they were invented to simplify FTP Software's adapter support chores and were

**Device-independent
protocol multiplexing
in the public domain**

subsequently used to enable TCP/IP-NetWare coexistence, packet drivers can be used in all sorts of applications. With Axxess, for example, DOS workstations can simultaneously converse with NetWare servers (using the BYU shell) and Unix-, DOS-, or OS/2-based SMB/NetBIOS servers (using Atlantix's packet-driver-compliant NetBIOS).

Note that packet drivers are distinctly DOS creatures. Theoretically, you can pile on protocol after protocol, but in practice, you'll run up against the real-mode 640K-byte ceiling. High-loading memory managers can offer some relief, and Windows and other DOS-extended applications running in extended memory can use the services that packet drivers provide, but the existing drivers (and, currently, most of the protocols that ride on top of them) operate only in real mode. You may find, therefore, that once you have loaded TCP/IP and NetWare, there is little elbow room remaining. Of course, that's simply a DOS restriction that network software products using packet drivers, NDIS, and ODI share equally.

Using the Specification

With a packet driver, as with an NDIS or ODI driver, protocol stacks gain device independence and the ability to coexist with other protocol stacks. Tailoring a protocol stack to use the packet driver interface is straightforward. Protocol stacks have always had to support lots of network cards, so they typically already have a well-defined software interface for calling drivers. Supporting the packet driver is then simply a matter of mapping that interface to the packet driver in-

How to Get Packet Drivers

The Clarkson collection of packet drivers is available through anonymous FTP, archive server, the Clarkson Heath User's Group BBS, BIX (protocols conference), and surface mail. DRIVERS.ARC is executable only; DRIVERSS.ARC contains source code. The FTP location is:

sun.soe.clarkson.edu:
/pub.ka9q/drivers.arc

or

grape.ecs.clarkson.edu:
/e/tcpip/drivers.arc

To retrieve drivers from the archive server, send mail to archive-server-@sun.soe.clarkson with *help* as the body of the message. This sends a help message with further instructions.

The BBS is up 24 hours a day at (315) 268-6667 at 1200/2400 bps with 8N1 format. The drivers are DRIVERS.ARC in file area 24.

For surface mail, send a check for US\$20 or a purchase order (which will be billed for US\$22) to Russell Nelson, 11 Grant St., Potsdam, NY 13676. The drivers are available on 5 1/4- or 3 1/2-inch disks. New York residents must add 7 percent sales tax; overseas orders must include US\$3 for shipping and make checks payable in U.S. dollars.

The packet driver specification is available via anonymous FTP from FTP Software in vax.ftp.com:/pub/packet-d.ascii. (Other interesting files, including a packet-driver-to-NDIS converter, are in the directory vax.ftp.com:/pub/packet.driver.) If you don't have anonymous FTP capability, call FTP's sales department at (617) 246-0900.

BYTE ACTION SUMMARY

Network interoperability often hinges on the ability to run several protocols at once. Although new driver specifications from Microsoft, 3Com, and Novell now support protocol multiplexing, freely available packet drivers that achieve the same effect have been around for several years.

terface. According to BYU's Kelly McDonald, it was easy to convert one of the sample hardware-coupled IPX drivers included with Novell's adapter driver kit into a hardware-independent IPX packet driver.

It's trickier to write board-level drivers that present a packet driver interface if only because writing *any* device driver is a tricky undertaking. The breadth of the Clarkson collection is a testimony not only of the ingenuity and dedication shown by the volunteers who contributed to it, but also of the scope of the problem that the packet driver specification solves. Moreover, not all packet drivers represent the effort of volunteers, because it is largely in the interest of board vendors to write packet drivers, too. Packet driver support has to mean, among other things, that even new versions of the vendors' adapters will work with existing applications.

The packet driver doesn't allow two instances of the same protocol stack to access the driver at the same time. You can't, for example, use a public domain TCP and a commercial one on the same

system at the same time.

The packet driver also doesn't make software independent of the network media. The protocol stack still has to be customized for Ethernet or Token Ring or whatever the specific type of medium is, because different media require different packet-header formats, translation techniques, and network station addresses. TCP/IP uses 32-bit logical addresses that are unique in the TCP/IP Internet, and these addresses must be mapped to the host's hardware address. Other protocol stacks use different representations of network addresses.

The algorithm for mapping the address varies depending on the network media. While a packet driver could build the hardware-level headers for the application (although it doesn't), it wouldn't be realistic to expect it to translate addresses. That approach would limit its flexibility, as different protocol stacks may use different addressing schemes and translation algorithms.

Novell's ODI differs from the packet driver in that it builds hardware headers for its client protocol stacks. However,

Intel 386TM/486TM C Code BuilderTM Kit

Development Tools for the 32-bit Environment



How to remove the last barrier to 32-bit programming.

Open Intel's new 386TM/486TM C Code BuilderTM Kit. And tear into the increased memory and performance of 32-bit DOS protected mode.

Inside, you'll find everything you need to develop 32-bit applications. That means you get a Microsoft and ANSI compatible C Compiler and Libraries, Linker, Librarian, Make Utility, and Source Level Debugger. We've even enclosed a DOS Extender that's DPMI-compliant. Compliancy that enables easy migration to Windows[®] and OS/2[®] from Microsoft.

To make moving up even simpler, we've also

included free Intel support and a \$695 price tag. With no royalties to pay. Ever.

Try it at no risk. Purchase it from your Intel dealer with a 30-day, money-back guarantee. Or call 1-800-525-3019 for fax document #9901, or Intel customer service at 1-800-538-3373. Because with Code Builder, the hardest thing about getting into 32-bit programming is opening the box.

©1990 Intel Corporation. *DPMI compatibility with these operating environments is based upon publicly stated intentions of Microsoft Corporation. Intel is a registered trademark, and 386, 486, and Code Builder are trademarks of Intel Corporation. Windows is a registered trademark of Microsoft Corporation. OS/2 is a trademark of IBM.

Circle 358 on Inquiry Card (RESELLERS: 359).

PACKET-DRIVER-SUPPORTED HARDWARE AND SOFTWARE

Table 1: Adapter cards with existing packet drivers are listed below. Many free and commercial network software products support the packet driver.

Adapters with packet drivers:

3Com's 3C501, 3C503, 3C505, 3C507, and 3C523
Any SMC-mode ARCnet card
Telesystems SLW's radio modem
Any AT&T Ethernet or StarLAN card
D-Link Systems' DE-600 Pocket LAN Adapter
Simulated driver over NetWare's IPX
BICC Data Networks' ISOLAN
Apple Computer's LocalTalk PC Card
Sun/TOPS (Sitka) FlashCard
Simulated driver over NetBIOS
NCR's ET-105B
Novell's NE1000, NE2000, and clones
Racal-InterLan's NI5010, NI5210, NI6510, and NI9210
SLIP, using the PC's 8250 serial chip
Ungermann-Bass's NIC and NICps/2
All Western Digital's models

Freely available software that supports the packet driver:

NCSA Telnet
Clarkson NCSA Telnet
Phil Karn's KA9Q TCP/IP (freely copyable only for radio amateurs and educational institutions)
Harvard PC-IP
BYU's IPX packet driver
PCROUTE
Joe Doupnik's version of MIT's NETWATCH
SOS NFS Server
PC-NFS drivers (requires Sun's PC-NFS)

Commercial software that supports the packet driver:

Atlantix's Axxess
FTP Software's PC/TCP
Sun Microsystems' PC-NFS
Wollongong Group's WIN/TCP
Gateway Communications' packet driver
D-Link Systems' D-Link Ethernet card packet driver
Beame & Whiteside Software's BWNFS and Telnet packages
Wiscware's MS-DOS/IP
Cabletron Systems' Ethernet card packet driver

ODI doesn't do address translation, so applications that use it still must retain some media-specific knowledge.

How Packet Drivers Work

The packet driver interface revolves around a software interrupt that network applications call to perform a variety of functions: getting information about the network interface, transmitting packets, and registering to receive packets, for example. You load a packet driver first and then one or more protocol stacks that use

it. Here's a sample AUTOEXEC.BAT fragment that illustrates the process:

```
wd8003e 0x72 5 0x240 0xd000
ethdrv
ipx
```

The first line loads the Clarkson University packet driver for the Western Digital WD8003E Ethernet card; the second line loads the FTP Software PC/TCP kernel; and the third line loads the BYU packet driver NetWare shell. All estab-

lish themselves as TSR programs.

The packet driver presents a software interface to the network adapter in much the same way as DOS presents a software interface to a hard disk. Disks have several common operations: read a sector, write a sector, and get the disk's characteristics. Similarly, the packet driver provides for the common network adapter operations.

What Networks Look Like to Software

The basic unit of data on a network is a packet, conceptually not unlike a disk sector. You can write a sector to a disk regardless of what's in the sector—a file, a part of a directory, whatever. You can also write a packet to an Ethernet regardless of what's in the packet; it's up to the receiver to figure it out.

To help the receiver, most networks have a way of providing a packet-type indication. On DEC-Intel-Xerox Ethernet, each packet has a 16-bit Type field; on IEEE Ethernet, each carries a Service Access Provider (SAP) field. TCP/IP always uses DIX formats on Ethernet.


Each computer on a network has a network address; address lengths vary depending on network type. Some networks support broadcast packet transmission, wherein a packet goes to all computers on the network. Some support multicast, which is a restricted broadcast to a subset of nodes. (Typically, the subset has its own special network address.) And some support *promiscuous mode*, in which the device is programmed to receive all packets regardless of their destination. This mode is used primarily by network monitors and analyzers.

Multicast reception tends to work in one of two ways. One approach is that you can often program the network interface with a set of multicast addresses that it should listen for. That way, the software doesn't need to verify the addresses. The disadvantage of this approach is that hardware usually has small, fixed tables that allow only a certain number of multicast addresses to be listened for.

The other approach is that the interface can pass all multicast packets up to the software driver and have it screen out the addresses. This is rather like receiving broadcast packets, except that the extra overhead of screening out the undesired packets is incurred only by hosts using multicast and not by every host on the network.

Some software also needs to be able to set the address of its network interface. Most network (and all Ethernet) interfaces come with a globally unique

In college, you would have killed for MathCAD. So why aren't you calculating with it now?



100,000 engineers and scientists already let MathCAD do their calculations for them.

Now that college is far behind you, perhaps it's time you graduated from spreadsheets, calculators and programming.

Because in today's working world of engineering and science, there's no time for anything less than MathCAD. The software that lets you perform engineering and scientific calculations in a way that's faster, more natural, and less error-prone than any calculator, spreadsheet, or program you could

write yourself.

Thanks to MathCAD's live document interface™, you can enter equations anywhere on the screen, add text to support your work, and graph the results.



March 14,
1989 issue.
Best of '88
Best of '87

It also comes complete with over 120 commonly used functions built right in. Perfect for creating complex equations and

formulas, as well as exponentials, differentials, cubic splines, FFTs and matrices.

You get three-dimensional plotting, vivid graphing, and the ability to import HPGL files from most popular CAD programs, including AutoCAD®.

Done calculating? MathCAD prints *all* your analyses in presentation-quality documents, even on PostScript® compatible printers.

All of which has made MathCAD far and away the best-selling math software in the world. In fact, it's used by over 100,000 engineers and scientists — just like you.

There's MathCAD for the PC. MathCAD for the Mac, written to

take full advantage of the Macintosh® interface. And a Unix® version that utilizes the speed and unlimited memory of your Unix workstation.

We also have Applications Packs for Advanced Math, Statistics, Mechanical, Chemical, and Electrical Engineering. Each is a collection of adaptable mathematical models, designed to let you start solving your real world problems right away.



For a free MathCAD demo disk, or upgrade information, dial 1-800-MATHCAD (in MA, 617-577-1017). Or see your software dealer.


Available for IBM® compatibles, Macintosh computers, and Unix workstations.

TM and ® signify manufacturer's trademark or registered trademark, respectively.

1-800-MATHCAD

MathCAD®

MathSoft, Inc., 201 Broadway, Cambridge, MA 02139



MathCAD 2.5 includes 3-D plotting, HPGL sketch import, and PostScript output.

PACKET DRIVER CALLING CONVENTIONS

Table 2: All packet driver calls enter with the function number in register AH and return with the carry flag set to indicate error. The error code is in register DH in that case.

driver_info		get_parameters	
IN		IN	H
	AH 1	OUT	AH 10
OUT	AL 255		ES:DI parameter structure
	AL functionality		byte major version
	1 basic		byte minor version
	2 extended		byte length of structure
	5 high performance		byte address length
	6 high performance and extended		word maximum transmission unit
	255 not installed		word multicast address buffer size
	BX version		word back to back receive
	CH class		word successive transmits
	CL number		word post-eoi interrupt
	DX type		
	DS:SI name		
access_type		set_rcv_mode	
IN		IN	E
	AH 2		AH 20
	AL class		BX handle
	BX type		CX mode
	CX type description length		1 turn off receiver
	DL number		2 receive only unicast packets
	DS:SI type description		3 mode 2 plus broadcast
	ES:DI receive handler		4 mode 3 plus limited multicast
OUT	AX handle		5 mode 4 plus all multicast
			6 all packets
release_type		get_rcv_mode	
IN		IN	E
	AH 3		AH 21
	BX handle		BX handle
OUT	no returns		OUT AX mode
send_pkt		set_multicast_list	
IN		IN	E
	AH 4		AH 22
	CX length		CX address length
	DS:SI packet		ES:DI address
OUT	no returns		OUT no returns
terminate		get_multicast_list	
IN		IN	E
	AH 5		AH 23
	BX handle		OUT CX length of address list in bytes
OUT	no returns		ES:DI address list
get_address		get_statistics	
IN		IN	E
	AH 6		AH 24
	BX handle		BX handle
	CX buffer length		OUT DS:SI statistics structure
	ES:DI buffer for address		dword packets received
OUT	CX length of address		dword packets transmitted
reset_interface			dword bytes received
IN			dword bytes transmitted
	AH 7		dword errors received
	BX handle		dword errors transmitted
OUT	no returns		dword packets lost
set_address		set_address	
IN		IN	E
	AH 25		AH 25
	CX address length		CX address length
	ES:DI address		ES:DI address

E = extended function
H = high-performance function

network address stored in ROM on the board, but they can also override that address under software control.

In short, applications calling a network device driver need to perform the following operations:

- identify the network device
- read the device's network address
- send a packet
- receive a packet
- stop receiving packets
- manipulate multicast addresses

The packet driver interface supports all these operations.

First Things First

Before an application can use a packet driver, it has to figure out which software interrupt the packet driver has attached itself to. Although some programs may mandate a specific interrupt, other programs use the driver's facility for automatically locating the interrupt. It works by scanning interrupt vectors 0x60 through 0x80 and looking for a special signature string. The interrupt handler for the packet driver interrupt will point to a 3-byte jump instruction (or any 3 bytes; what they are doesn't matter to the application) followed by a null-terminated ASCII text string `pkt_drvr`. The application then uses this interrupt to call the packet driver.

Calls to the packet driver set processor register AH to the op code for the call. The op code determines which operation the driver will perform. On return, the carry flag will be set if an error occurred, and DH will have the error code, or return results will be placed in registers. Table 2 details register passing conventions for all the packet driver calls.

Identifying the Network Device

After the application finds the packet driver, it can find out more about it by making two calls: `driver_info` and `get_parameters`. The `driver_info` call returns an indication of which packet driver calls are supported. Calls fall into three categories: basic, extended, and high performance. All packet drivers support basic calls. Most Clarkson collection drivers support all three modes.

The `driver_info` call also tells the application the version of the driver that is loaded, the class of network device being accessed (*class* is the network media, such as Ethernet), the type of network device being used (the model of the network interface), the number of the card (e.g., the first driver is 0; the next is 1), and the address of an ASCII string de-

CLASSES OF NETWORK MEDIA

Table 3: The newest release of the Clarkson collection enables Class 1 (DIX) drivers to accept Class 11 (IEEE) access-type calls. This allows simultaneous use of IEEE and DIX framing through one packet driver and solves a long-standing problem related to the use of packet drivers on Novell networks.

1	DEC-Intel-Xerox "Bluebook" Ethernet
2	ProNET-10
3	IEEE 802.5/ProNET-4
4	Omninet
5	AppleTalk
6	Serial line
7	StarLAN
8	ARCnet
9	AX.25
10	KISS
11	IEEE 802.3 with IEEE 802.2 headers
12	FDDI with IEEE 802.2 headers
13	Internet X.25
14	N.T. LANSTAR (encapsulating DIX [Ethernet framing])

scribing the interface. See table 3 for a list of currently defined classes.

A program calling the packet driver should scan the interrupt table and issue `driver_info` calls until it finds a driver with appropriate characteristics. (Perhaps it can run only with an Ethernet driver and should, therefore, ignore any non-Ethernet packet drivers loaded into the system.) When it finds one, it must register itself with the driver by calling `access_type`.

Setting the Receive Mode

Most network cards can be in one of several *receive* modes. Each receive mode specifies which packet the card will keep, based on its destination address. The receive mode can be set by calling the `set_rcv_mode` function. The simplest mode, mode 1, turns off the receiver. Applications are unlikely to want to do this.

In mode 2, the card receives only packets that are addressed directly to it. No broadcast or multicast packets are accepted. Again, applications are unlikely to do this, but this mode is included for completeness.

In mode 3, the card receives packets addressed to it and broadcast packets. Since few existing applications use network multicast addresses, most will want to run in this mode.

Mode 4 is equivalent to mode 3 plus multicast packets filtered by the card's in-hardware multicast address list (set by `set_multicast_list`). Some applications will use multicast to send data to a group of hosts without having to burden all hosts on the network as they would with broadcast. They would use this mode or mode 5.

Mode 5 is equivalent to mode 3 plus

all multicast packets. The difference between mode 4 and mode 5 is that mode 4 depends on support for multicast filtering on the network adapter. Not all network adapters support multicast filtering, and those that do support it usually allow the application to register only a few addresses. If the application wants to listen to a lot of different multicast addresses, it can use mode 5 at the expense of extra software overhead to check if the received packet matches a desired multicast address. In mode 4, this is done in hardware.

Mode 6 tells the driver to receive all packets regardless of their destination address. This is useful mainly for network analyzers and monitors. An application can also find out the current receive mode by calling the `get_rcv_mode` function.

Receiving Packets

To receive packets, an application must tell the packet driver which packets it wishes to receive and which handler to call when one shows up. The function `access_type` registers the handler and returns a handle, which is required by some other functions.

The packet type is specified by passing the driver a string of bytes that tell it which packet type to watch for. Different network media have different ways of determining the type of a packet. For instance, a DIX Ethernet driver (Class 1) has a 2-byte Type field, starting at the twelfth byte in the packet. A packet is determined to be a TCP/IP packet only if these 2 bytes are 0x800.

However, an IEEE 802.3 Ethernet stores the packet length in this field and uses a SAP field after the 14-byte Ethernet header to determine how to dispatch

the packet. A SAP header can further indicate that a following Sub-Network Access Provider header must be consulted. With TCP/IP, the SNAP header is followed by a final header that carries a Type field indicating if the packet is an IP packet or an ARP packet (ARP is used to translate 32-bit IP addresses into 48-bit IEEE addresses). But only IP will have all these headers. Other protocols may not require the SNAP header or the IP-specific one. Thus, an IEEE 802.3 packet driver must be prepared to check a range of bytes to find which protocol stack a received packet is for.

The recent release (8.x) of the Clarkson collection solves a long-standing problem related to DIX versus IEEE formats. The new drivers may act as Class 1 (DIX) and Class 11 (IEEE) drivers. When an application calls `access_type`, it specifies a driver class. The Clarkson release 8.x drivers allow Class 1 drivers to accept Class 11 `access_type` calls and decide, by remembering the class each receiver is using, where in the packet to match Type fields. This allows simultaneous use of IEEE and DIX framing through one packet driver.

The Clarkson drivers also support a mode that allows the BYU Novell shell to pass Novell DIX format packets to the driver, which then converts them to IEEE-format packets for transmission and fixes up received Novell packets. Novell servers and clients use IEEE framing by default but violate the IEEE rules on SAP usage. A Novell system can be switched to DIX framing (where it properly uses the Type field) with the `ECONFIG` command. By having the packet driver do the conversion, the `-n` option to the Clarkson packet drivers allows use of the BYU shell (internally using DIX framing) without requiring users to convert the rest of their network to DIX framing.

After an application calls the `access_type` function, and any time a packet of its type is received, the handler is first called to get a buffer to store the packet. Register BX holds the handle the packet was received on, and register CX has the packet's length. AX is set to 0 on the first call. The application must return a buffer, pointed to by DS:SI, for the driver to store the packet in. If the application has no buffer space left, it can return 0:0, and the driver will discard the packet. Otherwise, the driver copies the packet into the memory DS:SI points to and calls the driver again, this time with AX set to 1 and DS:SI set to the address of the buffer the application passed to the driver. When the call returns, the driver

is finished with this packet. Applications must be careful when handling these calls, as they may be called from an interrupt handler.

When an application is finished receiving packets, it should call the `release_type` function, passing it the handle that's returned by `access_type`. It's especially important that an application

The application must return a buffer for the driver to store the packet in.

do this before exiting to DOS. Otherwise, the receive handler will be invalid and the system will probably crash the next time it receives a packet.

Transmitting Packets

An application must present packets for transmission by the packet driver as contiguous chunks of memory. To transmit a packet, an application must first fill in the MAC header (for instance, the destination and source address and Type fields on a DIX Ethernet, or the destination and source address and SAP fields on an IEEE 802.3 Ethernet). It then calls the `send_pkt` function, passing it the address of the packet and the packet's length. When `send_pkt` returns, the application may reuse the memory where the packet was stored.

For higher-performance applications, recent packet drivers have supported a second function, `as_send_pkt`. This call operates like `send_pkt`, except that it takes an extra argument: the address of a function to call when the packet transmission is complete.

The function is called with the address of the packet that has been transmitted and an indication of the success or failure of the transmission. This new function allows applications to take advantage of dead time while the network card is waiting for the packet transmission to complete. The old call would sit and wait for the completion; the new one queues up packets for transmission and returns immediately, letting the application get on with other work (such as filling up other

packets to be sent, reading a disk file, or writing to the display).

With `as_send_pkt`, the application must not modify the packet until the completion function has been called. This way, the packet driver can keep a queue of outgoing packets.

Address Handling

The packet driver supports several functions for manipulating addresses. They are `get_address`, `set_address`, `get_multicast_list`, and `set_multicast_list`.

Applications that need to know the address of their network card can find out by calling `get_address` and passing the driver a buffer in which to copy the address. They can also find out the length of their network address by calling `get_parameters` (most networks use fixed-length addresses; for instance, Ethernets use 6-byte addresses). All TCP/IP applications must do this. Applications that need to change their network address can do so by calling `set_address` and passing the driver a pointer to the new network address.

A packet driver may also provide multicast support. An application can get the list of multicast addresses currently listened for by calling `get_multicast_list`; then, it can set them by calling `set_multicast_list`. These functions are intended to work with multicast support provided by the hardware. If the application asks for more multicast addresses than the network card can support, the set function may return failure. In that case, the application should change the receive mode to mode 5 by using the `set_rcv_mode` call described above and filter multicast packets itself.

Miscellaneous Control Functions

The packet driver specification also provides some miscellaneous control functions. They include the following calls:

- `terminate`: asks the driver to unload itself from memory. Not all drivers can support this call. All handles should be released before calling this function.
- `reset_interface`: allows the application to reinitialize the network interface. This call is useful if the interface appears to be jammed or otherwise not functioning correctly.
- `get_parameters`: allows the application to find out information about both the driver and the hardware, such as the version of the packet driver specification implemented by the driver, the length of an address, the maximum size of a packet for transmit or receive, and the number



"Power C is a heavy-weight contender - at a bantamweight price"

Stephen Davis
- PC Magazine

"On sheer audacity for price-performance ratio, we loved Mix's products"

Tim Parker - Computer Language



"The Ctrace debugger is where Mix really shines. It is magnificent."

David Weinberger
- Computer Shopper



MDX
software

Power C

combines a high-performance C compiler with superb documentation, at a price that brings chuckles from over 50,000 satisfied customers. That's because Power C performs favorably against compilers costing 10 times as much. And you can't buy a compiler that's more reliable or easier to use - at any price. Perhaps that's why Power C has won Computer Shopper's Best Buy award for three years running.

- compatible with ANSI C standard
- integrated Make utility
- library of over 450 functions
- IEEE software floating point
- supports 8088/286/386/486 CPU
- memory resident program support
- supports 8087/287/387 math chips
- small/medium/large memory models
- mixed model with near/far/huge
- allows arrays larger than 64K
- CGA, EGA, VGA & Hercules graphics
- 650 page manual with tutorial

\$1000

Power C Library Source

includes our Power C assembler, plus the C and assembly language source code to over 450 functions in the Power C library. Unlike our competitors, who charge \$150.00 or more for library source code, we've made ours very affordable.

\$1000

Power C BCD Business Math

includes binary coded decimal floating point routines and financial functions to calculate interest, depreciation, etc.. BCD routines are used for dollars and cents calculations to eliminate inaccuracies caused by rounding.

Power C requires DOS 2.0 or later, 320K memory, 720K disk space. Master C requires DOS 3.0 or later, 384K memory, hard disk.

Power Ctrace

combines state-of-the-art technology with a friendly interface, making it very easy to find and correct your programming mistakes. No time consuming edit/compile cycles are needed to track down bugs. Simply compile your program once with the trace option, and Power Ctrace does the rest. Multiple windows display your C source code, the values of all your program variables, program output, watch points, and assembly instructions. Put Power Ctrace to work for you, and we guarantee that you'll be a more productive C programmer.

Order line:


1-800-333-0330

Technical Support:
1-214-783-6001

Fax: 1-214-783-1404

Mix Software, 1132 Commerce Drive,
Richardson, TX 75081

Get a FREE copy of Master C (limited time offer)



Published by the highly acclaimed Waite Group, Master C is a revolutionary book/disk package that turns your PC into a C instructor. Master C teaches you, quizzes you, notices problems you are having, and recommends action. In a pilot study at IBM, students using Master C retained 19% more knowledge than students who learned from a lecturer. Now you can receive this \$44.95 package absolutely FREE when you purchase all four Power C products described above. Just ask for the Master Pack.

"Master C eschews flash for elegant competence, and it works!"

Jeff Duntzman - PC Techniques

60 day money back guarantee

Name _____

Street _____

City _____

State _____ Zip _____

Telephone _____

☐ Please send me a free brochure

Paying by: ☐ Check ☐ Money Order

☐ MC ☐ Visa ☐ Amex ☐ Discover

Card # _____ Exp _____

Disk Size: ☐ 5 1/4" ☐ 3 1/2"

Product(s) (Not Copy Protected)

☐ Power C (\$19.95) \$ _____

☐ Power Ctrace (\$19.95) \$ _____

☐ Power C Library Source (\$10) \$ _____

☐ Power C BCD Business Math (\$10) \$ _____

☐ Master Pack (\$59.90) \$ _____

(includes all of the above plus Master C)

Add Shipping \$ _____

(\$5 USA - \$10 Canada - \$30 Foreign)

Texas Residents add 8.25% Sales Tax \$ _____

Total amount of your order \$ _____

People are talking about us.

F77L-EM/32 & Lahey Ergo OS/386

Port mainframe programs as large as 96MB to 386/486's with this 32-bit DOS-Extender compiler. The Winner of *PC Magazine's* 1988 Technical Excellence Award just got better. New Version 4.0 includes: Programming Tools, Popular Fortran 90 features, Virtual Memory Support, DESQview Support, New Documentation and Free Unlimited Runtime Licenses. F77L-EM/32 \$995 OS/386 \$395

F77L

The fastest real-mode compiler available. F77L can take advantage of your 386 PC by generating 32-bit instructions. New Version 5.0 includes: Fortran 90 features, Weitek support, and Video Graphics. \$595

Lahey Personal Fortran 77

Version 3.0: Full ANSI 77, Editor, Debugger, Linker, Library Manager, Microsoft and Borland C interfaces. A great learning tool at an unbeatable price. \$99



Contact us to discuss our products and your needs. (800) 548-4778
Lahey Computer Systems, Inc. P.O. Box 6091, Incline Village, NV 89450
Tel: (702) 831-2500 FAX: (702) 831-8123

FORTAN IS OUR FORTE

NOW VERSION 4 Full-featured scientific word processing

ChiWriter gives you all the features of an advanced scientific word processor and more! The WYSIWYG screen display lets you enter and edit text and scientific notation exactly as you want it on your printout. Add easy math editing, font design, multiple undo and redo, automatic formatting, macros, foreign language capability, spell checker, and support for dot-matrix and laser printers—all for only \$349.95 plus shipping and handling.*


Call today to order your **ChiWriter** package. Full 30-day money back guarantee. Bankcards welcome.

* Chemistry Fonts \$59.95,
Russian Fonts \$29.95

20% educational discount.

To order, call toll free

1-800-736-8886



ChiWriter

horstmann
software

FEATURES

- True WYSIWYG—no encoding or preview mode.
- Easy formula editing is fully integrated into the program
- Multiple Undo and Redo
- Automatic text and formula formatting
- Simultaneous editing of up to 10 documents
- All standard math and scientific symbols included
- Font designer—modify symbols or design your own
- For IBM® PC or compatible systems with 512K memory

HORSTMANN SOFTWARE DESIGN CORPORATION

4 N. 2nd. St., Ste. 500 P.O. Box 1807 San Jose, CA 95109-1807, USA
Phone (408) 298-0828 Fax (408) 298-6157

IBM is a registered trademark of International Business Machines Corporation.

UNDER THE HOOD

of multicast addresses the hardware supports for receive filtering.

- `get_statistics`: allows the application to read counters, maintained by the hardware or driver, that indicate how many successful and how many failed transmit and receive operations have been accomplished.

What Is the Packet Driver's Future?

Russell Nelson, a software development engineer for Clarkson University and a notable packet driver author/enthusiast, thinks the packet driver movement threatens promoted efforts such as 3Com's NDIS and Novell's ODI.


"I don't see how [3Com and Novell] can catch up, because with every new release of ODI and NDIS drivers, there's another packet driver," Nelson says. "I would be willing to guess that there are more packet drivers than ODI and NDIS drivers combined."

Others dispute this claim. Richard Watson, 3Com's manager of enabling software, says that NDIS has more "corporate" acceptance, such as from IBM and Banyan. Furthermore, most commercial software vendors that have traditionally supported packet drivers intend to support NDIS and ODI. Wollongong's WIN/TCP already supports NDIS, as does FTP Software's PC/TCP (albeit by way of a packet-driver-to-NDIS converter). Even Kelly McDonald, who spearheaded the development of BYU's popular packet-driver-compliant NetWare shell, expects eventually to switch over to Novell's new ODI-based LAN Workplace for DOS.


Ultimately, the ideas promulgated in the packet driver specification are what matter the most. They will persist—probably in a variety of forms—and will continue to serve vendors and users. "You can argue back and forth about the details," says Russ Nelson. "Practically, fundamentally, to the user there's no difference, and they will see benefits. So long as they have a driver and the software talks to the driver, they're home free." Thanks to the packet driver specification and the grass-roots effort that surrounds it, those benefits became freely available years before their widespread commercial implementation. ■

John Romkey is a founder of FTP Software and currently a vice president for Epilogue Technology in Ventura, California. He can be reached on BIX as "romkey." Sharon Fisher is a San Francisco-based freelance writer specializing in data communications. She can be contacted on BIX as "sharonfisher."


WHAT MAKES A BEST SELLER A BEST SELLER?



A great plot begins with a great idea, easily translated through every phase of design with Generic CADD 5.0.



Deadline pressure is a thing of the past. Designs can be quickly edited and annotated to produce final working drawings.



No matter the complexity, symbols keep your work flowing uninterrupted. Tap our professional libraries or create your own symbols.



Need to fit a conventional design in a nonconventional space? Revise and improvise in less time with Generic CADD's one-stop convenience.

A GREAT PLOT.

Ask any of over 250,000 users of Generic CADD.™ They've discovered CADD that's powerful without being complicated. And professional without being pricey.

Our latest version, Generic CADD 5.0, is just \$495. It's a complete design and drafting program backed by a support team that's drawing rave reviews.

Call us at 1-800-228-3601 for our free full-color CADDalog® and portfolio of CADD drawings.

You'll see every plot has a great ending.



Generic
SOFTWARE
An Autodesk Company

IT DOESN'T GET ANY EASIER.

Windows Programming for Everyone!



ROBERT
GILPINNEY

KnowledgePro... your door into Windows

KnowledgePro is a high-level language for Windows or DOS. It lets you build fast, runtime free applications in record time.

Interactive design tools and easy-to-learn commands get you started quickly and a rich object-oriented language gives you the control you need to create serious solutions.

**Awarded InfoWorld Buyers
Assurance Seal, Oct. 1, '90.**

Circle 184 on Inquiry Card.



Selected for PC Magazine "Best of 90"

Hypertext and hypermedia provide depth and built-in **expert systems** technology lets you create smart links and intelligent programs.

Intelligent integration of Windows programs like Excel, Word and Superbase, is easy with DDE and DLLs. For more information, review reprints, the name of your nearest dealer or to order:


Call 518-766-3000

FAX 518-766-3003 or write to:

Knowledge Garden Inc.
473A Malden Bridge Rd.
Nassau, NY 12123, U.S.A.



A LOOK AT REMOTE PROCEDURE CALLS



Isometimes think of what's happened to the computing environment over the last 10 years as a big bang that spread little bits of power away from the data center and onto the desktop. We're left with heavily populated local networks, but, paradoxically, we're spending lots of effort trying to make it all look like one big computer.

Most organizations operate with networks of systems and resources that, in reality, constitute a very poor multisystem model. Applications (and users) making use of intersystem communication must often have explicit knowledge of a network composed of individual systems. Network file systems alleviate this problem by returning to a mainframe view of on-line storage. The network is hidden; everything is synchronized through the file-system name space.

A similar coordination of other resources may never happen—at least, not with the current distribution. But projects such as Amoeba (a design for loosely coupled multiprocessors) and Plan 9 at Bell Labs may result in a reversal of the big bang, bringing together these distributed resources to offer a consistent mainframe view of a single, powerful system, without the problem of mainframe contention. In the meantime, though, computers need to talk to each other.

Why RPC?

At the client/server programming level, socket-oriented protocols represent the aforementioned poorly

formed network view. For a client to request processing of a server task, it must explicitly open a connection to that task, perform data transactions to get the desired job done, and close the connection—just to do what amounts to some processing on another computer.

From an abstract view, this is an elaborate function-call interface to an opaque procedure: Pass some data, expect some well-defined processing to occur, and retrieve the results. High-level languages are supposed to hide all this from you: You don't provide code to link together the procedures of your local application; why should you be expected to know the details of executing a function remotely?

The method of remote procedure calls does for procedure-level programming what the Network File System does for data sharing: It attempts to hide the view of the total system as discrete components. Where NFS abstracts the view of data through a single file-system name space, RPC abstracts the view of client/server requests in the programming domain: the procedure name space.

An RPC system makes it convenient to treat a server request with semantics similar to a local procedure request. A number of competing mechanisms support RPCs; I'll describe a system from Sun Microsystems.

RPC—Sun's method of interprocess communications across a network—offers some convenient abstractions

continued

TOOLS FOR TURBO 6.0

Write powerful Turbo Pascal programs faster and easier using these tools.



Object Professional

A comprehensive object-oriented library provides user interfaces, data objects, and systems routines.

Only \$189.



B-Tree Filer

A database toolbox for powerful network applications.

Only \$189.

Single-user version, \$139.



TSRs Made Easy

TSR routines from Object Professional at an economical price.

Only \$49.



Turbo Professional

A non-OOP library of more than 600 powerful routines. The predecessor of Object Professional.

Only \$125.



Turbo Analyst

Nine analytical tools in an integrated programming environment.

Only \$129.

**Call toll-free to order
1-800-333-4160**

9AM-5PM PST M-F, US & Canada

All tools include full source code, complete documentation, and CompuServe and telephone support direct from the authors. You pay no royalties.



TurboPower Software

P. O. Box 66747 Scotts Valley, CA 95067-0747

Add \$5 per order for standard shipping US & Canada. Dual media (except TPro-5.25" only).

For more information call (408) 438-8608.

Fax (408) 438-8610, CIS 76004,2611.

SOME ASSEMBLY REQUIRED

Sun's RPC provides several different components. One is the external data representation (XDR) protocols, a mechanism that provides for the common understanding of data between different systems. Another component provides for the exchange of request and response information that makes up the RPC mechanism. Another one is the subsystem that coordinates and delivers messages. The last one consists of the tools that help to automate the production of code that makes use of RPCs.

External Data Representation

A fundamental objective in intercomputer communication is to make sure that the data flying around means the same thing to all systems involved. Data con-

fusion can occur in many places and for many reasons, due to both software and hardware considerations.

The most common example of uncommon ground in data communications is the gnatty problem of byte order. Where some systems store integer data with the least significant byte at lower byte addresses, others store the same data in the opposite byte order. (The argument concerning which is a better form is never-ending, prompting the names "little-endian" and "big-endian," a pun on an argument in *Gulliver's Travels* about which end of the egg to open.)

At any rate, a 4-byte value of 3 on one system would be a value of 13,959,936 on another system (0x00000003 versus 0x03000000). Other representation issues include floating-point number format, address values, structure packing, and other language-related issues (e.g., the size of an int type in C).

XDR works by defining a system-independent form for all these kinds of data items. For two systems to communicate via XDR, each system must be able to translate to and from this standard form. Many of the size and packing problems are covered by making the smallest data size 4 bytes: A 2-byte int on one system is converted to a 4-byte quantity for transmission and reconverted to a 4-byte int on the other system.

The best part about XDR is that you don't have to know all that. The process of forming and unforming data is abstracted in terms of XDR routines. Each data type finds expression in a single XDR routine that can be used for sending, receiving, or deleting data. This also applies to aggregate types. A base XDR implementation provides the routines for primitive types; an application can build descriptions of more complex

BASIC DATA TYPES

Table 1a: Primitive XDR routines, provided by a basic implementation, that are used to represent basic types.

Routine	Type
xdr_char	char
xdr_u_char	unsigned char
xdr_int	int
xdr_u_int	unsigned int
xdr_long	long
xdr_u_long	unsigned long
xdr_short	short int
xdr_u_short	unsigned short int
xdr_float	float
xdr_double	double
xdr_bool	Boolean (TRUE or FALSE)
xdr_enum	Enumerated constant (basically an int)
xdr_void	No data

XDR ROUTINES

Table 1b: XDR routines for basic aggregate types.

xdr_string(xP, strPP, maxlen): A NUL-terminated string with a maximum length. The data item, strPP, is the address of a variable that points to the string.

xdr_bytes(xP, bufPP, lenP, maxlen): A counted byte array, where bufPP points to a variable that holds the address of the array, lenP is the address of a variable that contains the number of bytes to send or receives the number of bytes received, and maxlen is the maximum length to deal with.

xdr_array(xP, dataPP, lenP, maxlen, datasize, procP): A counted array of data of any type, where dataPP is the address of a variable that points to the first array element, lenP points to the length variable, maxlen is the maximum number of elements, datasize is the size of each array element, and procP is the address of an XDR routine that can deal with each array element. This routine takes only the XDR stream and data pointer as arguments.

xdr_vector(xP, dataP, len, datasize, procP): A fixed-length array, where dataP is the address of the base of the array (not a variable that points to it), len is the number of array elements, datasize is the size of each element, and procP is the address of an XDR routine that defines each element.

types using them.

XDR functions operate on an XDR stream and a data item, and sometimes on other optional parameters. An XDR stream is like an stdio file stream: It's used as an object in sending, receiving, or deleting data, encapsulating the methods for performing these operations. Unlike stdio streams, though, the XDR stream also dictates the function. You can open a stdio stream and perform reads and writes on it by applying the corresponding function to that stream. With an XDR stream, you specify the function (i.e., read, write, or delete) when you create the stream, and this function is performed when you reference the stream in an XDR routine.

This leads to some interesting properties. Most significant is that the syntax involved in performing all operations is almost always the same.

For this reason, XDR routines always reference their data by address, not by value. This lets the data be stored as well as fetched or deleted. For example, the primitive function `xdr_int` is used for data of type `int`:

```
xdr_int( xdrP, dP );
```

where `xdrP` is the address of an XDR stream block, and `dP` is the address of the data item. Depending on the mode of the stream, this routine will send, receive, or delete an item of type `int` (although, in fact, deletion of these primitive C types is a no-op; deletion applies only to pointer references). The routine returns a Boolean True (nonzero) if it succeeds and False (zero) if it doesn't. Other primitive XDR routines are provided by any base XDR implementation; table 1a lists those primitive routines that are related to basic types.

Some primitive XDR routines are provided for simple aggregates (see table 1b). For example, `xdr_string` turns a pointer to a string into the string's XDR, and vice versa.

When data is being sent, the pointer is followed, and the bytes of the string are placed on the stream. When data is being received, the bytes are counted to make sure they don't exceed the maximum length; new storage is allocated if necessary (i.e., if the pointer value is NULL), and the bytes are stored in the buffer pointed to by the referenced variable. On a delete operation, the buffer is deleted and the pointer reset to NULL.

Because of a universality in XDR routine operations, you can build up XDR routines for complex types. Consider a structure containing several basic types:

During commercials, it's a computer.

For only \$395 you can turn your PC monitor into a television set, and never be out of touch again. With a keystroke you'll be able to change to your favorite news, soap or sports channel, find out what's happening, then return to your work.

DESKTOPTV is an add-in board that turns your PC into a 119 channel color television set with an on-screen control panel. And because DESKTOPTV has separate controls for audio and video, you can listen to your favorite TV channel while using your computer.

Order yours today by phoning 1-800-866-7288. If you don't think DESKTOPTV is the best way for a hard-working professional to keep in touch with the world, return it within 30 days of purchase and we'll refund your money.

DESKTOP TV

A NEW PRODUCT OF AVIEW TECHNOLOGY 416/922-6555

PUT dBASE® ON TOP

Dr. Switch-ASE puts dBASE on top. On top of the charts, spreadsheets, word processors or on top of DOS. Right where it belongs, on top of any graphics or text program when you need it. Neatly tucked away when you don't. Dr. Switch-ASE turns any dBASE language program into a 16-20K RAM resident program. So now you can have dBASE power at the touch of a key, anywhere, anytime and from any program.

dBASE TSR's, easy as ASE

With Dr. Switch-ASE you don't have to be an Assembly language whiz or a C code maven to create TSR's. The Doctor includes an integrated cut & paste feature for transferring data between programs. It also supports both Expanded and Extended memory and is fully network compatible.

The doctor speaks your language

Dr. Switch-ASE supports all of the dBASE dialects. So it works directly from Clipper*, dBASE III PLUS*, dBASE IV*, FoxBASE + * and FoxPro*. No need to learn a new dBASE syntax and no new environments to wrestle with.

When the doctor's in, dBASE is on top.

**Call and place
your order today!
212-787-6633**

**DR. SWITCH-ASE
\$179.95***



Black & White International Inc.
P.O. Box 1040
Planetarium Station
New York, NY 10024-0541

Dr. Switch, Dr. Switch-ASE, Dr. Switch-OnCall and Dr. Switch-TSRM are trademarks of Black & White International, Inc. All others are trademarks or registered trademarks of their respective holders.

* Plus Shipping/Handling: U.S. orders add \$6.00 for 2nd Day Air, \$3.00 for Ground. Canadian and Foreign orders add \$8.00. COD add \$3.50. NY residents add sales tax. All payments U.S. funds/U.S. Banks only!

† Includes royalty-free runtime version.

**BYTE
DEMOLINK**

**Free Demo Download
617-861-9767***


```
struct bounds {
    unsigned char flags;
    int min;
    int max;
};
```

You can easily write an XDR routine to encapsulate this structure by building on other XDR routines. For instance,

```
bool_t xdr_bounds( xP, boundsP )
    XDR *xP;
```

```
struct bounds *boundsP;
{
    return (
        xdr_u_char( xP, &boundsP->
            flags ) &&
        xdr_int( xP, &boundsP->min ) &&
        xdr_int( xP, &boundsP->max )
    );
}
```

The XDR routine is named after the type it represents. Here, the routine describes

its members, in order, in terms of lower-level XDR routines. This will work whether the routine is sending or receiving the type in question.

An important offering of XDR is that of discriminated unions (à la Pascal). A C union offers multiple components, only one of which can be valid at a given time. A discriminated union is a union whose interpretation depends on an integer value. This usually matches the use of unions: The interpretation of a union depends on a current state, which can be represented as an integer. When communicating between processes, this is a very useful format. XDR provides the routine `xdr_union` for this:

```
xdr_union( xP, dvP, unionP,
    ttableP, defaultP )
```

where `dvP` is the address of a variable that contains the discrimination value, `unionP` is the address of the union, and `ttableP` is the address of a table that contains pairs of (value, proc), with proc the address of an XDR routine that encapsulates the union when the discriminant matches the value. The end of this table is indicated by a proc of NULL. And `defaultP` is the address of an XDR routine that handles the default case (i.e., when no match is found in the table).

Those are the basics of XDR, although there are a number of nits for which there isn't space here. XDR is commonly used in conjunction with a network stream—using TCP/IP or User Datagram Protocol (UDP)—but it can also be used with an `stdio` stream (for file I/O) or with memory streams.

Sun's RPC Programming

Sun's RPC model provides for three levels of programming, from a high, hands-off level to a low, hands-on level.

The highest level of RPC programming is basically the consumer level. It's the interface that you provide by implementing an RPC service using the other levels.

The user of this interface doesn't have to know anything about the underlying communication, and, as such, it has little to do with RPC at all. However, if you are writing RPC routines to abstract the client/server relationship, it makes sense to provide this sort of interface.

Suppose, for example, that one of your computers controls and monitors an environmental test chamber. You could provide a set of RPC routines corresponding to the chamber interface. One routine might find the current climate in one of the bays:

Some of the most enlightening articles in a magazine never make it to the table of contents.

Open to the table of contents in any publication and you can find some insightful stories. You'll also find some missing. Because the advertising isn't there.

Advertising is important. It's informative. It lets you know your options. And helps you to make decisions.

Like which car to buy. Which airline to fly. And what to serve for dinner.

So, next time you open a magazine, read it. From cover to cover.

Because what's on the back cover, may be just as important as what's on the front.

ADVERTISING.

Without it you wouldn't know.




AMERICAN ADVERTISING
FEDERATION

Introducing Omnistor™, the first 5¼" optical disk drive subsystem to support both Write-once (WORM) and Eraseable Magneto-Optic (MO) technology in a single multi-function unit. Utilizing ANSI/ISO standard 654MB, sampled-servo 5¼" media, Omnistor provides a turnkey solution for both your intermediate and permanent archival data storage requirements. Omnistor is available for a wide variety of host environments, in both standalone and auto-changer subsystem configurations.

Computer Upgrade Corp., a leader in optical archival storage solutions since 1986, offers

OEM, VAD/VAR, and End-User pricing on both Omnistor and our traditional optical subsystem solutions. At Computer Upgrade the early bird catches more than the WORM, they catch the competitive advantage.

Call today for more information.
Computer Upgrade Corp.
2910 E. La Palma Ave.
Bldg A, Anaheim
CA 92806
FAX
(714) 630-9254



Computer
Upgrade®

800/874-8807

A NEW CONCEPT IN OPTICAL DISK DRIVES.

Global ReLeaf comes in all shapes and sizes.



It's a fact. Planting trees is one of the best and easiest ways to help reduce global warming and other serious environmental problems.

That's why thousands of Americans — of all shapes and sizes — are doing their part for Global ReLeaf right in their own communities. And it's why we need more trees to shade our homes, beautify our town and country landscape, and reduce the heat-trapping CO₂ build-up in the earth's atmosphere.

So grab your shovel and start planting. And call our special Action Line — 1-900-420-4545. The \$5.00 charge actually pays for planting a tree while supporting Global ReLeaf action across the country. And, we'll also rush you detailed information on Global ReLeaf. You can make a world of difference.

1-900-420-4545



A program of The American Forestry Association

Citizens caring for trees & forests since 1875 P.O. Box 2000, Washington, DC 20013

SOME ASSEMBLY REQUIRED

```
climateP = evc_climate
( bay_number );
```

The implementation of `evc_climate` would use an RPC procedure to find the climate in a particular test bay and return it to the caller. It would know which machine to poll; an alternative implementation would supply the system ID, as well.

RPC procedures are always identified in terms of an implementation program, a program version, and a procedure number. On the server side, a single program unit implements a suite of related service procedures. There can be more than one version of a server program, to provide for enhancements in functionality. With explicit version information, the client is not subject to surprises when an RPC no longer works or, worse, apparently succeeds but results are not consistent with expected behavior.

Note that multiple versions don't require separate server programs; the same server can take care of more than one version and even more than one program definition. Each procedure within a program/version set is identified by its procedure number (0 through *n*).

The middle layer offers a fairly simple RPC implementation style. A client makes a service request by calling the routine `callrpc`. The client provides eight pieces of information to the routine: name of the server system, program number, program version, procedure number, an argument for the procedure call, the address of an XDR routine that describes it, the address of a return variable, and an XDR routine describing the return information. The `evc_climate` routine might be implemented as

```
climate *evc_climate( bay_number )
{
    int status;
    static climate climate;

    status = callrpc( TESTSYS,
        EVC_PROG, EVC_VER,
        EVC_CLIMATE, xdr_int,
        &bay_number, xdr_climate,
        &climate );

    if ( status != 0 ) {
        clnt_perrno( status );
        exit( 1 );
    }

    return( &climate );
}
```

On the server side, a program starts by registering all the procedures for which it is responsible. This is done by calling



AvCase™ 8051, 8096, 64180/Z80

Three finely-tuned instruments for embedded-system development.

AvCase™ C Compiler, Assembler, and Simulator from Avocet. Play them solo, for peak performance. Or bring them together in perfect harmony as an integrated system. AvCase will manage all the steps—from editing source code, compiling, assembling, and linking, all the way to debugging. ■ *High-level language in the key of C.* AvCase C Compiler is our biggest seller. It produces fast, tight, optimized code that helps speed development time.

■ *Clear, concise scoring.* AvCase Assembler is the classic Avocet assembler tuned-up and ready for your most demanding applications.

AvCase Simulator lets you test code on debugging feature you can work at both the C and assembly *begin.* If you want to meet your project deadlines—come in on bug-free product—you simply can't do better than AvCase.

tuned instruments. Fax, write, or call toll-free 1-800-448-8500 for complete information, including a free AvCase Brochure and Avocet Catalog.

■ *Full dress rehearsal without leaving your desk.*

your own PC. With the new source-level

language level. ■ *Let the music*

budget—and develop a high-quality,

Find out more about these finely-

AVOCET
SYSTEMS, INC.

HOW DO YOU GET A JOB WITHOUT EXPERIENCE? AND HOW DO YOU GET EXPERIENCE WITHOUT A JOB?

Most young people have one answer to this problem. They avoid it until they're out of college. But they could be getting solid work experience while they're still in college. With your company's help. And ours.

We're Co-op Education. A nationwide program that helps college students get real jobs for real pay, while they're getting an education.

But we can't do it without you. Those real jobs have to come from real companies. Like yours.

For more information on how you can participate in this valuable program, write Co-op Education, Box 775E, Boston, MA 02115.

Not only will you be giving students a chance to earn money and pick up the most valuable kind of knowledge, you'll be giving yourselves a chance to pick up the most valuable kind of employee.

Co-op Education.

You earn a future when you earn a degree.



A Public Service of This Publication ©1987 National Commission for Cooperative Education

SOME ASSEMBLY REQUIRED

Low-level
RPC services make
use of a
transport handle that
represents a
connection
between the client
and the server.

the routine `registerrpc` once for each service routine to be registered. For instance,

```
registerrpc( EVC_PROG,  
            EVC_VER, EVC_CLIMATE,  
            climate, xdr_int, xdr_climate );
```

The first three arguments are the program number, program version, and procedure number, as with `callrpc`. Next is the address of the routine (i.e., `climate`) that processes the request. This is followed by the address of the XDR routine that receives any passed argument and the XDR routine that sends any return data.

With this form, each service routine takes a single argument that's the result of the XDR input and returns a pointer to data to be sent via XDR output. These are always declared as char pointers. The `climate` service routine would look something like this:

```
char *climate( dataP )  
{  
    char *dataP; /* Input data */  
  
    int bay_number;  
    static climate climate;  
  
    bay_number = (*int *)dataP;  
  
    /* Code here to fetch  
       information */  
  
    /* Return the data */  
    return( (char *) &climate );  
}
```

After a server has registered all its procedures, it calls the routine `svc_run()`,

Now! NRI training assures your success in three of today's fastest-growing computer fields

These days, success comes to those who know how to get the most from a computer. People who know how to analyze systems, design and develop software to meet specific needs, program in the languages that will get the job done.

Now NRI has the training you need to get a competitive advantage in today's rapidly expanding computer world. Choose from NRI at-home training in PC Systems Analysis, PC Software Engineering Using C, or Computer Programming...and get the computer, the software, and the hands-on skills you need for advancement, a new career, or a business of your own.

1. Learn the art of systems analysis and get ahead in today's competitive business world

The name of the game in business today is setting up systems that will increase efficiency, productivity, and profits—using a computer both as the analysis tool and the ultimate system solution.

Now, NRI's new at-home training in PC Systems Analysis gives you the computer, the software, and the analytical skills to perform this vital role for any size business.

Step by step, you learn the art of systems analysis: how to define and break down the problem, interview users, interpret and model data, prepare proposals—every skill you need to map out the optimal system solution. But that's just the beginning.

Training includes a powerful computer system and software you keep

NRI gives you hands-on experience with an AT-compatible computer system—complete with 1.2 meg floppy drive, monitor, modem, and a full meg of RAM—all yours to train with and keep!

You begin by learning BASIC, today's most popular PC programming language. Then, using the Microsoft® Works software also included in your training, you master four essential PC applications: word processing, spreadsheets, database management, and data communications.

Soon your computer becomes your most important analysis tool, allowing you to produce cost-benefit analyses, feasibility studies, long-range projections, complex databases, and more.

Send today for your free NRI catalog, and discover how NRI's new training can make you a key player on any business team.



2. Build your own software as you build a money-making career with NRI's new training in PC Software Engineering Using C

Jobs in developing custom software will boom in the 1990's, according to the Bureau of Labor Statistics—up from about 500,000 positions in 1986 to over 1.2 million by the year 2000. Now

you can get in on the rapid growth of this multi-billion dollar industry with NRI's new training in PC Software Engineering Using C.

Train with Borland C++® and a powerful AT-compatible computer

Your NRI training gives you hands-on experience with a powerful IBM PC/AT-compatible computer system, including 2400 baud internal modem, 30 meg hard drive, VGA color monitor, and advanced programming software—Borland's Turbo C++.

You learn software engineering from start to finish, mastering each of the essential phases involved in developing a full range of applications. From analysis to design to advanced programming in C, you're in command as you assemble the building blocks for success as a software engineer.

Discover how NRI gives you the experience and the know-how, the computer and the software to advance on the job or break into a software development business of your own. Send for your free NRI catalog today!

See other side to learn about NRI training in Computer Programming—one more way NRI can give you the computer know-how you need for success →

SEND CARD TODAY FOR FREE NRI CATALOG

NRI

Schools

McGraw-Hill Continuing Education Center
4401 Connecticut Avenue, NW, Washington, DC 20008



YES! Send me the free catalog I've checked and show me how NRI can give me the state-of-the-art computer training I need for success.

☒ Check one free catalog only

- ☐ PC Systems Analysis
- ☐ PC Software Engineering Using C
- ☐ Computer Programming

Other computer career training:

- ☐ Microcomputer Servicing
- ☐ Desktop Publishing and Design
- ☐ Word Processing Home Business

Name _____ Age _____

Address _____

City _____ State _____ Zip _____

Accredited Member, National Home Study Council

4536-051

Only NRI gives you the kind of real-world training you need for success

3. Begin a high-paying career — even a business of your own—in computer programming


Now, with NRI training in Computer Programming, you can give computers the power to carry out an astonishing range of business, professional, and personal applications. Because only NRI gives you hands-on programming experience with a powerful AT-compatible computer, plus training in four of today's hottest computer languages—BASIC, Pascal, C, and COBOL.

NRI gives you everything you need to succeed in programming, today's top-growth computer career field

Your NRI lessons first guide you step by step through the fundamentals, giving you a clear understanding of the programming design techniques used every day by successful micro and mainframe programmers. Then the fun really begins.

With your personal NRI instructor always available to help, you use your computer and software to actually design, code, run, debug, and document programs in BASIC, Pascal, C, and COBOL. Rounding out your training, you use your modem—also included in your course—to "talk" to your NRI instructor, meet fellow students, even download programs through NRI's exclusive programmers network, PRONET.

For vivid descriptions of every aspect of NRI's innovative Computer Programming course, send for your free catalog today!



NRI training—geared to the real world

Now you can enter today's rapid-growth computer fields with the practical skills, hands-on experience, and priceless confidence you need for success.

NRI's three exciting new computer courses (one described here, two on the other side) prepare you for success in today's expanding computer world by giving you first-hand experience with today's most in-demand computing tools:

► NRI's PC Systems Analysis course includes a powerful AT-compatible computer system that features a full megabyte of RAM, high-resolution monitor, modem, and 1.2 meg floppy drive. Plus you work with three popular software packages — MS-DOS, GW-BASIC, and Microsoft Works.



► The centerpiece of NRI's PC Software Engineering Using C course is also an AT-compatible system, this time featuring a VGA color monitor, 30 meg hard drive, 1 meg RAM, and a 2400 baud Hayes-compatible modem. What's more, you train with and keep in-demand software including MS-DOS and Borland's popular Turbo C++.



► Choose NRI's Computer Programming course and you'll get hands-on programming experience as you work with an AT-compatible computer featuring monitor, modem, 1 meg RAM, and floppy drive. Best of all, you learn to program in four of today's hottest languages using quality software compilers—GW-BASIC, Utah Pascal, Mix C, and Utah COBOL.



Train at home the NRI way...with step-by-step lessons, personal guidance from your experienced NRI instructors, plus hands-on training designed around a computer and software you keep.

Get all the facts about NRI training in your choice of three high-growth computer fields: PC Systems Analysis, PC Software Engineering Using C, or Computer Programming.

Send for your free NRI catalog today! If the card is missing, write to NRI Schools, McGraw-Hill Continuing Education Center, 4401 Connecticut Avenue, NW, Washington DC 20008.

IBM is a registered trademark of IBM Corporation

SEND CARD TODAY FOR FREE NRI CATALOG

(☒ Check on the other side for the catalog you want)



NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES

BUSINESS REPLY MAIL

FIRST CLASS MAIL PERMIT NO. 10008 WASHINGTON, D.C.

POSTAGE WILL BE PAID BY ADDRESSEE

NRI School of Electronics

McGraw-Hill Continuing Education Center
4401 Connecticut Avenue, NW
Washington, DC 20078-3543



which loops, waiting for and processing requests; it never returns a value.

Lower Levels of RPC

You may be able to get by on just the middle-layer functions described above. But there are a number of reasons for using the lower layer. One is that the middle RPC implementation layer is based on UDP. UDP messages are fast but are not guaranteed to be delivered, and even then, not necessarily in order. In reality, UDP messages rarely go undelivered. Even so, the callrpc function incorporates retry logic to help make sure that requests get delivered and answered. Another reason is that you might want more explicit control of the way your messages are interpreted and answered.

Low-level RPC services use a transport handle that represents a connection between client and server. It can be used for multiple service requests without closing the connection between the two. It can use UDP, as with callrpc, or TCP/IP for reliable delivery of messages.

On the client side, this transport handle is a CLIENT type, created by a call to either clntudp_create (for UDP) or clnttcp_create (for TCP/IP):

```
CLIENT *clntP;
int sock;

sock = RPC_ANYSOCK;
clntP = clntudp_create( &srvr,
    EVC_PROG, EVC_VER, timeout,
    &sock );
```

where srvr is an int sockaddr struct (sockaddr_in) describing the server system, timeout is a timeval struct with a timeout value for UDP retries, and sock is an int that receives a socket handle. Here, it's initialized to RPC_ANYSOCK so that the clntudp_create call will create the socket. If you have a valid socket already, you can pass it, and the function will use it rather than opening a new one.

If you want a TCP/IP handle, you might use clnttcp_create as follows:

```
clntP = clnttcp_create( &srvr,
    EVC_PROG, EVC_VER, &sock,
    insize, outsize );
```

where insize and outsize specify the size of input and output buffers receiving and sending.

To call a remote procedure with a client handle, use the routine clnt_call:

```
status = clnt_call( clntP,
    EVC_CLIMATE, xdr_int,
```

continued on page 384

Listing 1: A sample RPC definition file.

```
/* evc.x -- Sample RPC definition file for the get_climate example. */

/* The climate structure, returned by get_climate */
struct climate {
    int temp; /* Degrees C */
    int humidity; /* Relative humidity */
};

/* Definitions of service routines */
program EVC_PROG { /* Define the program */
    version EVC_VER { /* EVC_VER version of it */

        climate /* The get_climate routine */
        get_climate( int ) = 1; /* Give it proc #1. */

    } = 1; /* Version is 1 */
} = 9999; /* Program number is 9999 */
```

Listing 2a: The parts of listing 2 show the output produced by rpcgen for the evc.x file. This part shows the type definitions, evc.h.

```
struct climate {
    int temp;
    int humidity;
};
typedef struct climate climate;
bool_t xdr_climate();

#define EVC_PROG ((u_long)9999);
#define EVC_VER ((u_long)1);
#define EVC_CLIMATE ((u_long)1);
extern climate *evc_climate_1();
```

Listing 2b: The client stub routines, evc_clnt.c.

```
#include <rpc/rpc.h>
#include <sys/time.h>
#include "evc.h"

/* Default time-out can be changed by using clnt_conrtol() */
static struct timeval TIMEOUT = { 25, 0 };

climate *
evc_climate_1(argp, clnt)
    int *argp;
    CLIENT *clnt;
{
    static climate res;

    bzero((char *)&res, sizeof(res));
    if (clnt_call(clnt, EVC_CLIMATE, xdr_int, argp, xdr_climate, &res,
        timeout) != RPC_SUCCESS) {
        return (NULL);
    }
    return (&res);
}
```

Listing 2c: The server skeleton, evc_svc.c.

```
#include <stdio.h>
#include <rpc/rpc.h>
```

continued

HANDS ON

EXPERT ADVICE

Experts from the worlds of IBM, Macintosh, Unix, and networked computing present inside information, advice, and tips for getting the most out of your computer



DAVID FIEDLER
The UNIX /bin



BARRY NANCE
NetWorks



MARK J. MINASI
Beyond DOS



DON CRABB
Macinations

David Fiedler

The annual UniForum show is the place where the entire commercial world of Unix software and hardware gets together. This year was a special treat because it was also the tenth anniversary of the UniForum trade association that sponsors the show. Any firm that is involved in Unix past the "Hmmm... what about it?" stage should seriously consider joining the association, because its vendor and product information alone can save a great deal of time and money. (You can contact UniForum at 2901 Tasman Dr., Suite 201, Santa Clara, CA 95054, (408) 986-8840, fax: (408) 986-1645.)

Close to 300 vendors exhibited at UniForum, which was held at the Dallas InfoMart. In some ways, I'm glad that I didn't have to cover the show on a "real-time" basis, because the thought of even attempting to do more than the most shallow coverage would be daunting.

If I went to every booth during the show, I could spend only 5 minutes at each, while writing a simple 25-word paragraph about each booth would take four months' worth of these columns! Thus, this column is by no means "what I saw at UniForum"; rather, it's simply a look at a few items that I thought were interesting.

Interactive Unix

By the time you read this, Unix System V release 4.0 (SVR4) for the 386 and i486 should be available—the whole enchilada, including the new Virtual File System (Remote File System, Network File System [NFS], and more), virtual memory, and full internationalization. It will support Xenix, SunOS,

THE UNIX /bin

Stars of the Show



Although this was the biggest UniForum trade show ever, some announcements and products are of special significance

Berkeley Standard Distribution (BSD) 4.2 and 4.3, and current System V programs. Also, almost every user interface known will be supported, including the X Window System version 11, release 4, X11/NeWS, Motif, and Open Look... and their toolkits!

The most important thing is that this *won't* be available from Intel (which was aggressively pushing its shrink-wrapped Unix last year). Intel has given its entire customer base to the new "principal publisher" of Unix SVR4: Interactive Systems.

Don't read that last sentence wrong. Interactive is certainly not new to Unix. In fact, it was the first commercial Unix licensee ever, way back in 1977.

Intel, together with Unix System Laboratories (the current developer and marketer of Unix, formerly AT&T's Unix Software Operation), decided for business reasons that Interactive was the best entity to support Unix SVR4 on the 386 and i486.

This puts Interactive in a pretty good position, because Unix SVR4 is positioned to be the Unix of the 1990s. While some may consider it almost too large for a 386-based machine (and who could have dreamed that four years ago?), it should be a perfect match for the computing machines we're actually going to be using in the 1990s. This move certainly adds a new wrinkle to the Interactive versus The Santa Cruz Operation (SCO) market-share battle for

David Fiedler is executive producer of Unix Video Quarterly and coauthor of the book Unix System Administration. He has helped start several Unix-related publications. You can reach him on BIX as "fiedler."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Up to 254 Simultaneous UNIX-to-Mainframe Connections.

Only

\$1695.⁰⁰



CLEO's 3270LINKix™ can be your most cost-efficient way to achieve multi-user UNIX-to-mainframe connectivity.

Delivered on an economical synchronous interface board, it

Application Program Interface

provides full emulation of IBM 3278 monochrome display terminals (models 2-5) and 3279 color display terminals (models 2A, 2B, 3A, and 3B).

You also get IBM 3274 controller emulation, plus IBM 3287 printer emulation (LU Types 1 and 3) for your UNIX-attached ASCII printers.

3270LINKix Remote links to your mainframe via a synchronous modem or modem eliminator at speeds of up to 19.2 Kbaud. It supports BSC or SNA/SDLC communications.

UNIX systems supported include SCO's UNIX System V/386 3.2, AT&T's UNIX System

V/386, Interactive Systems' 386/ix, and others.

Features include:

- Application Program Interface (HLLAPI 3.0)
- IND\$FILE file transfer for CMS, TSO, and CICS
- Support for IBM's NetView in SNA
- Up to 254 sessions for SNA, 32 sessions for BSC
- User-configurable keyboard remapping
- Easy menu-driven interface

*Supports IND\$FILE
and NetView*

To learn more, call us today at 1-800-233-2536. Or write to us at 3796 Plaza Drive, Ann Arbor, Michigan 48108. FAX: 313/662-1965.

CLEO 
CLEO Communications®
A Division of Interface Systems, Inc.

AVAILABLE WORLDWIDE!

In Europe call Sintec Peripherals Ltd. in Slough, England, at 0753-811888 (FAX: 0753-811666).

Unix on Intel-based computers.

It's Not Unix, But...

While Interactive has been supporting and working with AT&T Unix for a long time, a company by the name of Mt Xinu has done the same for BSD Unix (the company's name and logo seem to refer to a mountain, but read the name backward). Mt Xinu has now released the interesting Mach kernel for ISA 386-based computers. Along with the kernel, the release includes some "free" GNU utilities, the BSD Unix 4.3 interface, BSD NFS, and X11.4 for VGA monitors.

Mach is almost-but-not-exactly Unix, with a threaded architecture that makes it an interesting subject to study in computer science courses and a likely base for multiprocessor machines (see "Mach: The Model for Future Unix"

in the November 1989 BYTE). The complete package costs \$1995, which puts it out of the reach of most hobbyists. However, it's well within the budget of serious system software and hardware developers. With all the current interest in multiprocessors, I expect that Mt Xinu will have its hands full merely getting disks duplicated.

Home Sweet Suite

Some of the most interesting things at UniForum weren't on the show floor. A new firm called Clarity Software was showing a hot new product it calls Rapport, but you could see Rapport only by invitation to Clarity's hotel suite. At first glance, I thought I had walked into a porting lab. A half dozen different workstations littered the room, all running the same software. Contrary to most hotel-suite software in-

troductions (where the developers have sweated blood to get the product running at all), Rapport was actually running fairly stably on all these machines. This is no small task for a product that needs 12 megabytes of RAM and 300 MB of disk space (predictably, Clarity used C++ in development).

Rapport is billed as "a document editor," but that's like calling California simply "a Western state" and describing it no further. Aside from regular text in an assortment of colors, Rapport users can put graphs, spreadsheets, raster images, drawings, fax images, and audio sound bites in their documents (and some video will be supported). This is made easier by the fact that Rapport has a built-in spreadsheet, drawing program, graphing tool, fax server, and audio editor.

More important than simply a list of features, however, is the intuitive way that these separate media work together within Rapport. Unix software hasn't had the reputation of being easy to use; Rapport can destroy that stereotype. While some of the icons may not be completely clear at first glance, working with Rapport seems to come naturally.

Commendably, Clarity has resisted the temptation to call Rapport a multimedia product. While it probably qualifies as multimedia under certain definitions of the term, Clarity refers to it as mixed-media instead, which is more accurate and less confusing.

But Rapport isn't just a fancy desktop publishing program. Anything you can do in a Rapport document can be sent via E-mail—and input and output converters let you exchange E-mail with people

BYTE BACK ISSUES FOR SALE

	1990	1991
January		
February		
March		
April		
May		
June		
July		
August		
September		
October		
November		
December		
Inside the IBM PCs		

☐ Issues Available

1990-'91 BYTE Issues \$6.00*

The above prices include postage in the US. *Please add \$.50 per copy for Canada and Mexico; and \$2.00 per copy to foreign countries (surface delivery). European customers please refer to Back Issue order form in International Advertising section of book.

Please indicate which issues you would like by checking (✓) the boxes. Send requests with payment to:

BYTE Back Issues, One Phoenix Mill Lane, Peterborough, NH 03458
(603) 924-9281

☐ Check enclosed Charge: ☐ VISA ☐ MasterCard

Card # _____

Exp. Date _____

Signature _____

Name _____

Address _____

City _____


State _____ Zip _____

All orders must be prepaid. Please allow four weeks for delivery.

PC MAGAZINE
EDITORS' CHOICE AWARD

IDEK

IDEK — THE FIRST COMPLETE FAMILY OF FST COLOR MONITORS



March 26, 1991
Idek MF-5117

IDEK's MULTIFLAT Series of 17-Inch Color Monitors

IDEK's MULTIFLAT Series of 17-inch Color Monitors take full advantage of the remarkable properties of their Flat Square Tubes (FST) to deliver superior resolution and a sharper image that is easier on your eyes. A glimpse at our 17" Color Monitors reveals their matchless over-scanning capability that delivers a crisp, distortion-free display across the entire screen.

In addition, Automatic Frequency Scanning realizes outstanding performance for business graphics, CAD/CAM applications as well as desktop publishing on your Mac or IBM compatible system.

As you can see below, whether your requirements are simple or complex, IDEK has the Flat Screen Color Monitor that's just right for you. And priced right, too! See for yourself what a difference a Flat Screen Monitor from IDEK can make.


MULTIFLAT Series (17" Flat CRT Monitors)

Model	H. Frequency	Dot	Resolution
MF-5117	20 to 50kHz	0.28	1024 × 768
MF-5217	30 to 57kHz	0.28	1024 × 768
MF-5317 (Coming soon)	30 to 80kHz	0.28	1280 × 1280

MULTIFLAT Series (21" Flat CRT Monitors)

Model	H. Frequency	Dot	Resolution
MF-5021	15 to 38kHz	0.31	1024 × 768
MF-5121	21 to 50kHz	0.31	1024 × 768
MF-5221	30 to 80kHz	0.31	1280 × 1280
MF-5321 (A.R.Panel)	30 to 80kHz	0.31	1280 × 1280
MF-5421 (A.R.Panel)	30 to 80kHz	0.26	1600 × 1280

IDEK also offers its MULTIFLAT Series of 21-inch Flat Screen Color Monitors that deliver the same superior resolution and performance as the other members of the IDEK lineup.



IDEK
Iiyama

IIYAMA ELECTRIC CO., LTD.

Overseas Division

7th Fl., US Hanzomon Bldg., 2-13, Hayabusa-cho, Chiyoda-ku
Tokyo 102, Japan

Phone: (81) 3-3265-6081 Fax: (81) 3-3265-6083

IDEK Europe (Germany)

Neumannstrasse 38, 6000 Frankfurt a.M. 50, Germany
Phone: (49) 69-521 922 Fax: (49) 69-521 927

IIYAMA North America Inc

650 Louis Drive, Suite 120, Warminster, PA 18974 U.S.A.
Phone: (1) 215-957-6543 Fax: (1) 215-957-6551

Industrial Control Systems
LAN Terminals
Diskless Systems

ROMDISK™

For the IBM PC, XT,
AT PC DOS* or MS DOS*

PCF-1 • New Multi-Megabyte Disk Emulator

- For diskless systems, solid-state reliability and speed
- Flash File System or battery-backed SRAM read/write technology for ISA bus operating under MS DOS.*
- Up to seven 1 MB Flash or SRAM SIMMs for up to 7MB capacity on a 9 inch board with 0.3 watts of standby
- I/O mapped—high performance—write Flash at hard disk speeds—95Kb/sec and erase 4MB/10 sec. Read and write SRAM at I/O bus speed
- Single or Dual mode—to provide Autobooting and Flash File System or SRAM read/write
- PCF-1 with one 1MB SIMM, \$895 with one 1MB SRAM, \$995, 1MB Flash SIMMs \$395, 1MB SRAM SIMMs, \$495
- Other ROMDISK models provide up to 1.44MB capacity with autobooting in EPROM, Flash and SRAM technologies



CURTIS, INC.

2837 North Fairview Ave. • St. Paul, MN 55113
612/631-9512 • Fax 612/631-9508



* IBM PC, XT, AT, PS/2 and PC DOS are trademarks of IBM; MS DOS is a trademark of Microsoft

Protect Your Copies of **BYTE**

NOW AVAILABLE: Custom-designed library files or binders in elegant blue simulated leather stamped in gold leaf.

Binders—Holds 6 issues, opens flat for easy reading.

\$9.95 each, two for \$18.95, or four for \$35.95.



Files—Holds 6 issues.

\$7.95 each, two for \$14.95, or four for \$27.95.



Order Now!

Mail to: Jesse Jones Industries,
Dept. BY, 499 East Erie Ave.,
Philadelphia, PA 19134

Please send _____ files; _____ binders for BYTE magazine.

Enclosed is \$_____.
Add \$1 per file/binder for postage and handling. Outside U.S.A. add \$2.50 per file/binder (U.S. funds only please).

Charge my: (minimum \$15)

____ American Express
____ Visa _____ MasterCard
____ Diners Club

Card # _____

Exp. Date _____

Signature _____

CALL TOLL FREE (24 hours):
1-800-825-6690

Name: _____

Address: _____
(No Post Office Box)

City: _____

State: _____ Zip: _____

Satisfaction guaranteed. Pennsylvania residents add 6% sales tax.
Allow 5-6 weeks delivery in the U.S.

BYTE

HANDS ON

on standard Unix machines, PCs, and Macs. The Rapport documents are automatically converted to or from compatible applications files on the target machines. This means that a complex Rapport document might arrive on a PC as a WordPerfect file and a Lotus spreadsheet, or on another Unix machine as an Interleaf document. If the recipient has no E-mail address, Rapport sends a fax! Rapport supports lots of formats, including ASCII, Microsoft Word, IBM DCA-RFT, WordStar, Lotus 1-2-3, Excel, MacWrite, troff, Uniplex, SCO Lyrix, Interleaf, and IslandWrite.

Clarity refers to Rapport as a killer application, similar to Lotus 1-2-3, with the potential to drive workstation sales on its own. I disagree, only because I don't believe that Rapport can be perceived as something different enough from traditional desktop publishing products to cause people to choose workstations instead of PCs.

Marketing hype aside, what I saw of Rapport certainly qualifies it as a well-integrated, open-ended application with the potential to spread rapidly over the installed base of workstations. Its price (\$895 "per seat") and initial availability on the most popular systems from Sun, IBM, DEC, Apollo, Hewlett-Packard, and Silicon Graphics shouldn't hurt its acceptance one bit. And Clarity's support of both Motif and Open Look means that you don't have to choose between graphical user interfaces, either.

Another Observation

Pick Systems had a very jazzy booth with neon colors and rap-music dancers. All this hoopla served to lure visitors, yet many stayed to see demonstrations of the Pick operating system. Pick is more than an operating system; it's an applications environment that excels in user-oriented database queries (see "Pick: OS or DBMS?" in the November

1990 BYTE). Over the years, Pick has attracted its share of supporters due to its portability, efficiency, and small size—things that Unix was once known for!

But you no longer have to agonize over the decision, because Pick itself is now available as an application that runs on top of Unix. This opens up some of the excellent vertical-market end-user application programs on Pick to the Unix market. Whether or not this is as exciting to you as a threaded system like Mach is beside the point: So-called "boring" old applications are what make any operating system a success or failure in the real commercial world. ■

ITEMS DISCUSSED

Mach \$1995

Mt Xinu
2560 Ninth St.
Berkeley, CA 94710
(415) 644-0146
fax: (415) 644-2680

Circle 1152 on Inquiry Card.

Pick \$495

Pick Systems
1691 Browning
Irvine, CA 92714
(800) 367-7425
(714) 261-7425
fax: (714) 250-8187

Circle 1153 on Inquiry Card.

Rapport \$895

Clarity Software
2700 Garcia Ave.
Mountain View, CA
94043
(415) 694-0320
fax: (415) 964-4383

Circle 1154 on Inquiry Card.

**Unix System V
release 4.0**

(price to be announced)
Interactive Systems Corp.
2401 Colorado Ave.,
Third Floor
Santa Monica, CA 90404
(800) 346-7111
(213) 453-8649
fax: (213) 828-6453

Circle 1155 on Inquiry Card.

PC-MOS

The Multiuser DOS Platform For The '90s

The 386 and now the 486 microprocessors have focused a lot of attention on the multiuser, multitasking possibilities of advanced PCs. A myriad of software and hardware manufacturers are promising a new age of multiuser options in the '90s.

But when you take a closer look, only one solution focuses on the features you want and anticipates the capabilities you need to use your PCs to their greatest potential. That solution is PC-MOS™ from The Software Link, the first DOS-compatible, multiuser, multitasking operating system.

A Network Alternative

The advantage to the PC-MOS shared processing solution is its ability to maximize the available memory on your PC, taking full advantage of extended memory and sharing it with up to 25 users on inexpensive terminals or monitors. You can share data with the same speed and integrity of a network solution without the expense of network cards and the waste of under-utilized PCs. And no additional investment is required to get the multitasking capabilities inherent in PC-MOS.

A Network Enhancer

For affordable network expansion, PC-MOS servers can be connected to other servers with The Software Link's LANLink or with the PC-MOS

GATEWAY™ to Novell's NetWare®. This connectivity lets a business configure its automation systems for departmental efficiency and expand affordably as needs grow with LANs or even WANs.

DOS Compatible

The PC-MOS alternative is clear: DOS compatibility means your users can continue to use all the popular software packages. And that means no investment loss, no retraining and no limitations in available applications.

An Unbeatable Solution

The next decade of shared processing will be clouded with choices. Only one operating system was first to offer you DOS-compatible, multiuser, multitasking solutions. Only one operating system continues to provide unbeatable multiuser solutions for over 150,000 users. PC-MOS from The Software Link. Call today and set your computing sights on a more productive horizon.



THE SOFTWARE LINK

1-800-451-LINK

3577 Parkway Lane, Norcross, GA 30092

(404) 448-5465 FAX: (404) 263-6474 TELEX: 4996147 SWLINK


VARs and RESELLERS:

Ask about our Sales Support Program

GSA Schedule/GSOOK 90 AGS6448

Circle 306 on Inquiry Card (RESELLERS: 307).

PC-MOS is a trademark of The Software Link. All other products referenced are trademarks of their respective companies. Prices, policies and specifications subject to change without notice.



NETWORKS

The AIX Alternative

Barry Nance


Not long ago, Wausau Insurance asked my company to port our DOS insurance-rating application to a networked, distributed Unix environment. Wausau wanted to use IBM RISC System/6000 workstations running AIX (IBM's Unix) as file servers, with PS/2 and PC workstations running DOS or Unix. The RISC System/6000 had to act as a host computer as well as a file server; we'd have to restructure our application into a client/server architecture. All the background tasks would run under AIX.

Our DOS application, written in a mix of assembly, compiled BASIC, and C, was already LAN-aware. We had designed it to perform file sharing and record locking on top of such network operating systems as NetWare, IBM's PC LAN Program, and LAN Manager. Background tasks ran on dedicated, unattended workstations. Our starting point wasn't too far away from Wausau's DOS-and-Unix-combined client/server goal, so we felt confident we could do the job. Our first step was to use the RISC System/6000 successfully as a file server; then we would port the background tasks to run under AIX on that same machine.

Why AIX?

Wausau decided to use AIX rather than the more tradi-

Barry Nance does R&D and technical-support work for Insurance Software Systems, a software development company in Hartford, Connecticut. He is also the author of Network Programming in C (Que Publishing, 1990) and is the IBM Exchange editor on BIX, where you can reach him as "barryn."



IBM's other network operating-system environment gets a vote of confidence

tional, Systems Application Architecture-compliant OS/2-MVS combination. It cited several reasons, the biggest of which was scalability. OS/2 runs only on microcomputers (although IBM may be developing a version of OS/2 for the RISC System/6000).

Unix, on the other hand, runs on the PS/2, the RISC System/6000, and even mainframes. AIX also has many connectivity features, including Token Ring, Ethernet, X.25, asynchronous, and synchronous communications. AIX, on a RISC System/6000, supports IBM 3270 and 3151, DEC VT100, X Window System, and many other communications modes. On a PC, you can run DOS as a task under Unix. These are all important considerations when you want to keep your options open.

Wausau's plan also saves the company money by reducing the load on its mainframes, while distributing significant processing power to its 17 regional offices and more than 100 service offices. By sticking with common

Unix facilities and system calls, we could provide Wausau with an application it wouldn't have to rewrite every three to five years—a typical problem under DOS, OS/2, and, to some extent, MVS.

Wausau briefly considered Novell's NetWare as a development platform and file server network operating system. However, it decided that the resulting server code, in the form of NetWare loadable modules, would be NetWare-specific and thus not as portable as code designed to run under AIX. Another scalability factor was that, with Unix, a PC can be a file server, a DOS workstation, or a terminal for RISC System/6000 applications without rebooting the machine. With only ordinary Unix-style coding techniques, tightly integrated client/server applications become possible between the Unix host and DOS workstations. The programmer does not have to think in terms of programming a file server. The server becomes just another Unix box.

In summary, Wausau could have its cake and eat it, too. It could strike out in a new technological direction, yet maintain its considerable investment in IBM-compatible computer architectures.

NFS vs. AADU

Not everything was honey and roses with Wausau's decision to use Unix as its base operating system. First off, we ran into the thorny design issue of choosing network support software. IBM offers several environments for file sharing under AIX. We distilled the choices down to two: IBM's version of Sun Microsystems' Network File System and its version of Locus Computing's PC Interface, which IBM calls AIX Access for DOS Users. Both NFS and AADU run on top of TCP/IP; we had to decide which would be the best tool for the job.

IBM licenses NFS 3.2 from Sun. The *AIX Communications Handbook* calls NFS "a de facto standard system for sharing directories across TCP/IP networks." IBM implementations of NFS are available for DOS, AIX, and for the MVS and VM host operating systems. That these implementations were interoperable impressed us; NFS became an early favorite.

NFS gives you the means to mount remote directories over empty local directories (i.e., directory stubs). Local programs access files on the remote computer as though they resided in the local directory. A client host mounts directories from remote computers; a server host lets other hosts mount its directories.

The server host exports a file system with an entry in `/etc/exports`. When a client host accesses a file in the mounted directory, NFS redirects the file request over the network to the remote server host. It supports only the exporting of entire file systems, however, and does not support inherited mounts.

NFS has no mechanism to

SmartCache™ Plus: the grow-as-you-go approach to SCSI controllers

START WITH THE BEST...

DPT's entry level SmartCache Plus board offers unrivaled price/performance for single-user systems. It features ISA or EISA bus mastering, and universal SCSI disk compatibility for all PC operating systems. SmartDriver software supports SCSI-2 peripherals like tape and optical drives.

NOW ADD CACHING!

Get DPT's award-winning caching technology in a plug-in module! Move up to disk caching speed without investing in a new controller. With an integral 512K cache, the module provides up to 5X performance gains for workstations, power users, and small multiuser systems.

ADD MORE USERS, ADD MORE CACHE!

Plug in a 2 MB or 4 MB memory module and accommodate up to 18 users from a single card slot. Ideal for medium-sized networks or multiuser systems.

HOW ABOUT DISK MIRRORING?

DPT's SmartCache mirroring module provides 100% disk fault tolerance by simultaneously writing all data to a second "mirrored" drive. No more data loss or costly system down-time due to disk failures. And unlike software mirroring schemes, fault tolerance is achieved with no performance penalties.

PLUS STILL MORE CACHE, AND THEN SOME...

Cable over to DPT's 4 MB Cache Expansion Card, then grow your system to 16 MB by adding more plug-in memory modules—enough power for 64-plus users!

DPT has your solution—no matter how you grow. Performance, compatibility and upgradability make SmartCache Plus the only SCSI controller you'll ever need. For details, contact Distributed Processing Technology, 140 Candace Drive, Maitland, FL 32751. Phone (407) 830-5522; FAX (407) 260-5366. In Europe (UK) phone 44 04 884 718 FAX 44 04 884 8892.

DPT

Circle 100 on Inquiry Card
(RECEIERS: 101)

map user names and permissions across the network. For security, administrators and programmers must configure networks that use NFS by conservatively restricting exports to file systems that everyone can access or by setting up separate, segregated file systems for shared access. You can set up various levels of Single System Images via a companion product called Yellow Pages. Yellow Pages provides a distributed network-lookup service and maintains a database of network maps that clients can query.

I found NFS and Yellow Pages extremely difficult to administer, however. For example, the superuser (root) on one system cannot remotely exercise powers on a host system; NFS maps the client root to the host nobody, who by default has no privileges on the host. If a Yellow Pages server

dies, applications, utilities, and users hang endlessly waiting for the server to respond. And you need to take great care when setting up the parameters for the NFS and Yellow Pages mount commands.

NFS is a stateless protocol. It avoids complexity by deliberately forgetting about recent file requests from workstations and forcing each workstation to completely specify each file request. This approach goes hand in hand with the connectionless User Datagram Protocol that current implementations of NFS use for transport services. Although fine for reducing the chances of data loss when a server crashes, this technique gave me pause—it meant that NFS had to pass lots of extra information inside every file server request packet. The resulting extra LAN traffic might not be worthwhile.

One of NFS's strong points is that it lets programs on different machines exchange data using the External Data Representation standard. This is a big consideration when you want an Intel-based PS/2 to talk to a RISC System/6000. Even something as simple as a 2-byte integer needs to be transformed between the two machines, because the Intel architecture puts the high-order byte last in memory, while the RISC System/6000 puts it first. If we didn't use NFS, we'd have to worry about the numeric representation of nearly every field in our application.

The `lockd` daemon is an option in NFS 3.2. Without it, record and file locking aren't possible. Unfortunately, IBM chose not to incorporate `lockd` into its NFS products, except as a component of AIX/370. To use NFS as a network oper-

ating system, I'd have to code the locking routines myself (I do most of the low-level coding within our application). Tentatively, I designed a daemon that would use the Unix `lockf()` system call on the AIX machine to implement locking, and I prepared to make the DOS workstations coordinate with the daemon by way of TCP/IP. I figured I could make it work well enough for our application, but I knew the approach was awkward and a kludge.

On any LAN, the device drivers and TSR programs that accomplish file redirection take up memory. NFS, we found, uses about 90K bytes. Our application isn't small, and we found precious little room left after we loaded TCP/IP and NFS on the DOS workstation.

Solving this problem—which is not unique to NFS—

Give Us Your Toughest Peripheral Sharing Problem

...or your simplest! Master Switch, the intelligent data switch from Rose Electronics, can handle it. The Master Switch series is so versatile and sophisticated, peripheral sharing becomes easy.

Anyone who appreciates ease-of-operation and technologically-advanced capabilities knows the Master Switch is the right choice...for sharing printers, plotters, modems, and any device with a serial or parallel port. Here's why:

- Any combination of serial or parallel ports
- Easy selection of peripherals
- User-expandable memory up to 4 megabytes
- Simultaneous access to all devices
- Rated 'fastest switch' by PC Magazine
- Advanced features include job queue, port contention, data collection, job control menu, initialization strings, pop-up menus, and many more
- Complete technical support; one-year warranty

The Low-Cost LAN Alternative
With our MasterNet software, the Master Switch provides many convenient LAN functions, such as E-mail, file transfer, and directory access.

Designed and manufactured in the USA. Field-proven in thousands of applications. The Master Switch answers any peripheral sharing challenge. Choose the intelligent data switch that handles your most complex needs, yet is easy to set up and operate... choose Master Switch.



**ROSE
ELECTRONICS**

(800) 333-9343

FAX (713) 933-0044 • (713) 933-7673
P.O. Box 742571 • Houston, Texas 77274
Call for complete information and our catalog of Switching and Sharing Solutions.
Dealer inquiries welcome.

GO TO BANKRUPTCY

START HERE

Cheap board fails in UNIX system

Select dependable AMI Motherboards

Imports ship late

Discount boards not worth the savings

GO BACK 1 SPACE

Imported board has no tech support

GO BACK 1 SPACE

Discount board has compatibility problems

GO BACK 3 SPACES

Discount boards have high failure rate

LOSE TURN

Discount board has slow video speed

PROFITABLE PARKING

Use highly compatible AMI motherboards

NOBODY WILL VISIT YOU HERE

Cheap boards forces Bankruptcy

GO BACK 1 SPACE

Imported board proves unreliable

MOVE AHEAD 2 SPACES

Use AMI for reliable network file server

GO BACK 3 SPACES

Cheap board ruins reputation

Are you playing board games?

Choosing a board is serious business. The quality of the motherboard will determine the performance and reliability of your machine, and the success of your company.

That is why more OEMs and Integrators are using American Megatrends, Inc. for their motherboard needs. Already the industry leader in 386 and 486 BIOS, AMI has now established the standard for EISA and ISA boards.

EISA TECHNOLOGY

AMI has the expertise to provide you with premium 486 EISA boards. These 33 MHz systems can support up to 96 meg of memory and up to 256K of CPU cache. Used along with the optional SCSI Host Adapter, it creates a terrific high performance network server or UNIX hub.



ISA SOLUTIONS

If EISA is not required, the AMI 486 ISA boards are the answer. Operating at 33 MHz and possessing the fastest video speeds in the industry, they provide the perfect platform for graphic intensive applications.

THE AMI DIFFERENCE

Unlike any other motherboard, AMI boards provide total BIOS compatibility; this ensures the highest levels of performance and reliability. Call today and see how the team at AMI will put you ahead of the game.



SINGLE SOURCE TECHNOLOGY

AMERICAN MEGATRENDS, INC.
800-U-BUY-AMI or 800-828-9264, 404-263-8181, fax 404-263-9381
Circle 22 on Inquiry Card (RESELLERS: 23).

PROFITABLE PARKING

was tougher than creating a new locking mechanism. Because we couldn't find a way to configure NFS to take up less memory, the answer we discovered was to use a 386 memory manager (e.g., QEMM-386 or 386Max). I used one to load all the device drivers and TSRs into the high-memory

area between 640K bytes and 1 megabyte. This solution absolutely requires that DOS workstations be 386 machines. That was the tough part.

Another drawback to NFS is that it's slow. You need a little more CPU power than you otherwise might if you want to get good performance. I sus-

pect the slowness is a result of NFS's statelessness; it obviously must spend time refreshing its memory about what it last did for a client.

I'm out of space, so I'll defer telling you the good and bad points of AADU—and letting you know which one we chose—until next month. It

wasn't an easy choice. I'll also describe how we interfaced to the RISC System/6000 version of Oracle from within our application. Our nonstandard approach to dealing with Oracle is designed to save workstation memory, and it will also save Wausau a great deal of money. ■

BEYOND DOS

Windows Tips and Tricks

Mark J. Minasi


I teach an awful lot of advanced Windows classes these days; it seems that everyone is using Windows 3.0. Teach anyone about anything, and you'll get asked a lot of questions. When you get asked the same questions, however... Here are a few Windows questions that everybody asks (and, of course, the answers).

I've installed Windows, and it killed my hard disk drive. What caused this?

The two most common possibilities are that you're using a drive that Windows doesn't understand, or you've hit the path bug.

If you're using a third-party device driver like Disk Manager, SpeedStor, or Vfeature, Windows gets confused when in 386-enhanced mode. Your system locks up at the initial Windows screen. The fix is simple: Look in the SYSTEM.INI file (it's in the same directory as Windows) and find the line [386Enh]. Create a new line immediately after it and type the following command:

Mark J. Minasi is a managing partner at Moulton, Minasi & Company, a firm in Columbia, Maryland, that specializes in technical seminars. He can be contacted on BIX as "mjminasi."



Inside information on crashing hard disks, running out of RAM, changing icons and defaults, and understanding priorities

VirtualHDIrq=false

By the way, if you are using such a driver, you cannot create a permanent swap file on the part of the disk controlled by that driver.

What does VirtualHDIrq do? The hard disk drive controller generates hardware interrupts when it has data that's ready for the CPU to transfer to memory. The program that responds to the interrupt is called an interrupt handler, and it's generally located in the BIOS on most machines while running DOS.

When it's in 386-enhanced

mode, however, Windows attempts to "virtualize" all interrupt handling, and so provides a replacement for the BIOS interrupt handler. But that handler won't work when you're using Disk Manager or similar software. Therefore, Windows provides a backdoor: VirtualHDIrq. When set to false, VirtualHDIrq tells Windows not to virtualize disk interrupts and to route them through the normal handler. You pay a price in that it slows things down a bit.

Another problem that seems to occur with Windows, although it's not a Windows

bug, is the path bug. As you add a lot of Windows programs, you'll end up running the installation programs that, among other things, lengthen your PATH statement. Now, you may know that your path cannot exceed 128 characters. But you may not know (here's the bug) that when a batch file (e.g., AUTOEXEC.BAT) extends the path beyond 128 characters, DOS doesn't notice. In the process, the over-long path overwrites part of DOS, leading to some interesting side effects. Once I saw the system start doing print screens; other times, it seems that the hard disk drive is dead. Be sure to double-check your path length.

I get a "not enough memory to load program" error, even though I clearly have plenty of memory. How can I fix this?

An extremely annoying message. One machine I saw this happen on had 8 megabytes of RAM and an 8-MB swap file. Running Word and Excel, there was no room left for Designer. What gives?

It turns out that there's more to running a Windows application than memory. Two programs that do a lot of system management—GDI.EXE and USER.EXE—each have a 64K-byte stack that keeps information about every program that is running in the system (64K bytes because of a limitation of the 8088 through 286 chips). These stacks summarize all the activity in the system. Each Windows program's local heap comes out of USER.EXE's stack. The local heap for each program must be

Graphical User Interface CLEARING HOUSE

Specializing in products for Microsoft Windows and OS/2 Presentation Manager environments

G.U.I. CLEARING HOUSE - PM / Windows Catalog

File Edit Search Order!

1-800-522-4624

International, call (203) 426-4624
Monday - Friday 9:00am to 8:00pm EST

WINDOWS APPLICATIONS

Development Tools

ACTOR 3.0	795
ADEPT Expert Application Builder	595
Bridge 2.0 Tool Kit	629
C-TRIEVE/Windows (Coromandel)	349
C_talk/Views	429
C++/Views	469
CASE:W 3.0 (CASEworks)	849
Graphics Server SDK	379
Guide 3	439
Icon Author (AimTech)	call
Knowledge Pro Windows	629
Lasertalk PC	309
Microsoft SDK for Windows 3.0	349
Multiscope for DOS/Windows 3	159
ObjectGraphics (WhiteWater)	409
Personal Case	179
PowerLibW	265
ProtoView	595
ProtoGen	409
Pubtech BatchWorks	89
SpeedEdit for Windows	255
ToolBox (Drover)	249
The Whitewater Resource Toolkit	189
WindowsMAKER (Candlelight)	695
WinTrieve	369
Zortech C++ Compiler	179

Database/Forms

Access SQL (SPI)	1279
Chart Builder for Superbase	169
dBFast/Windows	295
ERwin	729
FormWorx Forms Publisher	199
INTEGRA SQL (Coromandel)	609
JetForm	399
MARVIN Image Database	2395
Omnis 5/Windows	759
PerForm Pro	299
Q+E/Windows ver 2.5	139
Superbase 2 ver 1.2	249
Superbase 4 ver 1.2	469
ThinX	399

Engineering/Planning

ABC Flowcharter (Roykore)	249
CON-FLO, control valve analysis	179
Design/IDEF	2795
DesignView	749
DRAFIX Windows CAD	459
MathType	199
MetaDesign, diagramming tool	329
Milestones, Etc (Kidasa)	139
ORI-FLO, metering analysis	179
Project for Windows	469
PUMP-FLO, pump analysis	179
RFFlow, flowcharting	119
SPACETEK/Facility Planner	call
Topdown Project Planner (Ajida)	249

GUI Clearing House is the only national reseller specializing exclusively in Windows and OS/2 Presentation Manager environments. This specialization is necessary in order to properly serve you, our customer, in this rapidly evolving market. Our goal is to provide you with the finest customer service in the industry and to ensure that the products you select are the correct ones for your application.

When you call GUI Clearing House, you will be greeted by one of our friendly, knowledgeable sales staff who will take the time to talk with you to understand your specific requirements. To further assist you, we maintain a staff of technical consultants available to answer in-depth technical questions on products; and to help customers in identifying applications to meet their needs.

Please Note: The applications listed in this ad represent only a small sample of the Windows and OS/2 Presentation Manager products available through GUI Clearing House. Call us for pricing on any Windows or Presentation Manager application. We'll promptly get pricing and availability for you. **CALL TODAY!**

Connectivity

Business Session for Windows	269
DaVinci eMAIL for Windows	959
DynaComm (Windows)	259
DynaComm Elite	399
Faxit! for Windows	179
MicroPhone II	259
Network Courier	CALL
TERM for Windows	179
Windows Workstation	559
WinComm	139
WinTerm	409

Tax Preparation

MacIntax 1040 Personal	69
if:X Personal Tax Analyst	69
MacIntax State Supplements (call)	69
TaxView Professional Series	call

General/Productivity/Utilities

Adobe Type Manager	59
Asymetrix Toolbook	309
BeckerTools 2.0	119
Distinct Back-up	119
hDC Icon Designer	49
IBM Current 1.1	259
Icon Pak II	89
PackRat 3.0	315
PackRat Network (3 User)	579
Personal Librarian	859
PLUS for Windows (Spinnaker)	279
Printer Control Panel (LaserTools)	139
Publisher's Powerpak	69
PubTech File Organizer	159
SmarText (Samna)	409
WideAngle/Windows	119
Windows/On The World	409
Windows Shopper's Guide	15
YourWay (Prisma)	call

Publishing/Graphics

Adonis Clip-Art Window Shopper	42
Aldus PageMaker	499
Archetype DESIGNER	795
Arts & Letters Graphics Editor	509
CA Cricket Graph v1.3	159
CA Cricket Presents	349
Corel DRAW! 2.0	399
DoDOT!(screen capture/convert)	139
Image-In Full Pak	679
Image-In Scan & Paint	139
Image Prep	269
Import for Windows	259
Instant ORGcharting	NEW
Micrografix Charisma	349
Micrografix Designer 3.01	469
Microsoft Office for Windows	call
Picture Publisher	489
PowerPoint for Windows	335
PubTech Multi-Tack	139
Scrapbook+ 2.1 (Elkon)	129
Ventura Gold Series for Windows	559
WordScan Plus (Calera)	795

Word Processing

Ami' ver 1.2	159
Ami' Professional ver 1.2	319
Gram-mat-ik for Windows	79
Language Master for Windows	89
NBI Legacy	359
Palantir Windows Spell 3.0	89
Word for Windows	329

Financial/Accounting

Accounting by Design	1059
Biz-Nix Accounting Partner	299
Bookkeeping by Design	559
CCA Enhanced Business Pkg	795
Evolve (ASL)	169
CCA Active Payroll	NEW
CCA Job Costing Module	NEW

PM APPLICATIONS

Active Life for PM	139
Aldus PageMaker for PM	579
Asymetrix ToolBook for OS/2	NEW
Brief for OS/2	229
CASE:PM for C or C++	1895
CASE:PM for MicroFocus Cobol	2369
ChipChat (Cawthon)	279
Collage PM	179
Corel Draw! for PM	call
DeScribe	529
Excel for PM	349
HyperACCESS/5 for OS/2	169
Lotus 1-2-3/G	579
Micrografix Designer	509
Multiscope for OS/2	349
Nexpert Object, PM Runtime	929
Object-1/PM (MDBS)	895
OS/2 PM Softset (Microsoft)	129
OS/2 PM Toolkit (Microsoft)	409
PackRat for PM	339
PackRat PM Network (3 User)	579
Perspective for OS/2	259
Q+E/PM ver 2.5	139
Relish	NEW
RT-Graphics (FSI)	959
RT-Graphics Toolkit w/source (FSI)	649
SmallTalk/VPM	339
SpeedEdit for OS/2	255
SpeedEdit for PM	255
Sytos Plus/PM (Sytron)	259
WideAngle for PM	119
Wingz (Informix)	359
Word for OS/2 PM (Microsoft)	call
WordPerfect 5.0 for OS/2	339
WinPRO/PM (Xian)	379
Zortech C++ OS/2 Compiler Option	139
Zortech C++ OS/2 Dev Edition	489

HARDWARE, etc.

Image Scanners

Logitech ScanMan 256/PC-AT	409
Logitech ScanMan 256/MCA	509
Microtek scanners	call

Boards

ATI 8514/Ultra	NEW
NEC Graphics Engine Brd 16 (AT)	689
NEC Graphics Engine Brd 256 (AT)	969
Paradise 8514A Plus (AT)	699
Paradise 8514A Plus (MCA)	759
Intel SatisFAXtion board	NEW

MultiMedia Products

Super VideoWindows	NEW
VideoLinX:FRAMEBUFFER	NEW
XXIS 600Mb Erasable Optical Drv	NEW

GUI Clearing House offers a full line of hardware items selected to augment the Windows, Presentation Manager, and MultiMedia based platforms. If you don't see a particular item, just ask...we will promptly obtain pricing and availability for you. **Call us TODAY!**



preallocated upon program start-up.

Some programs just love heap space, and they'll gobble up lots of it if they see that no other programs are loaded. So you end up with a situation where you've got megabytes and megabytes of free RAM, but no space left in one of those two tiny 64K-byte stacks, and no more Windows programs will load ("for want of a nail...").

When you pull down the About Program Manager window in the Program Manager's Help menu, the Free System Resources number is telling you the amount of free space in the GDI.EXE and USER.EXE stacks. When it drops below 15 percent, Windows will refuse to launch any new applications.

The answer is to try loading the Windows programs in a different order. Load a stack-

hog later in the sequence, and it will (if written well) allocate less stack space. This may not solve the problem, but it is worth trying. Again, buying more memory will not help here: The problem is Windows' reliance on the 286 chip. This is another reason why we need OS/2 2.0.

Can I change the way an icon looks?

Yes and no. A program's icon is a bit map (similar to a file created by PC Paintbrush) that's embedded in its .EXE file. To change it, you'd have to extract the bit map, change it, and reembed it in the .EXE file. The Whitewater Resource Toolkit (WRT) can edit icons (as well as dialog boxes, menus, string tables, and more) in place. It's the Windows version of the Mac's ResEdit. But what can you accomplish with Windows alone?

Windows does let you assign an alternate icon to a Windows application. Briefly, here's how. Click on the program's icon in the Program Manager (just single-click to select) and select File and Properties... from the Program Manager menu. Then click on the Change Icon push button in the Properties window. A Change Icon window will appear. One field shows the name of the program; that's where Windows looks to find the icon.

By default, Windows looks in program *x* for program *x*'s icons. But it doesn't have to. If you overtype *x*'s filename with another program's filename (call it *y*), you can associate any icon found in *y* with *x*. Unfortunately, this technique isn't a total solution. This new icon works only in the Program Manager. When the program is minimized,

Windows reverts to the default icon. You'll need a true resource editor (e.g., WRT) to fix things so they'll stay fixed.

How do I make Notepad (or Write) default to a directory other than C:\WINDOWS?

Notepad is a pretty convenient little editor: two clicks and it's there. But it always defaults to C:\WINDOWS or whatever directory you've got Windows in. You can change that default in two ways; one is somewhat well known, the other is a bit offbeat.

Everybody who has played with Windows for a while has figured out that you can give a data file its own icon. Click on the icon, and Windows uses the file's extension to load the program that goes with the data file.

For example, I've got a file called TTD.TXT, a "things to do" list. It has its own icon.

Introducing Pocket Edition™ 2400

The people who wrote the book on modems proudly present the Pocket Edition. The first Hayes modem specially designed for people who use laptop and notebook computers.

The people who wrote the book on modems proudly present the Pocket

Weighing in at a slight three ounces, the Pocket Edition 2400 comes with everything you need to take it on the road—a 9-pin connector, cables, a handy carrying case, and our simple-to-use Hayes Smartcom EZ communications software.

And, because it gets all its power from the

phone line and your computer's serial port, you'll never find yourself searching for an outlet to plug it into.

The Pocket Edition is incredibly compact yet it contains many of the features you expect from our "full-size" Hayes modems. It's ideal for working remotely with your

Once again, Hayes has set modems will



When I click on it, Windows knows that .TXT is the extension for Notepad files; so it starts up Notepad and loads TTD.TXT.

Here's a sneaky trick. Click once (not twice) on the Notepad icon in the Program Manager. Click on File in the Program Manager and then Properties.... You'll see that the command line contains NOTEPAD.EXE. Just change that to:

d:\subdir\NOTEPAD.EXE

where d:\subdir is the drive and subdirectory that you want Notepad to default to. Don't click OK yet, however. Click on Change Icon. The new window will include the filename d:\subdir\NOTEPAD.EXE. Change it to NOTEPAD.EXE; get rid of the d:\subdir. You will see the generic DOS icon rather than the Notepad icon.

Click on Next icon, and the regular Notepad icon will appear. Then click OK, and OK. You'll get a warning message, but ignore it.

By the way, does it annoy you that Notepad and Write always default to *.TXT and *.WRI in their respective File Open dialog boxes? Do you often override those defaults with *.*? Try this (courtesy of BIX user Jeff Detray): Save copies of NOTEPAD.EXE and WRITE.EXE, fire up Write, open each .EXE file (specifying no conversion), and do a search-and-replace to change *.TXT or *.WRI to *.*. Important: Put two spaces after *.* so you don't change the length of the strings embedded in the .EXE files. Could you use WRT to solve the problem more cleanly? Nope. The *.WRI and *.TXT strings are not defined as resources—naughty, Micro-

Windows is a multitasking platform for Windows programs: Its scheduler can juggle several programs.

soft—so WRT cannot get at them.

What do those background priority and foreground priority numbers mean when you're running Windows in 386-enhanced mode?

You know that Windows is a multitasking platform for

Windows programs: Excel can share the desktop with Corel Draw and Windows Tetris, with the Windows scheduler juggling them all. The 386-enhanced mode adds another layer of juggling. It views Windows and all Windows programs collectively as one virtual machine (VM). The 386-enhanced part of Windows isn't worried about how much time to give WinWord versus WingZ, and it leaves that job to the very same Windows scheduler that exists in Windows standard mode.

Windows is one VM. Each DOS program that is running is also a VM. So, if you're running WordPerfect 5.1 (a non-Windows program), dBASE IV (another non-Windows program), PageMaker, Excel, and WinWord, you've got three VMs: WordPerfect is in one VM, dBASE is in another VM, and the three Windows

company's computer system. It keeps you in touch with electronic mail. You can even use to deliver a FAX with an on-line service. And while the Pocket Edition was created for people on the go, it's also a great space-saver for those who stay at home. At the suggested retail price of \$179

(and with our unique Hayes performance warranty and money-back guarantee), you'll find the Pocket Edition extremely easy on your pocketbook.

For more information about the new portable Pocket Edition 2400, call us at 1-800-635-1225.

It's time you gave your laptop a new traveling companion.



Our technology has the computer world talking. More than ever.

the standard by which all be measured.

Circle 141 on Inquiry Card.



BYTE's International Direct Response Postcards

From the most prestigious microcomputer magazine comes an inexpensive direct response medium – a postcard advertising insert bound into the highly-respected International Section of BYTE magazine called **BYTE's International Direct Response Postcards**.

Postcard ads provide a direct-response vehicle that encourages prospects to respond to offers for information as well as direct sales. A postcard ad is versatile because it allows you to test your product to potential buyers. That's because you can use your card to sell computer products, generate leads, conduct market research or sell books and periodicals. Each postcard is perforated so it can be easily torn out and returned directly to you without any intermediary—*guaranteeing leads that are current and "hot."*

Expand your horizons into this valuable marketplace.

The Pan-European marketplace is preparing to open up to greatly expanded trade in 1992 with the breaking down of trade restrictions. And **BYTE's International Direct Response Postcards** presents the perfect opportunity to test your product in this marketplace and to get your company positioned in the minds of the major buyers.

These unique advertising postcards which will be inserted in the International Section will reach 95,000 influential *BYTE* paid readers throughout Europe.

In the United States, contact:

Ed Ware
at 603-924-2596
BYTE Magazine
One Phoenix Mill Lane
Peterborough, NH 03458

BYTE



HANDS ON

programs all exist in the Windows VM.

The background and foreground priority numbers answer the question, "What proportion of the CPU's time should be spent on each VM?" Here's how it works.

First, each VM has a background and foreground priority number. The Windows background/foreground pair can be set from the 386-enhanced option in the Control Panel. For non-Windows programs, these numbers are set in the Advanced dialog box under the program information file (PIF) editor or in the Settings... menu in the DOS program's Control icon (accessed with Alt-space bar).

Second, only one VM—the one you see on the screen—has the foreground at any point in time. When you see the Windows desktop, Windows has the foreground. When you see the familiar blue WordPerfect screen, WordPerfect has the foreground. The others are in the background. If you've selected the Background check box in a program's PIF file, it will continue to run, even if it's in the background. (The PIF editor's default is *not* to check the Background, so none of your programs will run—and this discussion is irrelevant—if you have not checked Background.)

With that background (no pun intended) in mind, here's how priorities work.

Sum up all priority numbers. For the foreground VM, use its foreground number. For the background VMs, use their background numbers. That's the priority total.

For all VMs, divide the VM's priority number (background or foreground, whichever is relevant at the moment) by the priority total. That is the percentage of CPU time allotted to that VM.

Here's an example. Suppose you've got dBASE and WordPerfect running with Windows. Give Windows a foreground of 100 and a background of 50. Say dBASE gets

FG=150 and BG=25, and WordPerfect has FG=200 and BG=100. Remember that you control all these numbers with the Control Panel or the PIF editor.

When Windows is in the foreground, the total is 100 (Windows' foreground number) plus 25 (dBASE's background number) plus 100 (WordPerfect's background number), for a total of 225. Windows gets 100/225 of the CPU time, almost one-half; dBASE gets 25/225, or one-ninth; and WordPerfect gets as much time as Windows.

Now put dBASE in the foreground. The priority total is then 50 (Windows) plus 150 (dBASE) plus 100 (WordPerfect), or 300. Windows gets 50/300, one-sixth of the CPU time; dBASE gets 150/300, one-half; and WordPerfect gets the rest.

And with WordPerfect in the foreground, the total is 50 (Windows) plus 25 (dBASE) plus 200 (WordPerfect), or 275. Windows sees 50/275 of the CPU time, there's 25/275 for dBASE, and 200/275 goes to WordPerfect.

By adjusting these priorities, you can tune your Windows system to make the best of your various applications. Want a snappier Lotus 1-2-3? Increase its foreground priority. Want your word processor to print faster in the background? Play with its background priority. But be careful and keep notes; sometimes you can make the system run much worse by fiddling with these numbers! ■

ITEMS DISCUSSED

Whitewater Resource Toolkit\$195
The Whitewater Group, Inc.
1800 Ridge Ave.
Evanston, IL 60201
(800) 869-1144
(708) 328-3800
fax: (708) 328-9386
Circle 1146 on Inquiry Card.

Up to date. Down to earth.

Changing the world. UNIX is changing the world of computers, the world of business—quite simply, changing the world. It's revolutionizing office automation. It's required for U.S. government computer contracts. It's the backbone of information strategies worldwide.

The information you need. That's why you need *UNIXWORLD*—the magazine that keeps you up to date on the rapidly changing world of open systems computing. Each issue brings you the latest product trends and technical advances that can affect your business. The inside story on some of the world's

biggest high-tech companies. Easy-to-understand programming tips and tutorials that can help you and your company use UNIX to its fullest. And unbiased hardware and software reviews to help you invest wisely when you buy.

The whole UNIX-verse.

UNIXWORLD's in-depth features go beyond dry technical facts, to show how the pieces fit together—to tell you what's important about the advances and the strategies that are changing your world. And *UNIXWORLD* consistently offers the freshest, most down-to-earth writing you'll find in any computer publication.

Subscribe and Save. Subscribe today, and receive the next 12 issues of *UNIXWORLD* for just half the regular newsstand price. Save even more by ordering for two or three years. You can't lose—every subscription to *UNIXWORLD* comes with a no-risk guarantee.*

1 year \$18.00 (save 50%)
2 years \$32.00 (save 55%)
3 years \$42.00 (save 60%)

**Subscribe now! Call toll-free:
1-800-341-1522**

UNIXWORLD

If you're into UNIX, you need *UNIXWORLD MAGAZINE*.

UNIX® is a registered trademark of AT&T. UNIX WORLD is not affiliated with AT&T.

*UNIXWORLD's no-risk guarantee: If not satisfied, cancel and receive a full refund for the balance of your subscription.

A McGraw-Hill publication

MACINATIONS

Professional 3-D Graphics on the Mac

Don Crabb


By the time I got to Paracomp's office in San Francisco, I was a wreck. First of all, I had to drive like a maniac from the hotel to get there close to my appointed time, due to a last-minute incoming phone call. I trotted over to the Paracomp building and bolted up the stairs, arriving a mere 45 minutes late. I must have looked like a wild man, hair dripping wet, heart pounding, completely out of breath.

By the time I was finished with my private briefing (it was on the morning of the first day of the MacWorld Expo; these guys deserve a medal for putting up with me), I was considerably calmer, much drier, and very much impressed. Really impressed.

While I had played around with Paracomp's bevy of graphics products before, I had never really gotten the complete picture on them as a whole. The Paracomp people fixed all that by giving me guided tours of Swivel 3D and 3D Professional and ModelShop 1.1 and II (in a beta version).

Armed with this knowledge and copies of the Paracomp software that had been sent to me, I spent most of the rest of January reimmersing myself into three-dimensional graphics, Paracomp-style. While many good 3-D products are available, I can't think of a sin-

Don Crabb is the director of laboratories and a senior lecturer for the computer science department at the University of Chicago. He can be heard regularly on the Bob Lassiter Show on WLS Radio AM 89 in Chicago. He is also a contributing editor for BYTE. He can be contacted on BIX as "decrabb."



**How good is the Mac as a 3-D engine?
Paracomp proves it's superb.**

gle vendor that has its head screwed on as straight as Paracomp when it comes to making all its products work together. This is no mean feat considering that most of its stuff has been acquired from outside sources.

Even though ModelShop 1.1 isn't my favorite graphics program (ModelShop II fixes most of the interface goofs), it all manages to work together quite nicely. Once I saw how it worked and got into the mindset of the architects who use it, it seemed simple to build 3-D models of buildings and cities, move around outside and within them, and change the scale, display, perspective, and other parameters.

I quickly learned how to export my ModelShop creations to Swivel 3D Professional, where I could give them photorealistic rendering (which is Pixar's MacRenderMan's claim to fame, about which I'll have more to say in future columns) and use its Tween command to create dynamic animations (see the screen shot). I even learned how to take these

Swivel creations and output them in all kinds of formats, from AutoCAD DXF to MacRenderMan RIB to 24-bit PICT files. I also figured out how to output files to more mundane formats: EPSF, PICT, PICT2, PICS, Paint, and Scrapbook files, so I could use images within HyperCard 2.0 stacks.

In fact, I liked using Swivel 3D Professional so much, and found it so straightforward and intuitive, that I almost wished I was a graphics designer and got to do this stuff all day long. I expect that I'll be using the program's animation tools—especially the multiple key frames, tweening, animated camera views, and smoothed 3-D panels—in my teaching, research, and consulting.

I have a lot more to learn about Paracomp's products, and about competing 3-D vendors, too. For my money, though, the Mac is proving to be the premier middle-cost/middle-performance 3-D graphics engine now available. It won't displace the Sili-

con Graphics machines, but even a loaded Mac IIcx doesn't cost \$75,000.

There is one caveat, though: You shouldn't expect to use any of these Paracomp products without at least a 4-megabyte Mac IIcx. And you'll be a lot happier with faster iron, such as a 5- to 17-MB IIsi, an 8- to 32-MB IICI, or a 32-MB IIcx.

Software of the Month: Screen Capturers

Why do you need a screen-capture utility? After all, the Finder includes a built-in one that grabs a Clipboard/Paint file when you want it (typing Command-Shift-3) and then dumps it into a MacPaint file. Why, then? Because that built-in one is pretty lame: It works only in black and white, yielding a MacPaint file. Nor does it handle anything over 640 by 480 pixels.

This void has been filled by a lot of good third-party software. Three I use are Capture 3.0 from Mainstay, Exposure 1.0 from Preferred Publishers, and SnapJot 3.0 from Wildflower Software.

While all these utilities do a good job of capturing screens, each has its own special prowess, which is why I keep them all on my disks. Capture and Exposure are INIT cdevs; SnapJot does its magic from a System INIT and a desk accessory.

Capture 3.0 is probably the simplest of the three, and it's ultimately the most reliable. I've yet to have it crash any of my Macs, and I've got some pretty scary machines in my home and office computing plants.

Capture can grab full or partial screens as either Clipboard or PICT files in both 8- and 24-bit color. About the only problem I've encountered with it was at start-up, when it conflicted with the IDs of some other INITs. A simple renaming fixed that problem. Capture 3.0 costs \$79.95.

Preferred Publishers has thrown in all kinds of useful

SmartLink

DOES IT MAKE SENSE TO USE A COMPILER WITHOUT IT?
NOT ANY MORE.

INTRODUCING TOPSPEED C++, C, PASCAL AND MODULA-2

Smartlinking is only one of the many unique and critically-acclaimed features in JPI's line of open-architecture, multilanguage/multiplatform compilers.

Whether your working in C, C++, Pascal or Modula-2, TopSpeed compilers will cut development time and give you the excellent code quality other TopSpeed users have come to expect.

"TopSpeed is Tops in Programming"

— Peter Coffee, *PC Week*, January 1991

TOPSPEED CODE GENERATION TECHNOLOGY All four TopSpeed languages share a common optimizing code generator. As a result, you can produce the same high quality, optimized code with any language you choose. And, unlike any other compiler vendor, JPI offers total compatibility between languages and the ability to reuse existing code.

WRITE DOS PROGRAMS AS LARGE AS 16MB If your program requires more than 640K, TopSpeed's powerful Code and Data Overlay Management System provides code and data overlays automatically to run your large applications.

MULTIPLE MEMORY MODELS All TopSpeed languages support five distinct memory models which allow you to adapt your program to make optimal use of the 80x86 family of processors. Additionally, TopSpeed provides a re-entrant library for multitasking projects (even under DOS).

PICK YOUR PLATFORM All TopSpeed compilers are available for DOS, Windows 3 and OS/2 development.



TopSpeed C++

- AT&T 2.1 Implementation
- Smart Class Linking
- Runtime Checks
- Full AT&T Version 2 Class Library Available
- Link to C, Pascal and Modula-2



TopSpeed Pascal

- OOP with Multiple Inheritance
- ISO Level 1 Conformance
- Turbo Pascal to TopSpeed
- Multi-Tasking Under DOS Translator
- Link to C, C++ and Modula-2



TopSpeed C

- 100% ANSI Validated
- Multi-Tasking under DOS
- Runtime Checks
- DOS DLLs
- Link to C++, Pascal and Modula-2



TopSpeed Modula-2

- OOP with Multiple Inheritance
- Multiple Memory Model Support
- New Virtual Pointers
- Based Pointers
- Link to C++, C and Pascal

Circle 180 on Inquiry Card.

© TopSpeed is a registered trademark of Jensen & Partners International Inc.
1101 San Antonio Rd, Suite 301 Mountain View, CA 94043
Other brand and product names are trademarks or registered trademarks of their respective holders.

[(smart-link) vs. -link'ing 1 Feature in all TopSpeed compilers which eliminates redundant procedures, methods and data. 2 Technology not available in other vendors' compilers.]

OUTRAGEOUS TRADE-IN OFFER!

Trade-in for TopSpeed for \$150 and qualify for a second TopSpeed compiler for only \$99!

The suggested retail price for TopSpeed C++, C, Pascal and Modula-2 is \$395 (Professional Edition). Trade-in any compiler, from any vendor for a TopSpeed compiler and pay only \$150! That's right! Trade in your old Pascal compiler for TopSpeed C++ or trade your current C compiler for a TopSpeed C compiler and try a second TopSpeed language for \$99. Offer expires May 31, 1991.

For more information or to Trade-in TODAY call JPI at 800-543-5202 or contact JPI's Corporate Sales Division at 603-899-6470.

Refer to this code and get an additional \$5.00 off your purchase: B5T



Jensen &
Partners
International Inc.

We Speak Your Language

features with Exposure 1.0. The most interesting one is the movable palette menu bar. With it, you can not only capture a screen, but edit and annotate it as well, since Exposure is something of a mini Paint program, too. You can capture files to disk or send them to the printer directly. Exposure saves files in Scrapbook, Paint, StartupScreen, and PICT formats. Exposure costs \$149.95.

Mark Edel of Wildflower Software kindly took the time to search me out at an Apple product preannouncement some months back to tell me about SnapJot. Since then, I've been a SnapJot fan.

I use SnapJot to capture the screens that appear in this column. It can handle simple and more complex screen capturing (e.g., capturing portions of the screen), and it can save files in the usual Paint/Clip-



An object rendered in 8-bit color using Swivel 3D Professional.

board and PICT formats. But if that's all you use SnapJot for, then you've missed the whole point of this superhandy utility.

SnapJot makes it trivially

easy to micromanage your MultiFinder environment. If you're like me, you keep several programs up and running all day long. I personally tend to run VersaTerm-Pro, Nisus,

FileMaker Pro, HyperCard, Inspiration, and Prograph every day.


Since I'm often working on different projects that have allied purposes, it's useful for me to cut and paste between different documents easily (yes, I can hardly wait for System 7.0's Inter-Application Communication hot links!). But if I have to keep the full windows of all these things displayed, I run out of screen real estate, even on my 19-inch SuperMac Technology 24-bit color monitors.

Enter SnapJot. I can capture part of a screen from a document, leave it on display in one corner of my monitor, and refer to it within another document. I use SnapJot as sort of the screen equivalent of Post-It Notes, because its captured screens remain actively displayed as long as you want them to. This is so handy, it's

MEET YOUR NEW UNIX SYSTEM ADMINISTRATOR!

Helios' EtherShare™ file server system lets you do system administration from any Macintosh on your network. Plus it gives you a PostScript® print server, a terminal server and an internet router that uses AppleTalk packet technology. *All for about \$100 per session!*

Field proven in Europe for almost two years, EtherShare provides high speed file access to up to 200 PCs, Macs and your DEC, Sun, Sony or IBM workstations. You can even have several EtherShare systems working on the same Unix host at the same time. It looks like AppleShare to the Macs, but moves data at Ethernet rates, up to



10 Mbits/sec. And it integrates computers with other operating systems like a DEC VAX® under VMS or Ultrix and lets IBM PCs join in the fun, as well.

Obviously there's a big story here. If you want the details, we've prepared a full package of information we'll be glad to deliver to you via e-mail. Just dial up our CompuServe® number 74730, 1004 and we'll get it to you.

If you would like to speak with our National Sales Manager, contact Paul Lucero at 998 West Lynn Way, Suite 4, Cupertino, CA 95014. Phone 408-255-2503. AppleLink: Helios.USA; or send him e-mail on Internet: lucero@apple.com.



HANDS ON

a wonder Apple didn't build it into the Finder long ago! SnapJot costs \$59.95 and is well worth it.

Tip of the Month

I spent much of 1990 writing a book, *Using FileMaker Pro*, for Brady Books. For a variety of reasons that are too depressing and Byzantine to go into here, that book won't be appearing anytime soon. But my year of being immersed in things FileMaker has stood me in good stead here at the University of Chicago and among some of my consulting clients. I've become something of a FileMaker expert as a result of researching and writing the book.

One of the things I've found is that if you use FileMaker Pro a lot, you need some help, or else you spend too much time designing forms and dithering with all the clever layout features of the program. While I love to diddle around, it sure doesn't get the bills paid, so you can imagine how happy I was when I stumbled across the Elk Horn Library.

Elk Horn Publishing distributes a catalog full of FileMaker templates, data files, and other goodies. Not only are these doodads good, they are also sublimely cheap. An example is Network Messaging. This is a clever little FileMaker Pro template that lets you use FileMaker's multiuser file sharing capability to set up a simple mail/messaging server on your AppleTalk network. No, it won't replace Microsoft Mail, cc:Mail, QuickMail, or any other full-blown E-mail system. But it costs only \$4. Or \$2, if you are a subscriber to Elk Horn's excellent newsletter called *FileMaker Report*.

Continuing the networking theme, another Elk Horn Publishing template is the Network-To-Do-List 1.2, which will set you back \$22. This handy little template comes in versions for FileMaker II (the old system) and FileMaker Pro. It works nicely as an ap-

pointment and task list for a workgroup. The template handles both people and facilities, as well as private and public information. Serious reporting layouts are also included with the package.

The Elk Horn catalog lists more than 100 templates, data files, and other FileMaker add-ons, costing between \$2 and \$125. If you use FileMaker, you owe it to yourself to call this company and get on its catalog list. ■

ITEMS DISCUSSED

Capture 3.0 \$79.95
Mainstay
5311-B Derry Ave.
Agoura Hills, CA 91301
(818) 991-6540
fax: (818) 991-4587
Circle 1147 on Inquiry Card.

Elk Horn Library \$2 to \$125
Elk Horn Publishing
P.O. Box 1300
Freedom, CA 95019
(408) 761-5466
fax: (408) 761-5468
Circle 1148 on Inquiry Card.

Exposure 1.0 \$149.95
Preferred Publishers, Inc.
1770 Moriah Woods
Blvd., Suite 14
Memphis, TN 38117
(800) 829-3383
(901) 683-3383
fax: (901) 683-4983
Circle 1149 on Inquiry Card.

ModelShop 1.1 \$595
Swivel 3D Professional \$695
Paracomp, Inc.
1725 Montgomery St.,
Second Floor
San Francisco, CA 94111
(415) 956-4091
fax: (415) 956-9525
Circle 1150 on Inquiry Card.

SnapJot 3.0 \$59.95
Wildflower Software
21 West 171 Coronet Rd.
Lombard, IL 60148
(708) 916-9360
Circle 1151 on Inquiry Card.

A MESSAGE To OUR SUBSCRIBERS

FROM TIME TO TIME WE make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE MAGAZINE

ATTN: SUBSCRIBER SERVICE
P.O. Box 555
HIGHTSTOWN, NJ 08520



An Out-of-Towner's Introduction to the BIX Community

BIX is for people who use microcomputers for business, finance, research, and career and personal development. There's always something interesting happening here. No matter what you're into. The latest industry news. Top-notch software libraries. Private electronic mail. Real-time chatting. And every month, the complete text of *BYTE* magazine. (Read more about BIX, and how to join, on adjacent page.)

From Artificial Intelligence to Zenith Laptops...

Whatever your interest, BIX has a conference for you. Here's our latest list. (In each Exchange, Conference name appears on left, description on right.)

■ Amiga Exchange


Joanne Dow, Exchange Editor

amiga.user	Exchange ideas, solve problems, compare notes
amiga.sw	Amiga programming and developer issues
amiga.hw	Amiga hardware design, use, and hookup
amiga.arts	Artistry using the Amiga
amiga.int	Developing for the international Amiga
amiga.special	Special guests and events
amiga.dev	Commodore's conference for developers

■ IBM Exchange

Barry Nance, Exchange Editor

ibm.pc	The venerable PC
ibm.at	The AT series and workalikes
ibm.ps	The PS/2 series
ibm.os2	OS/2 operating system
ibm.dos	PC/DOS & MS/DOS operating systems
ibm.os.386	Alternative 386 operating systems
ibm.utils	Utility software for IBM computers



ibm.repairshop	Garage and Tune-up Shop
ibm.new.prods	New products for IBM computers
ibm.exchange	IBM Exchange clearinghouse
ibm.listings	Index to program files in the Exchange
ibm.other	Apps, printers, modems, etc.
microsoft	Products from Microsoft

■ Writers' Exchange

Wayne Rash, Jr., Exchange Editor

desktop.pub	Using microcomputers for publishing
elfquest	Find out about things elven with Richard Pini
journalism	Reporting and writing news
journalism.pro*	Interaction for working press only
lexicon	About words
marketing	Promos, sales, public relations and high tech
new.writers	Getting started in the writing business
poetry.prose	Writing both types of English
sf	Science Fiction, Star Trek, and fantasy fans
sfwa*	Science Fiction Writers of America
tech.news	Discuss Microbytes, product reports, items
word.processor	Word-processing programs

writers	The original writers conference
write.fiction	How to write fiction
writers.pros*	Interaction for professional writers only
writers.talk	Conversations with professional writers

■ Macintosh Exchange

Dr. Larry Loeb, Exchange Editor

mac.apple	The word from Cupertino
mac.business	Macs in the office
mac.desktop	Publishing with a Mac
mac.external	Information from all over
mac.hack	Technical information about the Mac
mac.hypercard	Using the HyperCard programming environment
mac.news	Up-to-the-minute information
mac.novice	For beginners
mac.products	Listings of new hardware and software
mac.sandbox	For off-hours fun


■ Tojerry Exchange

Jerry Pournelle, Exchange Editor

tojerry	Messages for and from Jerry Pournelle
chaos.manor	Computing at Chaos Manor
astronomy	A star party for amateur astronomers
contact	Science fiction meets science
disasters	Natural and man-made disasters
education	Computers in American classrooms
mathematics	Talk about high-level mathematics
sciences	Scientific programs
space	Space exploration and development
technology	New technologies and their impact

*Please Note: Membership in this conference is limited to pre-screened specialists only.

BEAM YOURSELF
TO A PLACE
WHERE COMPUTER SAVVY
ABOUNDS.



■ Imagine a setting in which communal wisdom is on tap. A place that has the fit and feel of a small, friendly town, yet the sophistication and resources of a global community. One which you can visit electronically—to increase your knowledge of computers and their applications, hone your skills, share insights with thousands of other computer pros, and have fun. Such a community would be called BIX.

Subscribe to BIX, the flat-fee, on-line information service.

BIX is your access to industry news. And to many special interest Exchanges—such as our *Amiga*, *IBM*, *Mac*, *Writers*, and *Interactive Games* Exchanges—which include thousands of free, downloadable programs. All for just \$39 per quarter.*

Subscribe via your computer...

Set your program for full duplex, 7 bits, even parity, 1 stop bit. Call BIX on our registration-only number: 800-225-4129. In MA: call 617-861-9767. International: call NUI310690157800. Then hit the return key, and respond:

Prompt:	You Enter:
login	bix
Name?	bix.ville

You may buy off-peak access via *Tymnet* at \$20 per month or \$3 per hour, or you may buy peak access at \$6 per hour.**

*Based on a \$156 annual fee, billed quarterly. Telecommunications charges are extra. You may cancel at any time without future charges.

**Available only in contiguous 48 states. Tymnet rates subject to change.

800-227-2983 • In NH 603-924-7681

BIX

The Crop.



One Phoenix Mill Lane
Peterborough, NH 03458

ASK BYTE

The Cable the Cat Dragged In

I need help in locating a cable/connector and the pin-outs for a Mitsubishi MP 286L laptop computer. Its external floppy disk drive port is a female DB-26 connector. Although Office Depot, a local vendor, sells the laptop, it doesn't sell—and refuses to order—the accompanying 5¼-inch floppy disk drive. All the computers in my wife's office contain only 5¼-inch floppy disk drives. Thus, she can't use the laptop for the purpose for which it was purchased.

I called the Mitsubishi Electronics America Information Systems Division for help in locating a cable so I could hook up a 5¼-inch floppy disk drive. The company claimed I couldn't get a cable unless I bought the disk drive for \$700. I asked, "What if my cat ate the cable, and I needed a new one?" The answer was, "Sorry." I asked a technician if he knew the pin-outs, and he said he didn't. Since Mitsubishi retailers don't sell the cable, it is not entirely unreasonable to expect a large company like that to support customers when its vendors don't.

Jules Bartow
Clayton, OH

According to Mitsubishi technical support, the cable you're after will work only with a Mitsubishi 5¼-inch floppy disk drive. The external floppy disk drive port on the MP 286L is a proprietary design. Even if you got your hands on the cable, you would not be able to hook a different floppy disk drive to it. I'm afraid the pin-outs wouldn't do you much good, either.

If you want to use that port, you'll have to buy the cable and the drive from a Mitsubishi dealer or from a third-party reseller that handles Mitsubishi-compatible drives. You should check the mail-order ads in BYTE or other computer magazines. I found an external 5¼-inch floppy disk drive for the MP 286L sold by Telephone Product Center (12603 Hoover St., Garden Grove, CA 92641, (800) 383-3199). The drive I found sells for \$245. I'm sure you can find other dealers with such drives.

You do have a good point, though. If you sink \$700 into an external drive, you should be able to replace a defective cable. I would check with some other Mitsubishi dealers in your area. You might call the following:

- J&R Enterprises, (513) 671-0339
- Tristate Data Supplies, (513) 891-4666
- NCC Systems, (513) 745-0190

Or you can call Mitsubishi at (800) 441-2345, ext. 54M, for the names and phone numbers of other dealers in your area. If you can't find a replacement cable for the external drive, you have a valid complaint. I would not buy a disk drive if I could never get another cable for it. If all else fails, you could buy the drive and muzzle your cat.

Fortunately, you have other options. The easiest and least expensive way to go? Buy a copy of Traveling Software's LapLink III (or a similar file transfer product). Your wife can then bring her laptop to work, plug one end of the included LapLink cable into the Mitsubishi's



serial or parallel port, and connect the other end to either port of any IBM-compatible desktop system. She can then transfer files to or from the desktop system. It's fast (especially if she uses the parallel port and enable turbo mode) and simple. It will also let her transfer files that are greater than the storage capacity of a 5¼-inch floppy disk drive.

LapLink III costs about \$95 and is available from most mail-order software

houses. Check the ads in BYTE for a LapLink dealer.

Micro Solutions Computer Products (132 West Lincoln Hwy., DeKalb, IL 60115, (815) 756-3411) can also set you up. For \$349, it sells an external floppy disk drive called the Backpack. It plugs into any standard PC parallel port, and the company offers a 5¼-inch 1.2-megabyte model. You can also get a break on the list price by comparing mail-order sources. Micro Solutions can give you a list of its mail-order outlets. If you order through Computer Options ((800) 424-7678) or Central Computer Products ((800) 456-4123) and say that you were referred to them by Micro Solutions, you'll get an additional \$10 discount. The Backpack will work with any laptop that has a standard parallel port.—S. D.

Of Computers and Phones

Although I count myself in the ranks of IBM PC users, seeing the new Macs with built-in microphones has brought a product idea to mind. My hope is that someone has already implemented it.

With a microphone and the appropriate add-in board, what's to keep the PC from working as a telephone? If you want to declutter your desk, you put your fax and telex into your PC, and, of course, the PC takes the place of the typewriter and calculator. What about the phone? That's about the only thing left to incorporate.

Until now, to my knowledge, there has only been software for maintaining phone lists and for keeping records of phone activity. My idea is a complete phone substitute: It would do all the statistical call analysis, automatic dialing, prerecorded calls, call filtering, call routing to internal extensions, and voice-mail functions. A network version would be indispensable, with client and server versions of the add-in board, the server replacing the main phone, and the clients replacing the traditional phone extensions. The voice signal would travel by network, and all nodes could communicate by voice.

Finally, if someone has already implemented this idea, I hope it will be compatible with telecommunications regulations in Portugal.

Campos Santos
Figueira da Foz, Portugal

While no one to my knowledge has put together a PC-based telephone system that doesn't require a handset, several vendors are working on the more sophisticated functions you suggest.

PC-based Touch-Tone voice-mail systems are already on the market. However, two maturing technologies, voice recognition and ISDN, have the potential to deliver

sophisticated applications like the ones you seek.

Voice recognition should make it possible for the PC controlling the phone to handle a number of functions for any caller (e.g., call routing and message receiving). Alternatively, the digital data provided by ISDN can give you caller information, make it easy to maintain statistical databases, and aid in integrating voice and network applications.—S. A.

Forget-Me-Not

In the company where I work, we have one IBM XT and one IBM AT clone, the AT being used to run financial software. Every once in a while, the AT loses its CMOS setup information. At first I thought it was because of the battery. I replaced that, but the setup information kept getting erased.

I called the dealer, who said the software was erasing the CMOS. But the software vendor claimed it wasn't possible for the software to affect CMOS settings. I got the hardware dealer to replace the motherboard, but no luck. After three motherboards from three different manufacturers, the AT still loses its setup information.

Is it possible that the financial software could accidentally change the CMOS contents? For once, it seems my computer's problem isn't hardware.

Renato Simoni
Belo Horizonte, Brazil

The people who wrote your financial software are wearing blinders. Yes, it's very possible for software to wipe out the CMOS setup information. On a standard AT compatible, the CMOS storage is accessed by a pair of I/O ports at 70 and 71 hexadecimal. Badly behaved software that accidentally touches one of those ports could easily wipe out your settings.

Unfortunately, there isn't any easy way to either protect your CMOS or find out how it's being damaged. I'd suggest you go back to the software vendor, mention the three motherboard swaps, and ask the vendor to take another look at the software.—H. E.

Power to the Palmtop

As a BYTE subscriber, I have noticed the care your technical people take in testing various products.

I own a palmtop computer that is not 100 percent IBM compatible, the Atari Portfolio. It uses a DOS-compatible operating system, DIP-OS, rather than DOS itself; nonetheless, a variety of character-based programs written for DOS run on it. The Portfolio uses RAM cards rather than a conventional disk drive, and ROM cards for preconfigured applications.

This computer can be outfitted with a parallel port, and I am curious to know if the Micro Solutions Backpack is compatible with the Portfolio, its operating system, and its parallel port. Do you know whether this particular combination has ever been attempted? If the two will work together, the Portfolio suddenly becomes much more useful. You could keep a database on a floppy disk and access it from the Backpack drive; when the database isn't needed, you wouldn't have to carry the Backpack. To carry the same database on RAM cards might be pro-

hibitively expensive. I suspect that Atari vendors would be very interested.

I don't need a Backpack for my desktop computer, so I hesitate to test this hypothetical configuration for myself. I recently sent a query to Micro Solutions Computer Products about this matter and am enclosing a copy of the reply.

Harry C. Hutchins
Carbondale, IL

For maintaining a database, you would probably want more than a floppy disk drive. By the time you read this, XoteriX ((818) 888-7390) should be selling a 20-megabyte hard disk drive that fits onto the bottom of the Portfolio, adding 12 ounces of weight and 3/4 inch of height to the unit. It's expensive at \$899, but it would give you access to a significant chunk of storage space as well as another 512K bytes of RAM and rechargeable batteries. XoteriX also sells modems, RAM cards, and software for the Portfolio. If you need a relational database, it has one.

As for your specific question, I'm afraid I can't give you a better answer than the one you received from Micro Solutions. As its letter pointed out, the two major stumbling blocks would be loading the necessary Backpack software drivers onto the Portfolio and the possibility of BIOS conflicts (the port address of the parallel printer adapter must be located at a particular BIOS data address).

Unfortunately, neither Micro Solutions nor Atari can say for sure if the combination will work. Atari says that its \$79 Smart Parallel Interface conforms to the IBM standard, but the company has never tested it with a Backpack. My advice is to buy both products with the clear understanding that you can return them if they do not solve your problem. Micro Solutions will give you 30 days to return an item for a full refund; Atari will give you only 15 days to check out the Smart Parallel Interface. Even if the Backpack doesn't work with the Portfolio parallel port, you may want to keep the Smart Parallel Interface for printer support and file transfers.—S. D.

A Hand for the Handicapped

I am a physician who customizes Macintoshes for use by spastics and other handicapped individuals (e.g., subjects with reduced motor, audio, and phone ability). I'd like to get more information on dedicated devices, such as special keyboards, phone/voice controllers, speech-recognition units, Bliss language aids, and braille printers. I'm interested in devices for both the Mac and the IBM PC.

Dr. Raffaello de Masi
Atripalda, Italy

There's a fairly large group of companies listed in "Opening Doors for the Disabled" in the August 1990 BYTE. Other magazines specifically cover this type of information. You might contact Exceptional Parent (1170 Commonwealth Ave., Boston, MA 02134). Besides its usual coverage of products and techniques, Exceptional Parent runs annual technology issues. The November/December 1990 issue has its latest technology directory, and it may have the information you seek.—H. E. ■


FREE Software Instantly On-Line With BYTE DEMOLINK



Download free demo software from top publishers directly to your computer. . .for just the cost of a phone call!

BYTE DEMOLINK lets you preview software instantly by calling the telephone number in the city nearest you. All you need to access BYTE DEMOLINK is a PC, a modem and a telecommunications program. The latest demo software is at your fingertips for your evaluation.

Call BYTE DEMOLINK today to connect with these free software demos—It's only a phone call away!



Here are the software packages available on DEMOLINK:

Quattro Pro 2.0

Borland's powerful spreadsheet with features including flexible 3-D consolidation, macro building and debugging. Full mouse support, pull-down menus, 132-character wide display, and 32 resizable windows provide modern user interface.

Select the file **quattro.exe**

ASQ

Memory manager freeware from Qualitas.

Select the file **asq.exe**

Think

The *Think* demo includes an AI tutorial which will introduce you to Expert Systems, Neural Networks and Natural Language. The demo actually talks through your PC speaker demonstrating the *Thinking Software SoundBytes Toolkit* which allows you to add speech synthesis to your programs.

Select the file **think.exe**

KnowledgeSEEKER

Combines artificial intelligence with statistical analysis techniques to link directly into dBASE, spreadsheet or ASCII files, turning data into information.

Select the file **kseeker.exe**

CommonView 2 Illustrator Diskette

Glockenspiel *CommonView 2* is a C++ application framework for quick development of applications portable between Microsoft Windows, Presentation Manager, OSF/Motif and HP New Wave.

Select the file **comview2.exe**

Dr. Switch-ASE

Turn any dBASE program into a RAM resident program (TSR). Works with Clipper 87/5.0, dBASE III PLUS, dBASE IV, FoxBASE and FoxPro. Gives you hot key access to any dBASE application form and graphics or text-based programs.

Select the file **switchase.exe**

Other Software Packages Available:

C-scape With Look & Feel, Oakland Group

Lotus Magellan 2.0, Lotus

Multi-Platform Zortech C++, Zortech

**BYTE
DEMOLINK**

Free Demo Download
617-861-9767*

*Call the nearest DEMOLINK office anytime. Telecom settings: 2400 or 1200 baud, 8 data bits, 1 stop bit, and no parity. Enter DEMOLINK at the prompt.

Chicago 312-616-1071 Denver 303-220-0328 Los Angeles 213-383-9856 New York 212-797-5620 San Francisco 415-434-4510 Toronto 416-960-3187 Washington, DC 202-463-4920

Circle 56 on Inquiry Card.


SmartLynx-MC

Intelligent Eight Port RS 232 Micro Channel Adapter for PS/2 Systems and Compatibles.

Supports AIX, UNIX, XENIX,
QNX PC-MOS and DOS.

Call for Special
Introductory Offer

1-800-553-1170



662 Wolf Ledges Parkway
Akron, OH 44311

Circle 240 on Inquiry Card.

Eight Serial Ports One Board

Quatech's ES-100 provides eight
RS/232 serial ports in a single AT
slot. RJ-11 modular connectors.
16450 UARTS are standard. Optional
buffered 16550 UARTS. PC-AT, ISA,
or EISA compatible. Priced below
\$500! Quantity Pricing Available!

Call for our PC Interface Handbook:

1-800-553-1170



662 Wolf Ledges Parkway
Akron, OH 44311

PC-AT is a trademark or
registered trademark of IBM Corp.

Circle 241 on Inquiry Card.

RS-422/RS-485 Boards for AT, Micro Channel

RS-422/RS-485 asynchronous
serial communication boards from
Quatech/available in 1 to 4 ports
for PC-AT and compatibles and 1
to 4 ports for PS/2 Micro Channel.

Call for our free
PC Interface Handbook:
1-800-553-1170



662 Wolf Ledges Parkway
Akron, OH 44311

PC-AT, Micro Channel, and PS/2 are trade-
marks or registered trademarks of IBM Corp.

Circle 242 on Inquiry Card.

Synchronous Communication Boards for AT

Quatech synchronous/
asynchronous serial boards for
PC-AT and compatibles support
RS-232, RS-422, and RS-485
communication.

Call for our free
PC Interface Handbook:
1-800-553-1170




662 Wolf Ledges Parkway
Akron, OH 44311

PC-AT and PC are registered
trademarks of IBM Corp.

Circle 243 on Inquiry Card.

Communications Data Acquisition



"PC-AT (ISA) Interfaces"



"PS/2 Micro Channel Interfaces"



Phone: (216) 434-3154 • FAX: (216) 434-1409

TELEX: 510-101-2726

PC-AT, PS/2 and Micro Channel are
registered trademarks of IBM Corporation.

Circle 244 on Inquiry Card.

Digital I/O Board

Single-slot Quatech PXB-721 for
PC-AT has 72 digital I/O lines.
Connect three choices of data
acquisition modules. Supports
Labtech Notebook™

Call for our free
PC Interface Handbook:
1-800-553-1170



662 Wolf Ledges Parkway
Akron, OH 44311

LabTech Notebook is a trademark of
Laboratories Technologies Corp.

Circle 245 on Inquiry Card.

PXB-160 16-BIT TRUE PARALLEL DIGITAL I/O

- Two eight bit ports
- Latched I/O
- DMA and I/O Modes
- Handshakes for 16 Bit I/O Transfer
- Programmable timer for Interrupt
or DMA Transfer
- External interrupt and data transfer
request inputs
- List Price Below \$400.00

Call the Order Line
1-800-553-1170



662 Wolf Ledges Parkway
Akron, OH 44311

Circle 246 on Inquiry Card.

2 parallel, 2 serial, 1 board

Quatech DSDP-402 for PC-AT
has two parallel ports, and two
serial ports for any combina-
tion of RS-232, 422, and 485
communication. DSDP-100,
two parallel and two RS-232
ports, available at lower cost.

For order info, call:
1-800-553-1170



662 Wolf Ledges Parkway
Akron, OH 44311

Circle 247 on Inquiry Card.

Wave Form 20MHz - 32K \$1290

The WSB-100 Wave Form Synthe-
sizer Board from Quatech has the
best set of numbers in the market.
With speed of 20MHz and a 32K
memory at \$1290, it's making
waves in more ways than one. The
WSB-100 is also a star performer
as a digital pulse/word generator
with the optional digital module.

Call for our free
PC Interface Handbook
1-800-553-1170







662 Wolf Ledges Parkway
Akron, OH 44311


Circle 248 on Inquiry Card.

BYTE

PRODUCT SHOWCASE



JDR Microdevices



Experience the JDR Difference:

- 30-day Money Back Guarantee
- 1-Year Warranty on Every Product
- Toll-free Ordering and Support

JDR offers quality products at competitive prices. Our new 100-page catalog has thousands of PC products, from motherboards, monitors and cases to drives, controllers, integrated circuits, cables and connectors. Developers will find a selection of test equipment, programmers and prototyping products. Buy with confidence from JDR!

1-800-538-5000

Mention Key #1090

Circle 178 on Inquiry Card

Zericon



Factory Direct Savings on Large Format Plotters


Zericon is the low-price leader, offering the following plotter lines direct from the factory. The Valuline series of "D" Size plotters offers moderate performance at 15 IPS for under \$2,000. The Designer series offers high performance at 25 IPS in Multi-Pen "A-E" sizes; prices under \$3,000. All Zericon products are sold with a no-risk satisfaction guarantee.

40491 Encyclopedia Circle, Fremont CA 94538

1-800-727-8380 FAX 415-490-3906

Circle 348 on Inquiry Card

Hooleon



CUSTOM KEYBOARD PRODUCTS


Improve productivity and reduce training time by having your software commands color-coded and imprinted on your keyboard. Custom keys, SnapCap™ Keycaps, custom imprinted keytop and keyfront labels, templates, plus new macro devices and custom keyboards. WordPerfect and 5250 Emulation KeyCaps for IBM 101-keyboard; relegendable keys for IBM®, Cherry®, Wyse® and KeyTronic®; Keytop Label kits for WordPerfect™, DisplayWrite™, Data Entry and language conversions.

Call 602-634-7515 for FREE catalog.

Order Hotline 1-800-937-1337

Circle 146 on Inquiry Card

Annabooks



Send for Annabooks' free catalog of PC-compatible engineering products.

The newest publication, "AT Bus Design," has the official timing information for the AT bus and the 8- and 16-bit parts of the EISA bus. Over 200 pages and 100 diagrams. Author is member of IEEE P996. Available now for \$69.95. VISA, M/C, Amex, COD, P.O.s OK.

Annabooks, 12145 Alta Carmel Ct.
#250, San Diego CA 92128

1-800-462-1042 FAX 619-592-0061

Readers Circle 28 on Inquiry Card
Resellers Circle 29 on Inquiry Card

National Instruments



Free 488-page full-color catalog describing instrumentation hardware and software products for personal computers and workstations. Application software for data analysis and presentation and for collecting data using instruments and plug-in boards. Features GPIB interfaces, data acquisition and DSP boards, driver level software, signal conditioning and VXI controllers.

1-512-794-0100

Circle 223 on Inquiry Card

Intel Development Tools



Choosing the right architecture for your embedded design is one of the most important decisions you face today. For successful embedded microcontroller development, Intel offers you a complete line of emulators, compilers and debuggers for the MCS-51, MCS-96, i960, x86, Intel 386™, 486™ families of Intel architectures.

Our Development Tools Catalog lists all our embedded tools products in one guide. Call us at 1-800-874-6835, or FAX 503-696-4633 for your free copy.

Intel Corporation, DTO, 5200 NE Elam
Young Parkway, JF1-15, Hillsboro, OR 97124

1-800-874-6835 FAX 503-696-4633

Circle 163 on Inquiry Card

Best Power Technology, Inc.




FREE, money-saving literature tells you how to protect your computer from power problems such as surges, sags, spikes, noise, brownouts, blackouts and lightning. These power problems can damage delicate equipment and cause loss of valuable data. Learn how Best Power Technology's uninterruptible power systems, ranging from 500 VA to 18 KVA, can protect your computer. Contact: Best Power Technology, Inc., P.O. Box 280, Necedah, WI 54646.

1-608-565-7200, ext. 2175

Toll-free 1-800-356-5794, ext. 2175

Circle 42 on Inquiry Card

Dataq Instruments



Free catalog describing instrumentation hardware and software products for PCs with competitive comparisons and application information. We specialize in real time 50,000 Hz sample rates to disk and display simultaneously. Our analysis software supports FFT, IFFT, Stats, X-Y, Digital Filtering, Integration, Differentiation, Arithmetic Operations and more. For a free catalog and demo disk, write or call Dataq Instruments, Inc., 825 Sweitzer Avenue, Akron, OH 44311.

1-800-553-9006

Circle 90 on Inquiry Card

THE BUYER'S MART

A DIRECTORY OF PRODUCTS AND SERVICES

THE BUYER'S MART is a monthly advertising section which enables readers to easily locate suppliers by product category. As a unique feature, each BUYER'S MART ad includes a Reader Service number to assist interested readers in requesting information from participating advertisers.

Effective January 1, 1991.

RATES: 1 issue—\$675 3 issues—\$625 6 issues—\$600 12 issues—\$525
Prepayment must accompany each insertion. VISA/MC Accepted.

AD FORMAT: Each ad will be designed and typeset by BYTE. Advertisers must

furnish typewritten copy. Ads can include headline (23 characters maximum), descriptive text (250 characters is recommended, but up to 350 characters can be accommodated), plus company name, address and telephone number. Do not send logos or camera-ready artwork.

DEADLINE: Ad copy is due approximately 2 months prior to issue date. For example: November issue closes on September 8. Send your copy and payment to THE BUYER'S MART, BYTE Magazine, 1 Phoenix Mill Lane, Peterborough, NH 03458. For more information call Joseph Mabe at 603-924-2656. FAX: 603-924-2683.

ACCESSORIES

RADIOACTIVE?

Plot it on your PC with The RM-60 RADIATION MONITOR. Serial or printer port. Detects: ALPHA • BETA • GAMMA • X-RAY. MicroR, 1000 times the resolution of standard geiger counters. Excellent for tracking RADON GAS. Find sources. New: Version 2.5. Plot: • Background • Cosmic Rays • Clouds • Foods. Call/Write for PC MAGAZINE review. • TSR • GM Tube VISA/MC/EURO Phone orders. Not satisfied? Full refund.

Tel: (302) 655-3800

Aware Electronics Corp.

P.O. Box 4299, Wilmington, DE 19807 **\$149.50**

Inquiry 701.

ARTIFICIAL INTELLIGENCE

Software Engineer Do Your Own Windows!

At last a LISP programming environment which takes advantage of a GUI and protected mode on the PC. Software Engineer™ for Windows™ 3.0 is a complete programming environment. It includes a LISP-aware text editor, allowing quick, easy and interactive Windows development. Software Engineer supports DDE, GDI, the clipboard, dialog boxes and menus. Software Engineer is priced at \$249.95.
Raindrop Software Corporation
845 E. Arapaho, Suite 105, Richardson, Texas 75081
(214) 234-2611 Fax (214) 234-2674

Inquiry 706.

BAR CODE

PRINT BAR CODES/BIG TEXT FROM YOUR PROGRAM

Add bar codes and big graphics characters to your program. Print from ANY MS-DOS language. Bar codes: UPC, EAN, 2 of 5, MSI, Code 39, Epson, OKI, IBM dot matrix text up to 1/2". LaserJet up to 2". Font cartridges not required. \$179-\$239. 30-day \$5 back.

Worthington Data Solutions

417-A Ingalls St., Santa Cruz, CA 95060
(408) 458-9938 (800) 345-4220

CUT RIBBON COSTS!

Re-ink your printer ribbons quickly and easily. Do all cartridge ribbons with just one inker! For crisp, black professional print since 1982. You can choose from 3 models: Manual E-Zee Inker — \$39.50
Electric E-Zee Inker — \$94.50
Ink Master (Electric) — \$189.00
1000s of satisfied users. Money-back guarantee.

BORG INDUSTRIES

525 MAIN ST., JANESVILLE, IA 50647

1-800-553-2404 In IA: 319-987-2976

Inquiry 702.

muLISP® 87 for MS-DOS

Fast, compact, efficient LISP programming environment. muLISP programs run 2 to 3 times faster & take 1/2 to 1/3 the space of other LISP's. 450 Common LISP functions, multi-window editing & debugging, flavors, graphics primitives, lessons & help, demo programs, comprehensive manual.

Soft Warehouse, Inc.

3615 Harding Ave., Suite 505, Honolulu, HI 96816
(808) 734-5801

Inquiry 707.

BAR CODE

LABELING SOFTWARE

On EPSON, IBM, OKI dot matrix or LaserJet. Flexible design on one easy screen. Any format/size. Up to 120 fields/label. 18 text sizes to 3" readable at 100'. AIAG, MIL-STD, 2 of 5, 128, UPC/EAN, Code 39. File Input & Scanned logos/symbols (PCX)—\$279. Other programs from \$49. 30-day \$5 back.

Worthington Data Solutions

417-A Ingalls St., Santa Cruz, CA 95060
(408) 458-9938 (800) 345-4220

EXTENDER: Attach KB/Monitor up to 600' from CPU
COMPANION: Add a 2nd or 3rd KB/Monitor—600' from CPU
COMMANDER: Control 2 to 96 CPU's with a single KB/Monitor
PHONEBOOT: Boot or reboot PC by Phone

FREE DEALER KIT

CYBEX CORPORATION

2800-H Bob Wallace, Huntsville, AL 35805

205-534-0011 International Fax 205-534-0010
See our ad on page 272.

Inquiry 703.

HEWLETT PACKARD

Buy — Sell — Trade

Laser Jet II/III	Color Pro (7440)
Laser 2000 2 Meg/4 Meg upgrades	HP-7550A
Desk Jet	Draft Pro DXL/EXL
Rugged Writer	Draftmaster I/II
Electrostatic Plotters C1600 (D Size)/C 1601 (E Size)	
Science Accessories Corporation Sonic Digitizers 36" x 48" (2750)	60" x 72" (3175)

T. E. Dasher & Associates

4117 Second Ave. S., Birmingham, AL 35222
Phone: (205) 591-4747 Fax: (205) 591-1108
(800) 638-4833

Inquiry 704.

ARTIFICIAL INTELLIGENCE

NeuralWorks Explorer

NeuralWorks Explorer is a neural net tutorial that provides the novice user with a method of learning neural net theory as well as an environment in which to build practical real time applications such as targeted marketing, stock prediction, process control and more. PC and MAC. Price \$99.00. Visa/MC accepted. University discounts available.

NeuralWare, Inc.

412-787-8222

Inquiry 705.

PORTABLE READER

Battery-operated, handheld reader with 64K static RAM, 2x16 LCD display, 32-key keyboard, Real-Time-Clock. Wand or laser scanner. Program prompts and data checking through its own keyboard. Easy data transfer by RS-232 port or PC, PS/2 keyboard. Doubles as On-Line Reader. 30-day \$5 back.

Worthington Data Solutions

417-A Ingalls St., Santa Cruz, CA 95060
(408) 458-9938 (800) 345-4220

BAR CODE PRINTING

Print bar codes from your custom program. ANSI C routines generate and print Code39, I25, Codabar, UPC A/E, EAN 8/13 and supplements. Supports LaserJet, OKI, and EPSON and custom printers. Works with UNIX/XENIX, MSDOS and others. All SOURCE CODE included. No royalties. Single pattern \$85. All patterns \$250.

Infinity Computer Services, Inc.

P.O. Box 269, Coopersburg, PA 18036
Voice: 215-965-7699 BBS: 215-965-8028

Inquiry 708.

PC-Wand Bar Code Solutions

Bar codes are easy using our FULL line of readers & printers. They plug & play with your existing CPU/printer/terminal/software systems in your office, store, truck, factory or warehouse. ITS' bar code DOS programs print on matrix or laser printers. 30 day refund, 1 year warranty. OEM/VAR/Dealer discounts. Se habla español.

International Technologies & Systems Corp.
655-K North Berry St., Brea, CA 92621-Western USA
13 Welwyn Court, Richmond, VA 23229-Eastern USA
(800)228-9487 (714)990-1880 (804)741-6725 (FAX)990-2503

Inquiry 709.

THE BUYER'S MART

BAR CODE

BAR CODE READERS

Bar code readers designed for operating simplicity and reliability. PC wedge and RS232 readers distinguished by superior wand. Portable reader has a large keypad and doubles as a fixed reader.

Friendly advice given.

PACIFIC MICROSYSTEMS

2560 9th Street, Suite 214M, Berkeley, CA 94710
(800) 242-5271 Fax (415) 644-2731

BAR CODE

TIMEWAND II

RUGGEDIZED PORTABLE BAR CODE READER
The TimeWand II is made with a durable cast metal case to give you data full protection. Three memory sizes of 32K, 64K or 128K are available. Standard features include a 19-button keypad and a 32-character display which shows the bar code that has been scanned along with the date and time. TimeWand II starting at \$699.00. Call today for a free information kit.

VIDEX, INC.

1105 NE Circle Blvd., Corvallis, OR 97330 (503) 758-0521

Inquiry 713.

CAD

PCB & SCHEMATIC CAD-\$195

"EASY-PC" for single sided and multilayer boards to 17" x 17" with up to 1500 IC's including surface mount. Phenomenally fast and easy to use. Over 7000 copies sold. Needs PC/XT/286/386 CGA/EGA/VGA. Output to laserjet/inkjet/dot matrix printer, pen-plotter, photo-plotter and NC Drill. For full info circle inquiry # or contact us direct. VISA/MC/AMEX accepted. DEALERS WANTED.

NUMBER ONE SYSTEMS LTD.

Harding Way, St. Ives, Huntingdon, Cambs, England, PE17 4WR
Tel 011-44-480-61778 Fax 011-44-480-494042

Inquiry 714.

CAD-DRAWING VIEWSTATION

Allows non-CAD users to view drawings on PCs, print, plot, attach personal notes, and hyper-link between files. Change views and layers. Accurate entity representation. Easy to use.
• Sirlin VIEW/DWG for AutoCAD DWG files: \$295
• Sirlin VIEW/PLUS for DWG, DXF, HPGL and dBase: \$395
Developers: ask about linkable Sirlin VIEW/LIB. Dealers welcome.

Sirlin Computer Corporation

225 Lowell Road, Hudson, NH 03051
(603) 595-0420 Fax (603) 595-7779

Inquiry 715.

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company! Call Joseph Mabe for more information

603-924-3754

or

Fax: 603-924-2683

Inquiry 716.

CAD/CAM

STEPPER MOTOR CONTROL FROM A PRINTER PORT!

NEW Indexer LPT™ software **\$249**
VERSION 2.0 VISA/MC

- Controls up to six motors simultaneously
- Linear and Circular Interpolation.
- New features to accommodate machine control.
- Easy-to-use DOS device driver. Super Manual.
- CAD-CAM interface available.

Ability Systems

Corporation, 1422 Arnold Ave.
Roslyn, PA 19001 (215) 657-4338
FAX (215) 657-7815

Inquiry 717.

If you've been muttering...

DXF SUX

...here's the solution!

The "CAD/CAM Developer's Kit/DXF" has all the C Functions you need for programs that read and write DXF files. Full Release 10 support...unlimited file size...insert explosion...ALL entity types!

CALL (617) 628-5217 FOR INFO

Building Block Software, PO Box 1373, Somerville, MA 02144

Inquiry 718.

CAD/CAM

STOP

...spending your time on math code!

The "CAD/CAM Developer's Kit" series has all the 2D and 3D functions that you need for CAD/CAM applications intersect...trim...transform...display...lines, arcs, ellipses, NURB splines...and much more!

CALL (617) 628-5217 FOR INFO

Building Block Software, PO Box 1373, Somerville, MA 02144

Inquiry 719.

DRAFTeasy • ONLY \$399

• Professional 3D CAD software •

• "Common-sense" menus • Unmatched ease of use • Written in Assembler • Very fast and compact • Powerful features only rivaled by software costing \$1000's • DXF compatible • Programmer's interface for BASIC, Pascal and C • "TRY IT FOR ONLY \$10 • Manual, tutorial, and working copy (SAVE/PILOT disabled) provided •

COMPUTERS ETC.

4600 Chippewa Suite 204, St. Louis, MO 63116
Phone: 314-351-2513 Fax 314-351-7258

Inquiry 720.

CASE

SELECT CASE Software

Personal-SELECT-\$995

Full function PC Analysis/Design tool for Yourdon, Ward-Mellor, Hatley or HOOD methodologies.

Project-SELECT-\$1995

Links Personal-SELECT users for true multi-user working.

SELECT Software Tools Ltd.

Ullenwood, Cheltenham, Glos. England, GL53 9QS
Tel: +44 242 226553 Fax: +44 242 251491
Dealer inquiries welcome

Inquiry 721.

CD-ROM

CD ROM, Inc.

CD-ROM, WORM, MAGNETO-OPTICAL DRIVES, CD-ROM DISCS FOR IBM AND MAC, OPTICAL CONSULTING SERVICES

* PUBLISHING * DISTRIBUTION * NETWORKING

QUALITY PRODUCTS AND SERVICES AT COMPETITIVE PRICES
FREE CATALOG

TEL. 303-231-9373

1667 COLE BLVD., SUITE 400, GOLDEN, CO 80401

FAX: 303-231-9581, CIS: 72007,544
VISA/MC/AMEX/GOV'T. Pds

Inquiry 722.

CD ROM, International

A subsidiary of CD ROM, Inc.

Complete world-wide sales of CD-ROM products. Send \$5.00 each for IBM-based or MAC-based products catalog. Catalog includes hundreds of CD-ROM titles, CD-ROM drives, WORM drives and magneto-optical drives. International air freight delivery of all products.

CD ROM, International

1667 Cole Blvd., Suite 400, Golden, CO 80401 USA
Tel. 303-231-9373 Fax 303-231-9581
Compuserve 72007,544

Inquiry 723.

COMMUNICATIONS

SDLC OR X.25 SUPPORT

Use Sangoma hardware and software to provide cost effective, robust and easy-to-use SDLC or X.25 links from MS-DOS, UNIX, PC-MOS, etc.

All real time communication functions performed by intelligent co-processor card.

Full function SNA emulation packages also available.

Sangoma Technologies Inc.
(416) 474-1990

Inquiry 724.

PC BAR CODE SPECIALISTS

Bar code readers designed for fast, reliable, cost-effective data entry. They emulate your keyboard, so scanned data looks just like it was typed in! Choose from stainless steel wand, laser gun, card slot reader, and magnetic stripe scanner. Also, powerful Bar Code and Text printing software. Great warranty! Generous dealer discounts.

Seagull Scientific Systems

15127 N.E. 24th, Suite 333, Redmond, WA 98052
206-451-8966

BAR CODE READERS

Among the best and most widely used bar code decoders. Reads all major codes (39, I 2/5, S 2/5, UPC/EAN/JAN, CODABAR, MSI). Connects between keyboard and system. IBM, PS/2, MAC, DEC-VT compatible. OS & software independent. Same day ship. 2 Year Warranty (pen incld).

Large Reseller Discounts

Solutions Engineering

4705 Langdrum Lane, Bethesda, MD 20815
(800) 635-6533 (301) 652-2738

Inquiry 710.

DATA INPUT DEVICES

Bar Code, Magnetic Stripe Readers & SmartCard Encoder/Reader for microcomputers & terminals, including IBM PS/2 & others, DEC, Macintosh, AT&T, CT, Wyse, Wang. All readers connect on the keyboard cable & are transparent to all software. UPC & 39 print programs, magnetic encoders, & portable readers are also available.

TPS Electronics

4047 Transport, Palo Alto, CA 94303

415-856-6833 Telex 371-9097 TPS PLA
1-800-526-5920 FAX: 415-856-3843

Inquiry 711.

VARIANT MICROSYSTEMS BAR CODE READERS DELIVER

WAND/LASER/MAGNETIC CARD CONNECTIVITY
• Keyboard wedges (Internal/External) for IBM PC/XT/AT, PS/2 and portables.

- RS232 wedges for WYSE, Link, Kimtron terminals
- Bar code and label printing software
- Full two-year warranty
- 30-Day Money-Back Guarantee
- Extensive VAR/Dealer Discounts

3140 De La Cruz Blvd., Suite 200/Santa Clara, CA 95054/(408) 980-1880
800-666-4BAR FAX: (415) 623-1372

Inquiry 712.

COMPUTER INSURANCE

INSURES YOUR COMPUTER

SAFWARE Computerowners coverage provides replacement of hardware, media and purchased software. As little as \$49 a year covers accidents, theft, power surges and more. One call does it all. Call 8 am-10 pm ET. (Sat. 9 to 5)

TOLL FREE 1-800-848-3469

(Local 614-262-0559)

SAFWARE, The Insurance Agency Inc.

Inquiry 725.

CROSS ASSEMBLERS

CROSS ASSEMBLERS

Universal Linker, Librarian
Targets for 42 Microprocessors
Hosts: MS-DOS, UNIX, VAX VMS

ENERTEC, INC.

BOX 1312, 811 W. Fifth St.

Lansdale, PA 19446

Tel: 215-362-0966 Fax: 215-362-2404

Inquiry 726.

CROSS ASSEMBLERS/SIMULATORS

New unique full-function simulators for the 8096 and 80C196 controllers, featuring ALL MODES of interrupts, plus the HSI, HSO, and A/D functions.

We also support the 8048/49, 8080/85, 8051/52, and Z80 controllers with excellent, reasonably priced Cross Assemblers and Simulators.

Lear Com Company

2440 Kipling St., Ste. 206, Lakewood, CO 80215

(303) 232-2226 FAX: (303) 232-8721

Inquiry 727.

PROFESSIONAL PC SOFTWARE NEW: SPARC CROSS-DISASSEMBLER

* ANALYTIC CROSS-DISASSEMBLERS W/ALTO LABEL GENERATION
* RELOCATABLE MACRO CROSS-ASSEMBLERS
SUPPORT FOR 8051, 8048, 8080/85, 2801/180, 28000, 6800, 6805, 6809, 68HC11, 68000, 6301, 6305, 1800, 6500, 6502, 9900, OTHERS
* Z80-8080-8086 SOURCE TRANSLATION UTILITIES

ORDER TODAY: (408) 773-8465

LOGISOFT PO BOX 61929, SUNNYVALE, CA 94086
FAX: (408) 773-8466

Inquiry 728.

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company!
Call Joseph Mabe for more information

603-924-3754

or

Fax: 603-924-2683

Inquiry 729.

DATA CONVERSION

MEDIA CONVERSION/DATA TRANSLATION

More than just a straight dump or ASCII transfer!

Word Processing, DBMS, and Spreadsheet data on Disks or Tapes transferred directly into applications running on Mainframes, Minis, Micros, Dedicated Word Processors, Typesetters, and Electronic Publishing systems.

IBM PS/2 & Macintosh supported

#1 in the translation industry!

CompuData Translators, Inc.

3345 Wilshire Blvd., Suite 407, Los Angeles, CA 90010

(213) 387-4477 1-800-825-8251

Inquiry 730.

DATA CONVERSION

WE'LL DO IT BETTER... FOR LESS!

Conversion, Duplication, Any Format
FREE TEST • SATISFACTION GUARANTEED

Plus, the Personal Touch: Ask Questions and we'll explain it to you in simple English!!!

DATAcopy SERVICE

PO Box 820214, Dallas, TX 75382

1-800-969-DATA

214-272-7751

Inquiry 731.

CONVERT TECHNICAL DOCUMENTS MATH EQUATIONS

- Convert WordPerfect documents to TeX, LaTeX or PageMaker
- Convert TeX or LaTeX to WordPerfect, MultiMate, Word or WordStar.

K-TALK COMMUNICATIONS, INC.

30 West First Ave. • Columbus, OH 43201

(614) 294-3535

FAX (614) 294-3704

Inquiry 732.

DATA RECOVERY

CRASHED?

Your valuable data can be recovered!

- 95% success rate • Fast turnaround
- Priority service available • Servicing Novell, DOS, Macintosh, Unix, Xenix, OS/2, Bernoulli and more!

ONTRACK DATA RECOVERY, INC.

Keeping you in business is our business.

612-937-5161 • 1-800-872-2599

Inquiry 733.

DATA RECOVERY

Data lost from 1/4" cartridges or 1/2" tape can be recovered almost every time. We have helped Banks, Insurance Companies, Telephone Companies, Commodity Dealers, Hospitals, Software Houses, Government Departments. *The list is endless.*

We charge a small fixed fee for investigation and then on a time and materials basis.

The QICPAK Cartridge Interchange People

Vogon Enterprises Ltd.

94 Easthampton Road, Wokingham, Berkshire RG11 2JD ENGLAND
Tel 44+(0)734-784511 or -890042 Fax 44+(0)734-890040

Inquiry 734.

DATA/DISK CONVERSION

BILLIONS OF BITS CONVERTED!

Disk Interchange Service Company specializes in transferring files between incompatible computers. Our direct disk-to-disk conversion service is **fast, efficient, and cost effective.**

Disk Interchange Service Company

2 Park Drive • Westford, MA 01886 (508) 692-0050

Inquiry 735.

THE #1 CHOICE

in disk & tape conversion

for many leading corporations, government agencies, law firms, and companies in every industry—world-wide.

Free test • Satisfaction guaranteed

Graphics Unlimited Inc.

3000 Second St. North, Minneapolis, MN 55411

(612) 588-7571 or (612) 520-2345

FAX: (612) 588-8783

Inquiry 736.

DATA/DISK CONVERSION

CONVERSION SERVICES

Convert any 9-track magnetic tape to or from over 3000 formats including 3 1/2", 5 1/4", 8" disk formats & word processors. Disk-to-disk conversions also available. Call for more info. Introducing OCR Scanning Services.

Pivar Computing Services, Inc.

165 Arlington Hgts. Rd., Dept. #B
Buffalo Grove, IL 60089 **(800) Convert**

DATABASE MGMT SYSTEMS

SAVE TIME & MONEY!

OCELOT2—THE SQL is a stand-alone database engine with a complete DB2 compatible SQL interface for developers who use BASIC, C, PASCAL, or COBOL.
• packs the full power of SQL into a 640KB PC;
• requires only 320KB RAM for program development;
• outperforms the rest!

For IBM and clones: \$195 & up. Free info.

OCELOT COMPUTER SERVICES INC.

#1502, 10025 - 106 Street, Edmonton, AB, Canada, T5J 1G7
(403) 421-4187

Inquiry 737.

DISK DRIVES

IBM PS/2 HARD DRIVES

30MB	MOD 30, 30-286	\$350
30MB	MOD 50Z, 55SX	450
60MB	MOD 50Z, 55SX, 70	695
120MB	MOD 50Z, 55SX, 70	795

New, genuine Big Blue Product with 1 yr. Warranty.
Call NOW—Same Day Shipping till 5 p.m.

COMPUTER TECHNIQUES

Merritt Island, FL 32953-3484

Phone (407) 453-8783

Inquiry 738.

DUPLICATION

SOFTWARE DUPLICATION

- DISKETTE & TAPE
- CUSTOM PRINTING
- CUSTOM PACKAGING
- FULFILLMENT

MEGASOFT, INC.

P.O. Box 710, Freehold, NJ 07728

(800) 222-0490

(908) 462-7628

Inquiry 739.

EDUCATION

DESERT STORM

GRAPHICAL DATABASE

- Middle East Maps, War Maps w/ Ground Attack
- Country Data (Economics, Population, Military)
- Weapons Index w/ Pictures & Specs

\$29.95 VISA/MC/Check PC/EGA/640K

Advanced Software Products

301 N. Harrison, Suite #165, Princeton, NJ 08540
(609) 584-2005

Inquiry 740.

B.S. & M.S. in COMPUTER SCIENCE

The American Institute for Computer Sciences offers an in-depth correspondence program to earn your Bachelor of Science and Master of Science degrees in Computer Science at home. B.S. subjects covered are: MS/DOS, BASIC, PASCAL, C, Data File Processing, Data Structures & Operating systems. M.S. program includes subjects in Software Engineering and Artificial Intelligence.

AMERICAN INST. FOR COMPUTER SCIENCES

2101-BY Magnolia Ave. South, Ste. 200, Birmingham, AL 35205

800-767-2427

205-323-6191

Inquiry 741.

THE BUYER'S MART

ENTERTAINMENT

US \$49.95 LottoPro Can \$59.95
Provides what other lotto programs omit—exact analysis of bet combinations. Are the "beat the lottery" schemes any good? Is yours better? Find out and bet wisely with LottoPro. Check or MO.

ColorVision Consulting

Suite 80, 7305 Woodbine Ave., Markham Ont.
CANADA, L3R 3V7 (416) 739-7609

Inquiry 742.

DISCOVER AMERICA'S ONLINE ADVANTAGE! ODYSSEY BBS

- Designed for America's unique business and relaxation needs!
- Low-cost local access numbers covering 850 cities in the US, Canada, Europe, and Pacific Rim countries!
- Over 10,000 downloadable files!
- Online stock quotes and financial databases!
- Online Flight and Travel information, scheduling and reservations!
- State-of-the-art E-mail features!
- Live online Chat with other users!
- "Bulletin board" style Forums!
- Interactive, multiplayer online games!
- Matchmaker database!
- And much, much more!

We also can provide your company with national BBS services.
Call (818) 358-6936 for details!
Information and Signup By Modem (818) 358-6968 [3/12/24 Baud, 8/N/1]

Inquiry 743.

STACK THE ODDS IN YOUR FAVOR GLOBAL LOTTO picks LOTTO numbers by:

1. Statistically favoring HOT numbers or
 2. Statistically favoring OVERDUE numbers
- Menu driven for all STATE LOTTO games, play any INTERNATIONAL game or daily #.

IBM & compatible. DOS 2.0 & later. 512K memory
5 1/4" \$39.95 3 1/2" \$39.95

M. R. KOLMAN

P.O. Box 766 Brooklyn, NY 11230

Inquiry 744.

NEMESIS™ Go Master®

Go, a game of strategic elegance, has been a way of life in the Orient for over four thousand years. Many consider Go to be the secret of the Japanese businessman's success.
"While chess is a game of war, Go is a game of market share."
(President of Nikko Hotels).

Chaos Manor 1989 User's Choice Award
BYTE 4/90, p.62

Toyogo, Inc. The Leader in Computer Go.
PO Box 25460-Y, Honolulu, HI 96825-0460
(808) 396-5526 or 1-800-TOYOGO-9

Inquiry 745.

FINANCIAL SOFTWARE

BrainMaker:

"The most fascinating computer software I've ever seen...learn about this stuff." *John Dvorak, PC Mag.* Predicts stocks, bonds, sales, inventories. Comprehensive documentation. Menus. Only \$195!
Certified by Intel and Micro Devices

Free Brochure: 916/477-7481
California Scientific Software

Inquiry 746.

FLOW CHARTS

FLOW CHARTING 3

FRIENDLY • High resolution print outs... dot matrix or laser
FAST • Multi-page charts... portrait or landscape
FLEXIBLE • Import/export capabilities • 35 shapes, 10 fonts, 4 line styles

PATTON & PATTON Call for free demo disk!
800-525-0082 ext. 1305
Software Corporation 485 Cochrane Cr., Morgan Hill, CA 95037
See our ad on page 98.

Inquiry 747.

350 BYTE • MAY 1991

FLOW CHARTS

WINDOWS FLOWCHARTER \$129

RFFlow 2.0 is a professional drawing tool for flowcharts & org charts. Requires Microsoft Windows 3.0. 100 shapes auto adjust in size. Diagonal lines and curves. Auto line routing and re-routing. Click on a shape to bring up a sub-chart. Move charts to other apps. via the Clipboard. Call for free trial disk.

RFF ELECTRONICS

1053 Banyan Court, Loveland, CO 80538
Phone: (303) 663-5767 FAX: (303) 669-4889

Inquiry 748.

GRAPHICS

YOUR PHOTOS-COLOR VGA

Integrated Images can convert your photographs, slides, and video tapes to 640 by 480 (or 320 by 200), 256 color images. Formats: PCX, GIF, CUT and others. \$3.25 each for < 10, \$3.00 each for 10 or more. Call or write for more information or send \$1.25 for disk with sample(s), specify 5.25/3.5, PCX/GIF/CUT, and 640x480/320x200.

Integrated Images Incorporated

P.O. Box 10021, Lansing, MI 48901
(517) 485-6636

Inquiry 749.

EGAD Screen Print

Prints contents of VGA, EGA, CGA displays on variety of dot-matrix, inkjet, and laser printers. Prints in gray tones or color. Crop box lets you print any region of the screen. Enlarge graphics 1 to 4 times (reduction too). Setup program for picking printer colors, etc. \$35.00 Postpaid. Call or write for free catalog.

LINDLEY SYSTEMS

4257 Berwick Place, Woodbridge, VA 22192-5119
(703) 590-8890

Inquiry 750.

HARD DRIVE REPAIR

HARD DRIVE REPAIR

ALSO
DATA RECOVERY

FAST TURN!! CALL FOR DETAILS

H&W micro labs, inc.

528-C Forest Parkway, Forest Park, GA 30050
404-366-1600

Inquiry 751.

HARDWARE

COMPLETE COMPUTER SYSTEMS

1 Year Warranty • Components also at Reasonable Prices
Standard System Features include: 1Meg of Ram, 1.2 Floppy, Case, Power Supply, Monitor, Keyboard, 2 Serial Ports, 1 Parallel port, Floppy and Hard Drive Controller, Mono-Graphics Card. And, if ordered by 6/30/91, Get MS-DOS 4.01 Free!
286-12MHz System \$625, 386sx-16MHz System \$1025, 386-25MHz System (No-Cache) \$1325, 286-16MHz System \$675, 386sx-20MHz System \$1125, 386-33MHz System (64K Cache) \$1525, 486-25MHz System (256K Cache) only \$2575. System Upgrades Add: VGA Mono \$75, VGA Color \$275, Hard Drives Add: 40 Meg \$249, 80 Meg \$479, 106 Meg \$529, 200 Meg \$895. We feature a LANDMARK Diagnostics Products, Call for Prices

Blackburn & Wright • P.O. Box 1866 • Lancaster, California 93539-1866
Phone (805) 946-4410 6am-2pm Pacific Time Fax (805) 946-4412 24 Hours

Inquiry 752.

PRE-OWNED ELECTRONICS, INC.

The Independent provider, serving the Dealer, Professional, Corporate, Government, and Educational Buyer since 1985

APPLE® II & MACINTOSH® SYSTEMS • PARTS • EXCHANGE REPAIRS

Call for a Catalog 800-274-5343

Int'l: 617-275-4600 • Fax: 617-275-4848
205 BURLINGTON ROAD • BEDFORD, MA 01730

Inquiry 753.

HARDWARE

IBM® & Macintosh®

Parts • Systems • Add-ons

Shreve Systems

3804 Karen Lane
Bossier City, LA 71112

800-227-3971

This month's Special!

PS/2 55SX-031

\$2099.00

International 318-742-2700

FAX 318-742-2799

Inquiry 754.

ROM BIOS UPGRADES

For Your IBM or Compatible • A New BIOS Upgrade Will:
• Support Windows 3.0 • Support 380K, 720K, 12 MB & 144 MB Floppy Drives • User defined hard drive types • Supports VGA • Novell & Netware compatible • Expanded hard drive table • Enhanced 10102 keyboard • 100% IBM compatible • Complete documentation • Latest version • Complete set up in ROM.

Dealer/Distributor Inquiries Welcome Authorized Award Software Inc. Dist.
800-800-BIOS Fax 508-683-1630
800-800-2467 508-686-6468

Unicore Software

599 Canal Street, Lawrence, MA 01840

Inquiry 755.

HARDWARE/COMPUTERS

SC/FOX™ EMBEDDED COMPUTERS

PC Parallel Coprocessor Plug-in Boards: 15 MIPS avg 50 MIPS burst using the SC32 32-bit CPU or the 16-bit Harris RTX 2000*.
VME Master/Slave System Controller SBC: 18 MIPS avg 70 MIPS burst, uses RTX 2000 cpu, SCSI, 2 sec. 1 ptr ports, to 640K bytes.
Stand-Alone Single Board Computers: 18 MIPS avg 60 MIPS burst, 3U or 100x100mm Eurocard-size using either SC32 or RTX 2000. Ideal for embedded real-time control, data acquisition, robotics, and signal processing. OEM software development system included.

SILICON COMPOSERS INC (415) 322-8763
208 California Avenue, Palo Alto, CA 94306

Inquiry 756.

Everything you want...

...to make life easier. TDS2020 is an ideal way to save time and money designing equipment. Use as a **High Performance 16-bit Control Computer or 500uA Data Collection Module.** Attach LCD & keyboard. Use internal 10-bit multichannel A to D converter, D to A, 4 counter-timers, multitasking, interrupts, parallel & serial I/O, non-volatile clock and up to 512 bytes NV-RAM/EEPROM/FLASH memory. \$299 and its TDS0902 brother \$179 (25 qty). Call or fax for details.

The Saelig Company

1193 Moseley Road, Victor, NY 14564
Phone (716) 425-3753 Fax (716) 425-3835

Inquiry 757.

HARDWARE/CONTROLLERS

SINGLE BOARD DATA ACQUISITION & CONTROL

Single Board Computer based on Hitachi's 64180 processor has optimum features for dedicated control tasks where System Failure cannot be tolerated. Features include: Low Power CMOS • 16 chan. 13 bit A/D • 2, 16 bit Timers • 2 RS232C/485 Ports • EEPROM • 128K Memory • 32 Digital I/O lines • Watchdog Timer • Dim 5.25 x 8. Options: 2 chan. 12 bit D/A • Battery backed RAM/Clock • Embedded FORTH & BASIC Languages • Networking • PC support.

E-PAC 3000 \$449.00
EMAC INC.
P.O. Box 2042, Carbondale, IL 62901 (618) 529-4525

Inquiry 758.

STEPPER

3 MOTOR CONTROL FROM SERIAL PORT

3 Channels of Stepper/DC motor/2.4A PWM per card. Half step, S curve accel. to 5000 steps/sec. RS232 3 wire or RS485 2 wire. Simple, powerful ascii command set. 4 cards (12 motors)/port. On board switcher provides power for logic from motor supply of 7-30 vdc. High output I/O and A/D converters also available. All boards 4" x 5 1/2" \$245 single qty. \$210/10+

STRADA AUTOTECH INC. P.O. Box 188, Elgin, Ont. Canada K0G 1E0 TEL: (613) 359-1029

Inquiry 759.

HARDWARE/COPROCESSOR

DIGITAL SIGNAL PROCESSOR

DSP products for the IBM PC/XT/AT. Our TMS320C25 based Model 250, with extensive software, features 250 KHz multi-channel A/D and D/A, up to 192 Kwords RAM, very high throughput to PC and disk, and is priced competitively with traditional Analog IO boards. Call us about your applications.

DALANCO SPRY

89 Westland Ave., Rochester, NY 14618
(716) 473-3610

Inquiry 760.

IMAGE DATABASE

IMAGE SOFTWARE & TOOLKITS for High Resolution PC Imaging

The Advanced Image Toolkit \$250.00, SUNSHOW "C" Language Toolkit \$250.00, Database Professional \$99.95, SHOWCASE Image Database \$595.00, SUNSHOW Image Converter \$395.00, SUNSCAN Digital Scanner \$299.00. Resolutions to 1024x768x256, Scaling, Clipping, Format Conversions, Printing, Merge Images with Text, Merge Multiple Images, Device Drivers, more. Practical Imaging Applications from Cutting Edge Software Engineering.

Sun Country Software Publishers
7102 Ilfield Road Southwest, Albuquerque, NM 87105
505-873-2220 Mad Max BBS 505-877-8354 505-873-4443

Inquiry 761.

INVENTORY MANAGEMENT

dFELLER Inventory

Business inventory programs written in modifiable dBASE source code.

dFELLER Inventory \$150.00

Requires dBASE II or III, PC-DOS/CPM

dFELLER Plus \$200.00

with History and Purchase Orders

Requires dBASE III or dBASE III Plus (For Stockrooms)

Feller Associates

550 CR PPA, Route 3, Ishpeming, MI 49849

(906) 486-6024

Inquiry 762.

LANS

The \$25 Network

Try the 1st truly low-cost LAN

- Connect 2 or 3 PCs, XT's, AT's
- Uses serial ports and 5-wire cable
- Runs at 115K baud
- Runs in background, totally transparent
- Share any device, any file, any time
- Needs only 14K of RAM

Skeptical? We make believers!

Information Modes

P.O. Drawer F, Denton, TX 76202

817-387-3339

Orders 800-628-7992

Inquiry 763.

LAPTOP COMPUTERS

SAVE ON LAPTOPS

Toshiba • Sanyo • Tandon • Sharp • NEC
Zenith • Epson • Leading Edge • For a
TI • Panasonic • Everex • Bondwell
Packard Bell • Altima • Mitsubishi • ALR
• We ALSO carry a full line of accessories •
Computer Options Unlimited
12 Maiden Lane, Bound Brook, NJ 08805

CALL: (800) 424-7678 For info: 908-469-7678
9-9 M-F 9-5 Sat. 6 days Worldwide sales

Inquiry 764.

IBM CONVERTIBLE

MEMORY-128K \$79 256K \$225 384K \$295
MODEMS-Standard \$75 Enhanced \$175
CRT ADAPTER-for monitors \$99
SERIAL/PARALLEL ADAPTER-\$120
MONITORS-Monochrome \$115 Color \$349
COMPACT Carrying Case \$39
ENHANCED LCD-\$79 BATTERY-\$89
HARD DRIVES-20 Meg-\$495 40 Meg-\$695
MORE ACCESSORIES AVAILABLE

COMPUTER RESET

P.O. Box 461782, Garland, TX 75046

Phone (214) 276-8072 BBS & FAX (214) 272-7920

Inquiry 765.

LAPTOP PERIPHERALS

LAPTOP POWER ADAPTERS

AC and DC Input

TOSHIBA INTERNAL CARDS

Fax/modems: 9600/2400bps, software, acoustic port
Modems, exp: 2400 bps, acoustic or serial port Modem,
dedicated: 2400 bps (notebooks, T31&3200SX) Serial IO
cards: RS232, RS422, SCSI, HPIL, barcode

Contact us for more information:

PRODUCT R&D Corporation (Calif.)

805/546-9713

Fax 805/546-9716

Inquiry 766.

MAILING LIST PROGRAMS

MAIL WITH MAIL MASTER . . .

It's genuinely easy to learn and use • Contains 200 pre-written letters • Uses zip codes to automatically enter cities and states • Prints labels, letters and reports • Eliminates duplicates • Holds unlimited records • Costs \$99.95

ThinkSoft Corp., 1-800-533-3466
1220 Broadway, Suite 604, NY, NY 10001

Inquiry 767.

MEMORY CHIPS

PRICE MEETING & BEATING!

GRAMS

64K x 1-12, 10

64K x 4-80

256K x 1-15, 12, 10, 80, 70, 60

256K x 4-80

1MEG x 1-10, 80, 70, 60

INTELCYRIX/INT MATH CO'S

80267-6, 10

80367-SX, 16, 20, 25, 33

SIMMS/SIPPS

256K x 9-10, 80, 70, 60

1MEG x 8-10, 80, 70, 60

1MEG x 9-10, 80, 70, 60

4MEG x 8-80

4MEG x 9-80

PSI2 TYPE SIMMS

Model 30, 286

Model 50, 55, 60, 70, 80

CALL DRAM COMPANY (800) 488-DRAM

P.O. Box 590127 • S.F., CA 94159 • (415) 398-2987

Inquiry 768.

FREE FREE FREE

- Need memory for IBM or MAC?
- Want to pay the lowest possible price?
- Want superior service?
- Want free advice?
- Wholesale source! Shipping worldwide!
- International FAX: country code+402-691-8548 24 hrs. 7 days
- International Direct: country code+402-691-8248 24 hrs. 7 days
- Free call! Free info!

McDonald and Associates

1-800-338-1531 24 HRS 7 DAYS (U.S.)

1-800-242-5751 FAX LINE 24 HRS 7 DAYS (U.S.)

Inquiry 769.

OBJECT-ORIENTED

Improve Your Productivity

Get the facts you need, all from one source. Object-oriented vocabulary, examples, vendors, bibliography. No hype, no editorials, just compact, complete explanations. Source code for C & C++ examples included on diskette. Satisfaction guaranteed or your money back. Call Annabooks at (800) 462-1042 or (619) 271-9526. Or send for free information from:

buk-worm Information Services™

Dept B2, 16776 Bernardo Cir. Dr., Ste. 110b, San Diego, CA 92128
24 hr FAX: (619) 489-0778 VISA & MasterCard accepted

Inquiry 770.

PRODUCT MANAGEMENT

KeepTrack! of Bug Reports

New tool gives instant access to information about pending bug reports/suggestions on the products you maintain or support. Eases planning of new releases. No more paperwork, lost reports or hunting for customers' example files. Multiple users (development, marketing, QA) can independently categorize, prioritize, and rearrange records.

KeepTrack! \$495 (£495 non-US)

3L Ltd., Peel House, Livingston EH54 6AG, United Kingdom

Tel. +44 506 41 59 59 Fax. +44 506 41 59 44

Inquiry 771.

PROGRAMMER'S TOOLS

HYPERINTERFACE™ II

Menu Creator™ — An interactive WYSIWYG editor to generate a menu-driven user interface for your software.
Screen Creator™ — An interactive WYSIWYG editor for quick and easy screen design and a screen database manager for your software. **Advanced Library** — Extended capability for data entry for your programs. FORTRAN, Pascal, C, BASIC supported.

Avanpro Corp.

P.O. Box 969, Pacific Palisades, CA 90272

(213) 454-3866

Inquiry 772.

PLOT= >SOURCE.PAS

Unique full-function viewer for HPGL files and automatic code generator (requires Turbo Pascal)

PLOT= >PAS ver. 1.0 Lit. 80000 (about \$67) plus S&H. Visa/

MasterCard Accepted

DRAW with AutoCAD, DesignCAD3D, Corel Draw, Freelance, Orcad, etc. . . . ; PLOT to file; RUN PLOT= >PAS: view, zoom, pan, scale, cut. . . and ENTER: your code is ready.

NEW: with source for custom output TPU, demo programs, 3.5" and 5.25" media, manual.

Ing. Marco Sillano

Via Massimi 154, I00136 — ROME, ITALY

Inquiry 773.

EDLIN Alternative

Frustrated using EDLIN? Switch to EdFile — A full-screen text editor with dozens of features like:

- WP Type Edit Features
- Files up to 6 MB
- Super Copy (Merge)
- 255 Char. Lines
- On Screen Help
- Undelete Lines

800-345-3808 (VISA/MC) \$49.50 + 3.50 S/H

MIPS, Inc. • Box 3072 • Hammond, LA 70404

Inquiry 774.

C and C++ DOCUMENTATION TOOLS

- C-CALL (\$59) Graphic-trees of caller/called hierarchy.
- C-CMT (\$59) Create, insert, update comment-blocks for each function, listing functions and identifiers used.
- C-METRIC (\$49) Path complexity, lines/stmts/comments.
- C-LIST (\$49) List, action-diagram, reformat programs.
- C-REF (\$49) Local/global/parameter cross-reference.
- SPECIAL (\$189) All 5 as DOS/OS2 "C-DOC" program.

SOFTWARE BLACKSMITHS INC.

6064 St. Ives Way, Mississauga, ONT Canada L5N-4M1

(416) 858-4466

Inquiry 775.

PUBLIC DOMAIN

FREE SOFTWARE FOR IBM®/clones

TRY US! GET 15/5.25" or 6/3.5" Disks full of our best selling software—FREE. Great games, utilities, business, educational, and desktop publishing, plus our 3000 disk catalog. Pay only \$5.00 shipping/handling.

INTERNATIONAL SOFTWARE LIBRARY

619-931-8111

Inquiry 776.

HUNDREDS OF NEW PROGRAMS

AS LOW AS \$1.29. LATEST VERSIONS
FREE CATALOG. 1-800-292-DISK (3475)

EVERY PROGRAM CHECKED FOR VIRUSES

PRINCETON SOFTWARE INC.

200 WALL STREET, PRINCETON, NJ 08540

Inquiry 777.

THE BUYER'S MART

PUBLIC DOMAIN

FREE CATALOG
FOR IBM PD AND SHAREWARE
SELECTED PROGRAMS
LATEST VERSIONS
Low as \$1.50
SOFTSHOPPE, INC.
TEL: 800-829-2378 • 313-761-7638
FAX: 313-761-7639
P.O. Box 3678, ANN ARBOR, MI 48106

Inquiry 778.

SECURITY

FIGHT PIRACY!
Since 1986, companies worldwide have been choosing Az-Tech security products. If you demand the strongest protection available, why not choose one of these "proven leaders":
• EVERLOCK Copy Protection
• EVERTRAK Software Security
• EVERKEY Hardware "Key" Software Security
For IBM and Compatibles. 30 day money back guarantee. Free info and demo disk available.
Az-Tech Software, Inc.
305 East Franklin, Richmond, MO 64085
(800) 227-0644 (816) 776-2700
Fax: (816) 776-8398

Inquiry 779.

Cop's CopyLock II

The professional software protection with TRUE Machine Install. Option Board safe. Supports DOS, OS/2, Windows and Trace.

LINK Computer/Dancotec N.Am.

Int'l: +45 31232350 US/CAN: 800-344-2524
Fax +45 31238448 Fax 408-923-7061

BIT-LOCK® SECURITY

Piracy SURVIVAL 8 YEARS proves effectiveness of powerful multilayered security. Rapid decryption algorithms. PARALLEL or SERIAL port-transparent security device. Complemented by economical KEY-LOCK™ and multifunctional COMPU-LOCK™ including countdown, timeout, data encryption, and multipoint protection. (Dos/Unix/Mac). Also, access control.

MICROCOMPUTER APPLICATIONS
3167 E. Otero Circle, Littleton, CO 80122
(303) 770-1917

Inquiry 780.

CopyControl

YOUR POWER TO PROFIT

• Ultra secure • Cost effective • Choose where, when and usage rate • Change parameters by phone • No messy dongles or special disks • Hard disk and LAN support
Choose the NEW Generation Copy Protection
FREE Demo Disk and Info

800-237-8400 ext. 212 816-934-8384

MICROCOSM INC.
Drawer O, Wellington MO 64097

Inquiry 781.

HANDS OFF THE BOARD® 1/2 SIZE SECURITY BOARD

Stop floppy boot — Require password to boot PC
Real-time disk encrypt — prevent boot sector virus
Prevent DOS FORMAT/FDISK and low-level formats
Set hard disk READ ONLY or turn ON/OFF
Turn floppies, printers and COM ports ON/OFF
IBM XT, AT Bus — DOS V3.0+ — \$149.95 + \$5.00 S/H

SYSTEMS CONSULTING INC.

PO BOX 111209, Pittsburgh, PA 15238
(412) 781-5280

Inquiry 782.

352 BYTE • MAY 1991

SECURITY

ANTI VIRUS SYSTEM

IMMUNIZE MSDOS COMPUTERS 100%
INTERCEPT ALL VIRUS ACTIVITY

Ultimate Protection by 8-bit card.
Free Information, DEALERS WELCOME

TELSTAR ELECTRONICS

P.O. Box 217, 6190AE Beek, Netherlands, Dept. B1

Inquiry 783.

SHAREWARE

FREE SOFTWARE FOR IBM®/clones

Monthly, get 5 disks with 10+ latest programs plus catalog — FREE! Pay only \$5.00 for 5/5.25" or \$6.95 for 3/3.5" disks. Join today for only \$19.95 membership fee and get your first volume of software—FREE!

SOFTWARE OF THE MONTH CLUB®

619-931-8111

Inquiry 784.

SOFTWARE/ACCOUNTING

Solomon III Software

Integrated Accounting Software

Top rated last 6 years

No down time — No lost data

Unmatched Security System

Major Account discounts available

Call **Debra J. Tucker**

National Trainer, CBM Training

4420 Hotel Circle Ct. #350, San Diego CA 92108

619-224-9916 Fax 619-299-6169

Inquiry 785.

dBASE BUSINESS TOOLS

- GENERAL LEDGER
- ORDER ENTRY
- JOB COSTING
- BILL OF MATLS
- PAYROLL
- PURCH ORD/INVENTORY
- ACCOUNTS RECEIVABLE
- JOB ESTIMATING
- SALES ANALYSIS
- ACCOUNTS PAYABLE

\$99 ea. + S&H

DATAMAR SYSTEMS Cred. Card-Check-COD

4876-B Santa Monica Ave.

San Diego, CA 92107

(619) 223-3344

Inquiry 786.

SOFTWARE/BUSINESS

DATA ENTRY SOFTWARE

Full featured, heads-down data entry with two-pass verification, edit language, operator stats, much more! Designed for the PS/2®, PC, XT, AT or compatibles.
PC's from \$395 LAN version available

FREE 30 day trial

Computer Keyes Tel: 206/776/6443
21929 Makah Rd., Fax: 206/776-7210
Woodway, WA 98020 USA: 800/356-0203

Inquiry 787.

SOFTWARE/ENGINEERING

MATFOR

BEST VALUE FOR NUMERICAL COMPUTING

An interpreter with a comprehensive set of functions for Applied Mathematics, Engineering Analysis, Statistics, and Graphics. IEEE Software says that "there is clearly significant scientific work embodied in the interpreter—the program is no lightweight." Use it risk-free under 30-day unconditional guarantee. Lowest priced mathematical toolbox. From \$150. Protected Mode versions also available.

Computational Engineering Associates

3525 Del Mar Heights Road, Suite 183, San Diego CA 92130
(619) 259-8863

Inquiry 787.

SOFTWARE/ENGINEERING

Analog Circuit Simulation

- Macintosh and PC CAE
- Schematic Entry
- SPICE Simulator
- Model Libraries
- Monte Carlo Analysis
- Plotting/Graphics Output

Intusoft

The leader in low cost. P.O. Box 710, San Pedro, CA 90733-0710
full featured CAE tools (213) 833-0710 FAX (213) 833-9658

Inquiry 788.

CIRCUITS: SPICE for PCs

Non-linear DC & Transient, Linear AC Analyses

- ★ Version 3C1 with BJT, MOSFET, JFET, diode, etc. models. NUTMEG postprocessor with Screen Graphics, Operating Shell, Hypertext Help & circuit file Editor included.
- ★ Version 2G8 now includes Operating Shell, circuit file Editor & NUTMEG compatibility.

Northern Valley Software

28327 Rothrock Dr., Rancho Palos Verdes, CA 90274
(213) 541-3677

Inquiry 789.

Interactive Design/Simulation

Analog Circuit Simulation

ECA-2 Electronic Circuit Analysis offers the best Monte Carlo and Worst-Case analyses with all of this and MORE included:

- AC, DC, Transient
- Full Nonlinear Simulator
- Fourier, Temperature
- On Line, Real Time Graphics
- Sine, Pulse, PWL, SFFM, and Exponential Generators
- Multiple Plots
- FREE Demo

Tatum Labs, Inc.

3917 Research Park Dr., B-1, Ann Arbor, MI 48108
(313) 663-8810

Inquiry 790.

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company! Call Joseph Mabe for more information

603-924-3754

or

Fax: 603-924-2683

Inquiry 791.

SOFTWARE/GEOLOGICAL

GEOLOGICAL CATALOG

Geological software for log plotting, gridding/contouring, hydrology, digitizing, 3-D solid modelling, synthetic seismogram, fracture analysis, image processing, scout ticket manager, over 50 programs in catalog. Macintosh too! Please call, or write, for Free Catalog!

RockWare, Inc.

4251 Kipling St., Suite 595, Wheat Ridge, CO 80033 USA
(303) 423-5645 Fax (303) 423-6171

Inquiry 792.

SOFTWARE/GRAPHICS

FORTAN TECHNICAL GRAPHICS

TEKMAR is a graphics library for the VGA, EGA or Tecmar Graphics Master. Similar to PLOT-10, includes WINDOW, VIEWPORT, AXIS. Support for HP, Hi plotters. Curve fitting, complete plotting program. Log, semi-log, multi-axis, 3-D, contours. Jerry Pournelle (Aug 86 Byte): "As good as any I have ever seen..." Demo disks, literature available.

Advanced Systems Consultants

21115 Devonshire St. #329, Chatsworth, CA 91311
(818) 407-1059

Inquiry 793.

SOFTWARE/GRAPHICS

PostScript from C

c_pslib function library

Order today for \$149.00

and receive FREE source code!

Barton Creek Software
2222 Western Trails Ste 106, Austin, TX 78745
512-441-8354

Inquiry 794.

The Ultimate CAD/CAM Engine

TurboGeometry Library 3.0. The most complete tool box of 2D & 3D routines available today! Over 300 routines. Surfacing, Solids, Hidden line, Volumes, Areas, Transforms, Perspectives, Decomposition, Clipping, Tangents & more. 30 day guar., \$199.95 w/source S&H Incl. Foreign \$225.00. MS/PC DOS 2.0+. Turbo Pascal, Turbo C, MSC, MIX C, Zortec C+++, VISA/MC, PO, Chk, USA funds only.

Disk Software, Inc.

2116 E. Arapaho Rd., #487, Richardson, TX 75081
(214) 423-7288, (800) 635-7760, FAX (214) 423-7288

Inquiry 795.

RAINDROP™

FAST, compact PRTScrn Utility for end users AND developers. Hardcopy as fast as 10 secs. Average binary size - 6 kbyte. 14 video graphic standards. Scale, rotate, colorize and more. 'CALL' from user-written programs. Complete 9- & 24-pin dot-matrix, inkjet, and laserjet library \$44.95+\$3 s/h.

ECLECTIC SYSTEMS

8106 St. David Ct., Springfield, VA 22153
(703) 440-0064

Inquiry 796.

PEN PLOTTER EMULATOR

FPLLOT turns your printer into an HP pen plotter. Fast hi-res output, no jagged lines. Vary line width, color. Screen preview with zoom and pan. Stand-alone, background, and device driver modes. Works with most CAD and graphics programs. Supports most printers. New version 3. \$119+\$3 S&H. 30 day money back. VISA/MC/Check/MO.

FPLLOT Corporation

24-16 Steinway St., Suite 605, Astoria, NY 11103
718-545-3505

Inquiry 797.

GRAPHICS PRINTER SUPPORT

AT LAST! Use the PRTSc key to make quality scaled B&W or color reproductions of your display on any dot matrix, inkjet, or laser printer (incl. Postscript) in up to 64 shades of gray or 256 colors. GRAFPLUS supports all versions of DOS with IBM (incl. EGA, VGA, Super VGA), Hercules, or compatible graphics boards. Linkable/OEM versions available. \$59.95

Jewell Technologies, Inc.

4740 - 44th Ave. SW, Seattle, WA 98116
1 (800) 284-2574 (206) 937-1081

Inquiry 798.

FORTTRAN GRAPHICS

GRAFATIC/PRINTMATIC/PLOTMATIC LIBRARIES
GRAFATIC-FORTTRAN callable graphics Library for creating 2-D and 3-D graphics, contour plots and solid models. PRINTMATIC and PLOTMATIC provide high resolution FORTTRAN callable printer and plotter drivers for your graphics.

\$249.95 Supports Microsoft/Lahey/RM FORTTRAN compilers.

Jewell Technologies, Inc.

4740 44th Ave. SW, Seattle, WA 98116
1 (800) 284-2574

Inquiry 799.

SOFTWARE/GRAPHICS

ImageAccess®

Create or work with image files?

ImageAccess, a quick way to search, display, print and organize. Create a data-base of pictures for EGA, VGA, 8514A, MSP, PCX, TIFF formats, needs MS-DOS, 512K. See Jerry Pournelle's recommendation in InfoWorld 11/12/90. \$49.95 USA, \$59.95 Overseas. Check, M.O., P.O. Satisfaction guaranteed.

Wierenga Software

P.O. Box 595, Muskegon, MI 49443

Inquiry 800.

SOFTWARE/LANGUAGES

IntegrAda

Standard Air Force PC Ada Compilers & environments for MS-DOS and UNIX. Integrated programming systems include validated Ada compilers, language sensitive editors, complete libraries and other Ada programming tools. FREE demo.

AETECH, Inc.

From \$795

380 Stevens Ave., Ste. 212 Solana Beach, CA 92075
(619) 755-1277 Fax: (619) 755-7540

Inquiry 801.

DRUMA FORTH-83

Break the 64K barrier without speed/space penalty. Powerful, attractively priced. '83 Standard.

- 1Mb+ automated memory management
- Full OS interface, extensive utilities
- On-line documentation, ASCII/block files
- Other products: windows, modules, profiler
- IBM PC/XT/AT including 386 compatibles

FREE learn/utility disks with purchase

DRUMA INC.

6448 Hwy. 290 East E103, Austin, TX 78723
Orders: 512-323-5411 Fax: 512-323-0403

Inquiry 802.

SOFTWARE/MARKETING

The "Software Success Reference Book (1987-1988)" is a MUST READ if you want to market your software products successfully. Written by David H. Bowen, publisher of Software Success, the monthly newsletter on successfully running a software business, the Reference Book is a 268-page guide, organized by topic. Covers Lead Generation, Promotion, Pricing, Distribution, Support, etc. Only \$25. Check or Credit Card (Visa/MC/AEX).

100% Money Back Guarantee

Software Success

P.O. Box 9006, San Jose, CA 95157
(408) 446-2504 FAX (408) 255-1098

Inquiry 803.

SOFTWARE/MATHEMATICS

OPERATIONS RESEARCH @ \$149 for your IBM or Compatible

LP88—Solves linear programs with up to 3000 constraints and 15000 variables.
BLP88—Solves linear programs with up to 2500 constraints and 12500 bounded variables.
MILP88—Solves mixed-integer linear programs with up to 800 constraints and 4000 general or integer-valued variables.
TSAM—Solves transportation and transshipment problems with up to 1200 sources and sinks.
NLP88—Solves nonlinear programs with up to 800 linear constraints and 4000 variables.
TPRO88—Solves shortest path and traveling salesman problems on networks with up to 512 nodes and 16K links.
Student/Demo Package—Reduced capacity versions with manuals on disk for redistribution to students.
Turbo Pascal Units—Compiled ORANS procedures for developers.

Eastern Software Products, Inc.

P.O. Box 15328, Alexandria, VA 22305, (703) 380-7600, Fax (703) 380-7654

Inquiry 804.

FastMath® Software

BYTE's correction (Feb. '91, p. 40) did not mention that:
• the FastMath® software is faster than a math coprocessor
• the software is a C++ class library and is compatible with IEEE single precision
• speed is achieved by using a logarithmic number system for internal calculations
• inquiries should be directed to

FastMath®

19 Old Town Square, Fort Collins, CO 80524
(303) 493-8552

Inquiry 805.

SOFTWARE/MATHEMATICS

MATH EDITING FOR THE PC

$$x_i^2 = \sum_{k=0}^{\infty} [x_k^{2k} \binom{n}{k}] + \left(\frac{1}{\alpha \pm \beta x} \right)$$

- MathEdit constructs math equations to be inserted into WordPerfect, Word, WordStar, and others.
- WYSIWYG interface—no codes need to be learned.
- MathEdit—\$199

K-TALK COMMUNICATIONS

30 West First Avenue, Suite 100
Columbus, Ohio 43201
(614) 294-3535

Inquiry 806.

MATHEMATICIANS—ENGINEERS

Have you ever seen functions of a complex variable? Would you like to really understand differential operators like div, grad and curl? How about a peek into the fourth dimension? Call or write for information on our latest PC and Macintosh software.

Lascaux Graphics

3220 Steuben Ave., Bronx, NY 10467
(212) 654-7429

Inquiry 807.

SOFTWARE/SCIENTIFIC

FREE CATALOG

A great selection of scientific software products for plotting, non-linear curve fitting, chemical equilibrium, simulation, statistics, symbolic algebra, and more. Prices range from \$150-\$1000. Call:

1-800-942-MATH

MicroMath, Salt Lake City, UT 84121-0550

Inquiry 808.

Real-Time Graphics & Measurement/Control Tools TurboC, Microsoft C, Turbo Pascal

Send for datasheets on our NEW Real-Time Graphics and Measurement/Control Tools for Turbo C/C++, Microsoft C and Turbo Pascal.
Process Control Bargraphs Thermocouple Linearization
Fast Scrolling Graphs Polynomial Curve fitting
Real-Time Meters PID Control
Annunciator Panels 32,768 point FFT's
Real-Time Mouse Support 19.2KB RS-232 Communications

Quinn-Curtis

21 Highland Circle, Needham, MA 02194 USA
Tel. (617) 449-6155 Fax (617) 449-6109

Inquiry 809.

Axum® Technical Graphics

FREE BROCHURE

800-548-5653 ext. 067

Create publication-quality graphs quickly and easily on your PC!

TriMetrix, Inc. 444 NE Ravenna Blvd., Ste 210-BY
Seattle, WA 98115 FAX 206-522-9159

Inquiry 810.

SOFTWARE/SECURITY

HYPER-LOCK

If you search for a powerful copy protection system, you also can have privileges of HYPER-LOCK.

- Protects on standard diskettes • Full hard disk support
- LAN support • No source code required • Cannot be copied by any means • And/or password protection • Sub-programs protection techniques • Cost effective • FREE demo disk

GUVEN COMPUTER LTD.

Talimyeri sk. 7/3 Macka/Istanbul TURKEY
(90) 1-136 10 07 Fax: (90) 1-160 36 46

Inquiry 811.

THE BUYER'S MART

SOFTWARE/SORT

OPT-TECH SORT/MERGE

Extremely fast Sort/Merge/Select utility. Run as an MS-DOS command or CALL as a subroutine. Supports most languages and file types including Btrieve and dBASE. Unlimited file sizes, multiple keys and much more! MS-DOS \$149. OS/2, XENIX, UNIX \$249.

(702) 588-3737

Opt-Tech Data Processing

P.O. Box 678 — Zephyr Cove, NV 89448

Inquiry 812.

SOFTWARE/VOICE

MULTI-VOICE® TOOLS

Multi-Voice Tools is a complete development Toolkit for Pascal or "C" to access all the features for most speech processing boards available today. It helps you write MULTI-VOICE APPLICATION systems in minutes. A number of programming examples are provided. All programs and libraries are delivered with source code.

Dialogic, Rhetorex, Pika: \$599. Watson (Single Line): \$99. ALSO AVAILABLE: FAX Programmer's Toolkit (\$199). Based on CAS specifications. VISA/MC accepted.

ITI Logiciel

1705 St. Joseph E., Suite 4, Montreal, Can. H2J 1N1
(800) 567-8765 or (514) 861-5988

STATISTICS

Statistical Advisor Speaks English!

Statistical Navigator Professional™ lets you describe your research goal in plain english then guides you to the appropriate statistical analysis. Natural language interface, detailed report, extensive hypertext help, & pull-down menus. \$150 + s/h.

VISA, MC, AMEX, PO #, Check.

The Idea Works, Inc.

607 Jackson St., Columbia, MO 65203
1-800-537-4866 FAX 1-314-875-5812
Outside USA: 1-314-875-5827

Inquiry 813.

NCSS 5.x Series — \$125

Easy-to-use menus & spread sheet. Multiple regression. Tests. ANOVA (up to 10 factors, rep. measures, covariance). Forecasting. Factor, cluster, & discriminant analysis. Nonparametrics. Cross Tabulation. Graphics: histograms, box, scatter, etc. Reads ASCII/Lotus. Many new add-on modules.

NCSS

329 North 1000 East, Kaysville, UT 84037
Phone: 801-546-0445 Fax: 801-546-3907

Inquiry 814.

UNISTAT-IV Statistical Package

Menu/mouse driven stats package featuring a fully-fledged spreadsheet, a wide range of statistics and powerful graphics. Export/Import Lotus, dBase 3&4, dIF, Syk, fixed and free format ascii. String data and missing data handling. Full array of 2D and 3D plots, charts and histograms, curve and distribution fitting. More than 40 parametric and nonparametric tests, crosstabulation, breakdown, OLS, weighted, polynomial and stepwise regressions, balanced/unbalanced ANOVA, ANCOVA, etc. Demo system and 440pp. user's guide available separately.

US & Canada: \$395. ADHOC Inc., Dept. BT, 28 Brunswick Woods Dr., East Brunswick, NJ 08816. Tel: 201-254-7300. Fax: 201-254-7310
Elsewhere: £295. UNISTAT Ltd., Dept. BT, PO Box 383, Highgate, London N6 5UP, England. Tel: +44 (0)81 883 7155. Fax: +44 (0)81 444 9512

Inquiry 815.

TELECOMMUNICATIONS

TELECOMMUNICATIONS

Via PC Telecommunications Software turns your existing PC and modem into a full blown telecommunications workstation. Send and receive messages via FAX, TELEX, TWX and/or MODEM all through one easy to use, integrated software package.

\$595.00 plus shipping—includes faxboard!
Call 1-800-626-5444 ext. 511 and order Via PC today!

IDR UniCom, Incorporated

400 Stenton Avenue, Plymouth Meeting, PA 19462
Phone: 215-825-6500 Fax: 215-825-8188

Inquiry 816.

354 BYTE • MAY 1991

TYPESETTING

CATALOG \$99.99

Prepares typesettings for creating catalogues, brochures, etc., both in color and B&W. Imports text from a text editor and inputs color video pictures directly from OCULUS-10 (by Corco) or from PCX color format files (mode 13h). Exports PCX color files. Supports HP PaintJet and laserjet II printers. CATALOG requires the use of Pizazz Plus™ (by Applications Techniques) to print. For XT or AT compatibles with 640K RAM and mouse. Specify XT or AT when ordering.

Backus Computer Services

P.O. Box 830793, San Antonio, TX 78283-0793
(512) 433-4982

Inquiry 817.

UNINTERRUPTIBLE POWER

HOW TO PROTECT YOUR COMPUTER

And Make It Last Longer

FREE money-saving literature tells you how to protect your computer and make it last longer with an uninterruptible power supply. 500VA through 18KVA models from the world's largest manufacturer of single-phase UPS.

Best Power Technology, Inc.

P.O. Box 280, Necedah, WI 54646
Toll-Free (800) 356-5794, Ext. 2135
Telephone: (608) 565-7200, Ext. 2135

Inquiry 818.

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company!
Call Joseph Mabe for more information

603-924-3754

or

Fax: 603-924-2683

Inquiry 819.

UPS

TAKE THE BYTE OUT OF POWER LINE DISTURBANCES.

- Power protection for your PC or Network.
- Risk FREE Offer.

Call for FREE UPS Selection Guide

SOLA

1717 Busse Rd., Elk Grove Village, IL 60007
Phone: 1-800-TRY-SOLA

Inquiry 820.

UTILITIES

COPY AT TO PC—BRIDGE-IT 3.5

"COPYAT2PC" RELIABLY writes 360KB floppies on 1.2 MB drives, saving a slot for a second hard disk or tape back-up. Only \$79.00 + \$/H
"BRIDGE-IT 3.5" is a DEVICE DRIVER supporting 314" 720KB/1.44MB drives for PC/XT/AT without upgrading DOS/BIOS. Only \$49.00 + \$/H
BRIDGE-IT 3.5 BUNDLED WITH INTERNAL 1.44MB DRIVE AT \$139.00 + \$/H

MICROBRIDGE COMPUTERS

655 Sky Way Suite 220, San Carlos, CA 94070
1-415-593-8777(CA) 1-415-593-7675 (FAX)
1-416-826-0320 (CANADA) 1-800-523-8777
0908-260-188 (UK) 04745/7312 (FRG)

Inquiry 821.

Double or Triple PC performance for under \$100

There is one software package that can make a 286 perform like a 386, and a 386 like a 486. Experience PC-Kwik® Power Pak today!

MultiSoft CORPORATION

For a recorded message or how to order, call (800) 950-5945
24-hours per day

Inquiry 822.

UTILITIES

Recover deleted files fast!

Disk Explorer now includes automatic file recovery. You type in the deleted file's name, Disk Explorer finds and restores it. Disk Explorer also shows what's really on disk; view, change or create formats, change a file's status, change data in any sector. MS-DOS \$75 U.S. Check/Credit card welcome.

QUAID SOFTWARE LIMITED

45 Charles St. E. 3rd Fl.
Toronto, Ontario, Canada M4Y 1S2
(416) 961-8243

COPYWRITE

CopyWrite
Removes
Copy Protection
No more diskettes,
manuals or
codewheels.
1000's of products copied.

US \$75

QUAID SOFTWARE LIMITED

45 Charles St. E. 3rd Fl. Dept. B.
Toronto, Ontario, Canada M4Y 1S2
(416) 961-8243 Fax (416) 961-6448

Inquiry 823.

REMOVE HARDWARE LOCKS

Software utility allows for the removal of hardware locks. Don't wait for your lock or key device to fail or be stolen.

Guaranteed to work! The following packages are available:
PCAD \$199.00 CADKEY \$ 99.00
MICROSTATION \$99.00 PERSONAL DESIGNER \$250.00
MasterCAM \$250.00 SmartCAM \$250.00
TANGO PCB \$ 99.00 ADVANCE \$99.00

PLUS SHIPPING AND HANDLING
PHONE (204) 669-4639 FAX (204) 668-3566
VISA and MASTERCARD Welcome

SafeSoft Systems Inc.

202-1100 Concordia Ave., Winnipeg, MB, Canada, R2K 4B8

Why You Want BATCOM!

BATCOM is a batch file compiler that transforms your .bat files to .exe files to make them faster. BATCOM extends DOS with many new commands so you can read keyboard input, use subroutines, and much more. In addition, BATCOM protects your source code. No royalties! Only \$59.95. Order today!

Wenham Software Company

5 Burley St., Wenham, MA 01984
(508) 774-7036

Inquiry 824.

VIRUS

VIRUS ELIMINATOR BOARD

Prevents virus infections that invade while the system is on. Protects existing files from over 100 known virus infections. Activated prior to DOS loading. Password protection with battery backup. Keyboard lock for added security. Does not occupy any RAM or impact system performance. For IBM Compatibles. Supports Novell workstations. Takes only minutes to install. Provides highest level of system security.

\$189.95 + \$5 S/H

Information Systems for Profit

P.O. Box 4529, Middletown, N.Y. 10940
1-800-274-3007 Fax 914-496-3504

Inquiry 825.

VOICE MAIL/AUTO ATTENDANT

Complete PC CAM™ Users!

Upgrade to a Multiple-line Voice Express®!
This system picks up where the CAM leaves off with these added features:

- All lines share the same files
- Supervised call transfer options
- Free structuring capabilities
- System messages re-recordable
- Selectable recording quality
- Automatic time-based changes
- Order entry & survey capabilities
- Expandable

To order, hear demo, or to request more information:

Call (614) 870-3838
Versicom Communications®
1115 Wimbeldon Blvd., Columbus, OH 43228

Inquiry 826.

WINDOWS TOOLS

Hermes DDE Library

The Hermes DDE Library is a powerful library of high level routines for MS-Windows™ programmers. Hermes provides support for DDE at a much higher level than that provided in the Windows SDK. Your program attains added functionality by interacting and communicating with other Windows applications. Compared to the Windows SDK, Hermes reduces the code required to implement DDE by hundreds of lines of 'C'. Hermes is priced at \$295.

Raindrop Software Corporation

845 E. Arapaho, Suite 105, Richardson, Texas 75081
(214) 234-2611 Fax (214) 234-2674

Inquiry 827.

WORD PROCESSING

Replace Proofreading

Key, edit, or proof any file on your PC with **Word-Proof**™, then import to your application. **New** two-pass proofing is faster, more accurate than proofreading or document comparators. Single \$295. Multicopy discounts. Network version.

Computer Keyes
21929 Makah Rd.
Woodway, WA 98020

800/356-0203
206/776-6443
Fax: 206/776-7210

FARSI / GREEK / ARABIC / RUSSIAN

Hebrew, all European, Scandinavian, plus either Hindi, Punjabi, Bengali, Gujarati, Tamil, Thai, Korean, Viet, or IPA. Full-featured multi-language word processor supports on-screen foreign characters and NLO printing with no hardware modifications. Includes Font Editor. \$355 dot matrix; \$150 add'l for laser; \$19 demo. S/H in U.S. incl'd. Req. PC, 640K, graphics. 30-day Guarantee. MC/VISA/AMEX

GAMMA PRODUCTIONS, INC.

710 Wilshire Blvd., Suite 609, Santa Monica, CA 90401
213/394-8622 Tlx: 5106008273 Gamma Pro SNM

Inquiry 828.

YOUR SALES MESSAGE

about the special computer product or service that you provide belongs in print.

THE BUYER'S MART

can help you reach computer professionals and produce valuable inquiries for your company!

Call **Joseph Mabe**
for more information

603-924-3754

or

Fax: 603-924-2683

MULTI-SPEED !!! 9 TRACK TAPE SUBSYSTEM for IBM PC/AT/386

1 YEAR WARRANTY



- IBM/ANSI compatible at 800*/1600/3200 bpi
- Controller, cables and software included
- Interfaces for PS/2*, Xenix* and DEC*
- SCSI*, AT or MCA* Bus I/O at 25/50/100 ips.

*OPTIONAL SHOWN W/OPTIONAL DUST COVER

AKSystems Inc.

20741 Marilla St. Chatsworth CA 91311
TEL: 818/709-8100 FAX: 818/407-5889

Circle 14 on Inquiry Card.

Instant Microcontroller



Instant C Programming

Don't use a microprocessor, use a **SmartBlock™** microcontroller module to build your custom controller. Our low cost Dynamic C™ makes programming a snap. 3.5 x 2.5 inch module includes microprocessor, memory, time/date clock, eeprom, watchdog, serial ports and more. As low as \$59 in quantity. The efficiency of a custom design without the headaches.

Z-World Engineering

1340 Covell Blvd., Davis, CA 95616 USA

Tel: (916) 753-3722

Regular Fax: (916) 753-5141

Automatic Fax: (916)-753-0618

(Call from your fax, hear computer voice, use touchtone dial to request desired data sheets.)

Circle 344 on Inquiry Card.

Remove Hardware Locks

Software utility that allows for the removal of hardware locks. Don't wait for your lock or key device to fail or be stolen.

EASY - SIMPLE - GUARANTEED

The following packages are available:

Microstation \$99.00 CadKey \$99.00
Cadvice \$ 99.00 PCAD \$199.00
MicroCadams \$150.00 Pads PCB \$99.00
SmartCam \$250.00 Pspice \$250.00
MasterCam \$250.00 Tango \$99.00
Maxroute \$250.00 Superroute \$150.00

Call for other Products

All prices in U.S. Funds Plus Shipping
VISA - Mastercard - AMEX, Welcome

SafeSoft Systems Inc.

202-1100 Concordia Ave.

Winnipeg, Mb R2K 4B8 CANADA

Phone (204) 669-4639

Fax (204) 668-3566

Circle 375 on Inquiry Card.

ROM BIOS UPGRADES

ROM BIOS FEATURES

THE ROM BIOS UPGRADES SUPPORT 360K, 720K, 1.2MB & 1.44MB FLOPPY DISK DRIVES. COMPLETE SET-UP IN ROM. EGA AND VGA SUPPORT. OPTIONAL. BUILT-IN DIAGNOSTICS IN ROM. AMI ONLY. NOVELL AND NETWORK COMPATIBLE. SUPPORTS UP TO 48 DIFFERENT TYPES OF HARD DRIVES PLUS TWO USER DEFINED. 84, 101 & 102 KEY KEYBOARD SUPPORT. 100% IBM COMPATIBLE. SUPPORTS 0.1 OR 2 WAIT STATES. COMPLETE DOCUMENTATION. LATEST VERSIONS. WE ARE THE LARGEST STOCKING BIOS DISTRIBUTOR IN AMERICA!

XT BIOS UPGRADES

AMI-XT BIOS 49.95 PHOENIX-XT BIOS 49.95

AT 286 BIOS UPGRADES

AMI-286 INTEL BIOS 69.95 AMI-286 VLSI BIOS 69.95

AMI-286 CHIP & TECH BIOS 69.95 PHOENIX-286 INTEL BIOS 69.95

AMI-286 CHIP & TECH BIOS 69.95 PHOENIX-286 AST BIOS 69.95

AT 386 BIOS UPGRADES

AMI-386 INTEL BIOS 69.95 AWARD-386 CHIP & TECH BIOS 69.95

AMI-386 CHIP & TECH BIOS 69.95 PHOENIX-386 INTEL BIOS 69.95

AMI-386 VLSI BIOS 69.95 PHOENIX-386 COMPAG BIOS 69.95

AMI-386-SX INTEL BIOS 69.95 PHOENIX-386 CHIP & TECH BIOS 69.95

AMI-386-SX CHIP & TECH BIOS 69.95 PHOENIX-386-SX INTEL BIOS 69.95

IBM BIOS UPGRADES

PHOENIX-IBM-PC BIOS 79.95 PHOENIX-IBM-AT BIOS 89.95

PHOENIX-IBM-XT BIOS 59.95 AWARD IBM AT BIOS 89.95

KEYBOARD BIOS UPGRADES

AMI-286/386 KEYBOARD BIOS 34.95

AWARD-286/386 KEYBOARD BIOS 34.95

PHOENIX-286/386 KEYBOARD BIOS 34.95

UPGRADES ETC. INCORPORATED

(800) 541-1943

15822 N.E. 165TH ST.
WOODINVILLE, WA 98052

(800) 541-1943 - ORDERS

(206) 882-3834 - TECH SUPPORT

(206) 881-6294 - FAX

VISA • MC • CDO

Circle 327 on Inquiry Card.

Little Giant™ New! Tiny Giant™ C Programmable Controllers

We have miniature controllers with parallel I/O, solenoid drivers, A/D and D/A converters, clock, watchdog, LCD interface, RS485 serial, built-in power supply and much more! Use them to control anything. Our \$195 interactive Dynamic C™ development system makes software development easy. These units have high performance and serious software support. We also have design-your-own-board core modules as low as \$59.



\$159

(Tiny Giant Digital, qty. 1)

Z-World Engineering

1340 Covell Blvd., Davis, CA 95616 USA

(916) 753-3722

Regular Fax: (916) 753-5141

Automatic Fax: (916) 753-0618

(Call from your fax, hear computer voice, use touchtone dial to request desired data sheets.)

Circle 345 on Inquiry Card.

FREE CATALOG

RS-232C INTERFACE & MONITORING EQUIPMENT CATALOG

WRITE or CALL for YOUR **FREE** COMPREHENSIVE B & B ELECTRONICS CATALOG TODAY!

Pages and pages of photographs and illustrated, descriptive text for B&B's complete line of RS-232C converters, RS-422 converters, current loop converters, adapters, break-out boxes, data switches, data splitters, short haul modems, surge protectors, and much more. Most products meet FCC Part 15.1. Your RS-232 needs for quality, service and competitive prices will be more than met by B&B ELECTRONICS. Manufacturer to you, no middleman! Money-back guarantee! Same-day shipment! One-year warranty on products! Technical support is available.

Write For Your **FREE** Catalog Today!

B & B electronics

MANUFACTURING COMPANY

4000 Baker Road P.O. Box 1040 • Ottawa, IL 61350

Phone: 815-434-0846



Order direct from manufacturer TODAY & SAVE!

Circle 40 on Inquiry Card.

**ONE YEAR
WARRANTY**

AMT INTERNATIONAL

**LOWEST PRICES
SAME DAY
SHIPPING**

2393 QUME DRIVE, SAN JOSE, CA 95131

(408) 432-0552 • (408) 432-1790 • Fax: (408) 944-9801

COMPUTER SYSTEMS

AMT 486-25 MHz w/128K Cache

1MB RAM
90 MB SCSI HARD DISK
MATH Co-PROCESSOR SOCKET
1:1 2HD/FD CONTROLLER
1.2 OR 1.44 FLOPPY DRIVE
I/O 2S/P/G/ PORT
101 KEY BOARD
FULL TOWER CASE
w/230 P/S
SUPPORT UNIX, XENIX,
DOS, OS/2, NETWORK

\$2799

AMT 386-33 MHz w/64K Cache

1MB RAM
40 MB HARD DISK
INTEL 386-33 MHz CPU
MATH Co-PROCESSOR SOCKET
1:1 2HD/FD CONTROLLER
1.2 OR 1.44 FLOPPY DRIVE
I/O 2S/P/G/ PORT
101 KEY BOARD
MINI-TOWER CASE w/200 P/S
SUPPORT UNIX, XENIX,
DOS, OS/2, NETWORK

\$1399

AMT 386-25 MHz w/40 MB Hard Disk

1MB RAM
40 MB HARD DISK
INTEL 386-25 MHz CPU
MATH Co-PROCESSOR SOCKET
1:1 2HD/FD CONTROLLER
1.2 OR 1.44 FLOPPY DRIVE
I/O 2S/P/G/ PORT
101 KEY BOARD
AT CASE w/200 P/S
SUPPORT UNIX, XENIX,
DOS, OS/2, NETWORK

\$1249

AMT 386SX-16 MHz w/40 MB Hard Disk

1MB RAM
40 MB HARD DISK
INTEL 386SX-16 MHz CPU
MATH Co-PROCESSOR SOCKET
1:1 2HD/FD CONTROLLER
1.2 OR 1.44 FLOPPY DRIVE
I/O 2S/P/G/ PORT
101 KEY BOARD
AT CASE w/200 P/S
SUPPORT UNIX, XENIX,
DOS, OS/2, NETWORK

\$995

**COMPUTER SYSTEMS: VGA MONITOR AND VGA
16 BIT CARD (1024 x 768) \$445**

MEMORY UPGRADES

COMPAQ MEMORY

DeskPro 286-E, 386-20/20E/25	
1MB 113131-001	\$139.00
4MB 113132-001	\$369.00
DeskPro 286N, 386N and 386SX	
2MB 118689-001	\$225.00
4MB 118690-001	\$590.00
DeskPro 386S	
1MB 113646-001	\$139.00
4MB 112534-001	\$369.00
DeskPro 386-33, 486-33 & SystemPro	
2MB 115144-001	\$225.00

AST MEMORY

Bravo-286, Workstation	
512K Kit 500510-010	\$59.00
2MB Kit 500510-002	\$172.00
Premium 386-16/20C	
1MB Kit 500510-007	\$95.00
4MB Kit 500510-008	\$369.00
Premium 386-20	
1MB Kit 500510-003	\$150.00
4MB Kit 500510-004	\$369.00
Bravo-386SX	
2MB Kit 500510-002	\$172.00
4MB Kit 500510-008	\$369.00
Premium 386-SX/25/33 & 486-25	
1MB 500718-002	\$80.00

HEWLETT-PACKARD MEMORY

Vectra QS/16S	
1MB D1540A	\$112.00
4MB D1542A	\$349.00
Vectra QS/20PC, RS/25PC and 20C	
1MB D1640A	\$126.00
4MB D1642A	\$365.00
Vectra 486PC	
1MB D2150A	\$115.00
4MB D2151A	\$390.00

IBM PS/2 MEMORY

Models 30-286, Exp. Board 1497259	
512 K Kit 30F5348	\$54.00
2MB Kit 30F5360	\$175.00
Models 70-E61/121, 55SX, 65SX	
1MB 6450603	\$95.00
Models 70-E61/121, 50Z, 55SX, 65SX	
2MB 6450604	\$179.00
Models 55SX, 65SX, 34F3077 & 34F3011	
4MB 34F2933	\$485.00
Models 70-A21	
2MB 6450608	\$170.00
Models 80-141	
1MB 6450375	\$145.00
Models 80-111/311	
2MB 6450379	\$269.00
All Models 70 and 80	
2-8MB w/2M 6450605	\$499.00
2-14MB w/2M34F3077	\$599.00
2-16MB w/4M34F3077	\$999.00
Models 50, 50Z, 55 SX & 60	
2-8MB 1497259	\$599.00

LASER PRINTER MEMORY

Hewlett-Packard Laser Jet IIP & III	
1MB 33474B	\$130.00
2MB 33475B	\$150.00
4MB 33477B	\$199.00
Hewlett-Packard Laser Jet IIP & III	
1MB 33443B	\$135.00
2MB 33444B	\$150.00
4MB 33445B	\$199.00
IBM Laser 4019 and 4019e	
2MB 1039137	\$369.00
3.5MB 1038675	\$469.00
Canon LBP-8II, 8IIR, 8IIT	
2MB S63-1880	\$225.00
4MB Part #N/A	\$439.00

LAPTOP AND PORTABLE MEMORY

TOSHIBA MEMORY	
1MB Model 1000SE/XE	\$329.00
2MB Model 1000SE/XE	\$469.00
2MB Model T1200XE	\$289.00
2MB Model T1600	\$289.00
2MB Model T3100E	\$175.00
2MB Model T3100SX	\$175.00
4MB Model T3100SX	\$689.00
2MB Model T3200SX	\$175.00
4MB Model T3200SX	\$689.00
2MB Model 5100	\$289.00
2MB Model T5200, T8500	\$185.00
8MB Model T5200, T8500	\$1300.00

ZENITH MEMORY	
1MB SuperSport 286 & 286E	\$199.00
2MB SuperSport 286 & 286E	\$455.00
2MB SuperSport SX/Alpha	\$455.00
4MB SuperSport SX/Beta	\$455.00

COMPAQ MEMORY	
1MB Portable LTE 286	\$195.00
2MB Portable LTE 286	\$299.00
1MB SLT-286	\$245.00
4MB SLT-286	\$1395.00

NEC MEMORY	
1MB Prospeed 286	\$270.00
2MB Prospeed 386	\$450.00

ZENITH MEMORY

Zenith Z-386/20/25/33 & 33E	
1MB ZA36/380ME	\$99.00
4MB ZA3800MK	\$675.00
Zenith Z-386/20/25/33 & 33	
2MB ZA3600ME	\$199.00
Zenith Z-386 SX	
2MB Z-605-1	\$255.00

MATH COPROCESSORS

INTEL	
8087-5MHz	\$80.00
8087-2 8MHz	\$116.00
8087-1 10MHz	\$155.00
80287-6 6MHz	\$130.00
80287-8 8MHz	\$185.00
80287XL 8/10MHz	\$185.00
80287XTL 12 MHz (Laptop)	\$210.00
80287-10 10MHz	\$185.00
80C287-12 12MHz	\$195.00
80387SX-16	\$285.00
80387SX-20	\$310.00
80387DX-20	\$340.00
80387DX-25	\$425.00
80387DX-33	\$525.00

WEITEK	
3167-20 20MHz	\$300.00
3167-25 25MHz	\$350.00
3167-33 33MHz	\$500.00
4167-25MHz	\$800.00
4167-33MHz	\$1050.00

CYRIX	
83087-16 16MHz	\$260.00
83087-20 20MHz	\$295.00
83087-25 25MHz	\$360.00
83087-33 33MHz	\$440.00
83SX87-16 16MHz	\$235.00
83SX87-20 20MHz	\$260.00

ITT	
8C87-8	\$165.00
8C287-10	\$175.00
8C287-12	\$200.00
8C287-20	\$230.00
8C387-20	\$265.00
8C387-25	\$350.00

AMD	
80C287-10	\$110.00
80C287-12	\$130.00

DRAM

DRAM 1MGX1		DRAM 64X4		DRAM 256X4	
1 MGX1-120NS \$5.00	4464-15	\$1.50	256X4-120NS	\$5.00	
1 MGX1-100NX .5.25	4464-12	1.99	256X4-100NS	5.50	
1 MGX1-80NX .5.50	4464-10	2.50	256X4-80NS	5.75	
1 MGX1-70NX .5.75			256X1-STATIC COL		
1 MGX1-60NX .7.50			51258P-10	\$2.99	
			AAA 2800-08	3.00	
			AAA 2800-07	3.25	
			AAA 2800-06	4.50	
			1X4-80 ZIPP	35.00	
			1X4-80STT ZIPP	39.00	
			1X4-70STT ZIPP	39.00	
DRAM 64X1		DRAM 256X1			
256X1-150NS	\$1.79				
256X1-120NS	1.99				
256X1-100NS	2.00				
256X1-80NS	2.25				
256X1-70NS	2.35				
256X1-60NS	3.99				

SIMM MODULES

IBM TYPE		256x9-10	16.00
Add \$2.00 for SHIPS		256x9-80	18.00
4Mx9-80	\$250.00	256x9-60	23.00
1Mx9-60	60.00		
1Mx9-10	45.00		
1Mx9-80	49.00		
1Mx9-70	51.00		
256x9-70	20.00		

MICRO-PROCESSORS

68020 16MHz	\$129.00
20MHz	169.00
25MHz	179.00
33MHz	199.00
68030 16MHz	129.00
25MHz	199.00
68010 16MHz	60.00

CPU CHIPS

80386DX-16	\$250.00	80286-8 (PLCC)	15.00
80386DX-20	325.00	80286-10 (PLCC)	18.00
80386DX-25	425.00	80286-12 (PLCC)	20.00
80386DX-33	450.00	82385-20	60.00
80386ex-16	210.00	82385-33	75.00
80386ex-20	215.00	V-20-8	6.00
80486DX-25 (B6)	650.00	V-20-10	10.00
80486DX-33 (B6)	1150.00	V-30-10	10.00

THE FASTEST 80486 & 80386/40 MHz 15 Mips, FASTER THAN EVEREX STEP & ALR

15 Mips! 1995 Qty 1

80386
40 MHz
AVAILABLE

NEW BABY SIZE

SYSTEM BOARD

MODEL	CACHE	MIPS	OK	4M
486/33	64K	15.2	1995	2195
486/25	64K	11.4	1495	1695
386/40	64K	9.8	995	1195
386/33	64K	8.3	895	1095
386/25	64K	6.2	795	995

*256K Cache Available

FEATURES

- 64/256K Write Back Cache
- Burst Mode Design
- Shadow Ram on Video & Bios
- 64MB 32 Bit Memory Expansion
- Baby size with Eight Expansion Slot
- Unix, OS/2 & Novell 100% Compatible
- One Year Full Warranty
- Made in USA

Complete Desktop System With
1.2 MB Floppy, HD/Floppy Controller,
101 Keybrd And 4MB Memory

MODEL	BASE	MONO	VGA
486/33	2595	2770	3045
486/25	2095	2270	2545
386/40	1595	1770	2045
386/33	1495	1670	1945
386/25	1395	1570	1845

*FCC, UL & CSA Approval
*Tower Add \$200 & Hard Disk Available

MONITOR

VGA	315.00
MULTISCAN	415.00
SUPER VGA	345.00

UNIVERSAL 3 1/2-5 1/4 KIT

FLOPPY	5.00
HARD DISK	5.00

INTEL MATH-CO

80387-20	345.00
80387-25	435.00
80387-33	540.00

DRAM

4M x 9 - 80	300.00
1M x 9 - 80	59.00
1M x 9 - 70	69.00

HARD DISK

MAXTOR IDE 40MB	263.00
TOSHIBA IDE 100MB	486.00
MAXTOR IDE 200MB	869.00


SUPER TOWER

\$335
Qty. 5

- 5 Half Ht. Drive Bay
- 2 Full Ht. Drive Bay
- 250 Watt UL/Power Supply
- Dual Fans
- Double Security Lock
- Wheels / Caster
- Front Display Panel
- Excellence For UNIX & NOVELL Server
- UPS Optional

TECHNOLOGY POWER ENT., INC.

47273 Fremont Blvd., Fremont, CA 94539
Tel: 415-623-3818 Fax: 415-623-3840



COMPUcom

9,600-38,400 bps MODEM...\$169

NOW you can afford a **SPEEDMODEM**.™ The **CHAMP**™ has a raw speed of 300 - 9600 bps and 4:1 data compression for throughput up to 38,400 bps. Dynamic Impedance Stabilization™ provides robust performance on noisy telephone circuits. The **COMBO**™ adds 9600 bps send/receive, full-featured **FAX** with **VOICE MAIL** upgrade...total communications capability—only \$279. Both come with a 30-day money back guarantee, 5-year warranty and made in USA. **BYTE** magazine said our 2400bps modem was "a real deal!"...well we've done it again! See for yourself...
*3/89p.102

408732-4500 **CALL NOW 800 228 6648** Fax 408732-4570

ANNOUNCING: AN ADVANCE IN 9-TRACK OF VERY SMALL PROPORTIONS.



Overland Data's OD3210, the smallest autoloading 9-track tape drive in the world.

While everyone else is downsizing and simplifying computers and peripherals, 9-track tape drive manufacturers have somehow managed to buck this trend with drives that are huge and heavy or awkwardly manual loading.

Too bad for them. Introducing the OD3210, designed and built by Overland Data to bring 9-track into the modern office. It's incredibly compact. Portable. Whisper quiet. Uses only 45 watts. And is extremely reliable. No other drive has fewer moving parts. Best of all, it's surprisingly affordable.

The OD3210 comes with a two year warranty, expert toll-free support, and the ODI Special Service Program. So call us. And find out why some of the best advances are the smallest ones.

1-800-PC9-TRAK
(1-800-729-8725)

Bus. Phone: 1-619-571-5555 • FAX: 1-619-571-0982

OVERLAND DATA
San Diego, CA

PAPER KEYBOARD

Handwriting Recognition Software for Data Entry:

- Faster than a data entry clerk
- More accurate than manual entry
- Puts your desktop scanner to work
- Reads numbers, letters and punctuation
- Input data from multiple choice check boxes
- \$895. Eval kit with complete manual: \$79

Master your data entry problems. Design forms with Windows DTP or word processing software, aided by the PaperKey font. Fill in your forms with pen or pencil. Store data in any database via ASCII file or DDE. Paper Keyboard makes it fast and easy.

Datacap Inc.

914 347-7133 Fax 914 347-7136
Five West Main Elmsford NY 10523

FAST PS/2 & AT DISKS.

Failsafe Novell Subsystems

Flawless Performance

The power user's first choice, Perisol's subsystems offer failsafe peak performance without stretching your budget. DOS, OS/2, Xenix, Netware 286 & 386 for both AT & PS/2s. No compatibility issues. No problems. It's that simple.

- ✓ Caching Controllers
- ✓ Disk Mirroring & Duplexing
- ✓ Torture-Tested Drives with 24-hour Burn-in

**1 GB
Opticals**

**1 GB Erasable
Optical Subsystem
For Novell \$5249
For DOS \$4851**

**5
Years**

"We back our
5.25" Drives
for 5 Years!"

**Straight From
the Box
Integration!**

System	Capacity	Access	Interface	Price
AT	86 MB	18 ms	IDE	\$455
AT	120 MB	18 ms	ESDI	\$803
AT	120 MB	18 ms	IDE	\$549
AT	158 MB	14 ms	ESDI,SCSI	\$996
AT	200 MB	15 ms	IDE	\$871
AT	213 MB	15 ms	SCSI	\$961
AT	338 MB	16 ms	ESDI,SCSI	\$1443
AT	652 MB	16 ms	ESDI,SCSI	\$2065
PS/2	150 MB	14 ms	ESDI	\$1269
PS/2	330 MB	16 ms	ESDI	\$1736
PS/2	652 MB	16 ms	ESDI	\$2343

Maxtor

□ Drive, Controller, Cables and Software included with Subsystems.



Call for Perisol's Complete Product Catalog

800-447-8226

Fax: 408-988-4431 Support: 800-228-8489
International Tel: 408-988-2232

The Editors Could Not Agree More... "FCS 386: DX POWER FOR AN SX Price"

PC Source Magazine

**FCS 386SX
16 MHz
\$1349**

STANDARD FEATURES

- 1 MB RAM Exp. to 8 MB
- 1.2 MB Floppy
- 2 Serial, 1 Parallel, 1 Game Port
- 14" Super VGA 1024 x 768 .28 Monitor
- 40 Meg Hard Drive
- 16 bit SVGA Card 512K
- Mid Tower Case with 200 PS
- Runs DOS, OS/2, UNIX/XENIX
- AMI BIOS
- 101 Keyboard

**FCS 386SX
20 MHz
64k Cache
\$1499**

SPECIAL UPGRADE TO 125 MEG HARD DRIVE \$169

OTHER SYSTEMS WITH SAME CONFIGURATIONS

286-12 Mhz: \$1049	286-16 Mhz: \$1099	386-25 Mhz: \$1599
386-25C Mhz./64K Cache \$1799	386-33 Mhz./64K Cache \$1899	486-25 Mhz./64 K Cache \$2799
	486-33 Mhz./64K Cache \$3299	

LAPTOPS

All Features: 1 MB RAM, 1.44 MB Floppy, 40 MB Hard Drive, VGA Display, DOS & Carrying Case, Weight 14lb.

286-20 \$1799	386SX-16 \$1799	386SX-20 \$2149
---------------	-----------------	-----------------

NOTEBOOKS

All Features: 1 MB RAM, 1.44 MB Floppy, 40 MB Hard Drive, VGA Display, DOS & Carrying Case, Weight 7lb.

286-12 \$1599	386SX-16 \$1999	386SX-20 \$2199
---------------	-----------------	-----------------

SPECIAL SALE

MOTHER BOARDS

286-12 Mhz: \$120	386-25 Mhz/64 K Cache: 700
286-16 Mhz: 149	386-33 Mhz/64 K Cache: 750
386 SX-16 Mhz: 349	486-25 Mhz/64 K Cache ISA: 1399
386SX-20/64 K Cache: 549	486-33 Mhz/64 K Cache ISA: 1999
386-25 Mhz: 625	

HARD DRIVES

Seagate ST-157A, 44 MB, IDE: 209	Maxtor 8760E, 660MB, ESDI: 1899
Seagate ST-296N, 84 MB, SCSI: 319	Quantum ProDr 40AT, 40MB, 19MS: 269
Seagate ST-1102A, 89 MB, IDE: 399	Quantum ProDr 80AT, 80MB, 19MS: 425
Seagate ST-1144A, 125 MB, IDE: 460	Quantum PDLPS 105AT, 105MB, 17MS: 495
Seagate ST-1201A, 177 MB, IDE: 779	Quantum ProDr 210A, 210MB, IDE: 849
Maxtor LXT-200, 200 MB, IDE: 799	Conner CP-3104, 100 MB, IDE: 449
Maxtor 8390E, 340 MB, ESDI: 1249	Conner CP-3204, 200 MB, IDE: 799

* PRICES AND AVAILABILITY SUBJECT TO CHANGE WITHOUT NOTICE.

First Computer Systems, Inc.

3953 Pleasantdale Road Suite 114

Atlanta, Georgia 30340

FAX: 404-441-1856

404-441-1911

1-800-325-1911

Move From DOS® to UNIX® Without Compromising Your Standards

Is the productivity of your workgroup hindered by the inability to share programs, resources, and information?

If so, then let Archer Business Products, Inc., registered resellers of SCO™, WordPerfect®, and Lotus® products, release your company from the proprietary trap. We carry a large selection of UNIX operating system software, spreadsheet, database, office automation, word processing, and management tools. In addition to getting the best UNIX software, you'll receive free technical support, competitive pricing, compatibility verification, prompt shipping, and personal service. Do what many UNIX users have already done. Call today for your free catalog of UNIX business applications.

1-800-288-8996

8am-5pm Central, Monday-Friday



ARCHER BUSINESS PRODUCTS, INC.
427 S. Boston Ave., Suite 614
Tulsa, OK 74103

BY591

VOICE MASTER KEY® SYSTEM II

VOICE RECOGNITION & SPEECH RESPONSE
FOR IBM PC/XT/AT/386, PS/2, LAPTOPS, COMPATIBLES



FOR PRODUCTIVITY, PRESENTATIONS, SOFTWARE DESIGN, ENTERTAINMENT, LANGUAGE TRAINING, EDUCATION, MORE...

SPEECH/SOUND RECORDING AND PLAYBACK. Desktop Audio sound editing allows you to create custom sound applications. Variable sample rate (to 20 KHz) and compression levels. A four-voice music synthesizer is included also!

VOICE RECOGNITION TSR utility allows you to add voice command keyboard macros to your CAD, desktop publishing, word processing, spread sheet, or entertainment programs. Up to 64 voice commands in RAM at once--more from disk.

HARDWARE SYSTEM contains built-in speaker with separate volume and tone controls, external speaker and headphone jacks. Enclosure made of sturdy vinyl-clad steel. Attaches to parallel printer port without affecting normal printer operation (U.S. Patent 4,812,847). Headset microphone, printer cable, 9 volt AC adapter (110 volt UL/CSA listed), and comprehensive user manual included.

QUALITY THROUGHOUT. MADE IN USA. ONLY \$219.95

ORDER HOTLINE: (503) 342-1271 Mon-Fri, 8 AM to 5 PM PST

Visa/MasterCard, company checks, money orders, CODs (with prior approval) accepted. Personal checks subject to 3 week shipping delay. Specify computer type when ordering. Add \$5 shipping charge for delivery in USA and Canada. Foreign inquiries contact Covox for C&F/CIF quotes. OEM configurations available.

30 DAY MONEY BACK GUARANTEE IF NOT COMPLETELY SATISFIED.

CALL OR WRITE FOR FREE PRODUCT CATALOG



COVOX INC.
675 Conger Street
Eugene, Oregon 97402

TEL (503) 342-1271
FAX (503) 342-1283
BBS (503) 342-4135

WE GUARANTEE LOWEST PRICING ON:

- SEAGATE, CONNER MINISCRIBE HARD DRIVE
- INTEL COPROCESSORS
- 84 & 101KEY KEY BOARD
- ALL ADVERTISING MEMORY UPGRADES
- PLUS ANY OTHER ITEM IN THIS AD

WE OFFER:

- SAME DAY SHIPPING ON 98% OF ORDERS
- INTERNATIONAL ORDERS RECEIVED WITHIN 2 DAYS BY DHL
- PURCHASE ORDERS FROM QUALIFIED FIRMS BY FAX
- LARGE QUANTITY PRICING, WE STOCK WHAT WE SELL

2MB FOR IBMPSP2

• Equivalent to 6450604 or 30F5360 • 5 Year Warranty
Your Price 129⁰⁰ Each

HEWLETT PACKARD MEMORY BD

• 2Meg for HP-III-III or III D (Specify) • Expandable to 4Meg
Your Price 138⁰⁰

BOCA RESEARCH

Boca Ram 50/60 0-4Meg 99⁰⁰ Boca Ram 50Z 0-2Meg 129⁰⁰
Boca Ram XT 0-2Meg 129⁰⁰

BOCA AT PLUS MEMORY BD

16 BIT MEMORY BOARD FOR 286, 386 AT
OK-8Meg BD • 4.0 LIM Compat. • New 5 Yr. Warr. • Conventional,
Expanded & Extended Memory • Supports DOS, OS/2, LIM/EMS & EEMS
OK — 112⁰⁰ 2 Meg — 219⁰⁰ 4 Meg — 319⁰⁰ 8 Meg — 499⁰⁰

COMPAQ MODULES

• Part Number 113132-001 • For Compaq DeskPro 286E, 386/20E, 25E
5 YEAR WARRANTY Your Price 239⁰⁰

INTEL COPROCESSORS SPECIAL

80387-16 249⁰⁰ 80287-10 149⁰⁰
80287-6MHZ 89⁰⁰

COMPAQ (BOARDS & MODULES)

Compaq Model	Memory Added	Compaq Equiv. Part #	Your Low Price
DESKPRO 286	512K Kit	113012-001	59 ⁰⁰
DESKPRO 286N, 386N	1MB Module	118688-001	79 ⁰⁰
386SX/20	2MB Module	118689-001	148 ⁰⁰
DESKPRO 386/16	4MB Module	118690-001	418 ⁰⁰
	1MB Board	108069-001	299 ⁰⁰
	2MB Board	108069 W/71	348 ⁰⁰
	1MB Board	108071-001	129 ⁰⁰
	4MB Board	108070-001	699 ⁰⁰
	4MB Kit	108072-001	318 ⁰⁰
DESKPRO 386s	1MB Board	113633-001	189 ⁰⁰
	4MB Board	113634-001	399 ⁰⁰
	1MB Module	113646-001	104 ⁰⁰
	4MB Module	112534-001	279 ⁰⁰
DESKPRO 386/20, 25 286E	1MB Module	113131-001	99 ⁰⁰
DESKPRO 386/20E/25E	4MB Module	113132-001	238 ⁰⁰
DESKPRO 386/20E/25E	1MB Board	113644-001	189 ⁰⁰
DESKPRO 386/20E/25E	4MB Board	113645-001	399 ⁰⁰
DESKPRO 386/33, 486/25 SYSTEMPRO	2MB Module	115144-001	169 ⁰⁰
	32MB Module	116561-001	589 ⁰⁰
	32MB Module	116562-001	589 ⁰⁰
-- PORTABLES --			
PORTABLE III	512K Kit	107331-001	49 ⁰⁰
	INTFC BD	107808-001	99 ⁰⁰
	EXP BD	107811-001	249 ⁰⁰
SLT/286	2MB Kit	107332-001	139 ⁰⁰
	1MB Module	110235-001	89 ⁰⁰
LTE/286	4MB Module	110237-001	649 ⁰⁰
	512K Board	110707-001	199 ⁰⁰
	1MB Board	110708-001	129 ⁰⁰
	2MB Board	110701-002	185 ⁰⁰
PORTABLE 386/20	1MB Kit	107651-001	228 ⁰⁰
	INTFC BD	107707-001	99 ⁰⁰
	4MB Board	107863-001	799 ⁰⁰
	4MB Ext. Board	107654-001	799 ⁰⁰
SLT/386S	1MB Module	108303-001	225 ⁰⁰
	2MB Module	108304-001	395 ⁰⁰

SIMM MODULES

Description	120NS	100NS	80NS	70NS	60NS
256 x 9 IBM	19 ⁰⁰	24 ⁰⁰	29 ⁰⁰	26 ⁰⁰	39 ⁰⁰
1Meg x 8 Apple	—	57 ⁰⁰	59 ⁰⁰	71 ⁰⁰	79 ⁰⁰
1Meg x 9 IBM	55 ⁰⁰	57 ⁰⁰	59 ⁰⁰	69 ⁰⁰	74 ⁰⁰
4Meg x 9 IBM	—	—	—	299 ⁰⁰	319 ⁰⁰

TOSHIBA MEMORY

Toshiba Model	Memory Added	Toshiba Equiv. Part #	Your Low Price
PORTABLE 2000SX	1MB BD	PC14-PA8311U	198 ⁰⁰
T1000SE & XE/LE	2MB BD	PC14-PA8312U	288 ⁰⁰
PORTABLE T1200xe	2MB BD	PC13-PA8306U	178 ⁰⁰
PORTABLE T1600	2MB BD	PC8-PA8302U	158 ⁰⁰
PORTABLE T3100e	2MB Kit	1P09-PA8341U	158 ⁰⁰
PORTABLE T3100SX	2MB BD	PC15-PA8308U	158 ⁰⁰
PORTABLE T3200	4MB BD	PC15-PA8310U	458 ⁰⁰
PORTABLE T3200SX	3MB BD	PC6-PA7137U	298 ⁰⁰
PORTABLE T3200SX	2MB Kit	PC12-PA8307U	158 ⁰⁰
PORTABLE T5100	4MB Kit	PC12-PA8309U	458 ⁰⁰
DESKTOP T8500	2MB BD	PC7-PA8301U	178 ⁰⁰
OR	2MB Kit	PC10-PA8304U	168 ⁰⁰
PORTABLE T5200	8MB Kit	PC10-PA8313U	995 ⁰⁰

ZENITH MEMORY

Zenith Model	Memory Added	Zenith Equiv. Part #	Your Low Price
Z386/33/37E/25/20	1MB Module	ZA3800MK	39 ⁰⁰
	4MB Module	ZA3800MK	39 ⁰⁰
Z386/25/33	1MB Module	ZA3800MG	99 ⁰⁰
	2MB Module	ZA3800MG	189 ⁰⁰
Z248, Z286LP, Z386SX	2MB Module	Z-605-1	199 ⁰⁰
TURBO SPRT 386,386e	1MB Kit	ZA3034ME	259 ⁰⁰
SUPER SPRT	2MB Kit	ZA180-64	395 ⁰⁰
SX	2MB Kit	ZA180-86	395 ⁰⁰
	2MB Kit	ZA180-87	395 ⁰⁰
SUPER SPRT 286	1MB Kit	ZA180-66	179 ⁰⁰
286e, SX	2MB Kit	ZA180-64	325 ⁰⁰

EVEREX MEMORY BOARDS

RAM 3000 DELUXE Up to 3 Meg. (EMS) 4.0 OS/2. Back up base memory & expanded &/or extended memory. Uses 256K D-RAM 99⁰⁰
RAM 8000 0-8MG capacity base, extended or expanded memory any combination. Compatible w/Lotus, Intel, Microsoft, EMS 4.0, EPMs, Supports Multi-Tasking & DMA Multi-Tasking in hardware. Uses 1MG D-RAM 199⁰⁰
RAM 10000 0-10MB extended or expanded memory. Compatible with Lotus, Intel, Microsoft, EMS 4.0. Uses 1 MB D-RAM. 179⁰⁰

IBM PS/2 (BOARDS & MODULES)

IBM PS/2 Model	Memory Added	IBM Equiv. Part #	Your Low Price
PS/2 25/286	512K Kit	30F5348	39 ⁰⁰
30-286, 50 & 60	2MB Kit	30F5360	129 ⁰⁰
PS/2 50Z & 55-SX, 65SX	1MB SIMM	6450603	69 ⁰⁰
	2MB SIMM	6450604	129 ⁰⁰
(Above Installed on Expansion Bd 1497259)			
55SX & 65SX	4MB Module	34F2933 or 87F 9977	369 ⁰⁰
(Above Installed on System Bd)			
50, 50Z, 55SX & 60, 65SX	2-8MB Board	1497259 or 6450609	499 ⁰⁰
PS/2	1MB SIMM	6450603	79 ⁰⁰
70-E61, 061, 121	2MB SIMM	6450604	129 ⁰⁰
PS/2 70-A21 AX1, BX1	2MB SIMM	6450608	139 ⁰⁰
PS/2 80-041	1MB Module	6450375	108 ⁰⁰
PS/2 80-111, 121, 311, 321	2MB Module	6450379	168 ⁰⁰
80-A21, A31	4MB Module	6451060	378 ⁰⁰
PS/2	2-8MB Board	645605 OR	398 ⁰⁰
ALL 70s & 80s	2-14MB Board	34F3077 OR	529 ⁰⁰
	4-16MB Board	34F3011	795 ⁰⁰

RAM CHIPS (DIPS)

Description	150NS	120NS	100NS	80NS	70NS
64 x 1	19 ⁰⁰	24 ⁰⁰	29 ⁰⁰	26 ⁰⁰	39 ⁰⁰
64 x 4	19 ⁰⁰	24 ⁰⁰	29 ⁰⁰	26 ⁰⁰	39 ⁰⁰
256 x 1	19 ⁰⁰	24 ⁰⁰	29 ⁰⁰	26 ⁰⁰	39 ⁰⁰
256 x 4	19 ⁰⁰	24 ⁰⁰	29 ⁰⁰	26 ⁰⁰	39 ⁰⁰
1 Meg x 1	—	49 ⁰⁰	51 ⁰⁰	51 ⁰⁰	59 ⁰⁰

LASER JET MEMORY

Model	Memory Added	HP Equiv. Part #	Your Low Price
HP II & IID	2MB Module	33444B	139 ⁰⁰
	4MB Module	33445B	228 ⁰⁰
HP II & IID	1MB Module	33474A/B	98 ⁰⁰
HP II & IID	2MB Module	33475A/B	138 ⁰⁰
	4MB Module	N/A	238 ⁰⁰
CANON LBP4	1MB Module	N/A	199 ⁰⁰
CANON LBP	1MB Module	N/A	98 ⁰⁰
811, 811R, 811T	2MB Module	N/A	148 ⁰⁰
	4MB Module	N/A	238 ⁰⁰
IBM LASER	1MB Board	1039136	148 ⁰⁰
MODEL 4079	2MB Board	1039137	198 ⁰⁰

— OVERSTOCKED... CALL 800-654-7762... 30 - 70% OFF —

60 MEG TAPE BACKUPS

• 6.5MB per minute
• Wangtek 5099EN24 drive
• Controller • Menu driven • Software
• DC600 cartridge • Easy installation
List 999⁰⁰ Your Price 429⁰⁰
Wangtek 40MB backup works off floppy controller 189⁰⁰

200 WATT POWER SUPPLY

• Direct AT Replacement • UL Appr. 110/220V • 4 Drive Connectors
List 999⁰⁰ Your Price 49⁰⁰
150 Watt for XT 49⁰⁰ 10 for 46⁰⁰ each

The MousePen

• Uses existing drivers in Windows® & works w/Microsoft or IBM OS/2 drivers
• Menu Maker utility software for non-mouse applications • TelePAINT™
• IBM PS/2 mouseport connector • User manual • Custom Pen Holder
List 149⁰⁰ Your Price 49⁰⁰

DAISY WHEEL PRINTER

• 14CPS Letter Quality
• Manufactured by Silver Reed
• IBM Centronics Parallel Interface
• New 90 day warranty
List 1149⁰⁰ Your Price 99⁰⁰
12 CPS version for 79⁰⁰ 6 ft. Cable 99⁰⁰

10 MEG HARD DRIVE

• MicroScience 612 • 1/2 Height 5 1/4"
• MFM 6 Month Warranty
List 299⁰⁰ Your Price 69⁰⁰
w/8 Bit Controller Add 55⁰⁰ 20Meg Drive 99⁰⁰

84KEY KEY BOARD

• New 1 Yr. Warr. • Works on XT/AT & 386's • Low Cost, High Quality by Mitsumi 101Key 49⁰⁰
List 79⁰⁰ Your Price 19⁰⁰

71 MEG HARD DRIVE

• MiniScribe 3085
• MFM - 20MS - 1/2 Height 5 1/4"
• Works off XT or AT Hard Drive Controller
• 6 Month Warranty
List 899⁰⁰ Your Price 349⁰⁰
10 for 329⁰⁰ each

16 BIT HARD DRIVE CONTROLLER

• Western Digital 1003MMI • 2.1 Interleave
• Works with all MFM Harddrives
List 199⁰⁰ Your Price 29⁰⁰
WD 1003 MM2 same with floppy support 89⁰⁰

FAX CARD w/2400 BAUD MODEM

• Automatic Group III Digital Fax • Bkg. operation • Send text, screen images, scan, pages • Hayes compat. modem built on • Fax 9600/7200/4800/2400
• Software-telephone cord • New, factory sealed
List 695 Your Price 149⁰⁰

MODEMS

• Fully Hayes Compatible • Monitor Speaker with Volume Control
• 2400/300 Baud Transmission Rate • Addressable COM 1,2,3,4
• Compatible w/IBM PC, XT, AT & Compatibles • 2 Yr. Menu Warranty
• Full Duplex Operation • Complete w/Software • Auto Dial/Auto Answer Internal 69⁰⁰ External 89⁰⁰

FLOPPY DRIVES

• MITSUMI 360K 1/2 Ht. 5 1/4"
• 1.2 Meg 5 1/4 Grey Face
• 720K 3 1/2" Drive w/5 1/4" mounting 69⁰⁰
• 1.44 Meg 3 1/2" Drive w/5 1/4" mounting 79⁰⁰
• 360K Tandon TM100-2 Full Ht. (The original IBM) 89⁰⁰

MONITORS

• 14" VGA MULTISCAN 1024 x 768 28 Dot • New 1 Yr. Warr. 389⁰⁰
• 14" VGA DEMO 640 x 480 31 Dot • 3 Mo. Warr. • Looks New 289⁰⁰

INTEL COPROCESSORS

Model	5MHz or less	8 Bit	79 ⁰⁰	32 Bit	249 ⁰⁰
8087-2	8MHz	109 ⁰⁰		80387-15	349 ⁰⁰
8087-1	10MHz or less	149 ⁰⁰		80387-20	449 ⁰⁰
				80387-25	449 ⁰⁰
				80387-33	549 ⁰⁰
80287	6MHz	89 ⁰⁰		80387-SX	285 ⁰⁰
80287-8	8MHz	189 ⁰⁰		80387-SX20	319 ⁰⁰
80287-10	10MHz	149 ⁰⁰		80287-XL	198 ⁰⁰
80C287-12	Laptop	199 ⁰⁰		80287-XT	204 ⁰⁰

CONTROLLERS

FOR HARD IDE Controller 39⁰⁰ 8 Bit WD Controller 59⁰⁰
DRIVES: 16 Bit WD Controller 21.109⁰⁰ 16 Bit Excess HD/Floppy 1.1 99⁰⁰
FOR FLOPPYS: Super Floppy Controls 1.2, 360K, 720K & 1.44 Drives 69⁰⁰

CONNER IDE HARD DRIVES

40 Meg: 18 Mil. Sec. 349 100 Meg: 18 Mil. Sec. 499 200 Meg: 18 Mil. Sec. 849

SEAGATE HARD DRIVES

Model	45MB 28mssec 3 1/2" IDE	AT KIT	XT KIT
ST157A	69MB 19mssec 3 1/2" IDE	\$229	\$389
ST1182A	125MB 19mssec 3 1/2" IDE	\$489	\$799
ST1144A	210MB 15mssec 3 1/2" IDE	\$799	\$1249
ST1238A	20MB 65mssec	\$199	\$279
ST225	30MB 65mssec	\$249	\$379
ST238B (RL)	42MB 28mssec	\$339	\$589
ST251-F	65MB 28mssec	\$549	\$899
ST277A (RL)	80MB 28mssec	\$649	\$899
ST409E	120MB 28mssec	\$649	\$899
ST4144 (RL)			

XT kits include cables, software (over 22MB) controller • AT kits include cables, rails, software (over 22MB)

VIDEO CARDS

MonoGraphics 29⁰⁰ Color Graphics 29⁰⁰ (Both Hercules Compatible) w/Par Port Mono Card Text Only (New Menu, by Sperry) 99⁰⁰
VGA Card 1024 x 768 (256K Exp 512K) 99⁰⁰
STB monochrome card 29⁰⁰ EGA Card 69⁰⁰

ORDERS ONLY
800-654-7762
TECHNICAL / CUSTOMER SERVICE / ORDER STATUS:
702-294-0204
FAX 702-294-1168

*Manufacturer part #s for convenience only. All products 3rd party.
• WE ACCEPT INTERNATIONAL ORDERS
• WE ALSO PURCHASE EXCESS INVENTORY—FAX OR CALL
• NO SOFTWARE RETURNS
ALL PRICES FINAL
Trademarks are registered with their respective Co's.
386, 387, 387 and SX are trademarks of Intel Corp.

NO SURCHARGE FOR MC/VISA
TERMS:
MC • VISA • AE • CASH • NET
• Purchase Orders from Universities, Fortune 1000 & Government Agencies
• Personal Checks • C.O.D. add \$5.00
• 20% Restocking Fee on Returns Within 30 Days
• No Refunds After 30 Days — EXCHANGE ONLY



dBASE Data Entry



The TransTerm 5 is a work station data entry/display terminal for on-line shop floor data collection into PC/AT based systems. The unit is one of a family of such terminals which feature LC displays for operator prompting and data entry via a membrane keyboard or an optional barcode wand (Code 39). A multi-terminal polling controller (up to 250 stations) and a dBASE III + compatible software package are also available. System costs below \$300.00 per station. Call for info.

Options—backlighting for display, RS-422 I/O, 20 Ma current loop I/O.
dBASE is a registered trademark of Ashton-Tate, Inc.

COMPUTERWISE, INC.

302 N. Winchester • Olathe, KS 66062 • 913-829-0600 • Fax 913-829-0810

ADVANTECH

1991 PC-BUS Data Acquisition & Control Reference Guide

Total Solution for PC-based Industrial and Lab Automation



- A/D, D/A, DIO
- Signal Conditioning
- RS232/422/485
- Industrial PCs
- 286/386/486 CPU Cards
- RAM/ROM Disks
- Application Software

Free 120 page reference guide for quality minded, budget conscious engineers.

408-293-6786

1310 Tully Rd., #115, San Jose, CA 95122 FAX 408-293-4697

Circle 21 on Inquiry Card.

MEMORY

AT THE
RIGHT
PRICES!



SIMPLE TECHNOLOGY, INC.

"Your PC Memory Upgrade Specialists"

- ✓ LOWEST PRICES
- ✓ SAME DAY SHIPPING
- ✓ FULL TECHNICAL SUPPORT
- ✓ LIFETIME GUARANTEE
- ✓ FULLY TESTED
- ✓ 100% COMPATIBLE

COMPAQ

PRODUCT	PART #	AMT.
1MB Module	113131-001	\$115
Deskpro 386/20E, 20.25&25E, 286E		
1MB Module	113646-001	\$115
Deskpro 386S/16		
4MB Module	113132-001	\$305
Deskpro 386/20E, 20.25&25E, 286E		
4MB Module	112534-001	\$305
Deskpro 386S/16		
1MB Exp. Board	113644-001	\$175
Deskpro 386/20E & 25E		
1MB Exp. Board	113633-001	\$175
Deskpro 386S/16		
4MB Exp. Board	113645-001	\$465
Deskpro 386/20E & 25E		
2MB Module	115144-001	\$155
Deskpro 386/33, 486/25 Compaq System Pro		
1MB Upgrade	116688-001	\$75
Deskpro 286N, 386N		
1MB Board	117081-001	\$129
Portable LTE286		
2MB Board	117081-002	\$209
Portable LTE286		
1MB Board	110235-001	\$200
SLT286		
1MB Board	118303-001	\$200
SLT 386		
2MB Board	118304-001	\$329
SLT 386		
2MB Kit	107332-001	\$179
Portable III		

LASER PRINTER MEMORY

1MB HP	IIP & III & IIID	\$99
2MB HP	IIP & III & IIID	\$145
4MB HP	IIP & III & IIID	\$245
2MB HP	II & IID	\$145
4MB HP	II & IID	\$255
1MB IBM	4019 & 4019E	\$155
2MB IBM	4019 & 4019E	\$218
3.5MB IBM	4019 & 4019E	\$290
1MB Olivetti	PG108 & PG208	\$159
2MB Olivetti	PG108 & PG208	\$209
4MB Olivetti	PG108 & PG208	\$399

HEWLETT PACKARD

PRODUCT	PART #	AMT.
1MB KIT	D2150A	\$75
VECTRA 486PC (Inst. in Pairs)		
4MB Kit	D2151A	\$275
Vectra 486PC (Inst. in Pairs)		
8MB Kit	D1252A	\$599
Vectra 486PC (Inst. in Pairs)		
2MB Kit	D1354A	\$125
Vectra QS/16S & ES/12PC		
1MB Kit	D1540A	\$75
Vectra QS/16S		
4MB Kit	D1542A	\$255
Vectra QS/16S		
1MB Kit	D1640A	\$75
Vectra QS/20PC, RS/25PC & 20C		
4MB Kit	D1642A	\$265
Vectra QS/20PC, 20C, RS/25PC		

TOSHIBA

1MB Cd.	PC14-PA8311U	\$259
T1000SE & XE		
2MB Cd.	PC14-PA8312U	\$349
T1000SE & XE		
2MB Cd.	PC13-PA8306U	\$209
T1200XE		
2MB Cd.	PC8-PA8302U	\$209
T1600		
2MB Cd.	PC15-PA8308U	\$209
T3100SX		
4MB Cd.	PC15-PA8310U	\$499
T3100SX		
512KB Cd.	PC9-PA8340U	\$149
T3100E		
2MB Cd.	PC9-PA8341U	\$209
T3100E		
2MB Cd.	PC12-PA8307U	\$209
T3200SX		
3MB Cd.	PC6-PA7137U	\$309
T3200		
2MB Cd.	PC7-PA8301U	\$209
T5100		
2MB Module	PC10-PA8304U	\$209
T5200 & Desktop T8500		
4MB Cd.	PC12-PA8309U	\$539
Port. 3200SX		

IBM

PRODUCT	PART#	AMT.
128KB Kit	78X8955	\$36
Model 25		
512KB	30F5348	\$45
30/286, Adapt Bd. 1497259, 502&60		
2MB Kit	30F5360	\$139
30/286, Adapt Bd. 1497259, 502&60		
2MB Module	6450372	\$279
Adapter 6450367		
1MB Module	6450603	\$69
70-E61, 121, 50Z, 55SX, P70, 65SX		
6450609 & 34F30XX		
2MB Module	6450604	\$139
70-E061, 121, 50Z, 55SX, P70, 65SX		
Adapt. Bd. 6450605, 6450609 & 34F30XX		
2MB Module	6450608	\$139
70-A21, A61, B21, B61		
4MB Module Kit	34F2933	\$339
55SX, 031, 061, IBM P/N 34F077 & 34F3011		
1MB Board 80-041	6450375	\$119
2MB Board	6450379	\$199
80-111, 311, 121, 321		
4MB Bd 80-A21, A31, 6451060		
2-8MB Exp. Bd.	6450605	\$419
W/2MB, 70 & 80		
2-14 MB Exp. Bd.	34F3077	\$449
W/2MB, 70 & 80		
4-16MB Exp. Bd.	34F0311	\$729
W/4MB, 70 & 80		
2-14MB Exp. Bd.	6450609	\$539
W/2MB, 50, 50Z, 55SX & 60, 65SX		
NEW IBM PS/1 MEMORY		
512K		\$79
2MB		\$339

TERMS: MC, VISA, C.O.D.
Cash, Terms on P.O.'s from Qualified Firms, Universities, and Government Agencies. 20% Restocking Fee on all non-defective returns. CA orders add current sales tax. Call for Speeds and Configurations you don't see.
All Products Brand New & Guaranteed. We Buy Excess Inventory.

AST

PRODUCT	PART#	AMT.
2MB SIMM	500718-004	\$210
Premium 486		
1MB SIMM	500718-001	\$65
386/25, 386SX/16		
1MB SIMM	500718-002	\$70
Premium 386/33&486/33, 486/25T, 25TE, 25, 25E		
1MB Kit	500510-007	\$80
Premium 386C, 386/16		
4MB Kit	500510-008	\$275
Premium 386C, 386/16, Advanced Fastram Fast Board 386		
2MB Kit	500510-002	\$135
Premium W.S./386SX, 286, Bravo 286		
1MB Kit	50010-003	\$95
AST Premium/386		
512K Kit	500709-001	\$49
Advantages/2		
512KB Kit	500709-003	\$49
Rampage Plus/MC		
4MB Kit	500510-004	\$259
AST Premium/386, Rampage Plus/MC		

APPLE

1MB Kit Mac Port.	M0248	\$239
2MB Kit Mac Port.		\$739
3MB Kit Mac Port.		\$1090
4MB Kit Mac Port.		\$1390
1MB Kit Mac II	M0218	\$75
Mac IICX, IIX		
2MB Kit Mac II	M0219	\$115
Mac IICX, IIX		
4MB Kit Mac IIC	M0292LLA	\$246
16MB Kit Mac IIC		\$1190
4MB Kit Mac IIFX	M0376LLA	\$259

SIMMS

256 X 9-80 NS	\$18
256 X 9-100 NS	\$17
1 X 8-80 NS	\$50
1 X 8-100 NS	\$49
1 X 9-80 NS	\$54
1 X 9-100 NS	\$54
4MB X 8-80 NS	\$269
4MB X 8-100 NS	\$293
4MB X 9-80 NS	\$389

FOR SIPS ADD \$5
Call for Other Speeds

D-RAM

1 X 1-80	\$5.95
64 X 1	\$2.25
64 X 4	\$3.45
256 X 4-80	\$5.95
256 X 1-80	\$2.25

Other Speeds Available

INTEL

Math Co-processors	
80287-10	\$197
80387 SX-16	\$285
80387-SX-20	\$285
80387-25	CALL
80387-33	CALL

Call for Other Models

ZENITH

2MB Exp. Cd.	\$329
Alpha Supersport SX	
2MB Exp. Cd.	\$329
Beta Supersport SX	
1MB Exp. Cd.	\$235
Turboport 386E	
2MB Z386/20	\$150
25.33 ZA3600-ME	

Call for More Zenith

WE WILL MEET OR BEAT ANY ADVERTISED PRICE! DEALER, VAR. AND OEM INQUIRIES WELCOME.

1-(800)-367-7330 EXT. 75

International Orders: (714) 558-1120

Circle 278 on Inquiry Card.

MEMORY!

FIRST SOURCE
INTERNATIONAL, INC.

"The Only Source for Computer Memory!"

WE ACCEPT INTERNATIONAL ORDERS!

- 3 DAY INTERNATIONAL DELIVERY VIA FED EX OR DHL!
- USER INSTALLABLE • USER FRIENDLY •
- QUALITY PRODUCTS • PRICES • SERVICE • WARRANTY •
- UNLIMITED SELECTION • TECHNICAL SUPPORT •
- WE ACCEPT PURCHASE ORDERS •

CALL 714-588-9866 OR FAX 714-588-9872



Your choice of quality memory products manufactured by:

Kingston
TECHNOLOGY CORPORATION

PARAGON
MEMORY CORPORATION



IBM MEMORY

Model PS/1		
512K Kit	1057035	\$79.00
2MB	IBM PN N/A	\$219.00
Models 30-286, Exp. Board 1497259		
512K Kit	30F5348	\$39.00
2MB Kit	30F5360	\$129.00
Models 70-E61/121,502,555X,655X		
1MB	6450603	\$79.00
2MB	6450604	\$139.00
Models 55SX, 65SX, 34F3077 & 34F3011		
4MB	34F2933	\$339.00
Model 70-A21		
2MB	6450608	\$149.00
Model 80-141		
1MB	6450375	\$99.00
Models 80-111/311		
2MB	6450379	\$159.00
Models 80-A21/A31		
4MB	6451060	\$289.00
Models 90, 95 and P75		
1MB	6450902	\$239.00
4MB	6450128	\$429.00
Expansion boards for all models 50 and 60		
2-8MB w/2M	1497259	\$399.00
2-16MB w/2M	6450609	\$429.00
Expansion boards for all models 70 and 80		
2-14MB w/2M	34F3077	\$409.00
4-16MB w/4M	34F3011	\$559.00

COMPAQ MEMORY

DeskPro 286-E,386-20/20E/25		
1MB	113131-001	\$109.00
4MB	113132-001	\$289.00
DeskPro 386S/16		
1MB	113646-001	\$119.00
4MB	112534-001	\$319.00
DeskPro 286N, 386N, 386SX and 20		
1MB	118688-001	\$89.00
4MB	118690-001	\$399.00
DeskPro 386N, 386SX and 20		
2MB	118689-001	\$149.00
DeskPro 386-33, 486-33 & SystemPro		
2MB	115144-001	\$149.00
8MB	116561-001	\$959.00
DeskPro 386-20e and 25e		
1MB Board	113644-001	\$179.00
4MB Board	113645-001	\$359.00
DeskPro 386S		
1MB Board	113633-001	\$189.00
4MB Board	113634-001	\$369.00
DeskPro 386/16 (Popular in this order)		
1MB Kit	108071-001	\$129.00
1MB Board	108069-001	\$289.00
2MB Board	108069/71-001	\$389.00
4MB Board	108070-001	\$679.00
8MB Board	108070/72-001	\$1209.00

LAPTOP MEMORY

TOSHIBA

Model 1000SE, XE, LE and 2000SX		
1MB		\$189.00
2MB		\$279.00
Model 1000LE and 2000SX		
4MB		\$649.00
8MB		\$1199.00
Model T1200XE		
2MB		\$169.00
Model T1600		
2MB		\$169.00
Model T3100E		
2MB		\$169.00
Model T3100SX		
4MB		\$399.00
Model T3200SX		
2MB		\$169.00
4MB		\$399.00
Model T3200		
3MB		\$279.00
Model T5100		
2MB		\$169.00
Model T5200,T8500		
2MB		\$169.00
8MB		\$999.00
Model T3200SX		
2MB		\$169.00
4MB		\$399.00
Model T3200		
3MB		\$279.00
Model T5100		
2MB		\$169.00
Model T5200,T8500		
2MB		\$169.00
8MB		\$999.00

COMPAQ

Portable 386/20	1MB	\$279.00
	4MB	\$819.00

Hewlett-Packard DeskJet 500 and Plus		
256K		\$116.00
Brother HL-8		
1MB		\$159.00
2MB		\$199.00
Canon LBP-4		
1MB		\$199.00
2MB		\$349.00
Canon LBP8-III		
1MB		\$199.00
2MB		\$339.00
3MB		\$479.00
Compaq LTE386/20		
1MB		\$329.00
4MB		\$1139.00

WE WILL BEAT ANY ADVERTISED PRICE! - WHY CALL ANYONE ELSE?

PRINTER MEMORY

Hewlett-Packard LaserJet IIP, III and IID		
2MB	334758	\$149.00
4MB	334778	\$249.00
Hewlett-Packard LaserJet II and IID		
2MB	334448	\$139.00
4MB	334458	\$239.00
IBM Laser 4019 and 4019e		
2MB	1039137	\$169.00
3.5MB	1038675	\$249.00
Canon LBP-8II, 8IIR, 8IIT		
2MB	S63-1880	\$139.00
4MB	PN N/A	\$239.00
Panasonic 4450		
1MB	KX-P440	\$179.00
Panasonic 4450L and 4420		
2MB	KX-P441	\$169.00
4MB	PN N/A	\$269.00
Toshiba Page Laser 6		
2MB	LS6-NB0090	\$169.00
Okilaser 400, 800 and 820		
2MB	OKI PN N/A	\$169.00
4MB	OKI PN N/A	\$269.00

ZENITH MEMORY

Zenith Z-386/20/25/33 & 33E		
1MB	ZA36/3800ME	\$79.00
4MB	ZA3800MK	\$399.00
Zenith Z-386/25 & 33		
2MB	ZA3600MG	\$149.00
Zenith Z-386 SX		
2MB Kit	Z-605-1	\$129.00
Zenith TurboSport 386e		
4MB	ZA-3034-MK	\$569.00

AST MEMORY

Premium 386C and 386-16		
1MB Kit	500510-007	\$69.00
4MB Kit	500510-008	\$239.00
Premium 386-20		
1MB Kit	500510-003	\$89.00
4MB Kit	500510-004	\$269.00
Bravo 386-SX, WS/286/386 and /2		
2MB Kit	500510-002	\$129.00
4MB Kit	500510-008	\$239.00
Premium 386-SX/16/25/33 & all 486 models		
1MB	500718-002	\$69.00
Premium 486		
2MB	500718-004	\$179.00
Premium II 386SX/20 & 386SX/16		
1MB	500780-003	\$79.00
4MB	500780-004	\$399.00
8MB	PN N/A	\$779.00

HEWLETT-PACKARD MEMORY

Vectra QS/16S & ES/12PC		
2MB Kit	D1354A	\$139.00
Vectra QS/16S and RS/20PC		
1MB Kit	D1540A	\$79.00
4MB Kit	D1542A	\$279.00
Vectra QS/20PC, RS/25PC, 20C and 25C		
1MB Kit	D1640A	\$79.00
4MB Kit	D1642A	\$279.00
Vectra 486 PC		
1MB Kit	D2150A	\$89.00
4MB Kit	D2151A	\$419.00
Vectra 486PC and 386/25 PC		
8MB Kit	D2152A	\$829.00
Vectra 386/25 PC		
2MB Kit	D2381A	\$159.00
CALL FOR HP SERIES 9000/400T & 425T		

Portable LTE 286	1MB	\$129.00
	2MB	\$189.00
	4MB	\$599.00
SLT-286	1MB	\$169.00
	4MB	\$599.00
SLT-386	1MB	\$169.00
	2MB	\$279.00

ZENITH

SuperSport 286, 286e and Simport		
1MB		\$179.00
SuperSport SX, 286e and Simport		
2MB		\$229.00
SuperSport SX	2MB A or B	\$229.00
TurboSport 386e	1MB	\$199.00
NEC		
ProSpeed 286 and 386SX/16		
1MB		\$219.00
2MB		\$329.00
4MB		\$569.00
ProSpeed SX/20	1MB	\$219.00
	4MB	\$529.00
ProSpeed 386	2MB	\$299.00
	8MB	\$1249.00

SIMM MODULES

IBM COMPATIBLE

4Mx8-80	\$299.00
1Mx9-10	\$56.00
1Mx9-80	\$58.00
1Mx9-70	\$60.00
256Kx10	\$17.00
256Kx80	\$18.00
APPLE / MACINTOSH	
4Mx8-80	\$279.00
1Mx8-10	\$50.00
1Mx8-80	\$52.00
ALL MODULES AVAILABLE IN STATIC OR SIPP	

EXPANSION BOARDS

Everex RAM 3000 Deluxe

Up to 3MB of base, expanded and/or extended memory. EMS 4.0 compatible with no wait states. Uses 256Kx1 Dram.

with 512K: \$139.00

BocaRam/AT Plus

Up to 8MB for any AT or 16-bit compatible machines running up to 33MHz. Offers all types of memory, provides a maximum of 8MB LIM/EMS 4.0. Uses 1x1 Dram or 1x9 SIMM modules.

2MB with DRAM's: \$239.00

2MB with SIMM's: \$259.00

Orchid 8/16

Up to 32MB for IBM AT, or 16-bit compatible. Use as conventional, expanded and/or extended upto 32MB using 256K, 1MB or 4MB industry standard SIMMs.

with 1MB: \$299.00

DRAM CHIPS

1MBX1

1MX1-10	\$5.50
1MX1-80	\$6.00
1MX1-70	\$6.50
1MX1-60	\$7.50

256KX4

256KX4-10	\$5.50
245KX4-80	\$6.00

256KX1

256KX1-10	\$1.90
256KX1-80	\$2.00
256KX1-70	\$2.50
256KX1-60	\$3.00

ALL CHIPS AVAILABLE IN STATIC COLUMN - DIP - ZIP - SOJ

TOLL FREE FROM ANYWHERE IN THE U.S. OR CANADA

ORDER NOW! 1-800-535-5892



WE ACCEPT VISA, MASTERCARD AND AMERICAN EXPRESS!



- No surcharge on Visa or Mastercard. AmEx add 4%.
- Terms: AMEX, Visa, Mastercard, C.O.D., P.O.'s.
- 20% Restocking fee on all non-defective returns and refused orders. Return Authorization # required.
- Manufacturers part numbers are for your convenience, all products are third party. 100% compatible or full refund!
- Prices and availability subject to change.
- "We will beat any advertised price" offer not good for SIMMs or DRAM.

INT'L 714-588-9866

U.S. 800-535-5892

FAX 714-588-9872

MAIL ORDERS TO:

FIRST SOURCE INT'L INC.

36 ARGONAUT, STE 140

ALISO VIEJO, CA 92656

FOLLOW YOUR PACKAGE EVERY STEP OF THE WAY!



FAST, INEXPENSIVE AND DEPENDABLE DELIVERY ANYWHERE IN THE WORLD! CHOOSE THE CARRIER TO FIT YOUR DELIVERY NEEDS AT LOW RATES. INFORMATION FOR TRACKING SHIPMENTS IS READILY AVAILABLE AT YOUR REQUEST!

UNIVERSAL**800-678-8648****MEMORY PRODUCTS****714-258-2018 FAX 714-258-2818****15411 REDHILL AVE SUITE B TUSTIN CA 92680****OPEN M-F 7AM-5PM SAT 8AM-2PM**

WE ACCEPT VISA/MC NO S/C
FOR AMEX ADD 4%
PO'S FROM APPROVED FIRMS
INTERNATIONAL ORDERS
ACCEPTED

IBM PS/2 MEMORY	SIMM/SIPP MODULES	MEMORY EXPANSION BOARDS	LASER PRINTER UPGRADES	LAPTOP UPGRADES	MATH-COPROCESSORS
6450604.....\$139 2MG MDL 50Z, 55SX, 70 6450608.....\$149 2MG MDL 70A21 6450379.....\$247 2MG MDL 80-111/311 34F2933.....\$399 4MG PS/2 MOD 30F5360.....\$149 2MG KIT FOR 30-288 6450605.....\$460 2-8MB BRD W/2MB FOR MDL 70A80 34F3077.....\$485 2-14MB BRD W/2MB FOR MDL 70A80 34F3011.....\$695 4-16MB BRD W/4MB FOR MDL 70A80 6450609.....\$460 2-8MB BRD W/2MB FOR MDL 50, 50Z, 55SX, 80 6450128.....\$419 4MB MDL 90A95 6450902.....\$195 2MB MDL 90A95	1X9-70.....\$59 1X9-80.....\$55 1X9-100.....\$53 4X9-80.....\$275 4X9-70.....\$295 256X9-70.....\$23 256X9-80.....\$19 256X9100.....\$17 256X9-120.....\$15	ORCHID RAMQUEST 8/16.....\$189 UP TO 32MG 8 OR 16 BIT 256K, 1MB, 4MB SIMMS RAMQUEST 16/32.....\$299 2-8MG FOR PS/2'S WITH SER&PAR PORT BOCA RESEARCH BOCARAM AT PLUS.....\$119 2-8MB USING DRAM NEW BOCA AT PLUS.....\$129 2-8MG USING 1MB SIMMS BOCARAM XT.....\$119 UP TO 2MB FOR PC/XT BOCARAM AT IO PLUS.....\$159 2 OR 4MB W/SER&PAR BOCARAM 30.....\$129 UP TO 2MB FOR PS/2 30 AST RESEARCH RAMVANTAGE.....\$49 UP TO 3MB W/128K 6 PAK 286.....\$119 RAMPAGE PLUS 286 W/2MB \$439	HEWLETT PACKARD HP SERIES II, IID, IIP, III, IIND 1MB.....\$88 2MB.....\$145 4MB.....\$245 PACIFIC DATA POSTSCRIPT CARTRIDGE.....\$395 IBM 4019 & 4019E 1MB.....\$139 2MB.....\$189 3.5MB.....\$269 PANASONIC 4420 & 4450I 1MB.....\$139 2MB.....\$199 4MB.....\$299 VGA GRAPHICS CARDS ORCHID PRODESIGNER II W/512K.....\$289 BOCA SUPER VGA W/512K.....\$149 W/1MG \$179 ATI 8514/A ULTRA FOR PS/2 OR AT BUS W/1MG.....\$490 ATI VGA WONDER W/MOUSE \$199	TOSHIBA T1000 XE/SE/LE T2000SX 1MB.....\$249 2MB.....\$289 2MB T1200 SE/XE.....\$169 2MB T1600.....\$169 2MB T3100E.....\$169 2MB T3100SX.....\$169 4MB T3100SX.....\$469 2MB T3200SX.....\$169 4MB T3200SX.....\$469 3MB T3200.....\$279 2MB T5100.....\$169 2MB T5200.....\$169 MEGAHERTZ MODEMS FOR TOSHIBA, COMPAQ AND MOST LAPTOPS 2400 BAUD.....\$149 FAX/MODEM FOR TOSHIBA.....\$407 COMPAQ MEMORY DESKPRO 386 20/25 20E/25E 386S 1MB MODULE.....\$109 4MB MODULE.....\$299 4MB EXP BOARD.....\$495 NEW LITE 386 S/20 4MB.....\$990 PORT, 386/20 4MB.....\$710	NEW!!! ULSI FASTER LOWER COST CMOS 30 DAY MONEY BACK GUARANTEE LIFETIME WARRANTY US83C87-16.....\$275 US83C87-20.....\$308 US83C87-25.....\$388 US83C87-33.....\$468 US83C87-16SX.....\$270 CYRIX 83D87-16.....\$278 83D87-20.....\$319 83D87-25.....\$398 83D87-33.....\$484 83S87-16.....\$275 INTEL 80287-10.....\$179 80387-16.....\$298 80387-20.....\$359 80387-25.....\$458 80387-33.....\$558 PS/2 HARD DRIVES 100MB MDL 50 \$895 80MG SCSI EXT \$745 1.2MB EXT FDD \$269 MC SCSI ADAPTER \$269 650MB EXT CD ROM \$847 100% COMPATIBILITY GUARANTEED NATIONAL LEADER IN MEMORY EXPANSION!!! 20% RESTOCKING FEE ON NON-DEFECTIVE RETURNS
COMPAQ 1.44 & 1.2 MB 1/3 HEIGHT FDD FOR DESKPRO'S.....\$129	DRAM CHIPS 1MGX1-70.....\$5.90 1MGX1-80.....\$5.75 1MGX1-100.....\$5.50 256X4-80.....\$5.75 256X4-100.....\$5.50 256X4-120.....\$5.25 256X1-80.....\$2.50 256X1-100.....\$2.10 256X1-120.....\$1.90 256X1-150.....\$1.70 64X4-80.....\$3.00 64X4-100.....\$2.75 64X1-150.....\$1.10 64X1-120.....\$1.50				
MICROSOFT PS/2 & SER MOUSE.....\$99					

UNICORN - YOUR I.C. SOURCE & MUCH, MUCH MORE!**Laser Diode
(visible-red)**

- Output: 3 mW (max.)
- Current: 85-100 mA
- Op. Volt.: 2.3-3.0V
- Wavelength: 670NM
- Lens Required
- Data Sheet & Application notes inc.

**Laser Diode
(visible red)**

- Output: 5 mW (max.)
- Current: 65-100 mA
- Op. Volt.: 1.75-2.2V
- Wavelength: 780NM
- Lens Required
- Data Sheet & Application notes inc.

**Laser Diode
(visible red)**

- Output: 4 mW (max.)
- Current: 20 mA
- Op. Volt.: 2.3-3.0V
- Wavelength: 670NM
- Lens Required
- Data Sheet & Application notes inc.

**Laser Diode
(visible red)**

- Output: 5 mW (max.)
- Current: 60 mA
- Op. Volt.: 2.3-3.0V
- Wavelength: 670NM
- Lens Required
- Data Sheet & Application notes inc.

**Laser Diode
(Infra-red)**

- Output: 3 mW (max.)
- Current: 85-100 mA
- Op. Volt.: 2.3-3.0V
- Wavelength: 820NM
- Lens Required
- Data Sheet inc.

**STOCK #
LS9200****PRICE
\$49.99****STOCK #
LS022****PRICE
\$19.99****STOCK #
SB3200****PRICE
\$89.99****STOCK #
LS9211****PRICE
\$69.99****STOCK #
SB1053****PRICE
\$9.99****Collimator Pen
(Infra-red)**

- Output: 2.5 mW (max.)
- Current: 90-150 mA
- Op. Volt.: 2.2-2.5V
- Wavelength: 820NM
- Data Sheet inc.

Laser Pointer

- Output: 3.5 mW
- Wavelength: 670NM
- Power Supply: 2xAAA Batteries (included)
- Beam: Approx. 3" @ 100 yards
- Quantity Discounts Available

Power Supply

- Input: 115/230V
- Output: +5v @ 3.75A
- +12v @ 1.5A
- 12v @ .4A
- Size: 7" L x 5 1/4" W x 2 1/2" H

**STOCK #
LB1052****PRICE
\$39.99****STOCK #
LSP0INT****PRICE
\$199.99****STOCK #
PS1003****PRICE
\$19.99****Disc Drive & Computer
Cleaning Kit**

- Not just a drive cleaner-but a complete computer cleaning kit. Includes swabs, head cleaning fluid, anti-static cleaner, screen wipes and cleaning diskette.

**Disc Drive Head-
Cleaning Kit**

- Includes cleaning fluid and head-cleaning fluid

**Anti-Static
Screen Wipes**

- For static-sensitive applications. Dispenser packs, individually wrapped.

**STOCK #
SB1099****PRICE
\$6.99****STOCK #
SB1105****PRICE
\$1.99****STOCK #
SB1104****PRICE
\$1.99****3 1/2" Kit****\$6.99****3 1/2" Drive Kit****\$1.99****5 1/4" Drive Kit****\$1.99****5 1/4" Kit****\$6.99****5 1/4" Drive Kit****\$1.99****5 1/4" Drive Kit****\$1.99****STOCK #
SB1100****PRICE
\$6.99****STOCK #
SB1106****PRICE
\$1.99****STOCK #
SB1106****PRICE
\$1.99****3 1/2" Kit****\$6.99****3 1/2" Drive Kit****\$1.99****5 1/4" Drive Kit****\$1.99****5 1/4" Kit****\$6.99****5 1/4" Drive Kit****\$1.99****5 1/4" Drive Kit****\$1.99****STOCK #
SB1100****PRICE
\$6.99****STOCK #
SB1106****PRICE
\$1.99****STOCK #
SB1106****PRICE
\$1.99****3 1/2" Kit****\$6.99****3 1/2" Drive Kit****\$1.99****5 1/4" Drive Kit****\$1.99****5 1/4" Kit****\$6.99****5 1/4" Drive Kit****\$1.99****5 1/4" Drive Kit****\$1.99****STOCK #
SB1100****PRICE
\$6.99****STOCK #
SB1106****PRICE
\$1.99****STOCK #
SB1106****PRICE
\$1.99****3 1/2" Kit****\$6.99****3 1/2" Drive Kit****\$1.99****5 1/4" Drive Kit****\$1.99****5 1/4" Kit****\$6.99****5 1/4" Drive Kit****\$1.99****5 1/4" Drive Kit****\$1.99****EPROMS**

STOCK #	1-24	25-99	100+	STOCK #	1-24	25-99	100+
1702	4.59	4.36	3.92	2764A	3.49	3.32	2.99
2708	6.49	6.17	5.55	TMS2564	5.79	5.50	4.95
2716	3.29	3.13	2.82	27C64	3.29	3.13	3.28
2716-1	3.79	3.60	3.24	27128-20	4.99	4.74	4.27
TMS2716	5.79	5.50	4.95	27128	4.79	4.55	4.09
27C16	3.99	3.79	3.41	27128A	4.79	4.55	4.09
2732	4.19	3.98	3.58	27C128	4.79	4.55	4.09
2732A-2	3.79	3.60	3.24	27256-20	5.29	5.03	4.53
2732A	3.69	3.51	3.16	27256	4.79	4.55	4.09
2732A-4	3.19	3.03	2.73	27C256	4.29	4.08	3.67
TMS2532	5.79	5.50	4.95	27512-20	6.49	6.17	5.55
TMS2532P	1.99	1.89	1.70	27512	5.99	5.69	5.12
27C32	3.79	3.60	3.24	27C512	5.99	5.69	5.12
2764-20	4.29	4.08	3.67	27C1024	12.99	12.34	11.11
2764	3.99	3.79	3.41	68764	13.99	13.29	11.96
2764A-20	3.99	3.79	3.41	68766	12.99	12.34	11.11

DYNAMIC RAMS

STOCK #	1-24	25-99	100+	STOCK #	1-24	25-99	100+
MK4027	.59	.56	.50	4464-100	2.99	2.84	2.56
4116-120	1.39	1.32	1.19	4464-120	2.79	2.65	2.39
4116-150	.99	.94	.85	4464-150	2.29	2.13	1.96
4116-200	.89	.85	.77	41256-60	2.99	2.84	2.56
4116-250	.59	.56	.50	41256-80	2.79	2.65	2.39
4164-100	1.89	1.80	1.63	41256-100	1.99	1.89	1.70
4164-120	1.69	1.61	1.55	41256-120	1.89	1.80	1.63
4164-150	1.59	1.51	1.36	41256-150	1.79	1.70	1.53
4164-200	1.39	1.32	1.19	511000-70	6.49	6.17	5.55
4416-120	1.99	1.89	1.70	511000-80	5.99	5.69	5.12
4416-150	1.79	1.70	1.53	511000-100	5.49	5.22	4.70

**UNICORN
ELECTRONICS****ORDER
BY PHONE**

10010 Canoga Ave., Unit B-8 • Chatsworth, CA 91311
OUTSIDE CALIFORNIA: (800) 824-3432 (Orders Only)
IN CALIFORNIA: (818) 341-8833
ORDER BY FAX: (818) 998-7975

Minimum Order \$15.00 • 24-hour ordering available

DEVELOPER'S TOOLS

NICE-51 satisfies you, who expects excellent functions, attractive price and easy to use. What a surprise, now you have it!

8051 IN-CIRCUIT EMULATOR NICE-51

PC BASED FROM \$950

- Up to 12 MHz Real-Time without intruding Interrupt, Serial Channel, I/O or Code Space
- Built-in programmer for EPROM & 8751
- Handles Binary, Hex, & Symbol file and down-loads data to external RAM
- With full screen editor, SP, Code, External data, Internal data and Bit address can be directly viewed and edited
- Complete menu-driven software without any tedious commands
- 16 K trace buffer, 48 Bit wide with ADDR, DATA, P1, P3 and status signals
- 64 K H/W breakpoint
- Extra 10 function keys operate routine tasks
- Call us today for complete product line
- Immediate technical support upon your phone call
- 1-year warranty and 30 days money-back guarantee

TRIBAL MICROSYSTEMS

Tel: (415) 623-8859 Fax: (415) 623-9925
44388 S. Grimmer Blvd. Fremont CA 94538

DEVELOPERS' TOOLS

TPT-100 \$145.-

POCKET IC TESTER

- Tests TTL (74/54), CMOS (40/45) and DRAM
- 9V battery operated
- LCD display
- Search unknown IC

TRE-200 \$295.-

8/16 BIT ROM/RAM EMULATOR (PC based)

- 8 or 16 Bit
- ROM: 2764, 128, 256, 512
- RAM: 6264, 62256
- Fast down/up load
- Screen edit
- Dis-assembly for 8 MPUs

TLX-PLD PLD Learn Kit \$85.- TLX-GAL GAL Learn Kit \$85.-
TLX-PEEL PEEL Learn Kit \$85.- TLX-8051 8051 Learn Kit \$85.-

- Enable beginners to design their own PLD/PEEL/GAL/MPU within a short period of time.
- Design & Experiments manuals and Experiment PCB Kit

Call us today for complete product line
1-year warranty 30 days money back guarantee

TRIBAL MICROSYSTEMS

Tel: (415) 623-8859 Fax: (415) 623-9925
44388 S. Grimmer Blvd. Fremont CA 94538

DEVELOPERS' TOOLS

The Total Solution Programmer

The best-selling Programmer since 1985

Appreciated by over 50,000 users worldwide

TUP-300 Universal Programmer & Tester (PC based)

from \$595.-

- 40 Pin ZIF socket can be expanded up to 68 Pin for 8 to 68 Pins DIP or PLCC chips.
- Programs 20 to 68 Pin PLD (PAL, CPL, IFL, GAL, PEEL, EPD, EPPLD, EPROM up to 16 Mbit), EEPROM, Serial PROM, Special PROM, Bipolar PROM & MPU (8741/42/48/49, 8051/51FA, FB, FC/52/51/52/75/75/52/55/451, 8796/97, 68705, 286/11/21, TMS7742, TMS77C82, 8755A, ...)
- Tests TTL (74/54), CMOS (40/45), SRAM, DRAM, SPI DRAM and SIM DRAM.
- Full screen edit, HEX to OBJ, 2-way or 4-way Binary File Splitter and Shifter, 6 MPU Disassemblers.
- 34 various adapters (4 sockets, ROM-RAM, PLCC, ...) from \$95.-
- Other high quality programmer cards at low cost available from \$119.
- UV Eraser (UV-32) for 32 pcs at \$95.-

Call us today for complete product line

- 1 year warranty, 30 days money back guarantee
- 1 year free software updates and Customer Support

Distributors are Welcome

TRIBAL MICROSYSTEMS

Tel: (415) 623-8859 Fax: (415) 623-9925
44388 S. Grimmer Blvd. Fremont CA 94538

Circle 316 on Inquiry Card.

Circle 317 on Inquiry Card.

Circle 318 on Inquiry Card.

SOLAR Laptop Charger



Executive LapMate®

- Fully recharges all standard 12-volt laptop and notebook computers in less than a day.
- Extends battery life. Adds ONE EXTRA HOUR of use during a remote work-session when "boosting" a charged computer.
- Provides total laptop portability by charging from ANY light source.
- Gives free, clean, consistent power ANYWHERE in the world. No more hassles with special adapters and downconverters.


TO GET TOTAL LAPTOP PORTABILITY & EXTENDED BATTERY LIFE FOR ONLY \$89.95—CALL...

800-336-6644

SolNetics 590 South 100 West Suite 7, Provo UT 84601

Circle 281 on Inquiry Card.

Data Acquisition Processor™



Onboard Intelligence For IBM PC/XT/AT/386

- 16 MHz 80C186 for general processing
- 20 MHz DSP56001 for digital signal processing
- Sustained digital signal processing of 10 MIPS
- FFT and FIR filtering without programming
- Acquires analog and digital inputs to 235K s/s
- Buffers and processes input data as required
- Updates analog or digital outputs to 250K s/s
- Over 100 commands without programming
- Custom commands may be written in C

Call for FREE Demo Diskette

MICROSTAR LABORATORIES

(206) 881-4286
2863 152 Ave. N.E.
Redmond, WA 98052
FAX (206) 881-5494

Circle 210 on Inquiry Card.

DYNAMIC RAMS

4Mx9	80ns	\$200.00
PS2	2M 604/608	\$110.00
1Mx9	80ns	\$ 52.00
1Mx8	80ns	\$ 48.00
256x4	100ns	\$ 6.00
✓ 1Mx1	100ns	\$ 5.25
✓ 41464	100ns	\$ 2.40
✓ 41256	100ns	\$ 2.10
51258	80ns	\$ 3.25
4164	120ns	\$ 1.85

*For quantity discount, high-speed parts, SIPP Please Call!

MATH COPROCESSORS		387SX-16		387SX-16	
3C87-33	33MHz	\$395.00	2C87-20	20MHz	\$130.00
3C87-25	25MHz	\$325.00	2C87-12	12MHz	\$115.00
3C87-20	20MHz	\$255.00	2C87-10	10MHz	\$ 99.00
3C87-16	16MHz	\$225.00	D80287XL	8MHz	\$185.00
387SX-20	16MHz	\$230.00	■ V-20	8/10MHz	+\$5/15

I.C. EXPRESS


15140 Valley Blvd. City of Industry, CA 91744
Customer service: (818) 333-8880 FAX: (818) 369-1236

ORDER: (800) 877-8188 (Mon.-Fri. 8-5 PST)

Call for current prices & volume discounts.
Prices shown for cash. MasterCard/Visa add 3%. Prices are subject to change. Minimum order \$1000. Shipping & Handling: UPS Ground \$500, Air \$700 (1 lb). All merchandise is 100% GUARANTEED with prompt delivery.

Circle 154 on Inquiry Card.

LPC Serial/2A HDLC/SDLC Data Communication Controller for IBM PC/AT Bus



- Dual Channel Synchronous Controller (Z85C30)
- Runs 800K BAUD
- Full Duplex DMA
- HDLC LapB software option



Computer Modules, Inc.

2348C Walsh Ave.
Santa Clara, CA 95051
Tel: (408) 496-1881
Fax: (408) 496-1886

IBM PC/AT is a trademark of IBM, Inc

Circle 377 on Inquiry Card.

Adapter Boards for PS/2's & XT/AT's



Add Parallel, Serial, or Special Ports for IBM Models 50, 55, 60, 70, 80

- 100% compliance to MCA spec
 - Quantity and dealer discounts available
- | | | | |
|-------------------|-------|----------------|-------|
| Parallel Port | \$129 | Dual Serial | \$199 |
| Dual Game Port | \$129 | Dual RS422/485 | \$295 |
| Serial Port | \$145 | Quad Serial | \$295 |
| Dual Parallel | \$189 | GPB-IEEE488 | \$379 |
| Parallel + Serial | \$189 | Quad RS422/485 | \$495 |

XT/AT Adapters

LPT/Serial Conv. \$189 GPB-IEEE488 \$199

EZBarcode® Readers for PS/2, PC/XT/AT, & Mac/ADB

- Keyboard Wedge or Serial I/O
- Free Barcode Printing Software
- Plastic, Metal, CCD, Laser Wands
- Mag-stripe and Barcode swipe options
- Low cost: Unit one prices from \$289

1-800-533-6116

Method Systems, Inc.

3511 Lost Nation Road • Willoughby, OH 44094 • 216-942-2100

Circle 206 on Inquiry Card.

Cross-Assemblers from \$50.00

Simulators from \$100.00

Cross-Disassemblers from \$100.00

Developer Packages from \$200.00 (a \$50.00 Savings)

Make Programming Easy

Our Macro Cross-assemblers are easy to use. With powerful conditional assembly and unlimited include files.

Get It Debugged—FAST

Don't wait until the hardware is finished. Debug your software with our Simulators.

Recover Lost Source!

Our line of disassemblers can help you re-create the original assembly language source.

Thousands Of Satisfied Customers

Worldwide

PseudoCorp has been providing quality solutions for microprocessor problems since 1985.

Processors

Intel 8048	RCA 1802/05	Intel 8051	Intel 8096, 19690
Motorola 6800	Motorola 6801	Motorola 6801	Motorola 6805
Hitachi 6301	Motorola 6809	MOS Tech 6802	WDC 65C02
Rockwell 65C02	Intel 8080, 85	Zilog Z80	Z8000
Hitachi HD64180	Mot. 68k, 8, 10	Zilog Z80	Zilog Super 8

• All products require an IBM PC or compatible.

For Information Or To Order Call:

PseudoCorp


716 Thimble Shoals Blvd, Suite E

Newport News, VA 23606

(804) 873-1947

FAX: (804) 873-2154

Circle 262 on Inquiry Card.



New Schematic and PCB Software


With support for extended and expanded memory, HiWIRE II can handle your most demanding schematic and PCB designs quickly and easily. The unique HiWIRE editor allows you to display and edit schematics and PCBs simultaneously, using the same commands for each. HiWIRE II is \$995, and is guaranteed.



Wintek Corporation
1801 South Street, Lafayette, IN 47904
(800) 742-6809 or (317) 448-1903

Circle 339 on Inquiry Card.

6800/6809 Micro Modules



OEM 6800/6809 MICROCOMPUTER MODULES for dedicated control and monitoring. Interfaces for sensors, transducers, analog signals, solenoids, relays, lamps, pumps, motors, keyboards, displays, IEEE-488, serial I/O, floppy disks.




Wintek Corp.
1801 South Street
Lafayette, IN 47904
317-742-8428

Circle 340 on Inquiry Card.



UNIVERSAL PROGRAMMER & TESTER

**ALL-03
IMPROVED**



(FREE UPDATE)

SOFTWARE FEATURES:

E(EP)ROM: NMOS, CMOS (Up-to 4-MB) • BPROM, PAL, CMOS PAL, GAL, PEEL, EPD, FPL • Microcomputer (8748, -51, -C51 & Z8 Series) • IC & MEMORY TEST • HEX to BINARY (INTEL 80/86, MOTOROLA S1/S2, TEKTRONICS), • 2-Way or 4-Way BINARY File splitter and shuffler. • Dump file to console in BINARY format. • Function include screen editing for BINARY DATA, ASCII and JEDEC FUSE MAP. • Security programming, Auto Programming and much more.

HARDWARE FEATURES:

• 40-Pin test socket with 40-Sets of software controlled circuit and 40-Sets of TTL I/O.
• 3 Groups of programmable D/A VOLTAGE SOURCE & 2 Groups of OSC output source.
• 60 % of Digital components in high speed CMOS HCT type.
• Hardware expendable for complex device programming.
• Hardware Configuration is available for Software Designers.
• 'GO'-key & 'GOOD'-LED permit stand-alone machine operation.
• Various Adapters (1 to 4 Sockets)—Optional.
• Motorola 68705 (option).
*** 1-Year Warranty & 30 Days Money-Backed Guarantee ***

TEL: (408) 944-9037, FAX: (408) 944-9038

C & J MICRONICS

2555 Homestead Rd., Suite #10, Santa Clara, CA 95051

Circle 85 on Inquiry Card.

Version 3!

8051/8052 BASIC COMPILER

Saves Time And Money

- Compatible with all 8051 variants.
 - Supports floating point, integer, byte and bit data types.
 - Code runs 50 times faster than BASIC-52 interpreter.
 - Flexible memory mapping options.
 - Trace command for debugging.
- Improved error reporting.

\$295.00

Upgrades: Vers. 1 to Vers. 3—\$125.
Vers. 2 to Vers. 3—\$75.

603-469-3232 • FAX: 603-448-3530



Binary Technology, Inc.

Main Street • P.O. Box 57 • Menden, NH 03770

**X.25 SDLC
QLLC HDLC
ADCCP PAD**

- C source code
- ROM-able
- Full porting provided
- No OS required



GCOM, Inc.
1776 E. Washington
Urbana, IL 61801
(217) 337-4471

Specialists in Computer Communications
FAX 217-337-4470

Circle 128 on Inquiry Card.

LET SPEEDBOARD SPEED UP YOUR XENIX/UNIX MULTIUSER SYSTEMS



HIGH SPEED LOW PRICE

- * 16MHz 80186 processor
 - * 128K RAM (512K opt.)
 - * 8/16 ports up to 64 users
 - * 50-38400 bps
 - * Modem supported by each port
- \$ 795--SPEEDBOARD II-8
\$ 995--SPEEDBOARD II-16

price is complete. 16-port panel and software included.

5 Years limited warranty

Distributors, Dealers, VARs' inquiry welcomed
SCO XENIX/UNIX Operating System
bundled package available at low price.



1-800-368-1688
DATATRANS SYSTEMS, INC.
35-28 154 Street,
Flushing, N.Y. 11354

Circle 91 on Inquiry Card.

IMAGING CARDS



- Complete software
- Real time grab/display
- PC/XT/AT/386 compatible

CV-512 Advanced 8 bit board. 512 x 480 or 256 x 240 (4 images), in/out LUTS, 4 inputs, "ping pong" buffers, 24 bit RGB output \$1,095

CV-02 256 x 240 x 8 bits, 2 inputs, cursor, 24 bit RGB output \$595

CV-03 6 bit CV-02, 8 bit output \$469

Control Vision

P.O. Box 596, Pittsburg, Kansas 66762
800/292-1160, 316/231-6647

Circle 74 on Inquiry Card.

DEC/TEK Terminal Emulation

EM4105

- Tektronix 4105/4010/4014
- DEC VT320, VT220, VT102
- 16 color VGA/EGA support
- PostScript, HP Laserjet, plotter high resolution hardcopy
- Pan/Zoom, mouse support
- Extensive network support

EM320

- DEC VT320, VT220, VT102
- True 132 column display
- Remappable keyboard
- KERMIT, Xmodem file transfer
- DOS hot key (only 170 Kb!)
- Extensive network support

Diversified Computer Systems, Inc.

3775 Iris Avenue, Suite 1B
Boulder, CO 80301 (303) 447-9251
FAX 303-447-1406

All Trademarks Acknowledged.

Circle 102 on Inquiry Card.

There is a Difference! Lifetime Free Updates

**CP-1128
\$1295**



A programmer is not just another programmer. That is why BP Microsystems is committed to bringing our customers the highest quality programmers at an affordable price. This commitment is evident in our CP-1128 Combination PROM/EPROM/PLD Programmer supporting over 1800 devices up to 28-pins. Call today!

BP MICROSYSTEMS

1-800-225-2102
713/461-9430

Circle 52 on Inquiry Card.

NEWBORN OPPORTUNITIES



There is a new arrival in personal computing. Fujikama, a leader in the design and manufacture of high quality motherboards for major O.E.M.s, has given birth to a new line of upgradeable modular computers. Now, you can have exceptional performance at affordable prices. Never before has an opportunity existed for so much power and compatibility in a modular design.

Our 386SX and 386DX CPU modules utilize the Intel smart cache design to provide 10% more power over conventional cache memory design. The result is pure speed. Fujikama personal computers are available with Industry Standard Architecture (ISA) or Extended Industry Standard Architecture (EISA). Each features a modular design that is upgradeable so what you purchase today will not be obsolete tomorrow. When you are ready to upgrade or expand you replace only the CPU. There are no switches to set and your data remains intact. In less than five minutes you can increase your computer power from 286 to 486 with the snap of a new board. The cost for upgrading is just as easy. You pay only for the upgradeable board, not the whole computer.

Fujikama modular computers come in a desktop, middle or large tower model. They feature full technical support and service. Call now for more information on how we can fulfill your opportunity to own the new modular family of personal computers from Fujikama.

SEE US AT COMDEX/SPRING '91! Booth 3843

FUJIKAMA is a registered trademark of FUJIKAMA O.A. Distribution. All other Registered Trademarks and other Trademarks are of their respective companies.

Circle 371 on Inquiry Card (RESELLERS: 372).



FUJIKAMA
U.S.A., INC. *Making Technology More Affordable*

865 N. Ellsworth Ave., Villa Park, IL, 60181
Tel: (708) 832-1166 Fax: (708) 832-8060

Headquarters

150 Ormont Drive, Weston Ontario M9L 1N7
Tel: (416) 748-1668 Fax: (416) 748-0447

Distributor Inquiries Welcome

MAY 1991 • BYTE 365

9-Track Tape Subsystem for the IBM PC/XT/AT



Now you can exchange data files between your IBM PC and any mainframe or mini-computer using IBM compatible 1600 or 6250 BPI 9-Track tape. System can also be used for disk backup. Transfer rate is up to 4 megabytes per minute on PCs and compatibles. Subsystems include 7" or 10½" streaming tape drive, tape coupler card and DOS compatible software. For more information, call us today!

QUALSTAR®

9621 Irondale Ave., Chatsworth, CA 91311
Telephone: (818) 882-5822

Circle 263 on Inquiry Card.

UNIVERSAL PROGRAMMER



\$475

PAL
GAL
PROM
EEPROM

EPROM
8748/49
87C51...
87C751

5ns PALs
4 Meg EPROMs
16 bit EPROMs

Parts added at your request.

FREE software updates on BBS.
Powerful menu driven software.

Call - (201) 994-6669




Link Computer Graphics, Inc.

4 Sparrow Dr., Livingston, NJ 07039
FAX: (201) 994-0730

Circle 188 on Inquiry Card.

200 MHz Logic Analyzer



- 200 MHz max sampling rate
- 24 Channels Timing and state
- 16K samples/channel
- 16 Levels of triggering
- 3 External Clocks and 12 Quality lines
- Variable, TTL, ECL threshold levels
- FREE software updates on 24 Hour BBS

\$ 799-LA12100 (100 MHz)

\$1299-LA27100 (100 MHz)

\$1899-LA27200 (200 MHz)

Price is complete. Pads and Software included

Call - (201) 994-6669



Link Computer Graphics, Inc.

4 Sparrow Dr., Livingston, NJ 07039
FAX: (201) 994-0730

Circle 189 on Inquiry Card.

Free leaflets and catalogues

Info# Topic

- 00011 Printer buffers. Perhaps the simplest way to speed up a computer system.
- 00021 The ideal interface is like a cable: Easy to install. Invisible in use.
- 00031 T-Switches and Auto-switches. Optimised for easy operation.
- 00041 Data cables. Highly flexible. Simple to install. A well thought-out system.
- 00051 Interface Cards. Carefully developed to eliminate application problems.
- 00401 ToolArt: Useful art for computer professionals.
- 00511 Brains beats money. Enhancements you can install yourself.
- 00521 UNIX-Installations. Tips & products.
- 00531 The right way to install a computer.

W&T Products Corp.
2209 NE 54th Street
Ft. Lauderdale, FL 33308
Phone 1-800-628-2086
Fax 1-305-351-9099

W&T
PRODUCTS®

Circle 338 on Inquiry Card.

MULTIMEDIA BOARDS

VIDEO CAPTURE/DISPLAY

16 Miln Clrs / 256 Gry Lvl's

HIGH RESOLUTION

Fast / Slow Capture

VGA to VCR

Camera to VGA etc..

LASERPRINT IMAGES
WITH TEXT!

Custom boards and software
available.

NTSC Composite Video

IBM AT / 386 compatible

1 YEAR WARRANTY

30 dy Money Back Guarantee.

1753 Mass. Ave.

EECS Cambridge MA 02140

Tel: 617-498-9838 FAX: 617-491-6808

Circle 106 on Inquiry Card.

VERBATIM SONY • BASF

100% CERTIFIED
LIFETIME WARRANTY

5¼" DS/DD \$.39 each

5¼" DS/HD .59 each

3½" DS/DD .59 each

3½" DS/HD 1.04 each

Price based on mix/match qty. of 300 in bulk.
Includes Tyvek sleeves and label kits.

PREFORMATTED • COLORS • TAPES

MEGAsoft

P.O. Box 710, Freehold, NJ 07728

800-222-0490

In NJ 908-462-7628

FAX 908-462-5658

Circle 202 on Inquiry Card.

DATA ACQUISITION

- Systems for Lab, Factory & Field
- PC Software Included
- Serial, Modem, & Bus
- Stand Alone Ability
- Laptop & Handheld
- PC & MAC Cards
- Inexpensive
- OEM & VAR
- RTU's



FREE CATALOG & DEMO DISK!

Manufacturers of Measurement & Control systems for Laboratory, Industrial, & Field applications. Specialists in Battery-Powered systems.



Call for applications info: (201) 299-1615
P.O. Box 246, Morris Plains, NJ 07950 U.S.A.

ELEXOR

Circle 108 on Inquiry Card.

8051 68HC11

EMULATORS



For info call:

Australia	(02) 654 1873
Austria	(0222) 38 76 38
Benelux	+31 1858-16133
Canada	(514) 689-5889
Denmark	(42) 65 81 11
Finland	90-452 1255
France	(01) 69 412 801
Germany	08131-25083
Great Britain	0962-73 3140
Israel	(03) 484832
Italy	(011) 7710010
Korea	(02) 784 7841
New Zealand	(09) 392464
Portugal	(01) 81 50 454
Scandinavia	+46 40922425
Singapore	(065) 284-8077
Spain	(93) 217 2340
Switzerland	(01) 740 41 05
Taiwan	(02) 7640215
Thailand	(02) 281-9596

NOHAU CORPORATION

51 E. Campbell Ave. • Campbell, CA 95008
(408) 866-1820 FAX (408) 378-7869

Circle 376 on Inquiry Card.

9 Track Tape Subsystem for PC/XT/AT/386/PS2



\$1795 for 1600/3200 BPI

\$4495 for 1600/6250 BPI

\$6995 for 800/1600/3200/6250 BPI

CALL 1-800-266-4TAPE

Laguna Conversion Systems

26941 Cabot Road

Laguna Hills, CA 92653

Tel: 714-367-0497, Fax: 714-367-0508

Circle 185 on Inquiry Card.

LOWEST COST, FASTEST SERVICE, GUARANTEED QUALITY


Data Acquisition & Control

NEW

TE-158 Telephone Control Card:

Take total control over your telephone communication. Direct telephone line interface gives you control over line connect/disconnect, touch-tone decoding and encoding, and detects call progress. Set your computer to dial out automatically, to keep trying if busy signal, control voice synthesizer, tape recorder with complete in/out capability. FCC approved.

TE-158: \$190.00



Relay Card:

8 individually controlled industrial relays. 3A at 120VAC, SPST.

RE-140: \$142

8 Bit A to D:

8 Analog inputs. 0-5.1V. 20mV steps. 7500 readings/sec.

AD-142: \$142

Temperature Sensor:

Range 0-200°F. 10mV/°.2° Resolution with AD-142.

TS-111: \$12

Digital Input:

8 opto-isolated inputs. Read voltage presence or switch closures.

IN-141: \$65

Latched Digital Input:

8 opto-isolated inputs. Each input individually latched to catch switch closures and alarm loops. LI-157: \$85

Smart Quad Stepper Controller:

On board micro-processor controls four motors simultaneously. Uses simple commands like "MOVE ARM 10.2 (INCHES) LEFT". Set position, ramping, speed, units... Many inputs for limit switches etc. Stepper motors available.

SC-149: \$299

Odin Software:

PC compatible. Control relays from analog inputs or time schedules. Logging. Runs in background.

OS-189: \$129

Reed Relay Card:

8 reed relays (20mA at 60VDC, SPST).

RE-156: \$109

Digital Output Driver:

8 outputs: 250mA at 12V. For relays, solenoids, stepper motors, lamps.

ST-143: \$78

NEW

FA-154 High Speed 12 Bit A/D Converter:

Blinding speed at low cost! Convert at 10 μ s. Eight input channels accepting 0-5V signals. Special onboard variable gain amplifier

lets you read signals less than 1LSB (1.2mV).

For value combined with speed in data acquisition and signal processing,

this converter leads the pack!

FA-154: \$179.00

12 Bit A to D:

Range: $\pm 4V$. On-board amp. 1mV resolution. Conversion time 130ms. 1 channel; expand with RE-156 or MX-155

AN-146: \$153


32 Channel Multiplexer:

Switches up to 32 channels to a single common.

MX-155: \$83

Clock with Alarm:

Powerful clock/calendar. Battery backup. CL-144: \$98



We back our low prices with great customer service! We're a totally service-driven company. To keep our prices low and volume high, we must rely on your repeat business. Never worry about a problem with Alpha Products. We fix everything. We guarantee everything. No fine print. No excuses. We're here to make you successful.

Touch Tone Decoder:

Converts tones to unique values.

PH-145: \$87

A-Bus Prototyping card:

PR-152: \$16

Motherboard:

Holds up to 5 A-Bus cards. MB-120: \$108

Counter Timer:

Three 16 bit counters/timers. Count pulses, measure frequency.

CT-150: \$132

These products work with IBM PC, Apple II, Commodore and Tandy, etc. Our serial interfaces let you use any computer with an RS-232 port.

A-Bus Adapters:

IBM PC/XT/AT & compatibles.

AR-133: \$69

MicroChannel Adapter:

Parallel Adapters also available for Apple II, Commodore 64, 128, TRS-80.

AR-170: \$93

Serial Adapter:

Connect A-Bus systems to any RS-232 port. SA-129: \$149

Serial Processor:

Built in BASIC for off-line monitoring, logging, decision making.

SP-127: \$189



If you have a technical problem, call us! After 15 years in data acquisition and control, we've come to know a little. We've answered thousands of questions from customers. We'll be happy to answer yours, too. Call our FREE Technical Advice Department at (203) 656-1806, or fax us your question at (203) 656-0756. Let's hear from you!

Kevin Tschudi, Engineer, Alpha Products

24 line TTL I/O:

Connect 24 signals, TTL 0/5V levels or switches. (8255A)

DG-148: \$72

D/A converter:

4 Channel 8 Bit D/A converter with output amplifiers.

DA-147: \$149

Canada

Alpha Products Systems Group Canada Ph: 416-272-5084

Japan

Japan Crescent Inc. Ph: 3-824-7449 Fax: 3-818-8914

Spain

Artica S.C.P. Ph: (93) 325 70 15

Germany

SW Datentechnik GmbH Ph: +49 (0) 4106 3998 Fax: +49 (0) 4106 4064

Italy

microsystems srl Ph: (02) 33 103 420 Fax: (02) 33 103 419

Norway

A/S Con-Trade Ph: (04) 41 8351 Fax: (04) 41 9472

Uruguay

Jorge Gard Ph: 598 2483065 Fax: 598 2943306

Asia (Singapore)

Batam Development Agency Pvt. Ltd. Ph: 473 4918 Fax: 479 6496

CALL FOR FREE CATALOG!



ALPHA Products 1-800-221-0916

242 West Avenue, Darien, CT 06820 USA Call (203) 656-1806 or Fax (203) 656-0756



PS/2 model 55SX-60 meg	2595
PS/2 model 70-60 meg	3195
PS/2 model 65SX-60 meg	3325
PS/2 model 70-A21	4725
PS/2 model 95-320 meg	14950

*** Monitor Extra ***



DeskPro Models

286E-40/120 meg	1995/2150
386S-20 MHz 120 meg	2575
386/20E-120 meg	2995
386/25E-120 meg	4395
386/33L-320 meg	8325

*Call for other models - Monitor Extra *



NOVELL SPECIALS

ELS I	599
ELS II	1250
Advance 286 V 2.15	2150
Advance SFT V 2.15	2999
Advancg 3.1	4995

WE STOCK Toshiba

CITIZEN
OKIDATA
EPSON

HITACHI
TALLGRASS
ARCHIVE

NEC
ALR
WYSE

HOUSTON INSTRUMENTS
MICROSOFT
SUMMAGRAPHIC

INTEL
PC MOUSE
CALCOMP

HARD DISKS

CONNER	
CP3044 40 meg	305
CP3104 100 meg	525
CP30104 120 meg	575
CP3204F 220 meg	845

MAXTOR	
XT8760E 676 meg	1895
XT8760S 676 meg	2150

Call for Optical and
W.O.R.M. Drives


Call for other brands

SOFTWARE SPECIAL

dBase IV	455
Wordperfect 5.1	260
Aldus Pagemaker	495
Ventura Publisher	525
Clipper	535
WordStar 5.5	150
EasyExtra	40

PACIFIC DATA PRODUCTS

P. Page II	345
P. Page IIP	355
P. 1-2-4 Mem II	140
P. One Meg IIP	145
P. 25 in One	250
P. Headlines	245


NOVELL
Authorized
Dealer

LAN BOARDS

8 bit Arcnet	110
16 bit Arcnet	220
8 bit Ethernet	190
16 bit Ethernet	275
8 port Active Hub	325
Token Ring Card	399
Tokenhub 4-port	355
Call for other LAN Accessories	

SPECIALS

HP Scan Jet	1425
HP Paint Jet	965
Lotus Ver. 3.1	365
Kodak 150P	345
Canon BJ 10	345
Intel Satisfaxtion	425
Okidata 391	615
Epson LQ 1050	625
HP-7475 Plotter	1495
IBM Token-Ring	655
Panasonic 1124	299
Intel 80387-33	565

LASER PRINTERS

HP Laser IIID	2550
HP Laser 2P	995
HP Laser III	1650
Panasonic 4450	1395
NEC 2 Model 90	1695
NEC 2 Model 290	2675
TI PS17	1595

MODEMS

Everex 2400 Int/Mnp	179
Hayes 2400B	315
Hayes 9600B	875
USRobotics Hst/Dual	1150
More in stock	Call



Everex System I CALL

Everex Step 386SX-2 meg
40 meg VGA card and monitor

Everex System II CALL

Everex Step 386/33-4 meg
150 meg VGA card and monitor

* Call for models & configurations *

AGI COMPUTER

AGI 386SX-1 meg	1595
40 meg VGA card and monitor	
CALL FOR OTHER MODELS	



Bravo 386SX-40 meg	1625
Bravo 386SX-120 meg	1895
Premium 386/25-120 meg	3595
Premium 386/33-200 meg	4345
Bravo 486/25-120 meg	3575
Premium 486/33-200 meg	6450

All AST Systems have VGA Card
and two megs memory
Call for other models

DISKS

DYSAN 5.25 HD/3.5 HD	13/26
MAXELL 5.25 HD/3.5 HD	12/25
Minimum 10 box order	

Computerlane

Outside California: 1-800-526-3482

Inside California: 818-884-8644 • FAX: 818-884-8253

22107 Roscoe Blvd., Canoga Park, CA 91304 • 1/2 Block west of Topanga

Hours: Monday - Friday 9 - 6 Saturday 10 - 6

Compaq is a Registered Trademark of Compaq. IBM is a Registered Trademark of International Business Machines.

ALL QUOTED
PRICES ARE CASH
PRICES ONLY

Visa and MasterCard
3% higher,
American Express
5% higher

Prices subject to change
without notice.

*Quantities are limited

Corporate Accounts
Welcome

Call for Volume

Discounts

Consultants Call
for Pricing

Exports
Available

MEMORY UPGRADES

IBM PS/2, APPLE
AST, COMPAQ
HEWLETT PACKARD
ZENITH, SUN MICRO
STANDARD SIMMS

LAPTOP MEMORY
(NEC, TOSHIBA, APPLE, COMPAQ)
LASER PRINTER MEMORY
(HP, CANON, TEC ENGINE)
NO RISK, BEST PRICE, BEST QUALITY




**ADD ON
AMERICA**

A DIVISION OF ROHM CORPORATION
433 N. MATHILDA AVE. SUNNYVALE, CA 94088
TEL (408) 746-1590 FAX (408) 746-1593

1-800-292-7771

Circle 11 on Inquiry Card.

EZ-ROUTE PLUS II



**SCHEMATIC TO PCLAYOUT \$500
INCLUDES AUTO ROUTER**

EZ-ROUTE Version II from AMS for IBM PC, PS/2 and Compatibles is an integrated CAE System which supports 256 layers, trace width from 0.001 inch to 0.255 inch, flexible grid, SMD components and outputs on Penplotters as well as Photo plotters and printers.

Schematic Capture \$100, PCB Layout \$250, Auto Router \$250.

FREE EVALUATION PACKAGE

30 DAYS MONEY BACK GUARANTEE

1-800-972-3733 or (305) 975-9515

ADVANCED MICROCOMPUTER SYSTEMS, INC.

1321 N.W. 65 Place - Ft. Lauderdale, FL 33309

Circle 25 on Inquiry Card.

BUILT-IN UPS



220/230 WATTS DC
100 WATTS AC

\$365

The POWER SOURCE replaces the power supply in your AT/386/486. Its auto-recharge battery powers PC and monitor for up to 15 minutes. Surge suppression. Audible alarm. Full-size and Baby models, Desktop and Tower versions. Call today for immediate delivery!

PUISSANCE INC.

35 Basswood Ave., Agoura CA 91301

(818) 707-3613 Visa/MC/PO

"PUISSANCE means POWER"

Circle 196 on Inquiry Card.

DESIGN TOOLS

EISA & MICROCHANNEL BUS

EISA PROTO	\$35.00
Proto-Type Card for Eisa Bus.	
EISA EXTENDER	\$65.00
Extender Card for Eisa Bus.	
PROTO 16	\$35.00
Proto-Type Card for 16-Bit Microchannel Bus.	
Includes Video Signal	
PROTO 32	\$65.00
Proto-Type Card for 32-Bit Microchannel Bus.	
PROTO 16 WITH I/O	\$65.00
Proto-Type Card with POS and ID Decode Circuit For 16-Bit Microchannel Bus.	
PROTO 32 WITH I/O	\$65.00
Proto-Type Card with POS and ID Decode Circuit For 32-Bit Microchannel Bus.	
EXTENDER 16	\$65.00
Extender Card for 16-Bit and Video Microchannel	
EXTENDER 32	\$65.00
Extender Card for 32-Bit Microchannel Bus.	
DESIGN DOCUMENT	\$65.00

Detail Document to Aid the Design of Microchannel Add-On Card and Diagnostic Software.



1-800-972-3733

Advanced Microcomputer Systems, Inc.

1321 N.W. 65th Place, Fort Lauderdale, FL 33309

PHONE: 305-975-9515 • FAX: 305-975-9698

Circle 378 on Inquiry Card.

IEEE 488.2



Hardware for IBM PC/AT,
Micro Channel, Sun,
Macintosh, DEC,
and NeXT.

Software for DOS,
UNIX, VMS, menu-driven
and icon-driven environments.

IEEE 488 extenders, analyzers,
converters, analog I/O, and digital I/O.

Call for your free IEEE catalog

IOtech

IOtech, Inc. • 25971 Cannon Road
Cleveland, Ohio 44146 • (216) 439-4091

Circle 168 on Inquiry Card.

**NEW FREE 272 PAGE DATA ACQUISITION
& CONTROL HANDBOOK FOR IBM PC/XT/
AT, PS/2 AND COMPATIBLE COMPUTERS**



- A/D BOARDS
- SIGNAL CONDITIONING
- COMMUNICATION
- INDUSTRIAL CONTROL
- PC INSTRUMENTS
- SCIENTIFIC SOFTWARE

***SEND TODAY FOR YOUR FREE 272 PAGE METRABYTE
DATA ACQUISITION & CONTROL HANDBOOK**

KEITHLEY METRABYTE

440 Myles Standish Blvd., Taunton, MA 02780
(508) 880-3000 TLX: 503989 FAX: (508) 880-0179

Circle 183 on Inquiry Card.

486 **\$1595**

Made in U.S.A.

JC GOLD BOARD

The JCS 486, The New Performance
Leader in Personal 486 Systemboards

- * Intel 80486/25 CPU
- * 8KB cache integrated in CPU
- * Math coprocessor integrated in CPU
- * Up to 32MB memory on board
- * Shadow RAM for video & system BIOS
- * Optional second level cache memory
- * Weitek 4167 numeric coprocessor socket
- * AMI BIOS

486 Complete System.....\$2895

Include 4MB memory, 200MB(15ms) HDD, IDE
controller, 1.2 or 1.44 MB FDD, 2 serial / 1 parallel,
101 Keyboard.

80486/33 CPU Board.	\$2095
80386/33 CPU Board.	\$ 895
80386/25 CPU Board.	\$ 595
80386SX/16 CPU Board.	\$ 315

Dealer Inquiries Welcome

JEMINI Electronics
3400 De La Cruz Blvd. Unit T
Santa Clara, CA 95054

TEL (408) 727-9986
FAX (408) 727-7687

Circle 179 on Inquiry Card.

**A MUST for Computers
VIZIFLEX
SEELS**



The Ideal Keyboard Cover!

Protect your computer and eliminate down-time caused by liquid spills, contaminants, environmental hazards, etc. with VIZIFLEX SEELS - the only keyboard cover that:

- **Remains securely in-place** during the operation of the keyboard and will not interfere with computer performance in any way.
- **Is designed to "form-fit"** to the exact contours of the keyboard to provide superior tactile sensitivity & feel for individual keys.
- **Consists of Ultraflex™ material, a transparent, flexible "film"** which allows all "markings" to be clearly visible.

VIZIFLEX SEELS are the only keyboard covers for your computer!

VIZIFLEX SEELS, INC.
16 E. Lafayette St., Hackensack, NJ 07601 (201) 487-8080

Circle 329 on Inquiry Card.

**SuperSound
TurboSound**

SoundFX-III, -Stereo, -Mono, -Eng, -Jr
SoundBytes, SoundJr, SoundCard,
Digital Audio Authoring Workstation,
MSC/TurboC/Windows 3.0 Libraries,
Custom Sound Hardware/Software
ALL WE DO IS SOUND!

IBM-PC DIGITAL VOICE / SOUND
from only \$20 (player module) to \$640 (Developer's Kit)

Pro Quality Software / Hardware
- in use worldwide, even Japan!

- 30 Day Money-Back Guarantee if not Satisfied
- JUST LIKE HAVING A CASSETTE TAPE RECORDER IN A PC.
- Fastest, easiest Editors with the most features for the price.
- Quick, simple hardware / software installation.
- Use for Foreign Language training / communications.
- For Business: Training, Slide Shows - with Grasp, ShowPartner F/X ...
- For Engineering: Function Gen., Clear Voice Alarms, Storage Scope...
- For Fun: Create Your Own Sounds for Games, Alter Your Voice...

Orders: 800-968-4411 by Silicon Shack FAX: 408-374-4412

5120 Campbell Ave. #112, San Jose, CA 95130.

Technical: 408-446-4521

Ask for FREE PRODUCT CATALOG of IBM-PC sound products.
Developers: Add TurboSound - PC audio engine to your product.

* SuperSound, SoundFX, SoundCard, SoundBytes, and TurboSound are trademarks of Silicon Shack, Ltd.
Other product names are trademarks of their manufacturers.

Circle 277 on Inquiry Card.

H. Co. Computer Products

America's Largest Selection of Memory

Orders: 1-800-726-2477 Ext 200
Tech Support: 1-714-833-3364

Information: 1-714-833-3222
FAX: 1-714-833-3387

17992 Sky Park Circle #F
Irvine, CA 92714



Part # EQ	Works With	PRICE
78X8955 (128K)	PS/2 25	\$ 19.00
1057035 (512K)	PS/1	\$ 79.00
1057036 (2MB)	PS/1	\$ 299.00
30F5348 (512K)	30/286	\$ 49.00
30F5360 (2MB)	30/286	\$ 139.00
6450603 (1MB)	50Z, 55SX, 70-EG1, 70-121, P-70	\$ 79.00
6450604 (2MB)	50Z, 55SX, 70-EG1, 70-121, P-70	\$ 139.00
6450608 (2MB)	70-A21, A61, B21, B61	\$ 149.00
34F2933 (4MB)	55SX, 65SX, 55LS, 65LS, 34F3077	\$ 329.00
6450375 (1MB)	80-041	\$ 119.00
6450379 (2MB)	80-111, 311	\$ 199.00
6451060 (4MB)	80-A21, A31, A61	\$ 469.00
6450902 (2MB)	90, 95	\$ 229.00
6450128 (4MB)	90, 95	\$ 499.00
6450605 (2-8MB)	70, 80	\$ 429.00
34F3077 (2-16MB)	70, 80Z	\$ 499.00
6450609 (2-16MB)	50, 50Z, 55SX, 60, 65SX	\$ 539.00



Model	Memory Added	Part # EQ	PRICE
DP 386/33, 486/25, 33 & Systempro	2MB MODULE 8MB MODULE	115144-001 165651-001	\$ 159.00 \$1,069.00
DP 386/20e, 20, & 25e, 25	1MB BOARD 4MB BOARD 1MB MODULE 4MB MODULE	113644-001 113645-001 113131-001 113132-001	\$ 159.00 \$ 409.00 \$ 109.00 \$ 319.00
DP 386s/16	1MB BOARD 4MB BOARD 1MB MODULE 4MB MODULE	113633-001 113634-001 113646-001 112534-001	\$ 159.00 \$ 409.00 \$ 109.00 \$ 319.00
DP 286N, 386N & 386SX/20	1MB MODULE 2MB MODULE 4MB MODULE OK BOARD	118689-001 118689-001 118690-001 118700-001	\$ 99.00 \$ 149.00 \$ 459.00 \$ 99.00
DP 386/16	1MB BOARD 2MB BOARD 4MB BOARD 8MB BOARD	108069-001 108069-W/71 108070-001 108070-W/72	\$ 279.00 \$ 399.00 \$ 599.00 \$ 899.00



Model	Memory Added	Part # EQ	PRICE
Powermate SX Plus	1MB BOARD 2MB BOARD 4MB BOARD 8MB BOARD	APC-H850E & APC-H851E APC-H852E & APC-H853E	\$ 279.00 \$ 479.00 \$ 759.00 \$1,299.00
Powermate SX/20			Call
Powermate 386/20	2MB BOARD	APC-H855E	\$ 499.00
Powermate 386/25	2MB BOARD 8MB BOARD 8MB BASEBOARD	APC-H855X APC-H856X APC-H857X	\$ 499.00 \$1,399.00 \$1,449.00
Powermate 386/25S	2MB KIT 8MB KIT	OP-410-8103 OP-410-5202	\$ 249.00 \$ 699.00
Powermate 386/33E 486/25E	2MB MODULE	OP-410-5101	\$ 379.00



Model	Memory Added	Part # EQ	PRICE
MAC Classic	1-3MB BD 2MB KIT	M6361LL/A M0514LL-A	\$ 119.00 \$ 109.00
MACIIci, IIsi	1MB KIT	M0291LL-A	\$ 79.00
MACIIci	2MB KIT	M0514LL-A	\$ 199.00
MACIIci, IIsi	4MB KIT	M0292LL-A	\$ 229.00
MACIIsi	8MB KIT	M0513LL-A	\$ 799.00
MACIIci, IIsi	16MB KIT	No # Available	\$1,099.00
MACIIIfx	4MB KIT	M0376LL-A	\$ 249.00
MAC II, SE30, Plus, II, IIfx, IIfx	16MB KIT 4MB KIT	No # Available M02707	\$1,199.00 \$ 229.00



Model	Memory Added	Part # EQ	PRICE
BRAVO 486/25	2MB SIMM	500718-004	\$ 229.00
PREMIUM 386SX/16, SX20 & 386/25, 33	1MB MODULE 4MB MODULE 8MB KIT	500780-003 500780-004	\$ 89.00 \$ 499.00
PREMIUM 386C, WKST & BRAVO	1MB KIT 4MB KIT	500510-007 500510-008	\$ 89.00 \$ 279.00
PREMIUM 286	512-2MB BD 512 UPGRADE	500394-001 500510-001	\$ 289.00 \$ 55.00
Fastram Kit	2-BMB BD	500565	\$ 629.00
Adv. Fastram Kit	2MB UPGRADE	500510-002	\$ 139.00
PREMIUM 386	1MB KIT 4MB KIT	500510-003 500510-004	\$ 89.00 \$ 299.00

CHIPS

STANDARD SIMMS

Part#	PRICE	Part#	PRICE
256 X 8-10	\$ 17.00	1 X 1-10	\$ 5.50
256 X 9-10	\$ 18.00	1 X 1-80	\$ 6.00
256 X 9-80	\$ 19.00	1 X 1-70	\$ 6.50
256 X 9-70	\$ 21.00	256-10	\$ 1.85
1 X 8-10	\$ 50.00	256-80	\$ 1.95
1 X 8-80	\$ 51.00	256-70	\$ 2.20
1 X 9-10	\$ 55.00	256 X 4-10	\$ 5.50
1 X 9-80	\$ 56.00	256 X 4-80	\$ 6.00
1 X 9-70	\$ 58.00	4464-10	\$ 2.20
4 X 9-80	\$ 269.00	4464-80	\$ 2.50
4 X 8-80	\$ 259.00	4164-10	\$ 2.00

DRAM

LASER PRINTER MEMORY

Model	Memory Added	Part # EQ	PRICE
H.P. LASERJET IIP, IIL, IID	1MB MODULE 2MB MODULE 3MB MODULE 4MB MODULE	H33474B H33475B H33476B H33477B	\$ 89.00 \$ 149.00 \$ 199.00 \$ 249.00
H.P. LASERJET II, IID	1MB MODULE 2MB MODULE 4MB MODULE	H33443B H33444B H33445B	\$ 89.00 \$ 149.00 \$ 249.00
H.P. DESKJET	256K MODULE		
IBM 4019, 4019e	1MB MODULE 2MB MODULE 3.5MB MODULE	1039136 1039137 1038675	\$ 149.00 \$ 209.00 \$ 289.00
OKI LASER 400	1MB MODULE 2MB MODULE	70014701 70015801	\$ 179.00 \$ 249.00
OKI LASER 800, 820	1MB MODULE 2MB MODULE 4MB MODULE	70016501 No # Available No # Available	\$ 179.00 \$ 249.00 \$ 359.00
PANASONIC 4450	1MB MODULE	KXP440	\$ 190.00
PANASONIC 4420, 4450i	1MB MODULE 2MB MODULE 4MB MODULE	KX443 KX441 No # Available	\$ 169.00 \$ 219.00 \$ 329.00
CANON LBP-4	1MB MODULE 1MB EXP	S63-2240 S63-2230	\$ 189.00 \$ 189.00
CANON LBP-8II	1MB BOARD 2MB BOARD 4MB BOARD	S63-1300 S63-1880 No # Available	\$ 99.00 \$ 149.00 \$ 289.00
APPLE LASERWRITER	1MB KIT 4MB KIT	M6005 M6006	\$ 89.00 \$ 299.00
EPSON EPL6000	2MB MODULE 4MB MODULE	IBS401 IB401/4	\$ 199.00 \$ 329.00
TI MICROLASER	1MB MODULE	2559810-8001	\$ 89.00
TOSHIBA PAGERLASER 6	2MB MODULE 4MB MODULE		\$ 219.00 \$ 349.00
QMS PS410	1MB UPGRADE 2MB UPGRADE 4MB UPGRADE	2600090-903 2600090-902 2600090-901	\$ 169.00 \$ 229.00 \$ 349.00

LIFETIME WARRANTY
ON ALL MODULES

MATH CO-PROCESSORS



(Up to 50% faster than Intel)

Part#	PRICE	Part#	PRICE
83S87-16	\$ 259.00	2C87-8	\$ 149.00
83S87-20	\$ 279.00	2C87-10	\$ 159.00
83D87-16	\$ 269.00	2C87-12	\$ 179.00
83D87-20	\$ 299.00	2C87-20	\$ 229.00
83D87-25	\$ 369.00	3C87SX-16	\$ 249.00
83D87-33	\$ 459.00	3C87SX-20	\$ 269.00
		3C87-20	\$ 289.00
		3C87-25	\$ 359.00
		3C87-33	\$ 449.00

Call for
Intel Prices

LAPTOP MEMORY

Model	Memory Added	Part # EQ	PRICE
TOSHIBA T1000SE, XE & 2000SX	1MB KIT 2MB KIT 4MB KIT 8MB KIT	PC14-PA8311U PC14-PA8312U	\$ 229.00 \$ 299.00 \$ 699.00 \$1,199.00
T1200XE	2MB KIT	PC-PA8306U	\$ 175.00
T1600	2MB KIT	PC8-PA8302U	\$ 175.00
T3100SX	2MB KIT	PC15-PA8308U	\$ 175.00
	4MB KIT	PC15-PA8310U	\$ 449.00
T3100	2MB KIT	PC9-PA8341U	\$ 175.00
T3200SX	2MB KIT	PC12-PA8307U	\$ 175.00
	4MB KIT	PC12-PA8309U	\$ 449.00
T3200	3MB KIT	PC6-PA7137U	\$ 279.00
T5100	2MB KIT	PC7-PA8301U	\$ 175.00
T5200, 5200C, 8500	2MB KIT 8MB KIT	PC10-PA8313U PC10-PA8313U	\$ 175.00 \$ 999.00



Portable III	Modern/Interface 0-6MB BD 512 KIT 2MB KIT	107808-001 0-6MB11-001 107331-001 107332-001	\$ 89.00 \$ 189.00 \$ 39.00 \$ 129.00
Portable 386/20	Modern/Interface 1MB KIT 4MB EXP	107707-001 107651-001 107653-001	\$ 89.00 \$ 239.00 \$ 699.00
Portable LTE286	1MB BOARD 2MB BOARD	117081-001 117081-002	\$ 129.00 \$ 179.00
Portable LTE386S/20	4MB BOARD 1MB BOARD	117081-003 121125-001	\$ 699.00 \$ 349.00
SLT/286	4MB BOARD 1MB BOARD	121125-002 110235-001	\$1,199.00 \$ 159.00
SLT/386	4MB BOARD 1MB BOARD 2MB BOARD 4MB BOARD	110237-001 118303-001 118304-001 118305-001	\$ 699.00 \$ 169.00 \$ 309.00 \$ 699.00



Prospect SX/20	1MB BOARD 4MB BOARD	PC-43-21 PC-43-22	\$ 289.00 \$ 679.00
Prospect 286, 386SX/16	1MB BOARD 2MB BOARD 4MB BOARD	PC-21-21 PC-21-26 PC-21-22	\$ 289.00 \$ 459.00 \$ 679.00
Prospect 386	2MB CARD 8MB CARD	PC-31-21 PC-31-22	\$ 459.00 \$1,399.00



Supersport Sx	2MB ALPHA 2MB BETA 2MB EXP	ZA-180-86 ZA-180-87 ZA-180-84	\$ 279.00 \$ 279.00 \$ 279.00
Slimport, 286e	2MB CARD 4MB CARD	ZA-180-84 ZA-180-71	\$ 279.00 \$ 699.00
Turbosport 386e	1MB BOARD 4MB BOARD	ZA-3034-ME ZA-3034-ME/4	\$ 249.00 \$ 599.00

OTHER LAPTOPS

MAC Portable	1MB BOARD 2MB BOARD 3MB BOARD	M0248 M0248/2 M0248/3	\$ 249.00 \$ 749.00 \$ 999.00
	4MB BOARD	M0248/4	\$1,299.00
AST Executive Notebook	1MB SIMM 4MB SIMM	500814-001 500814-003	\$ 129.00 \$ 599.00
SHARP PC-6220 Notebook	1MB BOARD	CE-621B	\$ 189.00
Travelmate 2000	1MB BOARD	2568034-0001	\$ 189.00
Everex Tempo Lx	2MB MODULE	PCA-00053-00	\$ 399.00
Panasonic CF-170,270	1MB CARD	CF-BA165	\$ 249.00

We Stock Memory for 99% of the
Available Computers & Printers

Ask for Upgrades not Listed
We Will Match or Beat any
Legitimate Advertised Price.

We Carry Floppy Drives.


Orders: 1-800-726-2477 Ext 200

TERMS:

1. We accept P.O.s from universities, government agencies, and qualified firms.
2. MC, VISA, COD, prepaid and approved P.O.s only.
3. We accept international orders.
4. We accept orders through the Fax.
5. 15% restocking fee on returns within 30 days. No refunds after 30 days.
6. No software return.
7. All prices are final after sale.

Trademarks are registered with their respective companies. Prices are subject to change.

Single Board Computers



Powerful V-53 CPU Card

- * 2.5MB Solid State Disk !
Runs AT Code and DOS from ROM
AT Fingers for Bus Expansion
- * NEC V53 CPU 12/16MHz, Norton 20
2MB ROM, 512K SRAM, 4MB RAM
Compact and Low Power
- * 5 Serial, 2 Parallel Ports
Clock, Watchdog Timer



\$ 395 Q-100

303-444-7737

655 Hawthorn Ave Boulder CO 80304 Fax 303-786-9983

ROM Based AT Systems



Diskless on the PC Bus

- * Write Code with Standard DOS Tools
Burn .exe in ROM, Plug into our card
Optimized BIOS with Utilities
- * Optional Keyboard and Video
Piggyback with: Flop, Kbd, Print, Csi
Backplanes for off-the-shelf cards
- * Complete "Ready to Run" Systems
0-5 Slot, DOS on ROM, Flop Option




\$ 579 and up

303-444-7737

655 Hawthorn Ave Boulder CO 80304 Fax 303-786-9983

Circle 57 on Inquiry Card.

LOW COST INTERFACE AND DATA ACQUISITION / CONTROL CARDS FOR PC/XT/AT



RS-485/422 Card [PC485] \$95/125

- Serial Async. Communication up to 4,000ft; 2 or 4 wires; NS16450 UART;
- Can be configured as COM1-COM4; Maximum Baud Rate 56KB.
- Flexible configuration options. RTS or DTR control of transmission direction.
- Full/Half duplex operation. Supports hardware handshaking (RTS,CTS).
- Dual drivers/receivers/Handles 64 devices/Compatible with most comm. slwr.
- High speed version available (supports baud rates up to 256KB) - \$165

Dual-Port RS-485/422[PCL743] \$175

- Two independent channels / UARTs; 2 or 4 wire operation. Max. Baud 56KB.
- Dipswitch configurable as COM1-4 (IRQ2-7). On board terminator resistor.

IEEE-488 Card[PC488A/C] \$145/445

- Includes DOS Device Driver and sample Communication program in BASIC.
- Additional sample programs in C, Pascal & Assembly - \$50.
- IRQ (I-4). DMA channel 1 or 2. Up to 4 boards per computer.
- Compatible with most IEEE-488 Software packages for IBM-PC.
- I/O Addresses and Control Registers compatible with NT's GPIB-PCIL.
- PC488C card version with Built-In Bus Analyzer hardware and software.
- (Allows Real Time 488 Bus Data Capture in background operation mode.)

Digital I/O & Counter [PCL720] \$175

- 32 Digital Input and 32 Digital Output Channels, 3 channel programmable counter/timer. User configurable clock source. Bread board area.

144 Bit Digital I/O [PCL722] \$345

- 144 lines (24 bits x 6 ports) of TTL compatible digital I/O. Output buffers sink 24mA, source 15mA. Interrupt handling capability. Opto-22 module compatible.

Relay & Isolated D/I [PCL725] \$240

- 8 Relay actuator outputs; 8 Opto-isolated digital inputs. Relay driver circuits.
- LED indicators for activated relays. On board signal conditioning.

10 Channel Counter [PCL830] \$345

- 10 Independent 16 bit up/down counters. Programmable frequency output.
- 16 bit TTL input and 16 bit TTL output ports. Selectable interrupt channel.

6 Channel 12 bit D/A [PCL726] \$495

- Output Ranges: 0 to +5V, 0 to +10V, +5V, +10V or sink 4-20mA.
- Settling time: 70µs. Linearity: ±1/2bit. Voltage output driving capacity: ±5mA
- Digital I/O: 16 digital inputs and 16 digital outputs; TTL compatible.

12 Bit A/D & D/A [PCL711s] \$295

- A/D converter: 8 single-ended channels; Device: AD574; Conversion time less than 25µsec; Input range: ±5V; Software Trigger Mode only.
- D/A converter: 1 channel; 12 bit resolution; 0 to +5V Output Range.
- Digital I/O: 16 Input / 16 Output channels; All I/Os TTL compatible.
- External Wiring Terminal Board with mounting accessories included.
- Utility Routines and Demo/Sample Programs for BASIC and Quick-BASIC.

12 Bit A/D & D/A [PCL812] \$395

- A/D converter: 16 single ended inputs; Device: AD574; Conversion time less than 25 µsec; Built-in programmable pacer; Input ranges: ±10V, ±5V, ±1V.
- D/A converter: 2 channels; 12 bit resolution; Output Range 0-5V.
- Digital I/O: 16 Input / 16 Output channels; All I/Os TTL compatible.
- Counter: 1 channel programmable interval counter/timer; Uses Intel 8254.
- DMA and interrupt capability. Utility software for Basic included.

12 Bit w/ Pgm Gain [PCL812pg] \$450

- A/D converter: 16 single ended inputs; Device: HAD574; Conversion time less than 25 µsec; Built-in programmable pacer; Input Ranges: ±10V, ±5V, ±2.5V, ±1.25V, ±0.625V, ±0.3125V.
- D/A converter: 2 channels; 12 bit resolution; Output Range 0-5V.
- Digital I/O: 16 Input / 16 Output channels; All I/Os TTL compatible.
- Counter: 1 channel programmable interval counter/timer; Uses Intel 8254.
- DMA and interrupt capability. Utility software for Basic included.

Fast 12 Bit A/D/A [PCL718] \$785

- A/D converter: 16 single ended or 8 differential channels; 12 bit resolution; Programmable scan rate; Built-in Interrupt and DMA control circuitry.
- Conversion speed 60,000 samples/sec (standard), 100,000 samples/sec (optional).
- Input ranges: Bipolar: ±10V, ±5V, ±2.5V, ±1V, ±0.5V; Unipolar 10.5, 5, 2.5, 1V.
- D/A converter: 2 channels; Resolution: 12 bits res; Settling time: 5µsec; ±5V.
- Digital I/O: 16 OUT, 16 IN; TTL compatible; All I/Os TTL compatible.
- Counter: 16 bit progr. interval counter/timer; Uses Intel 8254; Pacer clock;
- Software: Utility software for BASIC and QuickBASIC included.
- Supported by LabDAS, ASYST, LABTECH, UnkelScope

Fast 12 Bit w/ Pgm Gain [818] \$875

- A/D converter: 16 single ended or 8 differential channels; 12 bit resolution; Programmable scan rate; Built-in Interrupt and DMA control circuitry.
- Conversion speed 100,000 samples per second.
- Software Programmable Input ranges: Bipolar: ±10V, ±5V, ±2.5V, ±1V, ±0.5V; Unipolar 10.5, 5, 2.5, 1V.
- D/A converter: 2 channels; Resolution: 12 bits res; Settling time: 5µsec; ±5V.
- Digital I/O: 16 OUT, 16 IN; TTL compatible; All I/Os TTL compatible.
- Counter: 16 bit progr. interval counter/timer; Uses Intel 8254; Pacer clock;
- Software: Utility software for BASIC and QuickBASIC included.
- Supported by LabDAS, ASYST, LABTECH, UnkelScope

Stepper Motor Card [PCL838] \$395

- Capable of independent and simultaneous control of up to 3 stepper motors.
- Programmable speed from 1 to 10,000 rpm; Steps per command 1 to 65535.
- DIP switch selectable I/O port base address and wait state 24 bit TTL I/O port.
- Crystal based timing; All control signals opto-isolated.

Circle 58 on Inquiry Card.

MC / VISA / AMEX

Call today for datasheets!




B&C MICROSYSTEMS INC.

750 N. PASTORIA AVE. SUNNYVALE, CA 94086 USA
TEL: (408) 730-5511 FAX: (408) 730-5521 BBS: (408) 730-2317

QIC 'n Easy Access to all your Data Everytime

AS/400
Sys 36/38
Apollo
Everex
Sun
Syntex
UNIX

Lotus 123
DBASE
Mail Merge
Secure Data
Duplication
XENIX
UNIX



The QICPAK family provides unique facilities to access 1/4" (QIC) data cartridges created on a wide range of Micros, Minis and Mid-range Systems using your PC. This gives you a secure, low cost and high capacity alternative.

QICPAK's facilities cover all aspects of cartridge processing, including:

- Extracting data directly from the cartridge into packages such as Lotus 123 or DBASE or for use in Mail Merge applications.
- Data files can be extracted by QICPAK from cartridges recorded on many systems, including: IBM System 36/38, IBM AS/400, IBM PC-RT, Apollo, Everex, Maynard, Mountain, Sun, Syntex, UNIX and XENIX systems etc.
- QICPAK's High Speed Cartridge Duplication gives complete in-house control.
- QICPAK's Backup & Restore facilities are UNIX tar compatible.
- Custom applications, eg recorded information may be protected from unwanted access providing secure interchange of your confidential information.
- Source in Microsoft & Turbo C, Turbo Pascal and BASIC is provided.

We provide both QICPAK Kits for use with existing 1/4" cartridge drives and also complete internal & external solutions. Support is by the developers.

VOGON

VOGON ENTERPRISES LIMITED
94 Easthamstead Road, Wokingham,
Berkshire RG11 2JD England
Tel: (44) 734 784511/890042 Fax: (44) 734 890040



Circle 330 on Inquiry Card.

HYPERCROSS - asm *

Multi-Target Macro Cross Assembler

Fast One Pass "Library Driven" Execution.
PC-asm Style Directives and Expressions.

PROCESSORS SUPPORTED:

8048	6801	1800	7800	320C1X	Z8
8051	6805	6502	70XXX	320C2X	Z80
8085	6809	65816	TMP4300	TMS370	Z180
8086	6811	COP400	TCP4600	TMS7000	Z280
8096	68000	COP800	TMP4700	TMS9900	SUPER8
80196					64180

Popular Vendor Style Input Source Code Syntax Rules.
Six Run Code Format Choices & Program List Option.

Host: IBM PC or Compatible (PC-DOS/MS-DOS).

STANDARD SYSTEM: \$249.00 US
Macro Cross Assembler, 31 Processor Libraries,
Sample Programs, Single User License, User Manual,
3 1/2 or 5 1/4 Diskette Option, US Shipping & Handling.

BASE SYSTEM: \$129.00 US
Directive Subset, No Macros, 23 Processor Libraries.

K & M Associates (404) 971-2649

P.O. Box 670054

Marietta, GA 30066

* Trademark Hypersys Corp.

Circle 181 on Inquiry Card.

ICs PROMPT DELIVERY!!!

SAME DAY SHIPPING (USUALLY)
QUANTITY ONE PRICES SHOWN FOR MAR. 24, 1991

Memory for almost ALL computers

DYNAMIC RAM			
4M Board for hp Lj's w/2MB			\$160.00
SIMM	4Mx9	80 ns	\$230.00
SIMM	1Mx9	60 ns	\$63.00
SIMM	1Mx9	80 ns	\$54.00
4 Mbit	4Mx1	80 ns	\$28.00
4 Mbit	1Mx4	80 ns	\$34.00
1 Mbit	1Mx1	80 ns	\$5.75
41256	256Kx1	100 ns	\$2.10
41256	256Kx1	120 ns	\$1.95
44256	256Kx4	100 ns	\$5.95
4464	64Kx4	100 ns	\$2.15
EPROM			
27C4001	512Kx8	150 ns	\$55.00
27C1000	128Kx8	150 ns	\$16.50
27C512	64Kx8	120 ns	\$7.50
27256	32Kx8	150 ns	\$5.00
27128	16Kx8	250 ns	\$3.40
STATIC RAM			
1 Mbit	128Kx8	100 ns	\$15.00
62256LP	32Kx8	100 ns	\$6.50

OPEN 6 1/2 DAYS, 7:30 AM-10 PM. SHIP VIA FED-EX ON SAT.

SAT DEL ON FED-EX ORDERS

RECEIVED BY: MICROPROCESSORS UNLIMITED, INC.

24,000 S. Peoria Ave. (918) 267-4961

BE/SGS, OK 74421

No minimum order. Please note: prices subject to change!

Shipping, insurance extra, up to \$1 for packing materials.

Circle 209 on Inquiry Card.

VIDEO FRAME GRABBERS



MODEL	RESOLUTION	
HRT 256-4	256 x 256 x 4	495
HRT 256-8	256 x 256 x 8	795
HRT 512-8	512 x 512 x 8	995
HRT 512-24	512 x 512 x 24	1995

- IBM PC/XT/AT COMPATIBLE
- DIGITALIZE IN REAL TIME
- COMPOSITE VIDEO IN
- 24 BIT RGB OUT except model HRT 256-4
- 16 level gray scale out

- SOFTWARE LIBRARY OF IMAGE ANALYSIS ROUTINES
- FREE SOFTWARE UPGRADES TO REGISTERED OWNERS
- FULL CREDIT ON UPGRADE PURCHASE IN FIRST YEAR
- RETURN OLD BOARD AND JUST PAY DIFFERENCE



PHONE 416-497-6493


HIGH RES TECHNOLOGIES

P.O. BOX 76

LEWISTON, N.Y. 14092

FAX 416-497-1988

Circle 145 on Inquiry Card.



■ In the BIX community we take care of people who use IBM PCs or their compatibles. For example, our IBM Exchange offers a growing list of programs which you can download for free. These 2,168 programs are the cream of the crop. All of them are tested in advance by BIX moderators so you know you're getting top-quality, virus-free programs. Here are some of the most popular ones:

BIX FILE NAME	BIX CONFERENCE	DESCRIPTION
stars.zip	microsoft	Utility that turns your Windows desktop into a view of deep space. Choose impulse or warp speed and launch several Windows utilities from a floating pop-up menu.
e.arc	ibm.utils	Public-domain text editor, with source code.
secrets2.arc	ibm.dos	Condensed and edited messages from the ibm.dos/secrets topic. Tricks and undocumented internals of MS/DOS.
tetris2.zip	microsoft	KLOTZ, a Tetris® clone for Microsoft Windows 3.
2zip25.zip	ibm.utils	Converts a variety of archive formats (including ARC, PAK, ZOO, LZH) to PKWare's ZIP format.
w3icons.zip	microsoft	40 new icons for the Windows 3 Program Manager.
firework.zip	microsoft	Fireworks display in a window, for Windows 3.
monitor.arc	ibm.os2	Continuous display of CPU load for OS/2 Presentation Manager.
abort.exe	ibm.utils	TSR that aborts any program when you press Alt-C.
dis386.zip	ibm.utils	Full-screen interactive machine language disassembler for 8086, 80286, 80386, NEC V20.

Besides great free programs, the IBM Exchange offers dozens of informative and provocative conferences on OS/2, PC/DOS and MS/DOS operating systems, alternative 386 operating systems, utility software, communications programs, LANs and more. There's even a "Repairshop" conference, and maybe as a last resort, an IBM clearing house. Beyond our IBM Exchange, we provide industry news and product information that's essential to your performance as a microcomputer pro. All of these privileges are yours with a subscription to BIX. To find out more, call our special Customer Service number: 1-800-227-2983 (in NH call 603-924-7681).

BIX

BLAST YOUR MESSAGE THRU!

POWER LINE

VOICE MAIL • TELEMARKETING CALL PROCESSING

Let Powerline transform your PC/XT/AT/386 into a multi-line voice processing command center. Have your computer intelligently process your sales, inquiries and messages. Complete package.

Single Line (8gmOut) . . . \$295.00
Multi-Line \$895.00
 (Developer/OEM packages available)
 VISA • MC • AMEX • CDD

Call: (415) 522-3800
 FAX: (415) 522-5556

TALKING TECHNOLOGY, INC.
 1125 ATLANTIC AVE., ALAMEDA, CA 94501

©1990 TALKING TECHNOLOGIES INC.

Circle 293 on Inquiry Card.

PLD Design Software

Get Started with CUPL™ for only **\$149.95**



Now you can have a PLD Starter Kit that gives you all the horsepower that the CUPL PLD compiler offers, at a fraction of the cost. For more information, call 1-800-331-7766 or 305-974-0967.

LOGICAL DEVICES, INC.

Circle 190 on Inquiry Card (RESELLERS: 191).

DOS IN ROM!

ALWAYS WAITING FOR A PROMPT? SPEED UP WITH MVS ROM DRIVE!

- BOOT 0.1 SEC
- 1/2 SIZE CARD
- ANY PGMS, DOS
- LANS, CONTROL
- 64K \$95
- 360K 200
- 1.44M 300

MVS (508) 792 9507

8088 SINGLE BOARD COMPUTER

PC ON A CARD!
 1. DEBUG ON PC
 2. TEST SBC RAM
 3. BURN EPROM
 -BATTERY, SOLAR
 -5YR WARRANTY
 -82 PIN PC BUS
 -2PAR, 3SER, RTC
 -LCD/KBD PORTS
 MVS8C1 . . . \$95
 MVS10S . . . 60
 PC CABLE . . 50
 PC CARD . . 85



Circle 204 on Inquiry Card.

RENTALS

Our unique service provides you a short-term solution to your computer needs!

- IBM
- COMPAQ
- MACINTOSH
- LASERS
- PORTABLES
- LAPTOPS

Next Day Delivery Available

PC Computer Rental

CALL TOLL FREE
800-765-4727

Circle 249 on Inquiry Card.

Program Your Chips

In Sets of 4 for **\$495.00**



Special offer Now Includes:
 Free UV eraser, CUPL starter Kit and a \$300.00 Factory Rebate with the PDT-1 EPROM, EPLD, Micro Programmer.

LOGICAL DEVICES, INC.
1-800-331-7766

Circle 192 on Inquiry Card (RESELLERS: 193).

DriveGuard

the personal technician

NOW — stop data loss before it strikes!

DriveGuard puts you on the offensive against sudden data loss disasters by detecting marginal conditions in your 5.25 in, high-density, floppy drive before they become a problem. At last you'll know when it's safe to store your valuable data on disk.

Selected features:


- Fast, accurate test of your floppy drive.
- Resolves interchangeability problems.
- Easy to use, menu driven interface.
- On-line help, mono and color support.
- Printed reports with test result history.

DriveGuard is an indispensable utility for anyone who owns or uses a PC/AT or 100% compatible computer with one or more 5.25 in, high-density, 1.2 meg floppy disk drives. 512k RAM required.

Send check or money order for \$89.95+\$4.00 S&H to Test Technology, P.O. Box 360118, Milpitas, CA 95036. California residents add sales tax. Call (408) 946-1722, 9am to 5pm PST.

"Don't boot up without it!"

Circle 301 on Inquiry Card.



Made in USA!

PC BASED UNIVERSAL DEVICE PROGRAMMER \$695/895

- Programs EEPROMs, MICROS, BIPOLARS, PALs, GALs, EPLDs, PEELS. (current libraries support over 900 devices by over 35 manufacturers).
- Software driven pin drivers. DIA generated programming voltages (8 bit DACs used to generate voltages from 5-25V with 0.1V resolution for all pins).
- Fast device programming/verify/read via dedicated parallel interface.
- Upgradeable for virtually any future programmable devices up to 40 pins.
- Self-sustaining operation. No additional modules or plug-in adapters required.
- Includes user friendly MEMORY BUFFER FULL SCREEN EDITOR. Commands include: Fill, Move, Insert, Delete, Search. Data entry can be done in ASCII or HEX form. FUSEMAP EDITOR for logic devices.
- Friendly Menu-Driven interface. Device selection by P/N and Manufacturer.
- Supports 8/16/32 bit data word formats.
- Programming algorithms: Normal, Intelligent I & II, Quick Pulse Programming. Automatic selection of fastest algorithm for any given part.
- Verify operation performed at normal & worst case operating voltage.
- Functional test: JEDEC standard functional testing for logic devices.
- TTL Logic functional test for 74xx/54xx series devices and memory devices.
- Test file can be updated by the user. User definable test pattern generation.
- File formats accepted: JEDEC (full), JEDEC (kernel), Binary, MOS Technology, Motorola Hex, Intel Hex, Tektronix Hex.
- Base price (\$695) includes Interface card, cable, Memory + Micro + Bipolar library, TTL/CMOS/MEMORY device test capability, one year free updates.
- Complete price (\$895) includes all of the above plus Logic Device Library.
- Library updates can be received via floppy or B&C Customer Support BBS.
- Full 1 year warranty. Customer support via voice line, Fax & dedicated BBS.



Made in USA!

UNIVERSAL RS-232 PROGRAMMER \$345/495

- Programs: EE/EPROMs, ZPRams, Intel Micros, Flash EPROMs, Memory Cards.
- Stand-Alone Mode for EE/EPROM and Memory Card Duplication/Verify.
- All 24/28/32 pin EE/EPROMs to 8 MBits (upgradeable to 32 megabits).
- Micros: 8741/A, -2/A, -4, -8, -9, -51, -CS1FA/B, -52, -53, -55, -CS21, -CS41, 9761.
- Model UP100 (\$345). Model UP200 (\$495) accepts dedicated modules.
- Motorola Micros (68705P3, U3, R3, S3) Programming Module - \$145
- Memory Cards Programming Module (Seiko/Epson) - \$145
- GANG Programming Module (4 sockets) - \$145
- Optional built-in Eraser/Timer module - \$50; Conductive foam pad.
- User friendly Menu-Driven Interface Program for IBM-PC.
- Can be operated with any computer containing an RS-232 serial port.
- OEM open board programmer configurations available (from \$245).
- One year free software updates and Customer Support.
- Customer support via voice line, dedicated BBS or fax; Full 1 year warranty.



Made in USA!

INTELLIGENT ROM EMULATOR \$395

- Emulates 2716 through 27512 EPROMs (2k to 64k bytes) with a single unit.
- Megabit parts can be emulated with multiple units (Mega adapter required).
- Connects to the standard parallel printer port. Uses standard printer cable.
- FAST data loading via parallel printer port (64k bytes in less than 10 seconds).
- Intelligent "In-Circuit-Emulator" type features include: Address Compare (with HALT output), Address Snapshot (for target addr. bus monitoring), Trigger Input (for external events monitoring), Programmable Reset Output.
- Powerful Memory buffer editor. Selectable word sizes (8, 16, 32).
- User friendly software. Command set includes: Load, Write, Display, Run, Type, Edit, Fill, Run-Command-File, Monitor, Port, Reset, Help, Calculator.
- Cascadable to 8 units. Includes target cable with Trigger, Halt & Reset clips.
- CMOS model with NiCad rechargeable 9V battery backup - \$495 (Can be used in stand-alone mode; Built-in battery recharging circuitry.)
- File formats accepted: Binary, Intel Hex, Motorola S.

MC / VISA / AMEX Call today for datasheets!

B&C MICROSYSTEMS INC.
 750 N. PASTORIA AVE., SUNNYVALE, CA 94086 USA
 TEL: (408) 730-5511 FAX: (408) 730-5521 BBS: (408) 730-2317

EDITORIAL INDEX BY COMPANY

Index of companies covered in articles, columns, or news stories in this issue
Each reference is to the first page of the article or section in which the company name appears

Company, Page # Inquiry

A		
Abaton, 80	1310	
Access Technology, 86	1275	
Acma Computers, 216	1400	
Adobe Systems, 29		
Advanced Graphics Applications, 213	1060	
Advanced Logic Research, 29, 216	1401	
Agility Systems, 177	978	
Aldus, 29, 56	1171	
Alfalfa Software, 80	1313	
Alphatronix, 213	1061	
American Mitac, 216	1402	
American Power Conversion, 249	1228	
Amstrad, 10		
Apple Computer, 29, 48, 157	1165	
Aquidneck Systems International, 213	1255	
Arche Technologies, 68	1290	
Archive, 201		
Areal Technology, 29		
AST Research, 29		
AT&T, 29, 213, 216	1062	
	1403	
Atari, 93	1159	
Atto Technology, 70	1296	
B		
Belden Wire & Cable, 29		
Bell & Howell Document Management Products, 213	1063	
Bellcore, 29		
Berkeley Systems, 93	1157	
Bimillennium, 90	1279	
Bitstream, 29		
Bitwise Designs, 216	1404	
Blue Star Computers, 216	1405	
Boca Research, 70	1299	
Borland International, 29, 56, 86	1167	
	1277	
Brigham Young University, 297		
C		
Cabletron Systems, 78, 153	1309	
Canon, 10, 29		
Casio, 74	1305	
Cedar Software, 386		
Clarity Software, 318	1154	
Clarkson University, 297		
Compaq Computer, 29, 216	1406	
Computer Associates, 29		
Computer System Architects, 70	1297	
Contec Microelectronics U.S.A., 145		
Control Data, 213	1064	
Corporate Software, 29		
CSA Interprint, 10		
Cubital, 137		
Custom Computer Systems, 216	1407	
Cygnat Systems, 213	1065	
D		
Data Translation, 145		
Dataware Technologies, 29		
Dell Computer, 29, 216	1408	
Delta Microsystems, 213	1066	
Desktop Computing, 266	1225	
Desktop Data, 153		
Digital Equipment, 137, 213	1067	
Dilog, 213	1068	
Dr. T's Music Software, 93	1156	
Dow Jones News/Retrieval, 157		
DTM, 137		
Dyna Micro, 216	1409	
E		
East Coast Software, 10		
Eastman Kodak, 287	1227	
Eden Group, 29		
Elgar, 74, 249	1229	
	1301	
Elk Horn Publishing, 334	1148	
Epoch Systems, 213	1069	
Everex Systems, 70	1300	
Exabyte, 201, 213	1070	
Extended Systems, 277	981	
F		
Facit, 74	1304	
F-Chart Software, 90	1278	
FileNet, 213	1071	
Forrester Research, 191		
Fujitsu, 29		
G		
Gadgets by Small, 93	1162	
GCC Technologies, 29		
GE Research and Development Center, 153		
GO Corp., 29		
Grid Systems, 29		
H		
Hertz Computer, 69	1295	
Hewlett-Packard, 29, 44, 126, 213, 287	983	
	1072	
	1081	
Hitachi America, 29, 201, 213	1073	
Human Designed Systems, 238	1078	
I		
IBM, 29		
IDEC, 70	1298	
Individual Incorporated, 153		
InfoCorp, 201		
Infonetics Research Institute, 191		
Information Storage Devices, 29		
Insight Development, 78	1308	
Intel, 29		
Interactive Systems, 318	1155	
International Data, 177	978	
Intuit, 93	1161	
IOtech, 145		
Irwin Magnetic Systems, 92	1284	
Island Graphics, 292	1105	
J		
John Fluke Manufacturing, 145		
K		
Keithley Metrabyte, 145		
Kyocera, 10, 29		
L		
Laser Magnetic Storage International, 213	1256	
Library of Congress, 157		
Literal, 213	1074	
Lotus Development, 29, 93	1158	
Lucky Computer, 216	1410	
M		
Mainstay, 334	1147	
Mannesmann Tally, 56	1168	
Memorex Telex, 213	1257	
Metaphor, 29		
Micro Computer Resources, 29		
Micro Design International, 213	1258	
Micro Express, 68, 216	1289	
	1411	
Micrografx, 266	1226	
MicroLogic Software, 93	1160	
Microsoft, 29, 126	1080	
Micro Technology, 213	1259	
Microtek Lab, 69	1291	
Misys, 216	1412	
MIT, 388		
MIT's Sloan School of Management, 177	978	
Mitsubishi, 29		
Mt Xinu, 318	1152	
MultiScope, 271	1224	
N		
National Information Standards Organization, 157		
National Instruments, 145		
National Semiconductor, 29		
NCR, 238	1076	
NEC, 10, 29		
NetFrame Systems, 153		
Network Computing Devices, 238	1079	
Network Monitoring, 78	1307	
Next, 29		
Novell, 29, 111, 297	1222	
O		
Oakland Group, 84	1272	
Oki, 29		
Open, 84	1273	
Optimem, 213	1260	
P		
Pacific Data Products, 277	979	
Panacea, 29		
Paracomp, 334	1150	
PC Craft, 216	1413	
Peripheral Strategies, 191		
Phil Karn, 297		
Pick Systems, 318	1153	
Pinnacle Micro, 213	1261	
Pioneer Communications, 213	1262	
Pivotal Technologies, 80	1312	
Preferred Publishers, 334	1149	
PSI Integration, 80	1311	

A MESSAGE To OUR SUBSCRIBERS

Q

Quadrax Laser Technologies, 137	
Qualitas, 257	1231
Quality Software Products, 86	1276
Quarterdeck Office Systems, 257	1232

R

Racal-InterLan, 111	1221
Ramtron International, 29	
Reflection Systems, 213	1263
Ricoh, 201, 213	1264

S

SAI Systems Laboratories, 216	1414
Samsung, 29	
Sankyo Seiki America, 201	
Sanyo, 29	
Seiko-Epson, 29	
Seikosha America, 56	1169
Sequiter Software, 84	1274
Seyern Communications, 90	1280
Sharp, 29	
Siemens-Nixdorf International, 10	
Silicon Beach Software, 153	
Silicon Sports, 74	1302
Sony Corp. of America, 201, 213	1265
Specular International, 56	1170
Step Ahead Software, 93	1164
Storage Dimensions, 213	1266
Storage Technology, 213	1267
Storm Technology, 257	978
Stratasys, 137	
Structural Dynamics Research, 137	
Summus Computer Systems, 213	1268
Suncom Technologies, 69	1292
Sun Microsystems, 29, 297	
Symsoft, 92	1282
SynOptics, 153	
Systat, 93	1163
Systems Integration Associates, 68	1288
Systems Peripherals Consultants, 69	1294

T

Tandberg Data, 201	
Tandon, 216	1415
Tandy, 29	
Tangent Computer, 216	1416
Tektronix, 238	1080
Telebit, 78	1306
Texas Instruments, 29	
The Electronics Industry Association, 29	
The International Association of Hewlett-Packard Computer Users, 29	
The Norick Companies, 92	1283
The Whitewater Group, 328	1146
The Wollongong Group, 111, 297	1223
Thinking Machines, 157	
3D Systems, 137	
Toshiba, 29	
Touche Micro Technologies, 216	1417
Tradewinds Peripherals, 69	1293
Trimarchi, 213	1269
Tripp Lite/Unison, 249	1230
Tyan Computer, 68	1287

U

Underwater Kinetics, 74	1303
University of San Francisco, 29	

V

V Communications, 92	1286
Veritas Software, 92	1285
Verity, 153	
Visual Technology, 238	1077

W

Wang Laboratories, 29, 213	1270
Wangtek, 201	
Western Telematic, 277	980
Wildflower Software, 334	1151
Wolfram Research, 90	1281
WordTech Systems, 29	

X

Xerox, 29, 177	978
----------------	-----

Z

Zenith Data Systems, 54	1166
Zeos International, 216	1418

FROM TIME TO TIME WE make the BYTE subscriber list available to other companies who wish to send our subscribers material about their products. We take great care to screen these companies, choosing only those who are reputable, and whose products, services, or information we feel would be of interest to you. Direct mail is an efficient medium for presenting the latest personal computer goods and services to our subscribers.

Many BYTE subscribers appreciate this controlled use of our mailing list, and look forward to finding information of interest to them in the mail. Used are our subscribers' names and addresses only (no other information we may have is ever given).

While we believe the distribution of this information is of benefit to our subscribers, we firmly respect the wishes of any subscriber who does not want to receive such promotional literature. Should you wish to restrict the use of your name, simply send your request to the following address.

BYTE MAGAZINE

ATTN: SUBSCRIBER SERVICE

P.O. Box 555

HIGHTSTOWN, NJ 08520



READER SERVICE

* Correspond directly with company.

ALPHABETICAL INDEX TO ADVERTISERS

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
401 313 R/E LTD	92IS-19	579 CM VENTURES	92NE-5	124 FORVAL AMERICA, INC.	183	193 LOGICAL DEVICES	373
402 3EST - USA	92IS-76	65 CNS, INC.	294	125 FORVAL AMERICA, INC.	183	194 LOGITECH	87
8 3M	19	418 COMPEX, INC.	92IS-39	371 FUJIKAMA USA	365	195 LOGITECH	87
9 ABACUS	107	419 COMPEX, INC.	92IS-39	372 FUJIKAMA USA	365	447 LONGSHINE ELECTRONICS CORP	92IS-56
10 ABACUS	107	420 COMPEX INTERNATIONAL	92IS-78	126 GALACTICOMM	81	448 LOYALTY FOUNDER ENTER CO.	92IS-61
631 ABTECH	92SO-11	70 COMPUADD	117-120	127 GALACTICOMM	81	449 LPA	92IS-70
632 ABTECH	92SO-11	66 COMPUADD (INT'L)	CII, 1	436 GAMMA PRODUCTIONS, INC.	92IS-12	559 LUCKY COMPUTER	92MW-5
403 ABTECH, INC.	92IS-65	421 COMPUCLASSICS	92IS-21	* GATEWAY 2000	28A-D	560 LUCKY COMPUTER	92MW-5
404 ABTECH, INC.	92IS-65	71 COMPUCOM	357	* GATEWAY 2000	92IS-80A-B	592 LUCKY COMPUTER	92NE-17
11 ADD ON AMERICA	369	422 COMPUSAVE	92IS-49	128 GCOM, INC.	364	593 LUCKY COMPUTER	92NE-17
405 AGC ELECTRONICS CORP.	92IS-24	370 COMPUTER ASSOCIATES	259	129 GEM TECHNOLOGIES	262	616 LUCKY COMPUTER	92PC-7
14 AK SYSTEMS	355	377 COMPUTER MODULES	363	130 GEM TECHNOLOGIES	262	617 LUCKY COMPUTER	92PC-7
15 ALPHA PRODUCTS	367	424 COMPUTER QUICK	92IS-64	131 GENERIC SOFTWARE	307	649 LUCKY COMPUTER	92SO-1
16 ALR	2,3	425 COMPUTER QUICK	92IS-64	132 GLENCO ENGINEERING, INC.	275	650 LUCKY COMPUTER	92SO-1
17 ALR	2,3	581 COMPUTER SALES PROF.	92NE-9	368 GOLDEN SOFTWARE	232	* MANCHESTER	92NE-A, B
18 ALTEC TECHNOLOGY CORP.	109	582 COMPUTER SALES PROF.	92NE-9	369 GOLDEN SOFTWARE	232	594 MANCHESTER	92NE-1
19 ALTIMA SYSTEMS	175	* COMPUTER SOLUTIONS NW	92IS-80C-D	133 GREENVIEW DATA	161	* MARK WILLIAMS COMPANY	91
20 AMD	57	363 COMPUTER UPGRADES	313	134 GREG LEWIS PRODUCTIONS	241	197 MATHSOFT, INC.	301
406 AMDS LTD.	92IS-48	364 COMPUTER UPGRADES	313	135 GREG LEWIS PRODUCTIONS	241	476 MEGADATA	92IS-42
21 AMERICAN ADVANTECH	360	72 COMPUTERLANE	368	437 GREY MATTER	92IS-69	477 MEGADATA	92IS-42
22 AMERICAN MEGATRENDS	327	73 COMPUTERWISE	360	138 GUI CLEARINGHOUSE	329	202 MEGASOFT	366
23 AMERICAN MEGATRENDS	327	* COMPUTER/BYTE BOOK CLUB 284, 285		438 HANTAREX	92IS-63	203 MEGATEL COMPUTER TECH	293
24 AMERICAN SMALL BUSINESS	139	* COMPUTER/BYTE BOOK CLUB 284A-B		139 HAUPPAUGE COMPUTERS	63	204 MERRIMACK VALLEY SYSTEMS	373
25 AMS	369	426 CONTROL TELEMETRY	92IS-72	141 HAYES	330, 331	205 MERRITT COMPUTER PROD.	290
378 AMS	369	74 CONTROL VISION	364	142 HELIOS USA	336	618 METAWARE	92PC-1
26 AMT, INT'L	356	* COPIA INTERNATIONAL LTD.	288	143 HERCULES	125	206 METHOD SYSTEMS, INC.	363
607 ANDSOR RESEARCH	92PC-14	75 COREL SYSTEMS CORPORATION 49		144 HEWLETT-PACKARD NETWORK PROD.	221	207 MICRO SOLUTIONS COMP. PROD.	282
27 ANNABOOKS	290	76 COREL SYSTEMS CORPORATION 49		* HEWLETT-PACKARD PERIPH. GRP.	42, 43	561 MICROCOM	92MW-11
28 ANNABOOKS	346	77 COREL SYSTEMS CORP.	181	145 HIGH RES TECHNOLOGIES	371	595 MICROCOM	92NE-7
29 ANNABOOKS	346	78 COREL SYSTEMS CORP.	181	439 HOMESMART COMPUTING	92IS-76	* MICROCOMPUTER MKTG CNCL	197, 381
407 AOC INT'L CORP.	92IS-67	611 CORPORATE TRIANGLE	92PC-19	146 HOOLEON	346	* MICROCOMPUTER MKTG CNCL	92IS-77
32 ARCHER BUSINESS PRODUCTS	358	79 CORTEX	296	147 HORSTMAN SOFTWARE DESIGN CORP	306	* MICROCOMPUTER MKTG CNCL	92MW-19
33 ARCHER BUSINESS PRODUCTS	358	80 COVOX	358	645 HSS	92SO-21	452 MICROGRAFX	92IS-29
578 ARIEL DESIGN, INC.	92NE-20	81 COVOX	358	646 HSS	92SO-21	208 MICRONICS	123
34 ARTISOFT, INC.	115	82 CURTIS, INC.	322	148 HUMMINGBIRD COMM	242	352 MICROPOLIS	156A-D
35 ASP COMPUTER PRODUCTS, INC.	45	83 CYBEX CORP.	272	149 HUMMINGBIRD COMM	242	453 MICROPRESS, INC.	92IS-70
408 ATICO	92IS-44, 45	84 CYBEX CORP. (INT'L)	77	150 H.C.O. COMPUTER PRODUCTS	370	454 MICROPRESS, INC.	92IS-70
409 ATICO	92IS-44, 45	85 C&J MICRONICS	364	151 H.C.O. COMPUTER PRODUCTS	370	209 MICROPROCESSORS UNLTD.	371
35 ATRONICS INT'L	223	86 DATA VAC	274	440 I.X.I. LTD.	92IS-40	* MICROSOFT	8, 9
36 ATRONICS INT'L	223	87 DATACAP	287	152 IBIS SOFTWARE	280	* MICROSOFT	32, 33
379 AUTOMATED COMP. TECH. CORP.	100, 101	279 DATAFLOW AUTOMATA	352	153 IBM WORKSTATIONS	16, 17	* MICROSOFT	72, 73
380 AUTOMATED COMP. TECH. CORP.	100, 101	88 DATALUX CORPORATION	174	154 IC EXPRESS	363	210 MICROSTAR LABORATORIES	363
37 AVIEW TECHNOLOGY, INC.	311	89 DATALUX CORPORATION	174	155 ICL	274	* MICROWAY	136
38 AVIEW TECHNOLOGY, INC.	311	90 DATA INSTRUMENTS	346	613 ICS	92PC-3	* MICROWAY	190
* AVOCET SYSTEMS	315	91 DATATRANS	364	156 IYAMA ELECTRIC	321	* MICROWAY	227
40 B & B ELECTRONICS	355	583 DATATRANS SYSTEMS, INC.	92NE-11	157 IME	288	455 MINOLTA INTERNATIONAL	92IS-11
410 BAY TECHNICAL ASSOC.	92IS-6	584 DATATRANS SYSTEMS, INC.	92NE-11	158 IME	288	211 MITSUBISHI	176
411 BAY TECHNICAL ASSOC.	92IS-6	638 DATATRANS SYSTEMS, INC.	92SO-5	589 IMPLEMENTS	92NE-14	212 MITSUBISHI	176
412 BEHAVIOR TECH. COMP. CORP.	92IS-73	639 DATATRANS SYSTEMS, INC.	92SO-5	442 INEX INTERNATIONAL	92IS-72	213 MIX SOFTWARE	305
42 BEST POWER	346	427 DATAVISION AG	92IS-55	159 INGENIO	147	456 MKS	92IS-43
* BINARY TECHNOLOGY	364	585 DEERFIELD DATA SYSTEMS 92NE-16		160 INGENIO	147	214 MONOLITHIC SYSTEMS CORP.	106
* BIX	92SO-14	93 DELL (N.A.)	CII, 1	* INMAC	92PC-A-L	472 MOTOROLA/UDS	92IS-33
* BIX	244, 372	553 DERBYTECH COMPUTERS, INC. 92NMW-7		161 INTEGRATED INFO TECH	39	473 MOTOROLA/UDS	92IS-33
* BIX	92PC-16	554 DERBYTECH COMPUTERS, INC. 92NMW-7		162 INTEGRATED INFO TECH	39	* MULTISCOPE	268A-B
* BIX	92IS-68, 71, 80	640 DERBYTECH COMPUTERS, INC. 92SO-3		358 INTEL CORP.	299	216 MULTISCOPE	269
450 BIX	338, 339	641 DERBYTECH COMPUTERS, INC. 92SO-3		359 INTEL CORP.	299	217 MYLEX CORP.	248
* BIX (INT'L)	273	94 DFI	276	163 INTEL CORP.	346	218 MYLEX CORP.	248
633 BI-LINK COMPUTERS, INC.	92SO-24	95 DIGITAL VISION	272	557 INTERFACE GROUP	92MW-17	562 MYODA, INC.	92MW-3
634 BI-LINK COMPUTERS, INC.	92SO-24	96 DIGITAL VISION	272	558 INTERFACE GROUP	92MW-22, 23	563 MYODA, INC.	92MW-3
45 BLACK & WHITE INT'L	311	97 DIGITALK	27	590 INTERFACE GROUP	92NE-21	651 MYODA, INC.	92SO-15
413 BLUE CHIP TECHNOLOGY	92IS-76	98 DISCTEC	254	591 INTERFACE GROUP	92NE-26, 27	652 MYODA, INC.	92SO-15
46 BOFFIN LTD	155	99 DISCTEC	254	614 INTERFACE GROUP	92PC-17	219 NANOAO	265
47 BOFFIN LTD	155	100 DISTRIBUTED PROCESSING TECH	325	615 INTERFACE GROUP	92PC-22, 23	220 NANOAO	265
48 BORLAND INTERNATIONAL	11	101 DISTRIBUTED PROCESSING TECH	325	647 INTERFACE GROUP	92SO-17	221 NANTUCKET	256
49 BORLAND INTERNATIONAL	11	428 DISTRIBUTED SOFTWARE LTD.	92IS-60	648 INTERFACE GROUP	92SO-22, 23	* NATIONAL INSTRUMENTS	92IS-80A-B
50 BORLAND INTERNATIONAL	31	102 DIVERSIFIED COMPUTER SYS	364	164 INTERGRAND RESEARCH CORP	124	222 NATIONAL INSTRUMENTS	CII
51 BORLAND INTERNATIONAL	31	103 DOLCH	51	373 INTERPRETER	250	223 NATIONAL INSTRUMENTS	346
52 BP MICROSYSTEMS	364	429 DOWTY COMMUNICATIONS	92IS-5	374 INTERPRETER	250	224 NEC SYSTEMS	141
551 BRUNO BLENHEIM	92MW-15	430 DR. HUGGLE & PARTNER GMBH 92IS-16		167 IN-FOCUS SYSTEMS	82, 83	225 NEVADA COMPUTER	359
608 BRUNO BLENHEIM	92PC-5	104 DTK	233	168 IO TECH	369	376 NOHAU	366
635 BRUNO BLENHEIM	92SO-18	105 DTK	233	169 IOMEGA	194, 195	226 NORTHGATE	208, 209
399 BUFFALO PRODUCTS (N.A.)	197	571 EASTERN SYSTEMS, INC.	92MW-16	170 IOMEGA	194, 195	227 NORTHGATE	210, 211
53 BUREAU OF ELECTRONIC PUB.	94	586 EASTERN SYSTEMS, INC.	92NE-22	171 IRWIN	229	228 NORTHGATE	212
54 BUREAU OF ELECTRONIC PUB.	94	612 EASTERN SYSTEMS, INC.	92PC-16	365 ISLAND SYSTEMS	187	229 NORTHGATE	214, 215
* BUYERS MART	347-355	106 EECSS	366	172 IVERSON TECHNOLOGY	130, 131	* NRI/MCGRAW-HILL	316A-B
609 BUZZWORDS INT'L	92PC-24	431 EIZO CORP.	92IS-2	173 IVERSON TECHNOLOGY	130, 131	619 NSTL	92PC-12, 13
* BYTE BACK ISSUES	320	107 ELEX INTERNATIONAL	55	174 IVERSON TECHNOLOGY	133	230 NU-MEGA TECHNOLOGIES	270
* BYTE BACK ISSUES	92MW-20	432 ELEX INTERNATIONAL	92IS-15	175 IVERSON TECHNOLOGY	133	231 OAKLAND GROUP INC.	286
* BYTE BACK ISSUES	92IS-46	108 ELEXOR, INC.	366	176 I-COM/DIOMA	92IS-78	ONTRACK COMPUTER SYS	92MW-24
414 BYTE BITS	92IS-74	109 ELONEX	92IS-37	177 JAMECO	20, 21	ONTRACK COMPUTER SYS	92MW-24
* BYTE CARD DECK	182	109 ERGO COMPUTERS	52, 53	445 JC INFO SYSTEMS CORP.	92IS-9	595 ONTRACK COMPUTER SYS	92NE-20
* BYTE CARD DECK	92MW-18	110 ESIX SYSTEMS	105	6 JDR MICRODEVICES	382, 383	597 ONTRACK COMPUTER SYS	92NE-20
* BYTE INT'L CARD DECK	92IS-50	* EVEREX SYSTEMS	60A-B	7 JDR MICRODEVICES	382, 383	620 ONTRACK COMPUTER SYS	92PC-20
415 BYTE PUBLICATIONS	92IS-79	111 EVEREX SYSTEMS	59	178 JEMINI ELECTRONICS	369	621 ONTRACK COMPUTER SYS	92PC-20
* BYTE SUB. MESSAGE	337, 375	112 EXABYTE CORPORATION	60, 61	179 JEMINI ELECTRONICS	369	653 ONTRACK COMPUTER SYS	92SO-20
* BYTE SUBSCRIBERS SERVICE	278	113 EXABYTE CORPORATION	199	180 JENSEN & PARTNERS	335	654 ONTRACK COMPUTER SYS	92SO-20
* BYTEWEEK	92IS-80C-D	114 EXABYTE CORPORATION	199	JESSE JONES	322	OPENNETWORK	122
* BYTEWEEK/NEWSLETTER	340	642 EXP/DEXPO	92SO-16	181 K & M ENTERPRISES	371	OVERLAND DATA	357
56 BYTE/DEMOLINK	343	115 FALCO DATA PRODUCTS, INC.	243	182 KEA SYSTEMS, INC.	112	PACIFIC COMPUTER	64
57 B&C MICROSYSTEMS	371	116 FALCO DATA PRODUCTS, INC.	243	183 KEITHLEY METRABYTE	369	PACIFIC DATA PRODUCTS	85
58 B&C MICROSYSTEMS	371	435 FAST ELECTRONIC GMBH	92IS-54	446 KILCRAFT	92IS-68	PANASONIC MONITORS	15
356 B&C MICROSYSTEMS	371	587 FD MICROSYSTEMS	92NE-19	* KILA	371	238 PARA SYSTEMS, INC.	251
59 CACHE	235	643 FD MICROSYSTEMS	92NE-19	184 KNOWLEDGE GARDEN	308	239 PATTON & PATTON	98
* CADRE TECHNOLOGIES	92NE-13	644 FD MICROSYSTEMS	92SO-13	185 LAGUNA CONVERSION SYS	366	240 PC COMPUTER RENTAL	373
* CADRE TECHNOLOGIES	92PC-15	117 FIRST COMPUTER SYS., INC.	358	186 LAHEY	306	250 PC POWER & COOLING	231
60 CANON PRINTER DIVISION	168	118 FIRST COMPUTER SYS., INC.	358	187 LANDMARK/SUPERSOFT	279	251 PC POWER & COOLING	231
61 CAPITAL EQUIPMENT	102	119 FIRST SOURCE INTERNATIONAL 361		188 LINK COMPUTER GRAPHICS	366	567 PC SOLUTIONS	92MW-13
62 CAPITAL EQUIPMENT	103	120 FIRST SOURCE INTERNATIONAL 361		189 LINK COMPUTER GRAPHICS	366	568 PC SOLUTIONS	92MW-13
636 CHAUMONT & ASSOCIATES	92SO-7	121 FIRSTMARK TECHNOLOGIES	114	190 LOGICAL DEVICES	373	252 PERCEPTIVE SOLUTIONS, INC.	203
416 CLARION SOFTWARE	92IS-59	122 FIRSTMARK TECHNOLOGIES	114	191 LOGICAL DEVICES	373	253 PERCEPTIVE SOLUTIONS, INC.	203
417 CLARION SOFTWARE	92IS-59	123 FLYTECH TECHNOLOGY	79	192 LOGICAL DEVICES	373	304 PERISCOPE CO., THE	295
* CLEO COMMUNICATIONS	319					305 PERISCOPE CO., THE	295

To get further information on the products advertised in BYTE, fill out the reader service card by circling the numbers on the card that correspond to the inquiry number listed with the advertiser. This index is provided as an additional service by the publisher, who assumes no liability for errors or omissions.

Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.	Inquiry No.	Page No.
254 PERISOL TECHNOLOGIES	358	270 ROLAND DIGITAL	173	295 TANGENT	47	623 TYSTAR ELECTRONICS CO., LTD	92PC-9
255 PERSONAL TEX	135	271 ROLAND DIGITAL	173	466 TEAC CORP	92IS-41	324 UNICORN ELECTRONICS	362
256 PHAR LAP SOFTWARE	253	272 ROSE ELECTRONICS	326	296 TECHNOLOGY POWER ENTER	357	471 UNITED HITECH CORP	92IS-47
353 PHAR LAP SOFTWARE	252A-B	273 ROYKORE	104	467 TECHPOWER CO., LTD	92IS-66	325 UNIVERSAL MEMORY PROD	362
257 PINNACLE MICRO	97	375 SAFESOF SYSTEMS	355	297 TEKTRONIX	99	326 UNIVERSAL MEMORY PROD	362
258 PINNACLE MICRO	97	568 SAINT CROIX COMPUTER	92MW-1	298 TEKTRONIX	99	* UNIXWORLD	332A-B
259 PIONEER	110	569 SAINT CROIX COMPUTER	92MW-1	299 TELEBYTE	114	* UNIXWORLD	333
457 PROGRAMMERS ODYSSEY	92IS-14	599 SAINT CROIX COMPUTER	92NE-3	300 TELEBYTE	114	327 UPGRADES, ETC	355
260 PROGRAMMER'S PARADISE	65-67	600 SAINT CROIX COMPUTER	92NE-3	301 TEST TECHNOLOGY	373	474 USA SOFTWARE	92IS-27
* PROGRAMMER'S SHOP	245-247	460 SALFORD S/W MARKETING LTD	92IS-38	302 TEXAS INSTRUMENTS	12, 13	328 VERMONT CREATIVE SOFTWARE	35
261 PROTECH MARKETING, INC	193	274 SANTA CRUZ OPERATION	75	* TEXAS MICROSYSTEMS	255	329 VIZIFLEX SEELS	369
598 PROVIEW DEVMMT CORP	92NE-18	275 SCIENTIFIC ENDEAVORS	149	303 TEXAS MICROSYSTEMS	188A-B	330 VOGON ENTERPRISES LTD	371
622 PROVIEW DEVMMT CORP	92PC-18	276 SEQUITER SOFTWARE	144	603 THE NETWORK CONNECTION	92NE-24	331 VOGUE VIDEO PRODUCTS	280
262 PSEUDOCORP	363	462 SIEMENS/NIXDORF	92IS-22, 23	306 THE SOFTWARE LINK	323	332 VOGUE VIDEO PRODUCTS	280
196 PUISSANCE, INC	369	360 SIGMA DATA	260	307 THE SOFTWARE LINK	323	475 V.D.S.	92IS-17
240 QUA TECH	344	277 SILICON SHOCK	369	469 TI/KO COMPUTERS	92IS-13	333 WALKER, RICHER & QUINN (INT'L)	76
241 QUA TECH	344	278 SIMPLE TECHNOLOGY	360	TOSHIBA AMERICA INFO SYS	23	334 WALKER, RICHER & QUINN (INT'L)	76
242 QUA TECH	344	280 SN'W COMP & ELECT	122	* TOSHIBA AMERICA INFO SYS	24, 25	* WATCOM	261
243 QUA TECH	344	* SOFTLINE	92IS-51	311 TOSHIBA AMERICA INFO SYS	76A-B	335 WESTERN TELEMATIC	50
244 QUA TECH	344	464 SOLNETICS CONSTRUCTION	92IS-51	* TOSHIBA (N.A.)	76A-B	336 WESTERN TELEMATIC	50
245 QUA TECH	344	281 SOLNETICS CORPORATION	363	308 TOSHIBA (N.A.)	76, 77	337 WHITEWATER GROUP, THE	291
246 QUA TECH	344	357 SONY (N.A.)	273	309 TOSHIBA (N.A.)	76, 77	338 WIESEMANN & THEIS GMBH	366
247 QUA TECH	344	282 SPECTRUM	281	312 TOTE-A-LAP	166, 167	552 WINDCREST/MCGRAW-HILL	92MW-9
248 QUA TECH	344	283 SPSS	152	* TOUCHBASE SYSTEMS	92IS-80C-D	560 WINDCREST/MCGRAW-HILL	92NE-28
263 QUALSTAR	366	284 STAC ELECTRONICS	207	313 TOUCHSTONE	95	610 WINDCREST/MCGRAW-HILL	92PC-21
264 QUARTERDECK	289	285 STAC ELECTRONICS	207	314 TOUCHSTONE	95	637 WINDCREST/MCGRAW-HILL	92SO-19
265 RADIO SHACK	CIV	286 STATSOFT	113	315 TOUCHSTONE	95	339 WINTER	364
266 RAIMA	71	287 STONY BROOK SOFTWARE	179	468 TP ENTERPRISE LTD	92IS-52	340 WINTER	364
267 RAINBOW	165	288 STONY BROOK SOFTWARE	179	470 TRIANGLE DIGITAL SERV. LTD	92IS-74	602 XINETRON	92NE-23
268 RAINBOW	165	361 STORAGE DIMENSIONS	200	316 TRIBAL MICROSYSTEMS	363	346 ZENITH DATA SYSTEMS	143
458 RDE NETWORK SYSTEMS	92IS-35	362 STORAGE DIMENSIONS	200	317 TRIBAL MICROSYSTEMS	363	ZEOS INTERNATIONAL	236A-B
REASONABLE SOLUTIONS	92IS-80A-B	289 SUMMAGRAPHS	283	318 TRIBAL MICROSYSTEMS	363	347 ZEOS INTERNATIONAL	236, 237
570 REASONABLE SOLUTIONS	92MW-21	290 SUMMAGRAPHS	283	319 TRIPP LITE	149	348 ZERICON	346
604 REASONABLE SOLUTIONS	92NE-25	291 SUMMAGRAPHS	283	320 TRIPP LITE	149	349 ZORTECH, INC	41
624 REASONABLE SOLUTIONS	92PC-11	465 SURAH	92IS-78	321 TRI-STAR	7	350 ZYLAB	172
655 REASONABLE SOLUTIONS	92SO-9	292 SYSTAT	171	322 TULIN CORP	149	351 ZYLAB	172
269 RECOGNITE	162	293 TALKING TECHNOLOGY	373	323 TURBOPOWER SOFTWARE	310	344 Z-WORLD	355
459 RIJNHAAVE (RSD)	92IS-31	294 TANDON COMPUTERS	88, 89	601 TYSTAR ELECTRONICS CO., LTD	92NE-15	345 Z-WORLD	355

BYTE ADVERTISING SALES STAFF:

Steven M. Vito, Associate Publisher/V.P. of Marketing, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-9281
 Arthur Kossack, Eastern Advertising Director, Two Prudential Plaza, 180 North Stetson Ave., Chicago, IL 60601, tel. (312) 616-3341
 Jennifer L. Bartel, Western Advertising Director, 14850 Quorum Drive, Suite 380, Dallas, TX 75240, tel. (214) 701-8496
 Liz Coymen, Inside Advertising Sales Director, One Phoenix Mill Lane, Peterborough, NH 03458, tel. (603) 924-2518

NEW ENGLAND
 ME, NH, VT, MA, RI, CT, ONTARIO
 CANADA & EASTERN CANADA
 Dan Savage (617) 860-6344
 Patricia Payne (603) 924-2654
 McGraw-Hill Publications
 29 Hartwell Avenue
 Lexington, MA 02173
 FAX: (617) 860-6999

EAST COAST
 NY, NYC, NJ, DE, PA
 Kim Norris (212) 512-2645
 Ariane Casey (212) 512-2368
 Patricia Payne (603) 924-2654
 McGraw-Hill Publications
 1221 Avenue of the Americas—
 28th Floor
 New York, NY 10020
 FAX: (212) 512-2075

SOUTHEAST
 NC, SC, GA, FL, AL, TN, VA,
 MS, AR, LA, DC, MD, WV, KY
 John Y. Schilin (404) 843-4782
 Patricia Payne (603) 924-2654
 McGraw-Hill Publications
 4170 Ashford-Dunwoody Road
 Suite 520
 Atlanta, GA 30319
 FAX: (404) 252-4056

MIDWEST
 IL, MO, KS, IA, ND, SD, MN,
 WI, NE, IN, MI, OH
 Kurt Kelley (312) 616-3328
 Mary Ann Goulding (603) 924-2664
 McGraw-Hill Publications
 Two Prudential Plaza
 180 North Stetson Ave.
 Chicago, IL 60601
 FAX: (312) 616-3370

SOUTHWEST
 ROCKY MOUNTAIN
 CO, OK, TX
 Alison Keenan (214) 701-8496
 Barry Echavarria (603) 924-2574
 McGraw-Hill Publications
 14850 Quorum Drive
 Suite 380
 Dallas, TX 75240
 FAX: (214) 991-6208

NORTH PACIFIC: San Francisco, CA
 NORTHERN CA, OR, ID, MT,
 WY, NORTHERN NV
 Roy J. Kops (415) 954-9728
 McGraw-Hill Publications
 425 Battery Street
 San Francisco, CA 94111
 FAX: (415) 954-9786

NORTH PACIFIC: Campbell, CA
 SILICON VALLEY, HI, WA, AK,
 W. CANADA
 Bill McAfee (408) 879-0381
 Leslie Hupp (408) 879-0381
 McGraw-Hill Publications
 1999 South Bascom Ave.
 Suite #210
 Campbell, CA 95008
 FAX: (408) 879-9067

SOUTH PACIFIC: Los Angeles, CA
 LOS ANGELES COUNTY, AZ,
 NM, SOUTHERN NEVADA
 Alan El Faye (213) 480-5243
 Jonathan Sawyer (603) 924-2665
 McGraw-Hill Publications
 3333 Wilshire Boulevard #407
 Los Angeles, CA 90010
 FAX: (213) 480-5249

SOUTH PACIFIC: Costa Mesa, CA
 ORANGE COUNTY,
 SAN DIEGO COUNTY, UT
 Ron Cordek (714) 753-8140
 Jonathan Sawyer (603) 924-2665
 McGraw-Hill Publications
 15635 Alton Parkway
 Suite 290
 Irvine, CA 92718
 FAX: (714) 753-8147

BYTE BITS (2x3)
 Mark Stone (603) 924-2695
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

The Buyer's Mart (1x2)
 Joseph Mabe (603) 924-2656
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

Regional Advertising
 Brian Higgins (603) 924-2651
 Barry Echavarria (603) 924-2574
 Larry Levine (603) 924-2637
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

BYTE Deck
 Ed Ware (603) 924-2596
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

EURO-DECK
 James Bail (603) 924-2533
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

Catalog Showcase
 BYTE International Direct
 Response Postcards
 Ellen Perham (603) 924-2598
 BYTE Publications
 One Phoenix Mill Lane
 Peterborough, NH 03458

Peterborough, NH Office
 Inside Sales FAX: 603-924-2683
 Advertising FAX: 603-924-7507

International Advertising Sales Staff:

Uwe Kretschmar, European Advertising and Marketing Manager, BYTE Publications,
 McGraw-Hill Publishing Co., Wimbledon Bridge House, One Hartfield Road, Wimbledon, London, SW19 3RU, England, Tel: 44 81 543 1234, Fax: 44 81 540 3833

GERMANY, SWITZERLAND, AUSTRIA
 Uwe Kretschmar (44 81 545 6268)
UNITED KINGDOM
 Roz Weyman (44 81 545 6269)
 McGraw-Hill Publishing Co.
 Wimbledon Bridge House
 One Hartfield Road
 Wimbledon, London SW19 3RU
 England
 Tel: 44 81 543 1234
 FAX: 44 81 540 3833
 TELEX: 892191

BENEUX
 Ellen Pardele
 Batenburg 103
 3437 AB Nieuwegein
 The Netherlands
 Tel: 31 34 02 49496
 FAX: 31 34 02 37944

FRANCE, ITALY
 Zena Coupé, Amanda Blaskett
 A-Z International Sales Ltd.
 70 Chalk Farm Road
 London NW1 8AN
 England
 Tel: 44 71 284 3171
 FAX: 44 71 284 3174

ISRAEL
 Dan Ehrlich
 Ehrlich Communication International
 P.O. Box 11297
 Tel Aviv 61112
 Israel
 Tel: (972) 3 449823
 FAX: (972) 3 546818

JAPAN
 Masaki Mori
 McGraw-Hill Publishing Co.
 Overseas Corp.
 Room 1528
 Kasumigaseki Bldg.
 3-2-5 Kasumigaseki,
 Chiyoda-Ku
 Tokyo 100, Japan
 Tel: 81 33 581 9811
 FAX: 81 33 581 4018

SWEDEN
 Media Marketing AB
 Karlbergsvägen 89A
 S-10031 Stockholm
 Sweden
 Tel: 46 8 301280

HONG KONG
 Stephen Marcopoto
 Seavex Ltd.
 503 Wilson House
 19-27 Wyndham St.
 Central, Hong Kong
 Tel: 852 868 2010
 Telex: 60904 SEVEX HX
 FAX: 852 810 1283

SINGAPORE
 Jocelyn Domingo
 Seavex Ltd.
 400 Orchard Road, #10-01
 Singapore 0923
 Republic of Singapore
 Tel: 65 734 9790
 Telex: RS35539 SEAVEX
 FAX: 65 732 5129

TAIWAN
 Sumner Chien
 Tina Lai
 Acer TWP Corp.
 2 Fl., No. 19-1, Lane 231
 Fu-Hsin North Road
 Taipei, Taiwan R.O.C.
 Tel: 886 2 713 6959
 Fax: 886 2 715 1950

* Correspond directly with company.

INDEX TO ADVERTISERS BY PRODUCT CATEGORY

* Correspond directly with company.

MAY 1991 • BYTE 379

REQUEST FREE PRODUCT INFORMATION BY FAX

Just fax this page to 1-413-637-4343. Your request for information will be processed *immediately!*

1

Circle the numbers on Inquiry Card below which match the inquiry numbers assigned to items of interest to you.

2

Check off the answers to questions "A" through "E".

3

Print your name, address, and fax number clearly on the form.

4

Remove this page or copy this page clearly and fax it to the number above.

Fill out this coupon carefully. PLEASE PRINT.

Name _____
 Title _____
 Company _____
 Address _____
 City _____
 State/Province _____ Zip _____
 Country () _____
 Phone Number _____ Fax Number _____

A. What is your primary job function/principal area of responsibility? (Check one.)

- 1 ☐ MIS/DP
 2 ☐ Programmer/Systems Analyst
 3 ☐ Administration/Management
 4 ☐ Sales/Marketing
 5 ☐ Engineer/Scientist
 6 ☐ Other

B. What is your level of management responsibility?

- 7 ☐ Senior-level
 8 ☐ Middle-level
 9 ☐ Professional

C. Are you a reseller (VAR, VAD, Dealer, Consultant)?

- 10 ☐ Yes 11 ☐ No

D. What operating systems are you currently using? (Check all that apply.)

- 12 ☐ PC/MS-DOS
 13 ☐ DOS + Windows
 14 ☐ OS/2
 15 ☐ UNIX
 16 ☐ MacOS
 17 ☐ VAX/VMS

E. For how many people do you influence the purchase of hardware or software?

- 18 ☐ 1-25
 19 ☐ 26-50
 20 ☐ 51-99
 21 ☐ 100 or more

MAY 1991

Inquiry Numbers 1-495

Inquiry Numbers 496-990

Inquiry Numbers 991-1479

1	2	3	4	5	6	7	8	9	10	11
12	13	14	15	16	17	18	19	20	21	22
23	24	25	26	27	28	29	30	31	32	33
34	35	36	37	38	39	40	41	42	43	44
45	46	47	48	49	50	51	52	53	54	55
56	57	58	59	60	61	62	63	64	65	66
67	68	69	70	71	72	73	74	75	76	77
78	79	80	81	82	83	84	85	86	87	88
89	90	91	92	93	94	95	96	97	98	99
100	101	102	103	104	105	106	107	108	109	110
111	112	113	114	115	116	117	118	119	120	121
122	123	124	125	126	127	128	129	130	131	132
133	134	135	136	137	138	139	140	141	142	143
144	145	146	147	148	149	150	151	152	153	154
155	156	157	158	159	160	161	162	163	164	165
166	167	168	169	170	171	172	173	174	175	176
177	178	179	180	181	182	183	184	185	186	187
188	189	190	191	192	193	194	195	196	197	198
199	200	201	202	203	204	205	206	207	208	209
210	211	212	213	214	215	216	217	218	219	220
221	222	223	224	225	226	227	228	229	230	231
232	233	234	235	236	237	238	239	240	241	242
243	244	245	246	247	248	249	250	251	252	253

496	497	498	499	500	501	502	503	504	505	506
507	508	509	510	511	512	513	514	515	516	517
518	519	520	521	522	523	524	525	526	527	528
529	530	531	532	533	534	535	536	537	538	539
540	541	542	543	544	545	546	547	548	549	550
551	552	553	554	555	556	557	558	559	560	561
562	563	564	565	566	567	568	569	570	571	572
573	574	575	576	577	578	579	580	581	582	583
584	585	586	587	588	589	590	591	592	593	594
595	596	597	598	599	600	601	602	603	604	605
606	607	608	609	610	611	612	613	614	615	616
617	618	619	620	621	622	623	624	625	626	627
628	629	630	631	632	633	634	635	636	637	638
639	640	641	642	643	644	645	646	647	648	649
650	651	652	653	654	655	656	657	658	659	660
661	662	663	664	665	666	667	668	669	670	671
672	673	674	675	676	677	678	679	680	681	682
683	684	685	686	687	688	689	690	691	692	693
694	695	696	697	698	699	700	701	702	703	704
705	706	707	708	709	710	711	712	713	714	715
716	717	718	719	720	721	722	723	724	725	726
727	728	729	730	731	732	733	734	735	736	737
738	739	740	741	742	743	744	745	746	747	748

991	992	993	994	995	996	997	998	999	1000	1001
1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012
1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023
1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034
1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045
1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056
1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067
1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078
1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089
1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100
1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111
1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122
1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133
1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144
1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155
1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166
1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177
1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188
1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199
1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210
1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221
1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232
1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243

254	255	256	257	258	259	260	261	262	263	264
265	266	267	268	269	270	271	272	273	274	275
276	277	278	279	280	281	282	283	284	285	286
287	288	289	290	291	292	293	294	295	296	297
298	299	300	301	302	303	304	305	306	307	308
309	310	311	312	313	314	315	316	317	318	319
320	321	322	323	324	325	326	327	328	329	330
331	332	333	334	335	336	337	338	339	340	341
342	343	344	345	346	347	348	349	350	351	352
353	354	355	356	357	358	359	360	361	362	363
364	365	366	367	368	369	370	371	372	373	374
375	376	377	378	379	380	381	382	383	384	385
386	387	388	389	390	391	392	393	394	395	396
397	398	399	400	401	402	403	404	405	406	407
408	409	410	411	412	413	414	415	416	417	418
419	420	421	422	423	424	425	426	427	428	429
430	431	432	433	434	435	436	437	438	439	440
441	442	443	444	445	446	447	448	449	450	451
452	453	454	455	456	457	458	459	460	461	462
463	464	465	466	467	468	469	470	471	472	473
474	475	476	477	478	479	480	481	482	483	484
485	486	487	488	489	490	491	492	493	494	495

749	750	751	752	753	754	755	756	757	758	759
760	761	762	763	764	765	766	767	768	769	770
771	772	773	774	775	776	777	778	779	780	781
782	783	784	785	786	787	788	789	790	791	792
793	794	795	796	797	798	799	800	801	802	803
804	805	806	807	808	809	810	811	812	813	814
815	816	817	818	819	820	821	822	823	824	825
826	827	828	829	830	831	832	833	834	835	836
837	838	839	840	841	842	843	844	845	846	847
848	849	850	851	852	853	854	855	856	857	858
859	860	861	862	863	864	865	866	867	868	869
870	871	872	873	874	875	876	877	878	879	880
881	882	883	884	885	886	887	888	889	890	891
892	893	894	895	896	897	898	899	900	901	902
903	904	905	906	907	908	909	910	911	912	913
914	915	916	917	918	919	920	921	922	923	924
925	926	927	928	929	930	931	932	933	934	935
936	937	938	939	940	941	942	943	944	945	946
947	948	949	950	951	952	953	954	955	956	957
958	959	960	961	962	963	964	965	966	967	968
969	970	971	972	973	974	975	976	977	978	979
980	981	982	983	984	985	9				

Get BYTE delivered to your door direct from the USA

And get these
extra benefits

■ NO WAITING

Why wait for others to finish reading **Byte**? Have your own copy and be the first with the latest developments and the newest products

■ EARLY COPIES

Receive **Byte** at the same time as readers in the USA. Or choose from Fast Surface Delivery—actually cheaper than news-stand prices.

■ FREE BONUS

Byte's famous Annual IBM PC Issue comes as a free extra.

■ MONEY-BACK GUARANTEE

Your subscription refunded if you are not totally satisfied with **Byte**.

Subscription rates outside Europe are available on request. Write to:
**Byte Subscriptions,
McGraw-Hill House,
Shoppenhangers Road,
Maidenhead,
Berkshire SL6 2QL,
England.**

For direct ordering, call to the U.K. at 44-628-23431 (ext. 2236)

NO-RISK SUBSCRIPTION INVITATION



BYTE YES

YES Please start my one-year subscription to **Byte**. I can receive a subscription refund if I am ever dissatisfied.

Payment method Charge my subscription to:

☐ Visa ☐ Access/Eurocard/Mastercard ☐ Amex

Card No:

Expiry date: Signature:

OR ☐ I enclose payment now ☐ This is a renewal order

Name
(PLEASE PRINT)

Address

Code

Country

Please allow 8-10 weeks for processing. Thank you.

IB15039

IB15047

✓ Tick your subscription price

One year subscription:
12 issues plus free Annual
IBM PC Issue.
Please tick one box.:

Fast Surface Delivery

United Kingdom	<input type="checkbox"/> £29
West Germany	<input type="checkbox"/> 105 DM
France	<input type="checkbox"/> 350 FF
Netherlands	<input type="checkbox"/> 120 Guilders
Switzerland	<input type="checkbox"/> 88 SFR
Italy	<input type="checkbox"/> 75,000 Lire
All other European countries	<input type="checkbox"/> \$US50

Air Delivery

United Kingdom	<input type="checkbox"/> £41
West Germany	<input type="checkbox"/> 147 DM
France	<input type="checkbox"/> 500 FF
Netherlands	<input type="checkbox"/> 168 Guilders
Switzerland	<input type="checkbox"/> 123 SFR
Italy	<input type="checkbox"/> 105,000 Lire
All other European countries	<input type="checkbox"/> \$US70

PLACE
STAMP
HERE

BYTE

**McGraw-Hill Information Services
McGraw-Hill House
Shoppenhangers Road
Maidenhead, Berkshire SL6 2QL
England**

Attn: International Circulation Department

PLACE
STAMP
HERE

BYTE

McGraw-Hill Information Services
McGraw-Hill House
Shoppenhangers Road
Maidenhead, Berkshire SL6 2QL
England

Attn: International Circulation Department

Get
BYTE
delivered
to your
door
direct
from the
USA

And get these
extra benefits

■ NO WAITING

Why wait for others to finish reading **Byte**? Have your own copy and be the first with the latest development and the newest products

■ EARLY COPIES

Receive **Byte** at the same time as readers in the USA. Or choose from Fast Surface Delivery—actually cheaper than news-stand prices.

■ FREE BONUS

Byte's famous Annual IBM PC Issue comes as a free extra.

■ MONEY-BACK GUARANTEE

Your subscription refunded if you are not totally satisfied with **Byte**.

Subscription rates outside Europe are available on request. Write to:
**Byte Subscriptions,
McGraw-Hill House,
Shoppenhangers Road,
Maidenhead,
Berkshire SL6 2QL,
England.**

For direct ordering, call to the U.K. at 44-628-23431 (ext. 2236)

NO-RISK SUBSCRIPTION INVITATION



BYTE YES

YES Please start my one-year subscription to **Byte**. I can receive a subscription refund if I am ever dissatisfied.

Payment method Charge my subscription to:

☐ Visa ☐ Access/Eurocard/Mastercard ☐ Amex

Card No:

Expiry date: Signature:

OR ☐ I enclose payment now ☐ This is a renewal order

Name
(PLEASE PRINT)

Address

Code

Country

Please allow 8-10 weeks for processing. Thank you.

✓ Tick your subscription price

One year subscription:
12 issues plus free Annual
IBM PC Issue.
Please tick one box.:


Fast Surface Delivery

United Kingdom	<input type="checkbox"/> £29
West Germany	<input type="checkbox"/> 105 DM
France	<input type="checkbox"/> 350 FF
Netherlands	<input type="checkbox"/> 120 Guilders
Switzerland	<input type="checkbox"/> 88 SFR
Italy	<input type="checkbox"/> 75,000 Lire
All other European countries	<input type="checkbox"/> \$US50

Air Delivery

United Kingdom	<input type="checkbox"/> £41
West Germany	<input type="checkbox"/> 147 DM
France	<input type="checkbox"/> 500 FF
Netherlands	<input type="checkbox"/> 168 Guilders
Switzerland	<input type="checkbox"/> 123 SFR
Italy	<input type="checkbox"/> 105,000 Lire
All other European countries	<input type="checkbox"/> \$US70

Buy with Confidence



In an effort to make your telephone purchasing a more successful and pleasurable activity, The Microcomputer Marketing Council of the Direct Marketing Association, Inc. offers this advice, "A knowledgeable buyer will be a successful buyer." These are specific facts you should know about the prospective seller before placing an order:

Ask These Important Questions

- How long has the company been in business?
- Does the company offer technical assistance?
- Is there a service facility?
- Are manufacturer's warranties handled through the company?
- Does the seller have formal return and refund policies?
- Is there an additional charge for use of credit cards?
- Are credit card charges held until time of shipment?
- What are shipping costs for items ordered?

Reputable computer dealers will answer all these questions to your satisfaction. Don't settle for less when buying your computer hardware, software, peripherals and supplies.

Purchasing Guidelines


- State as completely and accurately as you can what merchandise you want including brand name, model number, catalog number.
- Establish that the item is in stock and confirm shipping date.
- Confirm that the price is as advertised.
- Obtain an order number and identification of the sales representative.
- Make a record of your order, noting exact price including shipping, date of order, promised shipping date and order number.

If you ever have a problem, remember to deal first with the seller. If you cannot resolve the problem, write to MAIL ORDER ACTION LINE, c/o DMA, 6 E. 43rd St., New York, NY 10017.

This message is brought to you by:

the MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing
Association, Inc.
6 E. 43rd St.,
New York, NY 10017

MMC
MICROCOMPUTER
MARKETING COUNCIL
of the Direct Marketing Association, Inc.





JDR Microdevices®

ORDER TOLL-FREE 800-538-5000

- BUY WITH CONFIDENCE FROM JDR!**
- 30-DAY MONEY BACK GUARANTEE
 - 1 YEAR WARRANTY
 - TOLL-FREE TECH SUPPORT
- MMC**
MEMBER

DYNAMIC RAMS

PART#	SIZE	SPEED	PINS	PRICE
4116-150	16384x1	150ns	16	1.49
4164-150	65536x1	150ns	16	2.49
4164-120	65536x1	120ns	16	2.89
4164-100	65536x1	100ns	16	3.39
TMS4464-12	65536x4	120ns	18	3.95
41256-150	262144x1	150ns	16	1.95
41256-120	262144x1	120ns	16	2.15
41256-100	262144x1	100ns	16	2.25
41256-80	262144x1	80ns	16	2.75
414256-100	262144x4	100ns	20	8.95
414256-80	262144x4	80ns	20	9.95
1MB-120	1048576x1	120ns	18	7.95
1MB-100	1048576x1	100ns	18	8.95
1MB-80	1048576x1	80ns	18	9.95
1MB-70	1048576x1	70ns	18	10.75
1MB-60	1048576x1	60ns	18	11.05

SIMM/SIP MODULES

PART#	SIZE	SPEED	FOR	PRICE
41256A9B-80	256K x 9	80ns	SIMM/PC	33.95
42100A9B-10	1MB x 9	100ns	SIMM/MAC	79.95
42100A9B-10	1MB x 9	100ns	SIMM/PC	79.95
42100A9B-80	1MB x 9	80ns	SIMM/PC	89.95
42100A9B-60	1MB x 9	60ns	SIMM/PC	99.95
256Kx9SIP-80	256K x 9	80ns	SIP/PC	33.95
256Kx9SIP-60	256K x 9	60ns	SIP/PC	39.95
1MBx9SIP-10	1MB x 9	100ns	SIP/PC	79.95
1MBx9SIP-80	1MB x 9	80ns	SIP/PC	89.95

intel MATH CO-PROCESSORS

- Manual
- Software guide
- 5 Year Warranty



PART#	SPEED	PRICE
8087	5 MHz	89.95
8087-2	8 MHz	129.95
8087-1	10 MHz	169.95
80287-XL	12 MHz	199.95
80387-16	16 MHz	359.95
80387-20	20 MHz	399.95
80387-25	25 MHz	499.95
80387-33	33 MHz	649.00
80387-SX	16 MHz	299.95
80387-SX20	20 MHz	399.95

CYRIX CO-PROCESSORS

STATE-OF-THE-ART TO SAVE YOU LONGEVITY WORRIES!
MANUAL & SOFTWARE GUIDE. FULL 5-YEAR GUARANTEE!

83D87-16	16 MHz	\$299.95	83D87-33	33 MHz	\$549.00
83D87-20	20 MHz	\$319.95	83S87-16 (SX)	16 MHz	\$269.95
83D87-25	25 MHz	\$419.95	83S87-20 (SX)	20 MHz	\$329.95

UPRIGHT CASE

\$249.95

- FOR STANDARD, FULL SIZE AND MINI-MOTHERBOARDS
- 250 WATT POWER SUPPLY
- MOUNTS FOR 3 FLOPPY AND 4 HARD DRIVES
- TURBO AND RESET SWITCHES
- SPEED DISPLAY, POWER, DISK LEDS
- MOUNTING HARDWARE, FACEPLATES AND SPEAKER INCLUDED



CASE-100 \$249.95

MORE CASES...

CASE-200	UPRIGHT HOLDS 11 DRIVES	\$499.95
CASE-120	MINI-UPRIGHT W/200 WATT PS	\$199.95
CASE-70	FULL-SIZE 286-STYLE CASE	\$89.95
CASE-50	MINI-SIZE 286-STYLE CASE	\$59.95
CASE-FLIP	FLIP-TOP 8088-STYLE CASE	\$39.95
CASE-SLIDE	SLIDE-TYPE 8088-STYLE CASE	\$39.95
CASE-JR-200	MINI-SIZE CASE WITH 200W PS	\$149.95

REPLACEMENT POWER SUPPLIES...

PS-135	135 WATT PS FOR 8088 (110/220V)	\$59.95
PS-150	150 WATT PS FOR 8088 (110/220V)	\$69.95
PS-200X	200 WATT PS FOR 8088 (110/220V)	\$89.95
PS-200	200 WATT PS FOR 286/386 (110/220V)	\$89.95
PS-250	250 WATT PS FOR 286/386 (110/220V)	\$129.95

EPROMS

PART#	SIZE	SPEED	Vpp	PINS	PRICE
2716-1	2048x8	350ns	25V	24	4.95
2732A	4096x8	250ns	21V	24	3.95
2764	8192x8	450ns	12.5V	28	3.95
2764-250	8192x8	250ns	12.5V	28	3.95
2764-200	8192x8	200ns	12.5V	28	4.49
27128A-200	16384x8	200ns	12.5V	28	4.95
27256	32768x8	250ns	12.5V	28	4.95
27C256	32768x8	250ns	12.5V	28	5.95
27512	65536x8	250ns	12.5V	28	5.95
27C101-20	131072x8	200ns	12.5V	32	17.95

YOUR MOTHERBOARD CONNECTION!



16MHz MINI 386-SX \$399.95

- NORTON SI 15.3 • LANDMARK AT SPEED 20.8
- USES 16MHz INTEL 80386SX CPU • EXPANDABLE TO 8MB ON BOARD • AMI BIOS • CHOOSE FAST 0 WAIT STATE OR 1 WAIT STATE FOR ECONOMICAL USE OF SLOWER RAM • FIVE 16-BIT AND THREE 8-BIT EXPANSION SLOTS • CHIPS & TECHNOLOGY NEW ENHANCED ADVANCED TECHNOLOGY (NEAT) CHIPSET • SOCKETED FOR 80387SX CO-PROCESSOR • 8.5" X 13" SIZE FITS IN MINI-286 AND FULL-SIZE 286 CASES

MCT-386SX	\$399.95
MCT-386SX-20	20 MHZ VERSION	\$499.95



12MHz MINI 286


\$199.95



MODULAR CIRCUIT TECHNOLOGY

- NORTON SI 14.0 • LANDMARK AT SPEED 15.9
- EXPANDABLE TO 4MB ON-BOARD USING SIMMS • FIVE 16-BIT AND THREE 8-BIT SLOTS • 8.5" X 8.75" SIZE FITS MINI-286 AND FULL-SIZE 286 CASES

MCT-M286-12	\$199.95
-------------	-------	----------



25MHz CACHE 486 \$1995

- LANDMARK AT SPEED 114!
- HIGH-PERFORMANCE MOTHERBOARD FOR CAD/CAM/CAE WORKSTATION, LAN SERVERS, MULTI-TASKING, MULTI-USER OR XENIX APPLICATIONS • INTEL 80486 CPU WITH INTERNAL MATH CO-PROCESSOR AND 8K CACHE • 128KB CACHE MEMORY ON BOARD • EXPANDABLE TO 16MB ON BOARD USING 1MB X 9 SIMMS OR 256K X 9 SIMMS (0KB INSTALLED) • SOCKETED FOR WEITEK 4167 MATH CO-PROCESSOR • EIGHT 16-BIT BUS SLOTS • AMI BIOS • SOFTWARE SELECTABLE SPEEDS • FULLY COMPATIBLE WITH OS/2, NOVELL, DESQVIEW, XENIX, WINDOWS AND WINDOWS 3.0

MCT-486MB25	25 MHZ VERSION	\$1,995.00
MCT-486MB33	33 MHZ VERSION	\$2,495.00

MORE MOTHERBOARDS...

MCT-M386-25	25 MHZ MINI-386	\$799.00
MCT-C386-33	33 MHZ CACHE MINI-386	\$1,299.00
MCT-C386-25	25 MHZ CACHE MINI-386	\$1,199.00
MCT-386MBC-33	FULL SIZE 33MHZ CACHE 386	\$1,195.00
MCT-386MBC-25	25 MHZ CACHE 386	\$999.00
MCT-M286-20N	20 MHZ 286 W/NEAT CHIPSET	\$389.95
MCT-M286-16N	16 MHZ 286 W/NEAT CHIPSET	\$289.95
MCT-M286-12N	12 MHZ 286 W/NEAT CHIPSET	\$269.95
MCT-TURBO-10	10 MHZ 8088	\$99.95

PROTOTYPE CARDS



8-BIT SOLDERLESS 8088 BREADBOARD WITH DECODE \$79.95

- ADDRESS DECODING LOGIC, DATA BUFFERING, 2 LSI CIRCUITS FOR PROGRAMMABLE DIGITAL I/O & COUNTER-TIMER FUNCTIONS • LOGICALLY GROUPED • ACCESSES ALL I/O SIGNAL CONNECTIONS • CLEARLY LABELLED BUS LINES • ACCEPTS UP TO 24 FOURTEEN-PIN IC'S • ACCEPTS 9, 15, 25 OR 37-PIN D-SUB CONNECTORS

PDS-601	\$79.95
PDS-600	ABOVE CARD WITHOUT DECODE	\$49.95
PDS-611	16-BIT BUS BREADBOARD WITH DECODE	\$89.95
PDS-610	ABOVE CARD WITHOUT DECODE	\$59.95

MORE PROTOTYPE CARDS:

- FR-4 EPOXY GLASS LAMINATE WITH GOLD-PLATED EDGE-CARD FINGERS AND SILK-SCREENED LEGENDS
- JDR-PR1 8-BIT WITH +5V AND GROUND PLANE \$27.95
- JDR-PR2 AS ABOVE, WITH I/O DECODING LAYOUT \$29.95
- JDR-PR2-PK PR2 BUFFERING/DECODE PARTS KIT \$8.95
- JDR-PR10 16-BIT WITH I/O DECODING LAYOUT \$34.95
- JDR-PR10-PK PR10 BUFFERING/DECODE PARTS \$12.95
- EXT-80286 286-COMPATIBLE EXTENDER CARD \$39.95

DATASE II EPROM ERASER \$39.95

- CONVENIENT POCKET-SIZE!
- ERASES ALL SIZES OF EPROM UP TO 4 AT A TIME
- WALL PLUG POWER SUPPLY



REQUEST OUR FREE 100-PG CATALOG FOR OUR ENTIRE DEVELOPERS LINE!

MCT'S MODULAR PROGRAMMING SYSTEM

USE 1 SLOT TO PROGRAM EPROMS, PROMS, PALS & MORE!

- UNIVERSAL INTERFACE FOR THE PROGRAMMING MODULES • SELECTABLE ADDRESSES PREVENT CONFLICTS

HOST ADAPTOR CARD/CABLE \$29.95

- MOD-MAC
- UNIVERSAL MODULE \$499.95
- PROGRAMS EPROMS, EEPROMS, PALS, BI-POLAR PROMS, 8748 & 8751 SERIES DEVICES; 16V8 AND 20V8 GALS (GENERIC ARRAY LOGIC) FROM LATTICE, NS, SGS • TESTS TTL & CMOS IC'S; DYNAMIC AND STATIC RAM • LOAD DISK, SAVE DISK, EDIT, BLANK CHECK, PROGRAM, AUTO, READ MASTER, VERIFY & COMPARE • TEXTBOOK SOCKET FOR 3"-6" WIDE IC'S (8 - 40 PINS)
- MOD-MUP \$499.95
- MOD-MUP-EA 4-UNIT ADAPTOR \$99.95

EPROM MODULE \$119.95

- PROGRAMS 24-32 PIN EPROMS, CMOS EPROMS & 16K TO 1024K EEPROMS • HEX TO OBJ CONVERTER • AUTO, BLANK CHECK/PROGRAM/VERIFY • VPP 5, 12.5, 12.75, 13, 21 & 25 VOLTS • NORMAL, INTELLIGENT, INTERACTIVE & QUICK PULSE PROGRAMMING ALGORITHMS
- MOD-MEP \$119.95
- MOD-MEP-4 4-EPROM PROGRAMMER \$169.95

OTHER PROGRAMMING MODULES...

MOD-MPL	PAL PROGRAMMING MODULE	249.95
MOD-MMP	MICROPROCESSOR PROGRAMMER	179.95
MOD-MIC	DIGITAL IC & MEMORY TESTER	129.95
MOD-MBP	BI-POLAR PROM PROGRAMMER	259.95

PAL DEVELOPMENT SOFTWARE \$99.95

- ENTRY LEVEL CUPL PAL DEVELOPMENT KIT.
- MOD-MPL-SOFT

TERMS: Minimum order \$10.00. For shipping & handling include \$5.00 for ground and \$7.50 for air. Orders over 1 lb. and foreign orders may require additional shipping charges—contact our Sales Dept. for the amount. CA residents must include applicable sales tax. Prices subject to change without notice. We are not responsible for typographical errors. We reserve the right to limit quantities and to substitute manufacturer. All merchandise subject to prior sales. A full copy of our terms is available upon request. Items pictured may only be representative. JDR, the JDR logo, JDR Microdevices, and the MCT logo are registered trademarks of JDR MICRODEVICES, INC. Modular Circuit Technology, Littlefoot, Minifoot and Superfoot are trademarks of JDR MICRODEVICES, INC. Copyright 1991 JDR MICRODEVICES.

KEY CODE #1017



JDR Microdevices®

2233 SAMARITAN DRIVE, SAN JOSE CA 95124

BUY WITH CONFIDENCE FROM JDR!

- 30-DAY MONEY BACK GUARANTEE
- 1 YEAR WARRANTY
- TOLL-FREE TECH SUPPORT

MMC
MEMBER



101-KEY
\$69.95

101-KEY WITH 12 FUNCTION KEYS • 286/386/486 COMPATIBLE
BTC-5339 \$69.95
FC-3001 101-KEY, 12 F-KEYS & CALCULATOR \$74.95
BTC-5060 84-KEY WITH 10 FUNCTION KEYS \$59.95

2400 BAUD MODEM
\$89.95

• 2400/1200/300 BAUD OPERATION
• HAYES AT COMMAND SET COMPATIBLE • PROCOMM
COMMUNICATIONS SOFTWARE • COM1 THRU COM4
MCT-241 \$89.95
MCT-FAXM 2400 BPS INT. WITH FAX SEND \$119.95



VIVA 2400 BAUD MODEM
\$119.95

• 2400/1200/300 BAUD OPERATION • HAYES AT
COMMAND SET COMPATIBLE • EXTENDED
S-REGISTER PROGRAMMING • SPEAKER &
2ND PHONE JACK • STD RS-232C INTERFACE
VIVA-24E \$119.95
VIVA-24MNP ERROR CORRECTING VERSION \$149.95
PCEM7296 INTEL 9600 BPS EXTERNAL MODEM \$599.00



PROMETHEUS MODEMS

PRO-96EF 9600 BPS EXTERNAL WITH FAX \$679.00
PRO-MAXI 2400 BPS INTERNAL W/9600 FAX \$199.95
PRO-241 2400 BPS INT. WITH PROCOMM \$99.95
PRO-24MNP 2400 BPS INT. W/ERROR CORR. \$129.95
PRO-24EMNP 2400 BPS EXT. W/ERROR CORR. \$159.95
PRO-24E 2400 BPS EXTERNAL \$139.95
PRO-24ME 2400 BPS MINI-EXTERNAL \$109.95
PRO-EFXM-96 2400 BPS MINI-EXT. W/FAX SEND \$169.95

COLOR HAND SCANNER!

\$599

• 400 DPI 16-COLOR DITHER MODE;
200 DPI 16-SHADE GRAY-SCALE
MODE • MONO MODE FOR B&W LINE
ART AT 100, 200, 300 OR 400 DPI
• ZSOFT PC PAINTBRUSH VI PLUS
CHS-4000 \$599.00
HS-3000 32 GRAY SCALE SCANNER W/PAINT \$179.95
OCR-SOFT CARETS OCR SOFTWARE \$99.95



LOGITECH PRODUCTS

LOGC9 SERIAL MOUSE \$98.95
LOGC9-P SERIAL MOUSE W/PAINTSHOW \$109.95
LOGC9-WIN SERIAL MOUSE W/WINDOWS 3.0 \$149.95
LOGB9 BUS MOUSE \$89.95
LOGB9-P BUS MOUSE W/PAINTSHOW \$104.95
TRACKMAN SERIAL TRACKBALL \$99.95
TRACKMAN-B BUS TRACKBALL \$99.95

MONITORS

NEC-MULTI-3D

\$649

• 1024X768 RESOLUTION • 28MM DOT PITCH • COMPATIBLE
WITH 8514A, SUPER VGA, APPLE MAC II, VGA, EGA & CGA
NEC-MULTI-3D \$649.00
JDR-MULTI 14" MULTISYNCH MONITOR \$429.95
CM-1440 SEIKO 14" DUAL FIXED FREQUENCY \$599.00
CM-1450 SEIKO 14" NON-INTERLACED VERSION \$749.00
VGA-MONITOR 14" VGA MONITOR \$379.95
MONO-VGA 14" PAPERWHITE VGA MONITOR \$139.95
EGA-MONITOR 14" EGA MONITOR \$339.95
GM-1489 14" SCREEN MONOCHROME \$139.95
MONO-SAMSUNG 12" FLAT SCREEN \$129.95
VGA-PKG 14" VGA MONITOR & CARD 640X480 RES \$499.00

1024 X 768 VGA PACKAGE

\$599

RELYSIS

RELYSIS 9514 MONITOR

• UP TO 1024 X 768 RESOLUTION
• 1:1 ASPECT RATIO AT 640 X 480
& 1024 X 768 • 28 DOT PITCH
• 14" NON-GLARE SCREEN
• VGA, EGA, CGA, MDA, HGC COMPATIBLE



1024 X 768 INTERFACE CARD

• 8/16-BIT 8088/286/386/486 COMPATIBLE
• 512K VIDEO RAM EXPANDABLE TO 1MB
• AUTO MODE SWITCHING • 256 COLORS FROM 262,000
• WINDOWS 3.0 COMPATIBLE • INCL. SOFTWARE DRIVERS
VGA-PKG-1024+ \$599.00

MODULAR CIRCUIT TECHNOLOGY INTERFACE CARDS

1.44MB FLOPPY CONTROLLER

\$49.95

• 8088/286 COMPATIBLE
• SUPPORTS 2 FLOPPIES
(360K, 720K, 1.2MB & 1.44MB)
• USER SELECT AS PRIMARY OR SECONDARY (3RD OR 4TH)
FLOPPY



MCT-FDC-HD \$49.95
MCT-FDC-HD4 4 FLOPPY VERSION \$59.95
MCT-FDC FLOPPY CONTROLLER \$29.95
MCT-HDC HARD DRIVE CONTROLLER \$79.95
MCT-RLL RLL HARD DRIVE CONTROLLER \$89.95
MCT-IDE IDE HARD DRIVE CONTROLLER \$39.95
MCT-ESDI 16-BIT ESDI DRIVE CONTROLLER \$149.95

16-BIT FLOPPY/HARD CONTROLLER

\$149.95

• 1:1 INTERLEAVE FOR
IMPROVED PERFORMANCE
• CONTROLS 2 HARD DRIVES
AND 2 FLOPPY DRIVES
• CONCURRENT OPERATION
OF 1 FLOPPY/1 HARD DRIVE



MCT-FAFH \$149.95
MCT-AFH-RLL 16-BIT F/H RLL CONTROLLER \$199.95
MCT-IDEFH IDE F/H CONTROLLER \$69.95
MCT-SCSI-FH SCSI F/H CONTROLLER \$79.95
MCT-IDEIO 16-BIT IDE MULTI I/O CARD \$89.95
MCT-AIO 8-BIT 286/386 MULTI I/O CARD \$59.95
MCT-IO 8-BIT 8088 MULTI I/O CARD \$59.95

SYSTEM DIAGNOSTICS CARD

\$49.95

• WORKS WHEN SOFTWARE CANNOT
• 286/386/486 COMPATIBLE
• PLUG INTO SLOT, READ LED
DISPLAY AND CHECK YOUR BIOS
MANUAL FOR ERROR CODE
• VIEW LEDS ON-BOARD OR ON BACK-PANEL



PCODE \$49.95
MCT-EEMS 16-BIT EEMS CARD \$149.95
MCT-AEMS 16-BIT EMS CARD(USES 1MB DRAMS) \$129.95
MCT-AEMS-256 USES 41256 DRAMS \$129.95
MCT-EEMS 8-BIT EMS CARD 2MB CAPACITY \$129.95
MCT-RAM 8-BIT 576K RAM CARD \$49.95

8/16-BIT VGA

\$149.95

• 8088 OR 286/386/486 PC COMPATIBLE • 800 X 600 IN 16
COLORS • 256K VIDEO RAM • SUPPORTS ANALOG AND TTL
MCT-VGA \$149.95
MCT-VGA-8 8-BIT VERSION \$149.95
MCT-VGA-1024 1024 X 768 VGA \$169.95
MCT-VGA-1024+ 1024 X 768 IN 256 COLORS \$199.95
MCT-MGEIO MONO MULTI I/O, IDE F/H CARD \$129.95
MCT-MGP MONOGRAPHS/PRINTER CARD \$49.95
MCT-CGP CGA GRAPHICS FOR RGB MONITOR \$49.95
MCT-EGA EGA CARD WITH 256K RAM \$149.95



Seagate HARD DRIVE KITS

20 MB \$249

30 MB \$279

KITS INCLUDE HARD DRIVE, DRIVE
CONTROLLER, CABLES & MANUAL



Seagate HARD DRIVES

21 MB \$199

84 MB \$449

42 MB \$299

122 MB \$699

FORM	MODEL	SIZE	FORMAT	MS	PRICE
3-1/2"	ST-125A	21.4MB	IDE	28MS	\$259
3-1/2"	ST-138	32.1MB	MFM	40MS	\$269
3-1/2"	ST-138R	32.1MB	RLL	40MS	\$289
3-1/2"	ST-138A	32.1MB	IDE	28MS	\$269
5-1/4"	ST-251N	42.8MB	SCSI	40MS	\$399
5-1/4"	ST-251-1	43.1MB	MFM	28MS	\$299
3-1/2"	ST-157A	48.6MB	IDE	28MS	\$299
3-1/2"	ST-157N	48.6MB	SCSI	40MS	\$359
5-1/4"	ST-277N-1	64.9MB	SCSI	28MS	\$439
5-1/4"	ST-277-1	65.5MB	RLL	28MS	\$349
5-1/4"	ST-4096	80.2MB	MFM	28MS	\$569
5-1/4"	ST-296N	84.9MB	SCSI	28MS	\$449
5-1/4"	ST-4144R	122.7MB	RLL	28MS	\$699
3-1/2"	ST-1144A	125MB	IDE	19MS	\$649
3-1/2"	ST-1201A	180MB	IDE	15MS	\$799

NOTE: 3-1/2" MODELS REQUIRE ST-MHW TO MOUNT IN 5-1/4" SLOT

\$99.95

1.44MB HIGH DENSITY 3-1/2" DRIVE



• 80 TRACKS • 135 TPI
• READ AND WRITE 720K DISKS, TOO
• INCLUDES ALL NECESSARY MOUNTING HARDWARE

FDD-1.44X BLACK FACEPLATE \$99.95
FDD-1.44A BEIGE FACEPLATE \$99.95
MF355A 3-1/2" MITSUBISHI 1.44MB, BEIGE \$129.95
MF355X 3-1/2" MITSUBISHI 1.44MB, BLACK \$129.95
FDD-360 5-1/4" DOUBLE-SIDED DD 360K \$69.95
FD-55B 5-1/4" TEAC DOUBLE-SIDED DD 360K \$89.95
FDD-1.2 5-1/4" DOUBLE-SIDED HD 1.2M \$89.95
FD-55GFV 5-1/4" TEAC DOUBLE-SIDED HD 1.2M \$99.95

BARGAIN HUNTER'S CORNER

**NORTON UTILITIES
ADVANCED
EDITION V4.01**

\$34.95

THE WORLD'S MOST POPULAR DISK & DATA
MANAGEMENT PROGRAM
• RECOVERS LOST FILES AND DAMAGED DATA
• IMPROVES HARD DISK ACCESS BY ORGANIZING DATA
• EASY-TO-USE POP-UP WINDOWS & MESSAGES
• UPGRADABLE VERSION 4.01
NORTON-4.01 \$34.95

WHILE SUPPLIES LAST!



CUSTOMER SERVICE 800-538-5001
TECHNICAL SUPPORT 800-538-5002
LOCAL/INTERNATIONAL 408-559-1200
BBS (9600/2400/1200) 408-559-0253

TOLL-FREE FAX ORDERS
800-538-5005

ORDER
TOLL-FREE **800-538-5000**
MON.-FRI. 7 A.M. TO 5 P.M., SAT. 9 A.M. TO 3 P.M.

KEY
CODE
#1017

Listing 2c continued

```
#include "evc.h"

static void evc_prog_1();

main()
{
    SVCXPRT *transp;

    (void)pmap_unset(EVC_PROG, EVC_VER);
    transp = svcudp_create(RPC_ANYSOCK);
    if (transp == NULL) {
        (void)fprintf(stderr, "Cannot create udp service.\n" );
        exit(1);
    }
    if (!svc_register(transp, EVC_PROG, EVC_VER, evc_prog_1,
                     IPPROTO_UDP)) {
        (void)fprintf(stderr, "unable to register {EVC_PROG,
                     EVC_VER, udp}.\n");
        exit(1);
    }

    transp = svctcp_create(RPC_ANYSOCK, 0, 0);
    if (transp == NULL) {
        (void)fprintf(stderr, "Cannot create tcp service.\n" );
        exit(1);
    }
    if (!svc_register(transp, EVC_PROG, EVC_VER, evc_prog_1,
                     IPPROTO_TCP)) {
        (void)fprintf(stderr, "unable to register {EVC_PROG,
                     EVC_VER, tcp}.\n");
        exit(1);
    }

    svc_run();
    (void)fprintf(stderr, "svc_run returned\n");
    exit(1);
}

static void
evc_prog_1(rqstp, transp)
    struct svc_req *rqstp;
    SVCXPRT *transp;
{
    union {
        int evc_climate_i_arg;
    } argument;
    char *result;
    bool_t (*xdr_argument)(), (*xdr_result)();
    char (*local)();

    switch(rqstp->rq_proc) {
    case NULLPROC:
        (void)svc_sendreply(transp, xdr_void, (char *)NULL);
        return;

    case EVC_CLIMATE:
        xdr_argument = xdr_int;
        xdr_result = xdr_climate;
        local = (char *(*))evc_climate_i;
        break;

    default:
        svcerr_noproc(transp);
        return;
    }

    bzero((char *)&argument, sizeof(argument));
    if (!svc_getargs(transp, xdr_argument, &argument)) {
        svcerr_decode(transp);

```

continued from page 317

```
&bay_number,
xdr_climate, &climate,
timeout );
```

The procedure number, XDR routines, and call and routine values are the same as with the `callrpc` function. The timeout value is a `timeval` struct providing the retry time for UDP communications. It's ignored for a TCP/IP link.

The corresponding server arrangement uses an `SVCXPRT` transport handle, which is created by `svcudp_create` or `svctcp_create`:

```
SVCXPRT *svcp;

svcp = svcudp_create
    ( RPC_ANYSOCK );
```

The single argument is the network socket that is used for the handle; passing `RPC_ANYSOCK` will cause `svcudp_create` to open a socket. Two additional arguments are required for `svctcp_create`: the sizes of the receive and transmit buffers it should allocate (you can specify 0 to use defaults). The server then registers its functions via `svc_register`:

```
svc_register( svcp, EVC_PROG,
              EVC_VER, evcfnc, IPPROTO_UDP );
```

specifying the program number and program version, a routine to handle all requests for that program, and the type of transport. Once the services have been registered, the server calls `svc_run`.

The `svc_register` function, like `registerpc`, actually registers a service with a server program, the *port mapper*. The port mapper accepts RPC requests and delivers them to the appropriate program so registered. Before registering the function, you may wish to unregister it to erase any lingering trace of an old incarnation:

```
pmap_unset( EVC_PROG, EVC_VER );
```

A big difference in this server arrangement is that the registered function takes care of all the procedure numbers for a particular program number. The function (in this case, `evcfnc`) is passed the address of a `svc_req` structure and the transport handle. The function then must check the `rq_proc` member of the `svc_req` structure to find out which procedure was requested and handle it appropriately.

By convention, all servers respond to a procedure number of 0, as a sort of "are you there?" request. The return value is

continued

simply a void. If the procedure number is invalid, the server should respond by calling `svc_noproc` with the transport handle as the argument.

In processing valid requests, two procedures are used to get arguments and send replies:

```
svc_getargs( svcP, xdrproc,
             dataP );
```

fetches the argument described by the XDR procedure `xdrproc`; `dataP` is the address of a variable to receive the data (e.g., a basic type or a pointer to a struct).

```
svc_sendreply( svcP, xdrproc,
               dataP );
```

returns data using the same calling convention. To execute the deletion XDR function (if any pointer or variable-length data was received), use:

```
svc_freeargs( svcP, xdrproc,
              dataP );
```

You can also arrange to have your server program started automatically by `inetd` (the internet server daemon) when requests come in for it. This is controlled by information in the `inetd` configuration file; `inetd` runs the server program with a socket already opened on file descriptor 0. Thus, when you create the transport handle, you pass the socket number 0 instead of, say, `RPC_ANYSOCK`.

All this demonstration merely touches on the lower levels of RPC, enough to make use of the `rpcgen` RPC compiler. Some other low-level aspects include broadcasting, callbacks, and access authentication.

Automating All the Above

Some of what I have discussed looks pretty daunting, but it is really no more difficult than using any other abstracted I/O mechanism. Even so, a powerful tool helps automate the construction of RPC programs. It's called `rpcgen`, and you can use it to generate both XDR procedures and RPC server routines.

You describe your XDR data and service procedures in a file with, by convention, an extension of `.x`. This file contains C-like descriptions of data and procedure information. For example, when you give `foo.x` to `rpcgen`, the file is passed through the C preprocessor (so you can include regular preprocessor directives such as `#include` and `#if`). Then, `rpcgen` produces up to four files: an `.h` file (`foo.h`) describing the data

```
return;
}
result = (*local)(&argument,&rqstp);
if (result != NULL && !svc_sendreply(transp, xdr_result, &result)) {
    svcerr_systemerr(transp);
    return;
}
if (!svc_freeargs(transp, xdr_argument, &argument)) {
    (void)fprintf(stderr, "unable to free arguments\n");
    exit(1);
}
}
```

Listing 2d: XDR routines for described data, `evc_xdr.c`.

```
#include <rpc/rpc.h>
#include "evc.h"

bool_t
xdr_climate(xdrs, objP)
    XDR *xdrs;
    climate *objp;
{
    if (!xdr_int(xdrs, &objp->temp)) {
        return( FALSE );
    }
    if (!xdr_int(xdrs, &objp->humidity)) {
        return( FALSE );
    }
    return(TRUE);
}
```

types produced from the XDR descriptions, a C file (`foo_xdr.c`) containing the XDR routines that represent those types, a C file (`foo_clnt.c`) containing stub routines for client calls, and a C file (`foo_svc.c`) containing a skeleton server routine.

Listings 1 and 2 show how it would work for the `evc_climate` routine. Listing 1 is the `rpcgen` input file; listings 2a through 2d are the generated output files. Note that the generated code uses a low-level interface making use of a transport handle.

Good, but Not Perfect

Sun's RPC system is not perfect by any means. It is, however, for many applications, a cut above explicit socket-oriented network request methods.

A colleague, speaking of RPC, once expressed the opinion that "abstraction ought to mean more than just hiding the ugliness." If you buy that philosophy, the test of any abstract system is whether its abstraction provides better ways of doing things or merely sweeps the details under the rug. Sun RPC does some of each.

One of the more interesting problems in working with this RPC model is to provide the appropriate levels of glue to

make the interface to the RPC client routines the same as to the actual implementation routines. After all, it's that level of abstraction you're after. One test is to see if you can provide equivalent glue that simply calls the real routines and link your client and server routines together with this glue.

If you want to look at a toy example of RPC programming, a simple program is available electronically (see page 5 for details). The server side provides a few routines that access a set of definitions for conference rooms and meeting schedules. The client side uses the list-manipulation functions to provide commands that inquire and modify these lists. (Presumably, the server would be intelligent enough to schedule meetings based on the matches among room features, meeting requirements, and availability of invitees—but that is beyond the scope of this contrived example.) ■

Mark Mallett is an independent programmer at Zinn Computer Co., a writer, and an active BIX moderator. He lives in Litchfield, New Hampshire, and can be reached on BIX as "mmallett."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

HUGH KENNER

Up from Rosie

Self-similarity rears its head in cats and fractals, cities, and a new collection of essays

Cats, to take a handy example, are fractal. Between Rosie, *felis silvestris catus*, who leaps onto my shoulder, and MGM's *felis leo*, whose leap I hope never to experience, we observe discrete steps—for example, House Cats < Bobcats < Panthers < Big Cats. Nothing smaller than Rosie's kin, nothing larger than Leo's. And although there's a likeness, we've not identity of form: Enlarge Rosie to lion size, and you'd fool no one into thinking you were showing a lion. Apart from color, the mass about the shoulders is wrong, the size of the head. Still, similarity is evident at each scale, and we say, intuitively, "Cats."

Carl von Linné (better known as Linnaeus) knew, circa 1735, that all those creatures were cats, and in the durable system he was constructing, he assigned them to genus *felis*. His genera were based on lists of characteristics, which seem cumbersome since we can often tell by just looking. What we can tell by just looking got firmly accommodated by science only in the past two decades, when fractal theory began speaking of *self-similarity* and defined *similarity* as statistical.

(Not that just looking is infallible. The Greeks named a cumbersome beast *hipopotamos*, horse of the river, on the hunch that anything so big was horsey. They weren't looking at form, they were looking at size. Linnaean principle says it's an overscale pig.)

Similarity may resist rigorous proof, but the human eye is a similarity detector. Computers, which can choke on mismatched commas, are essentially difference detectors. If fractal science was made possible by the computer, that's thanks to the ease with which a computer can show us zones of color to map ranges of numbers; thus, the eye is offered a pattern in which it spots self-similarities at stepwise reductions of scale. It's amazing how much of the world of everyday experience answers to such analysis. Clouds, trees, rivers, coastlines... those are familiar examples. And there are more and more.

The discussion goes on refining its focus. *Fractals and Chaos* (edited by A. D. Crilly, R. A. Earnshaw, and H. Jones, Springer-Verlag, 1991, \$39.50) grew from an international conference in London. It contains 13 papers and 146 figures,

57 in color. If you've only an hour, spend it with Michael Batty's chapter "Cities as Fractals: Simulating Growth and Form" (24 pages, 46 references, four diagrams, and 14 color plates). Batty's pages offer much of the gist of the book. He establishes that a city's growth is, ah, dendriform (my word, not his; a useful word, it means "tree-like").

The tree is a well-known fractal example. The trunk splits into limbs, limbs into branches, branches into twigs. A circulatory system, Rosie's or mine, is likewise structured, arteries down to capillaries. So is the system of airways in our lungs, the system of neural branches in our brains (where neurologists speak of "dendrites"). Self-similar on a small number of diminishing scales, dendriformity seems to govern growth wherever we look. The seemingly random changes of direction that keep any example from just photocopying any other all point to the magic word, *fractal*: Although the details mutate endlessly,



the similarity of structure abides.

And how do cities grow? A few main roadways emanate from a core, drawn by who knows what dreams of advantage. Along them, developments, generating streets off which branch sub-developments.... Dendriform! And the city grows slowly sparser as it grows outward: For myriad reasons, less and less of available space is built over. One reason may be that, remote from the core, developing gets chancier, developers cagier. That's unless the core starts dying, which is another story. We're watching what for Batty is the constant renegotiation of a balance "between the desire to be as far away from the city as possible and the need to be within it."

Here we encounter one of the dizzying leaps that characterize fractal discussions. For a mathematical model, we're to look up papers on "viscous fingering, where a fluid of lower viscosity permeates one of higher viscosity (e.g., water permeating oil)," and on "dielectric breakdown, where a charge is released from some source and attracted towards a more distant sink of high potential." So a population moves like a low-viscosity fluid, or a migrant to the suburbs like an electrical charge. That would have delighted the last group who tried to yoke New Science with common experience, the English "metaphysical" poets of the early 1600s. But Donne and Marvell and their like were not advantaged by a firm mathematical structure to hold disparate things together.

By the way, if you have been puzzled by Mandelbrot's "fractal dimension," which is neither 1 (a line) nor 2 (a plane), but something in between, like 1.72, you may be helped by Batty's suggestion that the fractal dimension of a city simply measures how completely it fills the available space. If cities tend to get sparser as they grow outward, occupied space increases less fast than population. For a real city, a number near 1.6 seems to work.

Another enlightening paper is Alastair Horn's "IFSs and Tiling Structures." An IFS (iterated function system) is a tag associated with Michael F. Barnsley, who (with Alan D. Sloan) wrote about it in "A Better Way to Compress Images" in the January 1988 BYTE. It depends on the idea that a fern (the classic example) can be "tiled" into subferns. Eventually, a short mathematical description emerges, and if we simply rain random points upon the screen, turning on only those dots that fall inside the description, a plausible fern grows slowly visible.

As another contributor, John Lansdown, emphasizes, one parameter is "a probability factor, which determines the density distribution of the random points" everywhere in the image. That ensures, for instance, that veins and stems won't just sag into chaos but will receive due emphasis. And the payoff is, we can store a picture of a fern in a very small number of bytes. The trade-off? The time we'll spend getting it back.

Horn now moves to heavier math than I'm willing to face this afternoon (and Rosie asks to be fed), although his 15 diagrams remain persuasive. What he's moving toward is ISIS (Interactive System for Image Synthesis), which now runs on a Sun workstation and is open to "massively parallel" rendering that relies on the Sun as a host. We're approaching a new domain of image storage, of image generation.

And that brings us to a surprising piece of programming, Dick Oliver's Fractal Graphics (Cedar Software, Rt. 1-5140, Morrisville, VT 05661, (802) 888-5275, \$79). This PC package is worth buying just for the 15 "History Lesson" pages of the manual that offer the cleanest short presentation I've seen of what fractal and chaos theory is all about. (I'd like to take Dick

aside and impress on him the fact that "like" differs from "as." Otherwise, impeccably lucid.)

My only further complaint about Fractal Graphics is that the manual needs just one more page, up front, to clarify a few fundamentals. For several hours I was calling in image templates (from the extensive library provided), only to see them superimposed on an initial display. I eventually discovered that pressing PageUp would clear that background.

Likewise, a menu runs down the right of the screen, and you naturally expect your up- and down-arrow keys to move the cursor up and down beside it. No. Arrow keys move the image templates. To move the cursor down and up, you use space bar and Backspace, although intuition has those giving right and left movement. OK, if that is how Mr. Oliver wants it, but he might have told us up front. One spends too much time mastering such fundamentals (and forgetting them before the next session).

What makes the program worth the bother, though, is that it's chiefly an elaborate implementation of Barnsley-style IFS. The library is a library of templates. The first one you'll see is a cat's face (a travesty of Rosie's), and by electing Draw, you can equip it with a fright wig of hair; then by electing Paint, with cosmetic colored dotting.

A five-finger exercise, a trivial result. More rewarding: Load the Tree template. Examine the self-similarity of its four main elements (a sturdy trunk and three auxiliary members). Then Draw to get an elaborate tree with foliage; Paint to sprinkle it with dainty leaflets. Cut "paint" off with the Escape key if it's getting too fussy. You can clear your tree and then bring it back, for shifting, enlarging, shrinking, skewing, squashing. You can combine trees of different sizes and colors. Design a forest if you are so minded. All these operations are *fast*. You can also combine templates: Insert small Cheshire cats amid trees.

Dick Oliver deserves great credit for bringing the Barnsley system out to where PC users can lay hands on it. Apart from a few toy ferns and Sierpinski gaskets, it's hitherto been pretty inaccessible. And his manual, better on the big picture than on his own program, assumes a user who wants to understand the big picture. I'll hazard that it's as big a picture as this century has seen.

Numbers first described pyramids and temples, next the movement of stars. To draw the picture, you used a ruler or swung your arm. When Kepler's ellipses supplanted circles, you could still use two pins and a string. Numbers, ruling wherever Euclid's shapes pertained, next found Uranus and Neptune and then went chaotic: Cantor's "dusts," the "monsters" of Sierpinski and Koch. Then computer replaced string, ruler, pencil; and, lo, numbers describe a trans-Euclidean world we've always known and have always had to pretend was lacking in order.

Oh—Rosie has asked to go out. A tad dyslexic, even as Albert Einstein was, she'd misread "fractals" as "cattails" and supposed I was discussing something important. ■

Hugh Kenner is a professor of English at Johns Hopkins University. He writes for publications ranging from the New York Times to Art & Antiques. His recent books include Mazes and Historical Fictions. He can be contacted on BIX as "hkenner."

Your questions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.

Discussions of fractals are often characterized by dizzying leaps.



STOP BIT

KENNETH M.
SHELDON

HUMAN FILTERS?

Dateline: 1995. NEW YORK. The Organization of Information Producing Nations met today in New York, in an attempt to deal with what it described as the current infoglut. According to information industry analyst Don Jorak, "Information providers have flooded the market with cheap, easily accessible information, sending the price of information to record low levels. Of course, much of this is low-grade information and requires a great deal of refinement before it can be used."

In related news, the FCC reported that several major

The advent of the information age may turn us into little more than filters for useless data

communications areas are in grave danger of experiencing "inflock," a situation in which vast quantities of transmitted information overwhelm the capabilities of the systems that were designed to handle it. Messages sit stalled in network traffic, businesspeople de-

vote all their time to returning phone calls to people who were returning their calls, and automated calling systems leave messages with answering machines. And the economy slowly grinds to a halt. . . .

You may laugh. But we are approaching the time when the tide of "useless information," as Mick Jagger called it, threatens to inundate us. We spend our days swimming against that tide, trying desperately to fit our work—whatever that may be—in between strokes.

For many years, the computer press has predicted the advent of the paperless office. Hah! We're beginning to realize that the phrase "paperless office" is an oxymoron, what with fax machines spewing endless pages of correspondence, laser printers cranking out multiple copies of E-mail messages that have been broadcast to everyone on the network, express mail packages arriving with mind-numbing regularity (remember when only important things got expressed?), and on, and on.

In the wake of this, separating the information wheat from the chaff is getting harder and harder to do. And we are increasingly reduced to being human filters for all that information. "Work" becomes what you fit in, in discrete chunks, between filtering out what you need to know from what you don't.

That kind of setting doesn't lend itself to long periods of deep thinking. Like our computers, we have learned to multitask—handling several projects at once, devoting small time slices to each one. It's becoming more

and more difficult to accomplish anything that requires a long stretch of uninterrupted time, like creating, planning, or analyzing all that data.

Who's to blame for the current infoglut, the imminent inflock? Several culprits come to mind, but our own beloved personal computers are at the head of the lineup. The people who created the personal computer probably had no idea that their invention would become the Pandora's box of the information age, unleashing demons, awe-inspiring in their fecundity, terrifying in their omnipresence.

Don't get me wrong. I'm not arguing for a return to the dark ages (i.e., before we had laser printers). It is too late to close the box. We have already lost our innocence. We have been cursed with power. The question is, will we control that power?

To do so, we'll need new tools, like the Information Lens, a system developed at MIT that sorts through your incoming E-mail, organizing and prioritizing it for you (see "Through a Lens Smartly" on page 177).


We'll also need new attitudes, attitudes akin to those many of us are trying to adopt about the environment; a mind-set that makes us stop and think before we act. Do I really need to send this memo to *everyone* in the office? Do I need to print out that E-mail message? Is there anything of substance in the report I've just written, or am I just contributing to the deforestation of the wilderness and the clutter in my coworkers' offices?

There's a classic W. C. Fields film called *The Man on the Flying Trapeze*, in which Fields works in an office, with a desk that looks like mine—piled high with stacks of paper. At one point, an office boy tells Fields that his boss wants "a copy of that letter we wrote to Mr. Newt Schvendenborg. . . he thinks it was about four years ago." Fields turns to the desk, mutters about how people keep moving things on him, and proceeds to pluck the letter from the middle of a pile—adding that it was "three and a half years ago, to be correct."

Until we have systems that can do that for us, we're in danger of drowning in our own data. And we'd better think about filtering the flow *before* we let it out. ■

Kenneth M. Sheldon is a senior editor for BYTE. He can be reached on BIX as "ksheldon."

Stop Bit is a forum for informed opinion on personal computing topics. The opinions expressed are those of the author and not necessarily those of BYTE. Your contributions and comments are welcome. Write to: Editor, BYTE, One Phoenix Mill Lane, Peterborough, NH 03458.



Take a Look at LabWindows® 2.0

LabWindows 2.0 brings a new look to data acquisition and instrument control. The new look is graphical—a graphical user interface for your acquisition and control system.

Create a Graphical User Interface

With LabWindows 2.0, you can easily create custom graphics panels to interface with your DOS-based system. Using the graphical editor and standard development tools, you can develop a system that combines data acquisition, data analysis, and data presentation.

Program with C or BASIC

When you develop a system with LabWindows 2.0, you have the benefit of using standard programming languages with development tools designed specifically for data acquisition and instrument control.

Use any Acquisition Hardware

LabWindows 2.0 has libraries of functions to control data acquisition hardware ranging from plug-in boards to industry-standard GPIB, VXI, and

RS-232 instruments. You can develop a system with LabWindows to meet all of your measurement and control needs.

Take a look at the new LabWindows 2.0. You'll like what you see.



6504 Bridge Point Parkway
Austin, TX 78730-5039
(512) 794-0100
(800) 433-3488

LAPTOPS...WE STARTED IT ALL

the world's first laptop computer. We went on to engineer built-in software,

easy-to-read screens



and hard drives in notebook-size PCs.



In 1983, we introduced



AND NOW...

THE NEW TANDY® 2810 HD NOTEBOOK PC,

286 Power

The 80C286 micro-processor runs at 16 MHz for speed-intensive applications like Microsoft® Windows.

VGA Graphics

Brilliant clarity with 640 x 480 graphics and a sharp 16/32-gray scale.

Built-In Hard Drive

20 megabytes of internal storage for rapid access, plus a 3.5" 1.44MB floppy drive.

MS-DOS® 4.01

The latest version of MS-DOS (4.01) comes already installed on the built-in hard drive.

DeskMate® Interface

The DeskMate Graphical User Interface with ten applications is installed on the hard drive for instant-on ease of use.

Resume Mode


Lets you shut off and come back right where you left off—also shuts down automatically to save battery life.

External Support

Attach a 101-key keyboard, a VGA color monitor, a printer, an external floppy drive and more.

1MB Memory

Expandable to five megabytes.



DESKTOP PERFORMANCE IN A 6.7-lb. PORTABLE

Continuing our tradition of innovation, the Tandy 2810 HD is a lightweight laptop for heavy use—at the office, at home, or on the road. With extremely durable construction, it's built for travel—but it can also support a full-size keyboard and monitor for true desktop power. AT® compatibility, stunning VGA graphics and DeskMate® productivity software. Only at Radio Shack. Again.

Radio Shack®
AMERICA'S
TECHNOLOGY
STORE™

Radio Shack is a division of Tandy Corporation. Microsoft and MS-DOS/ licensed from Microsoft Corp. AT/Reg. TM IBM Corp.

Circle 265 on Inquiry Card.